

LEVELING  
ELEVATIONS VERTICAL DATUM OF 1929

154

35-080-43  
MOORESVILLE QUADRANGLE  
NORTH CAROLINA  
N3530-W8045/15  
DIAGRAM NO 17-2  
CHARLOTTE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Watauga, Tredell, Lincoln and  
Rockingham Counties

Final adjustment of 1974

Edition of 7/24/75


PR: WSM/sws

NGVD 29  
Elevations

TURNERSBURG  
(188)

NEWTON  
(155)

CHINA GROVE  
(153)



DERITA  
(127)

US GEOLOGICAL SURVEY GENERAL DATA

Quadrangle 35080

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
57 ATA 1951 946	4	40 JAS 1965 841	10
9 RHP 1951 782	3	41 JAS 1965 809	10
10 RHP 1951 926	3,6	42 JAS 1965 814	10
11 RHP 1951 903	3	43 JAS 1965 846	10
12 RHP 1951 908	3,3	44 JAS 1965 713	9
13 RHP 1951 879	3,12	45 JAS 1965 830	9
14 RHP 1951 847	3	48 JAS 1965 888 <i>POOR / LEARNING 8-89</i>	7,10
<del>14</del> RHP 1951 818	4	49 JAS 1965 892 <i>GOOD 8-89</i>	7
3 JAS 1965 820	5	50 JAS 1965 807	7
4 JAS 1965 RESET 1968 - <i>GOOD 1988</i>	5	51 JAS 1965 855	6
5 JAS 1965 946 - <i>NOT FOUND 1988</i>	5,9,12	52 JAS 1951 939	10
6 JAS 1965 826 " " "	5	53 JAS 1965 939	11
7 JAS 1965 917 " " "	5	54 JAS 1965 906	11
8 JAS 1965 778 " " "	6	55 JAS 1965 769	11
9 JAS 1965 890 <i>GOOD 1988</i>	6	56 JAS 1965 868	7
10 JAS 1965 760 " "	6	60 JAS 1965 746	7
11 JAS 1965 898	6	61 JAS 1965 847	7
12 JAS 1965 884	12	62 JAS 1965 753	8
13 JAS 1965 767	12	63 JAS 1965 883	5,8
14 JAS 1965 874	11	64 JAS 1965 896	8
15 JAS 1965 927	11	65 JAS 1965 902	8
16 JAS 1965 875	11,13	66 JAS 1965 940	8
17 JAS 1965 770	13	67 JAS 1965 900	9
18 JAS 1965 869	13,13	320 JAS 1965 830	4
19 JAS 1965 853	13	321 JAS 1965 737	4
20 JAS 1965 777	13	322 JAS 1965 833	4
21 JAS 1965 840 <i>o</i>	13		
22 JAS 1965 841	13	<u>NGS</u>	
23 JAS 1965 838	14	R 41 1932	12
24 JAS 1965 861	14	W 41 1932	6,10
25 JAS 1965 858	14	788,397 CHECK 5 1933	3,4
26 JAS 1965 860	14	OSWALT 1948	14
27 JAS 1965 825	15	OSWALT 1948	9
28 JAS 1965 871	15	OSWALT AZ 1948	8
29 JAS 1965 785	15	OSWALT NO 1 1948	8
30 JAS 1965 769	15	OSWALT NO 2 1948	9
36 JAS 1965 840	12		
37 JAS 1965 727	12		

NGVD 29  
Elevations

MOORESVILLE QUADRANGLE  
Book AV 248 a

154 NORTH CAROLINA

R. H. Paine

35-080-43  
3

1951

LINE 1.

Feet

By R. H. Paine, 1951; Book AV 248 a

Sherrills Ford School, 0.5 mi N. of; at junction of Y-rd.; 36 ft W. of centerline of graveled rd. N.; 32 ft NE. of centerline of paved rd.; 3 ft NE. of telephone pole; in concrete post; standard tablet stamped "12 RHP 1951 908" 907.860

LINE 2.

By R. H. Paine, 1951; Book AV 248 a

"788.397 CHECK 5 1933" (NGS) 788.322

U.E., at wooden bridge; on NW. concrete wingwall; chiseled square 753.60

Eufola, 2.5 mi S. of; 1.8 mi N. of Long Island; 3.5 ft SW. of W. end of steel bridge over Catawba River; 100 ft S. of centerline of rd. at junction of Y-rd.; 30 ft SW. of centerline of rd.; 8 ft NE. of 10-in. oak tree; in concrete post; standard tablet stamped "9 RHP 1951 782" (Reported destroyed, 1969) 781.788

Reference mark; 0.2 mi ENE. of tablet; on top of N. end of E. concrete pier of steel bridge over Catawba River; chiseled square 786.33

Long Island, 1.1 mi S. of; 4.2 mi N. of Sherrills Ford School; about 600 ft NW. of Olivet Baptist Church; 75 ft S. of centerline of crossroads; 29 ft SW. of centerline of rd.; in concrete post; standard tablet stamped "10 RHP 1951 926" 925.933

Reference mark; 21 ft SE. of tablet; in root on SE. side of 38-in. oak tree; copper nail and washer 926.23

Sherrills Ford School, 1.8 mi N. of; 2.2 mi S. of Olivet Baptist Church; 15 ft WNW. of centerline of graveled rd. at junction of Y-rd.; 46 ft SE. of SE. corner of house; 6 ft N. of mailbox post; in concrete post; standard tablet stamped "11 RHP 1951 903" 902.819

"12 RHP 1951 908" (Described in line 1) 907.860

Terrell, 0.9 mi N. of; 1.5 mi S. of Sherrills Ford School; 57 ft E. of centerline of paved rd.; 2 ft W. of NW. corner of church; in concrete post; standard tablet stamped "13 RHP 1951 879" 878.928

Terrell, 0.9 mi SW. of; 2.3 mi N. of Keisler's Store; 70 ft NW. of centerline of State Highway 150; 40 ft W. of centerline of graveled rd. N.; in 3-ft bank; in concrete post; standard tablet stamped "14 RHP 1951 847" (Reported not found, 1966) 846.698

LINE 2 (Cont'd.)Feet

- Kaislers Store; 90 ft SE. of SE. front of store; 43 ft SE. of centerline of paved rd.; 53 ft NE. of centerline of graveled rd.; 5 ft W. of power pole; in concrete post; standard tablet stamped "15 RHP 1951 818" 817.466
- Reference mark; 68 ft NW. of tablet; on S. corner of concrete base of gasoline pumps; chiseled square 820.86

LINE 3.

By A. T. Adams, 1951; Book AV 246 a

- Eufola, 1.6 mi NW. of, along rd. to Bradford Crossroads; 120 ft NE. of E. corner of Shiloh Presbyterian Church; 45 ft NW. of centerline of rd.; 10 ft NW. of centerline of private drive to church; 4 ft SW. of power pole; in concrete post; standard tablet stamped "57 ATA 1951 946" 945.960
- "788.397 CHECK 5 1933" (NGS) (Also in line 2) 788.322

LINE 4.

By R. H. Paine, 1951; Book AV 248 a

There are no permanent marks on this line in this quadrangle.

LINE 5.

By R. L. Meador, 1966; Book AV 1434 a

- 2 62 6.34 Elmwood, 0.8 mi S. of junction of U.S. Highway 70 and County Road 2362, along Road 2362; 20 ft NW. of, and 2.0 ft lower than centerline of rd.; in top of SW. end of NW. headwall of concrete culvert; standard tablet stamped "320 JAS 1965 830" 829.982
- 2 63 7.42 Elmwood, 3.3 mi S. of junction of U.S. Highway 70 and County Road 2362, along Road 2362; 1.0 ft higher than centerline of bridge over Third Creek; in top of N. end of W. wheelguard of bridge; standard tablet stamped "321 JAS 1965 737" 737.582
- 2 65 8.65 Elmwood, 3.3 mi S. of junction of U.S. Highway 70 and County Road 2362, along Road 2362; 0.1 mi S. of junction of County Roads 2362 and 2365 NW.; 16 ft E. of, and 1.0 ft lower than centerline of rd. in top of N. end of L-shaped concrete culvert; standard tablet stamped "322 JAS 1965 833" 832.946

LINE 5 (Cont'd.)Feet

2	67	9.66	Troutman, 2.1 mi S. of post office, along U.S. Highway 21, thence 5.6 mi NE. along County Road 1001; at Amity Hill; about 80 ft NE. of, and 2.0 ft lower than centerline of rd. at junction of County Roads 1001 and 2362; 0.4 ft W. of metal witness post; in concrete post level with ground; standard tablet stamped "63 JAS 1965 883"	883.207
---	----	------	---	---------

LINE 6.

By R. L. Meador, 1966; Book AV 1436 a

3	3	2.93	Statesville, 2.8 mi S. of Sou. Ry. station, along U.S. Highway 21; at SE. corner of Iredell Memorial Park Cemetery; 85 ft N. of, and 1.0 ft higher than centerline of rd. at junction of drive W. to Shaver Brothers Stool Company; in top of S. end of W. headwall of concrete culvert; standard tablet stamped "3 JAS 1965 820"	819.482
---	---	------	---	---------

3	5	3.91	Statesville, 3.8 mi S. of Sou. Ry. station, along U.S. Highway 21; 0.3 mi N. of post office at Barium Springs, along Highway 21; at concrete underpass walkway under Highway 21; 1.0 ft higher than centerline of hwy.; in top of S. end of W. headwall of walkway culvert; standard tablet stamped "4 JAS 1965 RESET 1968" - 80-Goop	952.842
---	---	------	---	---------

3	6	5.34	Barium Springs, 1.2 mi S. of post office, along U.S. Highway 21; 0.3 mi NW. of RR. station; 50 ft NW. of, and 1.0 ft lower than centerline of rd. at RR. crossing; 54 ft NNW. of, and 2.0 ft higher than centerline of Highway 21; 0.5 ft SW. of metal witness post; on top of copper-coated steel rod driven 35 ft; standard tablet stamped "5 JAS 1965 946" 1980 - Not found	946.425
---	---	------	--	---------

3	8	6.94	Troutman, 0.3 mi NW. of RR. station, along U.S. Highway 21, thence 1.6 mi SW. along Secondary State Road 1324; 2.0 ft lower than center of bridge over Hicks Creek; in top of N. end of E. abutment of bridge; standard tablet stamped "6 JAS 1965 826"	826.341
---	---	------	---	---------

3	9	7.54	Troutman, 0.3 mi NW. of RR. station, along U.S. Highway 21, thence 2.2 mi SW. along Secondary State Road 1324; 70 ft N. of, and 1.0 ft higher than centerline of rd. at junction of Secondary State Roads 1328 and 1324 E.; 0.4 ft E. of metal witness post; crimped to top of copper-coated steel rod driven 10.0 ft; standard tablet stamped "7 JAS 1965 917"	917.113
---	---	------	---	---------

LINE 6 (Cont'd.)Feet

3	11	9.17	Troutman, 0.3 mi NW. of RR. station, along U.S. Highway 21, thence 2.2 mi SW. along Secondary State Road 1324, thence 1.7 mi SW. along Secondary State Road 1328; 5.0 ft lower than centerline of rd.; in top of SW. end of SE. headwall of culvert over small stream; standard tablet stamped "8 JAS 1965 778"	777.491 778
3	12	9.67	Troutman, 0.3 mi NW. of RR. station, along U.S. Highway 21, thence 2.2 mi SW. along Secondary State Road 1324, thence 2.2 mi SW. along Secondary State Road 1328; 75 ft WNW. of, and 4.0 ft higher than centerline of rd. at junction of Secondary State Roads 1328 and 1332 NW.; 0.4 ft NE. of metal witness post; crimped to top of copper-coated steel rod driven 10.0 ft and level with ground; standard tablet stamped "9 JAS 1965 890"	890.200
3	15	10.67	Troutman, 0.3 mi NW. of RR. station, along U.S. Highway 21, thence 2.2 mi SW. along Secondary State Road 1324, thence 3.3 mi SW. along Secondary State Road 1328; on E. side of Lake Norman; 20 ft E. of, and 2.0 ft higher than normal water level of Lake Norman; in top of center of W. end of rock ledge; standard tablet stamped "10 JAS 1965 760"	759.930
3	17	11.67	Long Island, 100 ft SW. of SW. corner of post office; 53 ft SW. of, and 2.0 ft lower than centerline of Secondary State Road 1385 at junction of Secondary State Road 1835 S.; 0.4 ft NE. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 27.5 ft to refusal; standard tablet stamped "11 JAS 1965 898"	898.355
3	18	12.24	"10. RHP 1951 926" (Described in line 2)	925.933

LINE 7.

By R. L. Meador, 1966; Book AV 1436 a

3	20	0.00	"W 41 1932" (NGS)	911.553
3	20	0.97	Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 1.3 mi NE. along State Highway 150, thence 0.4 mi NE. along State Highway 801; 40 ft SW. of, and 3.0 ft lower than centerline of rd. at junction of Highway 801 and County Road 2398 W.; in top of NW. end of L-shaped concrete culvert; standard tablet stamped "51 JAS 1965 855"	855.053

NGVD 29  
ElevationsLINE 7 (Cont'd.)Feet

3 21 1.68 Mooresville, 1.2 mi N. of post office, along State Highway 115, thence 1.7 mi E. along State Highway 150; 8.0 ft lower than centerline of hwy.; in top of E. end of N. concrete headwall of large culvert over Back Creek; standard tablet stamped "50 JAS 1965 807" 806.674

3 22 2.62 Mooresville, 1.2 mi N. of post office, along State Highway 115, thence 2.7 mi E. along State Highway 150, thence 0.1 mi SW. along County Road 2399; 18 ft SE. of, and 1.0 ft lower than centerline of rd.; in top of NE. end of SE. concrete headwall of culvert; standard tablet stamped "49 JAS 1965 892" FOUND GOOD 8-89 892.065

271.952

3 23 3.29 Mooresville, 1.2 mi N. of post office, along State Highway 115, thence 3.2 mi E. along State Highway 150, thence 0.2 mi SE. along State Highway 152; 22 ft NE. of, and level with centerline of hwy.; 12 ft E. of telephone pole No. 340; 04. ft SW. of metal witness post; in concrete post projecting 0.8 ft above ground; standard tablet stamped "48 JAS 1965 888" POOR/LEANING 8-89 888.179

270.717

3 24 4.46 Mooresville, 1.2 mi N. of post office; along State Highway 115, thence 2.4 mi E. along State Highway 150; 0.1 mi N. of Rowan-Iredell County line; 18 ft E. of, and 3.0 ft lower than centerline of hwy.; in top of N. end of E. concrete headwall of culvert; standard tablet stamped "56 JAS 1965 868" FOUND GOOD 88 868.355

/Jogs into China Grove quadrangle/

3 31 9.45 Mount Ulla, 1.4 mi W. of post office, along State Highway 801, thence 0.4 mi N. along County Road 1754, thence 0.5 mi NW. along County Road 1755; 30 ft E. of, and 4.0 ft lower than center of bridge over Wighrow Creek; 0.4 ft SW. of metal witness post; in concrete post projecting 0.1 ft above ground; standard tablet stamped "60 JAS 1965 746" 745.755

3 33 10.69 Mount Ulla, 1.4 mi W. of post office, along State Highway 801, thence 0.4 mi N. along County Road 1754, thence 1.8 mi NW. along County Road 1755; 3.2 mi S. of junction of County Roads 1001 and 2362, along Road 2362, thence 0.4 mi NE. along County Road 2388; 27 ft SE. of, and 1.0 ft lower than centerline of rd. at junction of drive NW.; 0.4 ft NW. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "61 JAS 1965 847" 847.334

NGVD 29  
ElevationsLINE 7 (Cont'd.)Feet

3	35	12.14	Amity Hill, 2.0 mi S. of junction of County Roads 2362 and 1001, along Road 2362; level with center of bridge over Withrow Creek; in top of E. end of N. abutment of bridge; standard tablet stamped "62 JAS 1965 753"	752.847
3	37	14.22	"63 JAS 1965 883" (Described in line 5)	883.267
3	38	15.85	Troutman, 2.1 mi S. of post office, along U.S. Highway 21, thence 4.0 mi NE. along County Road 1001; 80 ft NW. of, and 3.0 ft lower than centerline of rd. at junction of Road 1001 and County Road 2359 N.; 0.4 ft SE. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "64 JAS 1965 896"	895.603
3	39	16.85	Troutman, 2.1 mi S. of post office, along U.S. Highway 21, thence 2.0 mi NE. along County Road 1001; 150 ft W. of, and 2.0 ft lower than centerline of rd. at junction of Road 1001 and County Road 2342 N.; 11 ft NE. of power pole No. 49; 0.4 ft S. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "65 JAS 1965 902"	901.846
3	41	18.41	Troutman, 2.1 mi S. of post office, along U.S. Highway 21, thence 1.4 mi NE. along County Road 1001; 20 ft S. of, and 2.0 ft lower than centerline of rd. at junction of Road 1001 and County Road 2368 N.; 0.4 ft N. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "66 JAS 1965 940"	940.239
3	42	19.09	Troutman, 2.2 mi S. of intersection of U.S. Highway 21, thence 0.6 mi E. along County Road 1001; 400 ft E. of centerline of overpass on Interstate Highway 77; 190 ft N. of rd. junction of drive N.; 79 ft NE. of NE. corner of brick house; 33 ft SE. of corner of Interstate Highway 77 right-of-way fence; 0.5 ft W. of witness post; NGS standard azimuth mark disk stamped "OSWALT AZ 1948"	966.453
3	43	19.70	Reference mark No. 1; 86 ft SE. of station; 26 ft N. of 24-in. oak tree; 20 ft NE. of 12-in. pine tree; 10 ft SW. of two 8-in. oak trees growing from common base; in concrete post projecting 0.7 ft; NGS standard reference mark disk stamped "OSWALT NO 1 1948"	976.767

LINE 7 (Cont'd.)Feet

3	43	19.70	Reference mark No. 2; 65 ft SW. of station; 12 ft W. of 8-in. pine tree; 8 ft N. of 10-in. oak tree; 9 ft S. of 8-in. oak tree; in concrete post projecting 0.5 ft; NGS standard reference mark disk stamped "OSWALT NO 2 1948"	978.171
3	43	19.70	Mooresville, 7.5 mi NNE. of; 7.0 mi SSE. of Statesville; on property owned by H. L. Bass; 54 ft S. of S. edge of cultivated field; in concrete post projecting 0.7 ft; NGS standard triangulation station disk stamped "OSWALT 1948" <u>(Reported not found, 1969)</u>	978.486
3	44	21.11	Troutman, 0.9 mi S. of post office, along U.S. Highway 21; 0.1 mi N. of junction of County Road 2371 NE.; 250 ft S. of junction of County Road 1318 SW.; 2.0 ft lower than centerline of hwy.; in top of N. end of E. headwall of concrete culvert; standard tablet stamped "67 JAS 1965 900"	900.327
3	45	22.39	"5 JAS 1965 946" (Described in line 6)	946.425

LINE 8.

By R. L. Meador, 1966; Book AV 1436 a

3	47	0.00	"S 41 1932" (NGS)	843.860
3	47	1.15	Mooresville, 3.7 mi SW. of post office, along State Highway 115, thence 0.8 mi E. along County Road 1136; 45 ft W. of, and 2.0 ft lower than centerline of rd. at junction of Road 1136 and County Road 1137 S.; 0.4 ft E. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 60 ft; standard tablet stamped "45 JAS 1965 830"	829.754
3	48	2.01	Mooresville, 3.7 mi SW. of post office, along State Highway 115, thence 1.7 mi E. along County Road 1136; 165 ft NE. of center of bridge over West Fork Rocky River; 33 ft N. of, and 6.0 ft lower than centerline of rd.; 0.4 ft S. of metal witness post; level with ground; crimped to top of copper coated steel rod driven 22 ft to refusal; standard tablet stamped "44 JAS 1965 713"	712.642

NGVD 29  
ElevationsLINE 8 (Cont'd.)Feet

3	50	2.12	Mooresville, 3.7 mi SW. of post office, along State Highway 115, thence 2.8 mi E. along County Road 1136; 125 ft W. of junction of County Roads 1125 and 1136 W.; 3 ft S. of telephone pole; 25 ft N. of, and 2.0 ft higher than centerline of rd.; 0.4 ft S. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 55 ft; standard tablet stamped "43 JAS 1965 846"	846.283
3	52	4.53	Mooresville, 3.7 mi SE. of post office, along County Road 1146, thence 1.1 mi SW. along County Road 1147; 24 ft SE. of and 2.0 ft lower than centerline of rd. at junction of County Roads 1147 and 1148 NW.; 0.4 ft NW. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 55 ft; standard tablet stamped "42 JAS 1965 814"	814.287
3	55	6.04	Mooresville, 3.3 mi SE. of post office, along County Road 1146; 300 ft NW. of centerline of rd. at junction of County Roads 1146 and 1149 NE.; in top of NW. end of NE. concrete headwall; of culvert; standard tablet stamped "41 JAS 1965 809"	808.888
3	56	6.60	Mooresville, 3.3 mi SE. of post office, along County Road 1146, thence 0.5 mi NW. along County Road 1149; about 150 ft NW. of junction of County Roads 1150 and 1149 SW.; 24 ft N. of, and 2.0 ft lower than centerline of rd.; 0.4 ft S. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 22.5 ft to refusal; standard tablet stamped "40 JAS 1965 841"	841.289
<u>[Jogs into China Grove quadrangle]</u>				
3	65	13.25	"48 JAS 1965 888" (Described in line 7)	888.179

LINE 9.

By R. L. Meador, 1966; Book AV 1436 a

4	1	0 00	"W 41 1932" (NGS) (Also in line 7)	911.553
4	1	1.10	Mooresville, 2.2 mi N. of post office, along State Highway 115; 350 ft NW. of junction of Highway 115 and County Road 2395 E.; 15 ft SW. of, and 1.0 ft lower than centerline of hwy.; in top of SE. end of SW. concrete headwall of culvert; standard tablet stamped "52 JAS 1965 939"	939.481

LINE 9 (Cont'd.)Feet

4	2	2.43	Mooresville, 3.0 mi N. of post office, along State Highway 115, thence 0.6 mi SW. along State Highway 21; 50 ft N. of, and 3.0 ft lower than centerline of rd. at junction of Highway 21 and County Road 1302 W.; 0.4 ft S. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 55 ft; standard tablet stamped "53 JAS 1965 920"	920.070
4	3	3.43	Mooresville, 3.0 mi N. of post office, along State Highway 115, thence 0.6 mi SW. along State Highway 21, thence 1.0 mi W. along County Road 1302; 400 ft SE. of junction of Road 1302 and 1395 SW.; 45 ft W. of, and 4.0 ft higher than centerline of rd. at junction of drive SW.; 0.4 ft NE. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "54 JAS 1965 906"	905.666
4	5	4.52	Mooresville, 3.0 mi N. of post office, along State Highway 115, thence 0.6 mi SW. along State Highway 21, thence 2.2 mi W. along County Road 1302; in top of SE. end of NE. concrete wheelguard of bridge over Lake Norman; standard tablet stamped "55 JAS 1965 769"	768.660
4	8	6.11	Troutman, 5.6 mi S. of post office, along Secondary State Road 1303, thence 0.1 mi SE. along macadam rd.; about 20 ft SW. of, and 2.0 ft lower than centerline of rd.; in top of SW. end of L-shaped concrete catch basin culvert; standard tablet stamped "16 JAS 1965 875"	874.675
4	10	7.16	Troutman, 4.6 mi S. of post office, along Secondary State Road 1303; 75 ft NE. of, and 4.0 ft lower than centerline of rd. at junction of Secondary State Roads 1303 and 1378 E.; 0.4 ft W. of metal witness post; level with ground; crimped to top of copper coated steel rod driven 35 ft; standard tablet stamped "15 JAS 1965 927"	927.278
4	12	8.12	Troutman, 3.7 mi S. of post office, along Secondary State Road 1303; 40 ft SW. of, and 1.0 ft lower than centerline of rd. at junction of Secondary State Roads 1303 and 1300; 0.4 ft NE. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 50 ft; standard tablet stamped "14 JAS 1965 874"	873.886

LINE 9 (Cont'd.)Feet

4	13	8.99	Troutman, 2.7 mi. S. of post office, along Secondary State Road 1303; 1.0 ft higher than center of bridge over Lake Norman; in top of SE. end of wheelguard of bridge; standard tablet stamped "13 JAS 1965 767"	766.450
4	15	10.26	Troutman, 1.4 mi. S. of post office, along Secondary State Road 1303; 70 ft NE. of, and 3.0 ft lower than centerline of rd. at junction of Secondary State Roads 1303 and 3191 E.; 0.4 ft W. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 30 ft; standard tablet stamped "12 JAS 1965 884"	884.330
4	17	11.95	"5 JAS 1965 946" (Described in line 6) (Also in line 7)	946.425

LINE 10.

By R. L. Meador, 1966; Book AV 1436 a

4	19	0.00	"R 41 1932" (NGS)	827.344
---	----	------	-------------------	---------

Jogs into Derita quadrangle

4	27	8.39	Mooreville, 6.5 mi SE. of post office, along County Road 1146; 250 ft S. of, and 1.0 ft lower than centerline of rd. at junction of County Road 1146 and 1143 NE.; in top of S. end of W. concrete headwall of culvert; standard tablet stamped "36 JAS 1965 840"	839.834
4	29	9.53	Mooreville, <sup>6.5</sup> mi SE. of post office, along County Road 1146, thence 1.2 mi. NE. along County Road 1143; 24 ft S. of, and 1.0 ft higher than centerline of rd. at junction of drive NW.; 0.4 ft NW. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 15 ft; standard tablet stamped "37 JAS 1965 727"	727.283

LINE 11.

By R. L. Meador, 1966; Book AV 1436 a

4	35	0.00	"13 RHP 1951 879" (Described in line 2)	878.928
---	----	------	---	---------

LINE 11 (Cont'd.)

Feet

4	35	1.00	Terrell, 0.1 mi NE. of post office, along State Highway 150; 21 ft S. of, and 1.0 ft lower than centerline of hwy.; in top of S. end of I-shaped catch basin culvert; standard tablet stamped "22 JAS 1965 841"	840.435
4	36	1.89	Terrell, 1.0 mi NE. of post office, along State Highway 150; 1.0 ft higher than center of bridge over portion of Lake Norman leading to Duke Power Plant; in top of NE. end of NW. wheelguard of bridge; standard tablet stamped "21 JAS 1965 84C"	839.953
4	38	3.25	Terrell, 2.4 mi NE. of post office, along State Highway 150; 1.0 ft higher than center of bridge over Catawba River (Lake Norman); in top of N. end of W. wheelguard of bridge; standard tablet stamped "20 JAS 1965 777"	776.500
4	40	4.82	Terrell, 4.1 mi NE. of post office, along State Highway 150; 14 ft NW. of, and 2.0 ft lower than centerline of hwy.; 0.9 mi NW. of Berea Baptist Church; in top of NE. end of NW. headwall of concrete culvert; standard tablet stamped "19 JAS 1965 853"	853.080
4	41	5.87	Terrell, 5.2 mi NE. of post office, along State Highway 150; 0.2 mi SE. of Berea Baptist Church; 250 ft SE. of junction of County Road 1303 NE.; 15 ft NE. of, and level with centerline of hwy.; in top of NW. end of NE. headwall of culvert; standard tablet stamped "18 JAS 1965 869"	868.883
4	43	7.00	Troutman, 6.6 mi S. of post office, along Secondary State Road 1303; 5.1 mi NE. of post office at Terrell, along State Highway 150, thence 1.1 mi W. along Road 1303; 1.0 ft higher than center of bridge over Lake Norman; in top of S. end of W. wheelguard of bridge; standard tablet stamped "17 JAS 1965 770"	770.209
4	45	8.08	"16 JAS 1965 875" (Described in line 9)	874.675

LINE 12.

By R. L. Meador, 1966; Book AV 1436 a

(DOUBLE-RUN SPUR LINE)

4	47	0.00	"18 JAS 1965 869" (Described in line 11)	868.883
---	----	------	--	---------

LINE 12 (Cont'd.)Feet

4	47	1.24	Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 4.3 mi W. along State Highway 150; 42 ft SE. of, and 3.0 ft lower than centerline of rd. at junction of Highway 150 and County Road 1304 N.; in top of E. end of S. headwall of concrete culvert; standard tablet stamped "23 JAS 1965 838"	837.966
4	48	2.62	Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109; about 80 ft SSW. of, and 2.0 ft lower than centerline of rd. at junction of County Roads 1109 and 1100; in top of E. end of S. concrete headwall of culvert; standard tablet stamped "24 JAS 1965 861"	860.384
4	49	3.65	Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109, thence 1.1 mi SW. along County Road 1100; 2.2 mi NE. of Mayhew, along Road 1100; 65 ft SW. of, and 2.0 ft lower than centerline of rd. at junction of County Roads 1100 and 1179 S.; 0.4 ft NE. of metal witness post; crimped to top of copper coated steel rod driven 56 ft to refusal; standard tablet stamped "25 JAS 1965 858"	857.753
4	50	4.65	Mooreville, about 5.5 mi W. of; 3.0 mi NW. of Mount Mourne; 54 ft S. of centerline of paved rd.; 19 ft W. of centerline of driveway; 1 ft W. of power pole; in concrete post projecting 0.3 ft above ground; NGS standard azimuth mark disk stamped "BOSTWALT 1948"	858.845
4	51	5.76	Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109, thence 3.3 mi SW. along County Road 1100; at Mayhew; 50 ft W. of, and 2.0 ft higher than centerline of rd. at junction of County Roads 1100 and 1115 NW.; 0.4 ft E. of metal witness post; crimped to top of copper-coated steel rod driven 42 ft to refusal; standard tablet stamped "26 JAS 1965 860"	859.415

LINE 12 (Cont'd.)Feet

- |   |    |       |  |         |
|---|----|-------|--|---------|
| 4 | 52 | 7.25  | Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109, thence 4.9 mi SW. along County Road 1100; 1.6 mi S. of Mayhew; 46 ft W. of, and 3.0 ft higher than centerline of rd. at junction of field rd. W.; 0.4 ft E. of metal witness post; crimped to top of copper-coated steel rod driven 10 ft to refusal; standard tablet stamped "27 JAS 1965 825"  | 824.765 |
| 4 | 53 | 8.31  | Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109, thence 6.0 mi SW. along County Road 1100; 2.7 mi S. of Mayhew; 0.2 mi NE. of junction of County Roads 1100 and 1182 SE.; 48 ft NE. of E. corner of cemetery; about 20 ft NW. of, and 1.0 ft higher than centerline of rd.; in top of SW. end of second concrete step leading to abandoned church; standard tablet stamped "28 JAS 1965 811" <i>DESTROYED 8/25/98 (steps removed)</i> | 810.350 |
|   | 54 | 9.36  | Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109, thence 7.1 mi SW. along County Road 1100; 3.8 mi S. of Mayhew; 19 ft NW. of, and 1.0 ft lower than centerline of rd. at Mecklenburg-Iredell County line; 9 ft SW. of county line signpost; 0.4 ft SE. of metal witness post; crimped to top of copper-coated steel rod driven 65 ft to refusal; standard tablet stamped "29 JAS 1965 785"  | 785.006 |
| 4 | 55 | 10.57 | Mooreville, 1.2 mi N. of post office, along State Highway 115, thence 3.7 mi W. along State Highway 150, thence 0.9 mi S. along County Road 1109, thence 8.3 mi SW. along County Road 1100; 5.0 mi S. of Mayhew; 0.1 mi N. of Lake Norman from end of Road 1100 at shoreline of lake; 21 ft E. of and 1.0 ft higher than centerline of rd.; 10 ft W. of power pole; 0.4 ft W. of metal witness post; level with ground; crimped to top of copper-coated steel rod driven 32.5 ft to refusal; standard tablet stamped "30 JAS 1965 769" | 768.770 |