

DER LEVELING  
GEODETIC VERTICAL DATUM OF 1929

36-080-22  
KERNERSVILLE QUADRANGLE  
216 NORTH CAROLINA  
N3600-W8000/15  
DIAGRAM NJ 17-11  
WINSTON-SALEM

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY


Davidson, Forsyth,  
and Guilford Counties

Final adjustment of 1975

Edition of 11/14/75

PR: WSM/kp

NGVD 29  
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360802

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>NGS AND STATE SURVEY</u>	<u>PAGE NO.</u>
TT 68 HF 1948 737	8	N C 185 <i>N F 91</i>	9,10
WV 1 1949 835	3,10	N C 186	9
WV 2 1949 917	4	N C 187	3
WV 3 1949 971 <i>N F 92</i>	4	189	7
WV 4 1949 926 <i>Good 92</i>	4	234	6
WV 5 1949 935 <i>DEST 91</i>	4	235	5
WV 6 1949 810 <i>Good 92</i>	5	291 <i>DEST 92</i>	5
WV 7 1949 961	6	N C 292	5,7
WV 8 1949 923	6	N C 768	10
WV 10 1949 902	7	N C 770	10
WV 31 1949 871	11,12	N+C 771 <i>Good 91</i>	8
6 WSM 1950 866	12		
9 WSM 1950 978 <i>DEST 91</i>	8	<u>NGS</u>	
10 WSM 1950 955 <i>Good 91</i>	8		
11 WSM 1950 910 <i>Good 92</i>	9	RV 145	3
12 WSM 1950 867 <i>DEST 92</i>	9	RV 151	4
15 WSM 1950 912	9	F 43 1932	10
16 WSM 1950 753	9	E 88 1935	10,12
17 WSM 1950 852	10,10	G 97 1935	7
18 WSM 1950 971 <i>Good 92</i>	10	J 97 1935	5
19 WSM 1950 675	11	N 97 1935	4
20 WSM 1950 816	11		
21 WSM 1950 RESET 1969	11,12		
29 WSM 1950 952	11		
30 WSM 1950 937	11		
32 WSM 1950 859	12		

NGVD 29  
 Elevations

1949

LINE 1.Feet

By Wallace Varley, 1949; Book AV 132

U.E., Gumtree, 1.5 mi NW. of, along Jones Road; 49 ft NW. of NW. corner of bridge over southbound railway; 41 ft N. of center of Jones Road; in 2 ft granite boulder projecting 1 ft above ground chiseled square

842.65

LINE 2.NGVD 29  
Elevations

By Wallace Varley, 1949; Book AV 132

NGS monel-metal rivet designated "RV 145"

879.972

U.E., Winston-Salem, about 4.6 mi E. of, along U. S. Highway 158; 16 ft S. and 1 ft higher than centerline of hwy.; on E. end of S. headwall of bridge over City Pond; chiseled square

799.82

Winston-Salem, about 4.0 mi E. of, 0.1 mi NE. of junction of U. S. Highway 158 and U. S. Highway 421; on 2 ft cut bank; 29 ft SE. of Highway 158, 85 ft SW. of S. point of frame building; 130 ft NW. of 36-in. oak tree and 150 ft NW. of NE. corner of one-story dwelling; NGS and State Survey standard azimuth disk stamped "NC 187"

929.688

Reference mark; 81 ft SE. of above disk; 110 ft SE. of center of U. S. Highway 158; 77 ft NE. of frame dwelling, on rock outcrop; chiseled square

931.24

U.E., Winston-Salem, 4.4 mi E. of, along U. S. Highway 158; 168 ft SE. of hwy.; on top step of Crews Church basement entrance; chiseled square

937.82

U.E., Winston-Salem, 1.0 mi E. of, along U. S. Highway 421 and U. S. Highway 158, thence 3.0 mi NE. along U. S. Highway 311, thence 1.1 mi NE. along Beeson Dairy Road; 100 ft N. of rd.; on top of 10 ft outcrop; chiseled square

842.16

Winston-Salem, 1.0 mi E. of courthouse, along U. S. Highway 421 and U. S. Highway 158, thence 3.0 mi NE. along U. S. Highway 311 at bridge over Brushy Fork Branch; 1.8 mi SE. of intersection of 25th Street with Norfolk and Western Railway; 16 ft W. of hwy., in N. end of W. headwall; standard tablet stamped "WV 1 1949 835"

835.399

Reference mark, 40 ft SE. of tablet; 16 ft E. of rd.; in S. end of E. headwall of bridge; chiseled square

835.36

LINE 2 (Cont'd)Feet

- Winston-Salem, in city of; at intersection of 25th Street and North Jackson Avenue; 20 ft S. of 25th Street; 80 ft W. of Jackson Avenue; 5 ft E. of W. end of retaining wall; in top of wall about 2 ft above sidewalk; standard tablet stamped "WV 2 1949 917" 916.865
- Reference mark, 40 ft NW. of tablet; 15 ft N. of 25th Street; on top of curb; chiseled square 916.50
- U.E., Winston-Salem, at intersection of 25th Street and N. & W. Ry.; 29 ft N. of street; 11 ft. W. of W. rail; in base of signal box; chiseled square 954.55
- "N 97 1935" (NGS) 989.617

LINE 3.NGVD 29  
Elevations

By Wallace Varley, 1949; Book AV 132

- NGS monel-metal rivet designated "RV 151" 1020.953
- U.E., Kernersville, 0.5 mi S. of, along State Highway 150; 34 ft SE. of street; 20 ft SW. of SW. rail; on base of signal box; chiseled square 1018.52
- Kernersville, 2.6 mi S. of, along Bunker Hill Road; 2.2 mi E. and N. of Mathis, in frontyard of property of H. D. Shields; 33 ft W. of rd.; 55 ft SE. of SE. corner of barn; in concrete post flush with ground; standard tablet stamped "WV 3 1949 971" 971.115
- Reference mark, 66 ft SW. of tablet; 58 ft W. of rd.; in root on N. side of 30-in. oak tree; copper nail and washer 974.38
- Kernersville, 3.1 mi S. of, thence 1.3 mi W. along State Road 2632; in frontyard of property of Charles Matthews; 27 ft S. of center of rd.; 54 ft NW. of NW. corner of house; 5 ft W. of hedge, in concrete post flush with ground; standard tablet stamped "WV 4 1949 926" 925.554
- Reference mark, 85 ft E. of tablet; 65 ft S. of rd.; in root on E. side of 30-in. elm tree; copper nail and washer 924.96
- Kernersville, 4.3 mi SW. of, thence 1.1 mi W. along State Road 2679; at Oak Grove Baptist Church; 45 ft W. of center of rd.; in S. end of bottom step of church entrance; standard tablet stamped "WV 5 1949 935" (Not found, 1969) 934.653
- Reference mark, 40 ft SE. of tablet; 20 ft W. of center of rd.; in S. end of retaining wall; chiseled square 934.92

LINE 3 (Cont'd)Feet

U.E., Mathis, 3.3 mi SW. of, thence 2.5 mi W. along Ridge Road (Smith Road); 4.0 mi SE. of Waughtown; 56 ft S. of rd.; on W. entrance step of Shugart Grill; chiseled square	888.05
Waughtown, 3.4 mi SE. of, along U. S. Highway 311; 1.2 mi SE. of junction of U. S. Highway 311 and State Highway 150; at bridge over Fiddler Creek; 18 ft NE. of center of hwy.; in center of NE. headwall; standard tablet stamped "WV 6 1949 810"	810.028
Reference mark; 18 ft NE. of center of rd.; 23 ft SE. of tablet; on SE. end of NE. headwall; chiseled square	809.86
East Winston-Salem, about 300 ft W. of junction of U. S. Highway 311 and State Highway 150; at NE. corner of property of L. F. Weavil; 26 ft S. of center of Waughtown Street extension; 42 ft SE. of telephone pole No. 936; in concrete post; NGS and State Survey standard disk designated " <u>NC 291</u> "	953.200
Reference mark; 165 ft NE. of tablet; 66 ft N. of State Highway 150; on E. end of stone retaining wall; chiseled square	951.69
U.E., Waughtown, in bottom step of Waughtown Baptist Church; 86 ft S. of Waughtown Street; on E. end of steps; chiseled square	952.50
Waughtown, at SE. corner of intersection of State Highways 150 and 109; between curb and sidewalk; 21 ft N. of center of Highway 150 (East Sprague Street); 39 ft E. of Highway 109; 58 ft from fireplug at SW. corner of intersection; in concrete post; NGS and State Survey standard disk designated " <u>NC 292</u> " (see page 7)	910.107
Reference mark, 20 ft NE. of tablet; 30 ft N. of center of Sprague Street; in bottom step of sidewalk entrance to 901 East Sprague Street; chiseled square	910.655
U.E., Waughtown, 28 ft S. of center of East Sprague Street; on W. abutment of bridge over Winston-Salem southbound Ry. tracks; chiseled square	897.48
Winston-Salem, in NW. corner of South Main Street (State Highway 66) and Devonshire Street; 32 ft W. of center of Main Street; 17 ft N. of center of Devonshire Street; in concrete post; NGS and State Survey standard disk stamped "235" (Not found, 1972)	871.547
Reference mark; 44 ft N. of S. H. 235; 33 ft W. of South Main Street; on S. end of bottom step of sidewalk leading to house (2318 S. Main); chiseled square	870.11
"J 97 1935" (NGS) (Reported destroyed, 1972)	843.292

1949

LINE 4.NGVD 29  
ElevationsFeet

By Wallace Varley, 1949; Book AV 132

U.E., Union Cross, 0.8 mi N. of, in retaining wall on property of E. F. Smith; 17 ft E. of center of Wallburg-Kernersville Road; on N. end of wall and 3 ft higher than rd.; chiseled square	961.50
Union Cross, in village of; 81 ft SW. of center of intersection of U. S. Highway 311 and Wallburg Road; 119 ft SE. of SE. corner of church; 41 ft S. of Highway 311; 29 ft W. of Wallburg Road; in concrete post flush with ground; standard tablet stamped "WV 7 1949 961"	961.267
Reference mark, 85 ft W. of tablet; 61 ft NW. of center of Wallburg Road; in root on NW. side of 28-in. oak tree; copper nail and washer	960.31
✓ Union Cross, 2.1 mi SW. of, along Union Cross-Wallburg Road, 0.2 mi S. of Davidson-Forsyth County line; opposite center of large group of trees; 24 ft W. of center of rd.; in concrete post; standard tablet stamped "WV 8 1949 923" ✓	922.880
Reference mark, 84 ft SE. of tablet; 33 ft E. of center of rd., in root on W. side of 44-in. oak tree; copper nail and washer	924.95
U.E., Wallburg, 67 ft E. of rd. to Union Cross; in S. end of bottom step of Wallburg Baptist Church; chiseled square	920.08
U.E., Wallburg, 0.8 mi NW. of; 16 ft SW. of State Highway 109; on SE. end of SW. headwall of bridge over small stream; chiseled square	816.32
U.E., Wallburg, 2.1 mi NW. of, along State Highway 109; 87 ft SW. of hwy.; about 80 ft SE. of SW. corner of G. R. Reeds home; 31 ft NW. of garage; on gray boulder projecting 18-in. above ground; chiseled square	899.06
U.E., Wallburg, 2.7 mi NW. of, along State Highway 109; 111 ft SW. of hwy.; in bottom step of home owned by B. F. Sink; chiseled square	876.04
U.E., Wallburg, 3.2 mi NW. of, along State Highway 109; 14 ft NE. of center of hwy.; on center of NE. abutment of bridge over South Fork Creek; chiseled square	776.54
Wallburg, 3.9 mi NW. of, along State Highway 109; about 3.4 mi SE. of Waughtown; about center of large field opposite F. M. Rothrock one-story residence; 27 ft S. of center of hwy.; 229 ft SW. of NW. corner of J. M. Colascoe one-story residence; in concrete post; NGS and State Survey standard disk designated "234"	865.194

LINE 4 (Cont'd)Feet

Reference mark, 155 ft NE. of tablet; 38 ft N. of old Union Cross Road; in yard of property of Howard Reid, in root on SE. side of elm tree; copper nail and washer	857.76
U.E., Waughtown, 3.0 mi SE. of, along State Highway 109; 15 ft S. of center of hwy.; on E. end of headwall of bridge over Fiddlers Creek; chiseled square	769.14
U.E., Waughtown, 2.3 mi SE. of, along State Highway 109; 22 ft SW. of center of hwy.; 25 ft SE. of telephone pole; on bottom step leading to one-story white frame house; chiseled square	895.33
Reference mark; chiseled square (Described in line 3)	910.656
NGS and State Survey standard disk stamped "N C 292" (Described in line 3)	910.107

LINE 5.

By Wallace Varley, 1949; Book AV 132

"G 97 1935" (NGS)	796.140
U.E., Gumtree, 1.3 mi NW. of, along Jones Road; 49 ft NW. of NW. corner of bridge over Winston-Salem southbound railway; 41 ft N. of center of Jones Road; on 2-ft granite boulder projecting 1 in. above ground; chiseled square	842.64

⌈ Jogs into Thomasville quadrangle ⌋

✓ Gumtree, 2.0 mi NE. of, along old Wallburg Road (Gumtree Road); 0.4 mi NE. of intersection of dirt rd. E. and paved rd.; on property of C. M. Mottsinger; in fence corner; 361 ft E. of rd.; 25 ft S. of private drive; in concrete post flush with ground; standard tablet stamped "WV 10 1949 902" ✓	902.348
Reference mark, 138 ft S. of tablet; 45 ft E. of center of rd.; in root on SW. side of 16-in. maple tree; copper nail and washer	906.84
U.E., Gumtree, 2.5 mi NE. of, along old Wallburg Road; in front-yard of property of Dewey Reed; 18 ft E. of center of rd.; on top of 6- by 3-ft outcrop 2 ft above level of rd.; chiseled square	934.28
Winston-Salem, 5.0 mi SE. of, along State Highway 109; about 0.2 mi S. of Forsyth-Davidson County line; 28 ft SE. of center of T-rd. SW.; in fence corner; 3 ft from fence post, in concrete post; NGS and State Survey disk designated "189"	903.864
Wallburg, 2.1 mi NW. of; chiseled square (Described in line 4)	899.06

1949

LINE 6.Feet

By Wallace Varley, 1950; Book AV 142

There are no permanent marks in this line in this quadrangle.

LINE 7.NGVD 29  
Elevations

By W. S. Monk, 1950; Book AV 222

Winston-Salem, 4.4 mi N. of, along U. S. Highway, thence 5.5 mi along State Highway 8; 40 ft W. of center of Highway 8; about 90 ft NW. of service station; 19 ft N. and 40 ft W. of T-rd. E. and Y-rd. SW.; 7 ft NE. of powerline pole, in concrete post; standard tablet stamped "TT 68 HF 1948 737"

736.472

LINE 8.

By W. S. Monk, 1950; Book AV 222

U.E., Walkertown, 5.8 mi W. of, along State Highway 66; 25 ft S. and 60 ft E. of junction of rd. S.; on concrete foundation; chiseled square

929.93

Winston-Salem, 5.0 mi N. of junction of U. S. Highway 52 and Indiana Avenue, along Highway 52 and State Highway 8, thence 2.1 mi E.; 4.2 mi W. of Walkertown; 30 ft S. and 35 ft E. of crossroads; 1 ft N. of power pole; in concrete post; standard tablet stamped "9 WSM 1950 978"

977.995

Reference mark, 180 ft W. of tablet; on concrete base of sign; chiseled square

975.21

Walkertown, 4.1 mi W. of; 20 ft N. and 650 ft E. of crossroads; 30 ft E. of driveway to residence; in concrete post; NGS and State Survey standard disk stamped "N C 771"

973.745

Walkertown, 1.6 mi W. of; 30 ft N. and 940 ft W. of T-rd. N.; 50 ft SE. of SE. corner of Mt. Olivet Methodist Church; in concrete post; standard tablet stamped "10 WSM 1950 955"

954.822

Reference mark, 50 ft W. of tablet, on concrete step; chiseled square

954.11

U.E., Walkertown, 0.9 mi W. of; 190 ft SW. of junction of State Highway 66 and rd. SW. to Winston-Salem; on concrete base of sign; chiseled square

986.72

NGVD 29  
ElevationsLINE 8 (Cont'd)Feet

Walkertown, 0.5 mi W. of, on State Highway 77; about 150 ft W. of rd. leading SE. between paved hwy. and Norfolk and Western Ry. tracks; 28 ft N. of center of hwy.; 26 ft S. of center of Ry. tracks; 175 ft SW. of SW. corner of one-story frame dwelling of George W. Matthers; 39 ft SW. of pole on N. side of hwy. and 68 ft SE. of pole on N. side of Ry.; in concrete post; NGS and State Survey standard disk stamped "N C 185"	978.942
U.E., Walkertown, 200 ft E. and 25 ft N. of rd. junction, on concrete base of Texaco Gas sign; chiseled square	994.38
Walkertown, 1.3 mi N. of; at Norfolk and Western Railway underpass of U. S. Highway 311; 10 ft N. of hwy.; set vertically in NW. end of concrete abutment, about 2.5 ft above hwy.; standard tablet stamped "11 WSM 1950 910"	910.418
U.E., Walkertown, 2.2 mi N. of, along U. S. Highway 311; 12 ft N. and 20 ft E. of junction of T-rd. E.; on concrete culvert; chiseled square	894.42
Walkertown, 3.6 mi N. of; 100 ft S. and 80 ft E. of crossroads; 32 ft E. of E. rail of Norfolk and Western Railway; 2 ft W. of telephone pole; in concrete post; standard tablet stamped "12 WSM 1950 867"	866.840

LINE 9.

By W. S. Monk, 1950; Book AV 222

U.E., Walkertown; chiseled square (Described in line 8)	994.38
Walkertown, 0.9 mi SE. of high school; 30 ft S. and 200 ft E. of intersection of State Highway 66 and U. S. Highway 158; 3 ft W. of power pole; in concrete post; NGS and State Survey standard disk stamped "NC 186" (Reset by W. S. Monk, 1950)	984.539
Walkertown, 0.9 mi SE. of high school, thence 2.7 mi NE.; 20 ft S. and 70 ft W. of junction of U. S. Highway 158 and old Riedsville Highway; in parkway between rds.; in concrete post; standard tablet stamped "15 WSM 1950 912" (Not found, 1967)	911.984
Walkertown, 0.9 mi SE. of, thence 4.6 mi NE.; 5.9 mi SW. of Stokesdale; 20 ft S. of U. S. Highway 158, in center of concrete headwall of culvert at stream crossing; standard tablet stamped "16 WSM 1950 753"	753.289

KERNERSVILLE QUADRANGLE

216 NORTH CAROLINA

$$\begin{array}{r} 5.9 \\ 9.7 \\ \hline 1.2 \end{array}$$
36-080-22  
10LINE 9 (Cont'd)Feet

Stokesdale Depot, 4.7 mi SW. of; 50 ft S. and 170 ft W. of crossroads (U. S. Highway 158 and Kernersville-Belew Creek Road); 55 ft W. of NW. corner of Uncle Sam's Cabin; in concrete post; standard tablet stamped "17 WSM 1950 852" (Not found, 1967) 852.103

"E 88 1935" (NGS) 750.602

LINE 10.

By W. S. Monk, 1950; Book AV 222

NGVD 29  
Elevations

"17 WSM 1950 852" (Described in line 9) 852.103

Kernersville, 5.2 mi NE. of, along rd. to Belew Creek; 24 ft E. of center of N.-S. rd.; 24 ft S. of center of rd. E.; in concrete post; NGS and State Survey standard disk designated "N C 768" 855.387

Kernersville, 2.5 mi N. of, along Kernersville-Belew Creek Road; 40 ft N. and 40 ft E. of junction of rd. NW.; in concrete post; NGS and State Survey standard disk stamped "N C 770" (Reset by W. S. Monk, 1950) 955.431

"F 43 1932" (NGS) 1022.984

LINE 11.

By W. S. Monk, 1950; Book AV 222

NGS and State Survey standard disk stamped "N C 185" (Described in line 9) 978.942

Walkertown, 1.5 mi SW. of; 1.0 mi E. along U. S. Highway 421 and U. S. Highway 158, thence 5.2 mi NE. along U. S. Highway 311 from Winston-Salem Courthouse; 50 ft N. and 250 ft E. of junction of Highway 311 and field rd. NW.; 2 ft E. of power pole; in concrete post; standard tablet stamped "18 WSM 1950 971" 971.396

"WV 1 1949 835" (Described in line 2) 835.399

LINE 12.

By W. S. Monk, 1950; Book AV 222

U. E., Walkertown, 6.3 mi N. of, along U. S. Highway 311; 40 ft N. and 15 ft E. of crossing of Norfolk and Western Railway and Belew Creek Road; on SW. corner of concrete base of block signal; chiseled square 820.10

LINE 12 (Cont'd)

NGVD 29  
Elevations

Feet

Walkertown Depot, 6.3 mi N. of, along U. S. Highway 311, thence 2.3 mi E. along Belew Creek Road; 35 ft S. and 145 ft W. of center of wooden bridge over stream; 30 ft W. of field rd.; on bank 3 ft above rd.; in concrete post; standard tablet stamped "19 WSM 1950 675" 675.350

Walkertown Depot, 6.3 mi N. of, along U. S. Highway 311, thence 4.8 mi E. along rd. to Belew Creek; 2.1 mi NW. of Belew Creek; 170 ft S. and 35 ft E. of junction of State Highway 65 and Salem Church Road; 20 ft N. of power pole; in concrete post; standard tablet stamped "20 WSM 1950 816" 815.760

Belews Creek; 110 ft SW. of post office; 50 ft SW. of, and about 2.5 ft lower than centerline of RR; 1 ft NE. of witness post; in concrete post level with ground; standard tablet stamped "21 WSM 1950 RESET 1969" 775.855

LINE 13.

By W. S. Monk, 1950; Book AV 222

Bunker Hill, 1.8 mi S. of, 30 ft E. of rd., in line with center of T-rd. SW.; in concrete post; standard tablet stamped "29 WSM 1950 952" (Tied by NGS, 1968) 951.776

Bunker Hill, 3.8 mi S. of; 0.7 mi N. of junction of U. S. Highway 311 and High Point-Kernersville Road; 230 ft S. and 40 ft W.; 4 ft S. of power pole; in concrete post; standard tablet stamped "30 WSM 1950 937" 937.344

U.E., Bunker Hill, 4.5 mi S. of, 0.6 mi SE. of junction of U. S. Highway 311 and T-rd. N.; 15 ft S. of hwy.; at small stream crossing; on center of concrete headwall of culvert; chiseled square 832.75

Jogs into Thomasville quadrangle

High Point Station, 3.7 mi N. of RR. station, along Centennial Avenue extension; in SW. angle of rd. forks; 42 ft S. of Oak Ridge Road; 37 ft W. of Centennial Avenue extension; 11 ft S. of telephone pole; in concrete post; standard tablet stamped "WV 31 1949 871" 870.961

Reference mark; 130 ft NE. of tablet; 24 ft N. of center of Oak Ridge Road; in root on SW. side of 40-in. oak tree; copper nail and washer 868.67

1950

LINE 14.

Feet

By W. S. Monk, 1950; Book AV 222

Bunker Hill Church, 5.2 mi S. of, thence 0.9 mi W.; 0.4 mi N., thence 0.5 mi E. of Abbotts Creek Baptist Church; 50 ft N. and 120 ft E. of junction of Abbotts Church Road (~~U. S. Highway 311~~) and rd. E. to Bunker Hill Road; 2 ft E. of power pole; in concrete post; standard tablet stamped "32 WSM 1950 859"

859.239

U.E., Wallburg, 67 ft E. of rd. to Union Cross; on S. end of bottom step of Wallburg Baptist Church; chiseled square

920.03

LINE 15.

NGVD 29  
Elevations

By W. S. Monk, 1950; Book AV 222

"N 97 1935" (NGS)

989.617

Winston-Salem, 1.5 mi N. of junction of U. S. Highway 52 and Indiana Avenue; 25 ft W. of hwy.; in center of concrete headwall of culvert standard tablet stamped "6 WSM 1950 866"

866.220

Reference mark; 50 ft E. of tablet; on S. end of concrete headwall of culvert; chiseled square

866.46

LINE 16.

By W. Varley, 1950; Book AV 132

"WV 31 1949 871" (Described in line 13)

870.961

LINE 17.

By H. L. Zohn, 1969; Book AV 1542

4 47 8.04 "21 WSM 1950 RESET 1969" (Described in line 12)

775.855

4 49 9.95 "E 88 1935" (NGS) (Also in line 9)

750.602