

219

36-080-33

RONDA QUADRANGLE

NORTH CAROLINA

N3600-W8045/15

DIAGRAM HJ 17-11

WINSTON SALEM

NEAREST LEVELING
TODAY GEODETIC VERTICAL DATUM OF 1929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Iredell, Surry, Wilkes, and
Yadkin Counties


Final adjustment of 1975

Edition of 8/22/75

PR: WSM/rmc

NGVD 29
Elevations

ROARING GAP
(248)



SPILLMAN
(218)

NGVD 29
Elevations

80°45'

36°00'

STATESVILLE
(188)

NCS (USCGS) VERTICAL CONTROL DATA

A. Quadrangle 360803

219

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
74 DOP 1962 1178	3	19 HLZ 1969	8
6 AIM 1963 965	3,10	20 HLZ 1969	9
7 AIM 1963 1230	3	21 HLZ 1969	9
8 AIM 1963 1143 <i>92 Dest.</i>	4,11	22 HLZ 1969	10
9 AIM 1963 1171 <i>92 Good</i>	4	23 HLZ 1969	10
10 J.L.H 1963 1169	4	24 HLZ 1969	10
340 JAS 1963 1132	5	25 HLZ 1969	11,11
341 JAS 1965 1112	5	26 HLZ 1969	11
342 JAS 1965 1220	5	27 HLZ 1969	11
344 JAS 1965 1146	5	29 HLZ 1969	11
345 JAS 1965 1120	6	30 HLZ 1969	11
354 JAS 1965 RESET 1974	5	31 HLZ 1969	9
358 JAS 1965 915	5	32 HLZ 1969	9
1 HLZ 1969	6	33 HLZ 1969	10
2 HLZ 1969	6	34 HLZ 1969	10
3 HLZ 1969	6	35 HLZ 1969	10
4 HLZ 1969	6	36 HLZ 1969	10
5 HLZ 1969	7	150 HLZ 1969	6
6 HLZ 1969	7		
7 HLZ 1969	7,9	<u>NGS</u>	
8 HLZ 1969	7	RV 13 (Sou. Ry.)	6
9 HLZ 1969	7,8	B 45 1933	3
10 HLZ 1969	7	D 45 1933	10
11 HLZ 1969	7	X 44 1933	3,4
12 HLZ 1969	8	Y 44 1933	9
13 HLZ 1969	8	OSBORNE NO 1 1934	3
14 HLZ 1969	8	S 89 1935	6
15 HLZ 1969	8	NEW HOPE 1954	9
16 HLZ 1969	8	NEW HOPE NO 1 1954	9
17 HLZ 1969	8	NEW HOPE NO 2 1954	9
18 HLZ 1969	8		

347 JAS

NGVD 29
Elevations

NGVD 29
Elevations

RONDA QUADRANGLE
Book AV 872

219 NORTH CAROLINA

D. O. Pruitt

36-080-33

3

1962

LINE 1.

Feet

By D. O. Pruitt, 1962; Book AV 872

6 1 0.00 "X 44 1933" (NGS)

817.895

LINE 2.

By D. O. Pruitt, 1962; Book AV 872

4 44 0.00 "B 45 1933" (NGS)

1071.566

LINE 3.

By D. O. Pruitt, 1962; Book AV 872

5 47 4.42 Boonville, 2.0 mi W. of, along State Highway 67, thence 2.1 mi S. along County Road 1361; at intersection of County Roads 1361 and 1331; in base of concrete gasoline pump platform; standard tablet stamped "74 DOP 1962 1178"

1178.136

LINE 4.

By A. I. Malva-Gomes, 1963; Book AV 956

8 38 11.90 U.E., 16 ft N. of hwy.; on concrete headwall; chiseled square

969.31

8 39 12.38 North Wilkesboro Bridge; 12.5 mi SE. of; at concrete bridge over Hunting Creek; 18 ft W. of hwy.; in SW. headwall of bridge; standard tablet stamped "6 AIM 1963 965"

965.492

8 39 12.38 Reference mark; 89 ft NE. of tablet; on N. end of bridge; chiseled square

968.59

8 42 13.12 U.E., at Mt. Pisgah Baptist Church; 25 ft W. of hwy.; on concrete headwall; chiseled square

1150.28

8 45 13.90 North Wilkesboro Bridge; 14.0 mi SE. of; at gas station; 31 ft W. of centerline of hwy.; in concrete post; NGS standard reference mark disk stamped "OSBORNE NO 1 1934"

1233.304

8 45 13.90 Reference mark; 32 ft W. of hwy.; on concrete gas pump base; chiseled square

1236.02

8 47 14.28 North Wilkesboro Bridge, 14.4 mi SE. of; at L. Comer General Store; 26 ft N. of NW. corner of store; 49 ft E. of hwy.; in concrete retaining wall; standard tablet stamped "7 AIM 1963 1230"

1229.873

NGVD 29
Elevations

LINE 4 (Cont'd)

Feet

8 46	14.27	Reference mark; 50 ft SW. of tablet; 30 ft E. of hwy.; on concrete gas pump base; chiseled square	1229.82
8 49	14.82	U.E., 17 ft W. of hwy.; 1 ft lower than rd.; on S. end of concrete headwall; chiseled square	1102.08
8 54	16.21	North Wilkesboro, 16.3 mi SE. of; at junction of State Highways 115 and 901; 69 ft NE. of, and 2 ft higher than junction; 24 ft E. of hwy.; in concrete headwall; standard tablet stamped "8 AIM 1963 1143" 92 Dest.	1143.066
8 54	16.21	Reference mark; 63 ft S. of tablet; on traffic island; chiseled square	1141.64
8 60	18.17	North Wilkesboro, 16.8 mi SE. of, along State Highway 115, thence 1.4 mi W. along County Road 1598; at junction of County Road 1607; 114 ft NW. of junction; 56 ft N. of, and level with hwy.; in concrete gas pump base; standard tablet stamped "9 AIM 1963 1171" 92 GOOD	1170.813
8 60	18.17	Reference mark; 210 ft E. of tablet; top of concrete right-of-way post	1167.81
8 64	19.05	U.E., 30 ft SE. of, and 6 ft lower than hwy.; on SW. end of concrete headwall; chiseled square	1123.19
8 65	19.52	U.E., 23 ft NE. of, and 3 ft lower than hwy.; on concrete headwall; chiseled square	1114.27

LINE 5.

By J. L. Hubbard, 1963; Book AV 956

4 10	1.43	U.E., 43 ft NW. of, and level with junction of T-rd. W. (County Roads 1990 and 2001); chiseled square	1165.21
4 12	2.09	Roaring River, 2.1 mi N. of, along County Road 1990; 72 ft E. of NE. corner of Hunts Store; 36 ft W. of, and 3 ft higher than centerline of rd.; in concrete post projecting 3 in.; standard tablet stamped "10 J.L.H. 1963 1169"	1169.465
4 13	2.09	Reference mark; 72 ft W. of tablet; 100 ft W. of centerline of rd.; in concrete step to Hunt's Store; chiseled square	1171.12

LINE 6.

By R. L. Meador, 1966; Book AV 1434

5 1	0.00	"X 44 1933" (NGS) (Also in line 1)	817.895
-----	------	------------------------------------	---------

NGVD 29
Elevations

LINE 6 (Cont'd)Feet

5 1 0.67 Harmony, 3.5 mi N. of post office, along U. S. Highway 21; at Houstonville; about 39 ft SE. of, and 3.0 ft lower than centerline of Highway 21 at junction of County Road 2115; in top of SE. end of E. concrete headwall of culvert; standard tablet stamped "358 JAS 1965 915" 914.943

[Jogs into Statesville quadrangle]

5 11 7.31 Union Grove, 0.2 mi NW. of post office, along State Highway 901, thence 1.1 mi SE. along County Road 1852; 125 ft S. and 9 ft W. of junction of County Road 1811; in concrete post; standard tablet stamped "354 JAS 1965 RESET 1974" 1063.021

5 13 7.49 U.E., 7 ft N. of centerline of rd. at W. end of wooden bridge; on NW. abutment of bridge; chiseled square 900.28

LINE 7.

By R. L. Meador, 1966; Book AV 1434

5 29 2.68 Central School, 6.2 mi N. of, along State Highway 115, thence 2.5 mi W. along County Road 1595; about 21 ft S. of, and 5.0 ft higher than centerline of rd.; 0.4 ft N. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "342 JAS 1965 1220" 1219.798

5 31 3.91 Central School, 6.2 mi N. of, along State Highway 115, thence 1.2 mi W. along County Road 1595; at crest of hill; about 33 ft E. of, and 3.0 ft higher than centerline of rd. at junction of woods rd. SE.; 0.4 ft NW. of metal witness post; in concrete post projecting 0.7 ft above ground; standard tablet stamped "341 JAS 1965 1112" 1112.071

5 33 5.10 Central School, 6.2 mi N. of, along State Highway 115; about 36 ft SE. of, and 1.0 ft higher than centerline of Highway 115 at junction of County Road 1595 W.; 0.4 ft W. of metal witness post; in concrete post level with ground; standard tablet stamped "340 JAS 1965 1132" 1131.521

LINE 8.

By R. L. Meador, 1966; Book AV 1434

5 50 1.15 Central School, 5.1 mi N. of, along State Highway 115, thence 1.1 mi E. along County Road 1861; about 100 ft NE. of, and 7.0 ft lower than centerline of Road 1861 at junction of County Road 1863; in concrete post projecting 0.4 ft above ground; standard tablet stamped "344 JAS 1965 1146" 1145.623

NGVD 29
Elevations

LINE 8 (Cont'd)Feet

5 51 2.12 Central School, 5.1 mi N. of, along State Highway 115, thence 2.1 mi NE. along County Road 1861; about 70 ft NE. of, and 6.0 ft lower than centerline of Road 1861 at junction of County Road 1862; 0.5 ft SW. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "345 AS 1965 1120" 1119.521

LINE 9.

By H. L. Zohn, 1969; Book AV 1542

8 45 0.00 "RV 13" (Sou. Ry.) (NGS) 904.447

8 47 1.00 West Elkin, 0.6 mi SW. of junction of Austin Road and State Highway 268, along Highway 268; 50 ft NW. of, and about 10 ft higher than junction of Highway 268 and County Road 2064; 0.5 ft SE. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "150 HLZ 1969" 1062.113

LINE 10.

By H. L. Zohn, 1969; Book AV 1542

1 5 0.00 "S 89 1935" (NGS) 934.568

1 5 0.40 U.E., on SW. corner of concrete bridge over Yadkin River; chiseled square 925.77

1 7 1.09 Ronda, 0.9 mi S. of junction of County Road 2303 and State Highway 268, along Road 2303; 30 ft NW. of, and about 2 ft higher than junction of Road 2303 and I-rd. WSW.; 3 ft E. of power pole; 0.5 ft S. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod drive 20 ft to refusal; standard tablet stamped "1 HLZ 1969" 1025.742

1 9 2.20 Clingman, 0.9 mi NW. of junction of County Roads 2303 and 2309, along Road 2303; 130 ft NW. of, and about 1 ft lower than junction of County Roads 2303 and 2321; 2.5 ft S. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 11 ft to refusal; standard tablet stamped "2 HLZ 1969" 1087.203

1 10 3.04 Clingman; at store of H. G. Greene; in concrete base for Esso Gas sign; standard tablet stamped "3 HLZ 1969" 1133.516

1 11 3.72 Clingman, 0.7 mi S. of junction of County Roads 2309 and 2303, along Road 2309; at Pleasant Grove Baptist Church; in S. end of bottom step at front entrance; standard tablet stamped "4 HLZ 1969" 1167.806

LINE 10 (Cont'd)Feet

1 13	4.85	Brooks Crossroads, 8.8 mi W. of junction of U. S. Highways 421 and 21, along Highway 421 N.; 112 ft E. of, and about 5 ft lower than centerline of junction of Highway 421 and County Road 2309; in W. end of 8 ft concrete culvert; standard tablet stamped "5 HLZ 1969"	1171.847
1 15	6.05	Brooks Crossroads, 8.7 mi W. of junction of U. S. Highways 421 and 21, along Highway 421 N.; thence 1.1 mi S. along County Road 2400; at rear entrance to Temple Hill Methodist Church; in S. end of bottom step; standard tablet stamped "6 HLZ 1969"	1186.976
1 16	6.45	U.E., at 33 ft concrete culvert over small stream; on SE. end of SW. retaining wall; chiseled square	1097.35
1 19	7.79	Brooks Crossroads, 8.7 mi W. of junction of U. S. Highways 421 and 21, along Highway 421, thence 2.9 mi S. along County Road 2400; 40 ft NW. of, and about level with junction of County Roads 2400 and 2403; 5 ft SE. of witness sign; 1 ft E. of fence; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 15 ft to refusal; standard tablet stamped "7 HLZ 1969"	1160.259
1 22	9.10	Union Grove, 1.3 mi W. of post office, along State Highway 901, thence 1.8 mi N. along County Road 1807, thence 3.5 mi N. along County Road 2400; at 31 ft concrete culvert over small stream; in N. end of E. retaining wall; standard tablet stamped "8 HLZ 1969"	1046.377
1 25	10.51	Union Grove, 1.3 mi W. of post office, along State Highway 901, thence 1.8 mi N. along County Road 1807, thence 2.2 mi N. along County Road 2400; 83 ft SE. of, and about 1 ft higher than centerline of crossroads (County Roads 2400 and 2412); 2 ft N. of power pole No. 66; 1 ft W. of witness sign; projecting 0.1 ft above ground; crimped to top of copper-coated steel rod driven 10 ft to refusal; standard tablet stamped "9 HLZ 1969"	1097.617
1 27	11.02	Union Grove, 1.3 mi W. of post office, along State Highway 901, thence 1.8 mi N. along County Road 1807, thence 0.8 mi N. along County Road 2400; at Sweet Home Baptist Church; in N. end of top step; standard tablet stamped "10 HLZ 1969"	1011.123
1 29	13.13	Union Grove, 1.3 mi W. of post office, along State Highway 901, thence 1.3 mi N. along County Road 1807; at residence of Gaston White; 60 ft W. of, and about 4 ft higher than centerline of rd. opposite; 2 ft SE. of power pole No. 23; 1 ft E. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 14 ft to refusal; standard tablet stamped "11 HLZ 1969"	998.359

NGVD 29
Elevations

LINE 10 (Cont'd)feet

- 1 31 14.42 Union Grove, 1.4 mi W. of post office, along State Highway 901; at Smyths Chapel; in N. end of bottom step; standard tablet stamped "12 HLZ 1969" 1121.439
- 1 32 15.20 Union Grove, 0.6 mi W. of post office, along State Highway 901; 54 ft SSE. of, and about 1 ft lower than junction of Highway 901 and County Road 1892; in E. end of L-shaped concrete culvert; standard tablet stamped "13 HLZ 1969" 2184 GOOD 1130.920
- 1 34 16.52 Union Grove, 0.6 mi W. of post office, along State Highway 901, thence 1.3 mi S. along County Road 1892; at concrete bridge over Rocky Creek; in N. end of E. concrete guardrail base; standard tablet stamped "14 HLZ 1969" 937.175

LINE 11.

By H. L. Zohn, 1969; Book AV 1542

Not of third-order accuracy

- 1 40 0.00 "9 HLZ 1969" (Described in line 10) 1097.617
- 1 42 1.11 Windsors Crossroads, 2.1 mi NW. of junction of County Roads 1100 and 1103, along County Road 1100, thence 1.0 mi W. along County Road 1105; 71 ft NE. of, and about 2 ft lower than junction of drive S.; 0.5 ft S. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "15 HLZ 1969" 1104.12
- 1 44 2.17 Windsors Crossroads, 2.1 mi NW. of junction of County Roads 1100 and 1103, along Road 1100; at Sheloh Baptist Church; in S. end of walk leading to S. entrance of church; standard tablet stamped "16 HLZ 1969" 1176.30
- 1 45 3.13 Windsors Crossroads, 1.1 mi WNW. of junction of County Roads 1100 and 1103, along Road 1100; 43 ft NNE. of, and about 3 ft lower than junction of field rd. N.; 0.5 ft S. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 25 ft to refusal; standard tablet stamped "17 HLZ 1969" 1099.75
- 1 46 4.22 Windsors Crossroads, 131 ft WSW. of, and about 1 ft higher than junction of County Roads 1100 and 1103; in concrete post projecting 0.2 ft; standard tablet stamped "18 HLZ 1969" 2184 GOOD 1100.38
- 1 49 5.46 Windsors Crossroads, 1.2 mi E. of junction of County Roads 1100 and 1103, along Road 1100; 40 ft N. of, and about 1 ft lower than centerline of rd. opposite; 0.5 ft S. of witness sign; at SE. corner of large field; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 10 ft to refusal; standard tablet stamped "19 HLZ 1969" 1065.60

LINE 11 (Cont'd)Feet

1	51	6.57	Windsors Crossroads, 2.3 mi E. of junction of County Roads 1100 and 1103; along Road 1100; at Hunting Creek Church; in SE. end of second step; standard tablet stamped "20 HLZ 1969"	977.24
1	53	7.48	Houstonville, 3.0 mi N. of junction of U. S. Highway 21 and County Road 2115, along Highway 21, thence 1.3 mi WNW. along County Road 1828; 80 ft NW. of, and about 3 ft higher than junction of County Roads 1100 and 1828; on Yackin-Iredell County line; 1 ft SE. of witness sign; projecting 0.2 ft above ground; crimped to top of copper - coated steel rod driven 20 ft to refusal; standard tablet stamped "21 HLZ 1969"	888.51
1	59	9.03	Brooks Crossroads, 6.0 mi S. of junction of U. S. Highways 421 and 21, along Highway 21; 6.0 mi N. of Harmony; at New Hope Baptist Church; 82 ft S. of centerline of graveled driveway; 44 ft NE. of NW. corner of church building; 30 ft N. of NW. corner of church building; 30 ft N. of NE. corner of building; in concrete post flush with ground; NGS standard triangulation station disk stamped "NEW HOPE 1954"	979.07
1	57	9.00	Reference mark No. 1; 60 ft NE. of station; 86 ft NE. of NE. corner of building; 42 ft S. of centerline of driveway; in concrete post flush with ground; NGS standard reference mark disk stamped "NEW HOPE NO 1 1954"	975.58
1	58	9.02	Reference mark No. 2; 29 ft S. of station; 1 ft N. of NE. corner of building; in concrete post flush with ground; NGS standard reference mark disk stamped "NEW HOPE NO 2 1954"	978.88
1	62	10.66	"Y 44 1933" (NGS)	774.802

LINE 12.

By H. L. Zohn, 1969; Book AV 1542

2	45	0.00	"7 HLZ 1969" (Described in line 10)	1160.259
2	45	0.71	Brooks Crossroads, 8.7 mi W. of junction of U. S. Highways 421 and 21, along Highway 421 N., thence 2.9 mi S. along County Road 2400, thence 0.7 mi E. along County Road 2403; at Union Baptist Church; in SE. end of landing at main entrance; standard tablet stamped "31 HLZ 1969"	1142.326
2	48	2.52	Brooks Crossroads, 5.5 mi W. of junction of U. S. Highways 421 and 21, along Highway 421; 62 ft SW. of, and 6 ft lower than junction of Highway 421 and County Road 1100; in top of 4 ft concrete culvert; standard tablet stamped "32 HLZ 1969" 44.0' S of E Hwy & 76.7' W of E OF SR 1100	1076.178

NGVD 29
Elevations

LINE 12 (Cont'd)Feet

2 51	3.60	Brooks Crossroads, 5.5 mi W. of junction of U. S. Highways 421 and 21, along Highway 421, thence 0.2 mi N. along County Road 1100, thence 200 ft N. along County Road 1300, thence 0.5 mi N. along County Road 1321; thence 0.5 mi E. along County Road 1320; 48 ft SE. of, and 4.5 ft higher than center of 30 ft wooden bridge over Dobbin Creek; in top of boulder; standard tablet stamped "33 HLZ 1969"	1038.394
2 53	4.78	Brooks Crossroads, 4.0 mi W. of junction of U. S. Highways 421 and 21, along Highway 421, thence 0.2 mi N. along County Road 1112, thence 1.0 mi N. along County Road 1316; 57 ft WSW. of, and about 1 ft higher than junction of County Roads 1316 and 1320; 0.2 ft N. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "34 HLZ 1969"	1150.987
2 55	5.86	Brooks Crossroads, 3.3 mi N. of junction of U. S. Highways 21 and 421, along Highway 21, thence 1.4 mi W. along County Road 1103, thence 0.4 mi W. along County Road 1323; 95 ft NNE. of, and about 4 ft higher than junction of County Roads 1323 and 1322; 0.2 ft S. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "35 HLZ 1969"	1160.233
2 57	6.59	Brooks Crossroads, 3.3 mi N. of junction of U. S. Highways 21 and 421, along Highway 21, thence 1.1 mi W. along County Road 1103; 30 ft NNW. of, and about 7 ft lower than center of wooden bridge over small stream; in NW. end of N. abutment; standard tablet stamped "36 HLZ 1969"	1062.186
2 60	8.00	"D 45 1933" (NGS)	1074.240

LINE 13.

By H. L. Zohn, 1969; Book AV 1542

2 5	0.00	"6 AIM 1963 965" (Described in line 4)	965.492
2 5	1.19	Osbornville, 5.1 mi W. of; 3.6 mi N. of junction of State Highways 901 and 115, along Highway 115, thence 1.1 mi E. along County Road 2412; 80 ft NE. of, and 1 ft lower than junction of dirt rd. NE.; 2.5 ft S. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 20 ft to refusal; standard tablet stamped "22 HLZ 1969"	989.692
2 7	2.31	Osbornville, 0.9 mi N. of, along macadam rd., thence 2.8 mi W.; 3.6 mi N. of junction of State Highways 901 and 115, along Highway 115, thence 2.2 mi E. along County Road 2412; 42 ft SW. of, and about 5 ft lower than junction of County Roads 2412 and 2422; in top of boulder; standard tablet stamped "23 HLZ 1969"	1111.117
2 10	3.75	Cranberry Community, 2.8 mi SE. of; 3.6 mi N. of junction of State Highways 901 and 115; along Highway 115, thence 2.2 mi E. along County Road 2412, thence 0.8 mi N. along County Road 2422, thence 0.6 mi NW. along County Road 2418; at Shady Grove Baptist Church; in SE. end of third step; standard tablet stamped "24 HLZ 1969"	1158.432

LINE 13 (Cont'd)Feet

- 2 11 4.65 Cranberry Community, 1.6 mi SE. of; 3.6 mi N. of junction of State Highways 901 and 115, along Highway 115, thence 2.2 mi E. along County Road 2412, thence 0.8 mi N. along County Road 2422, thence 1.5 mi NW. along County Road 2418; 53 ft WSW. of, and about 6 ft higher than junction of County Roads 2418 and 2419; 2 ft N. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 15 ft of refusal; standard tablet stamped "25 HLZ 1969" 1130.440
- 2 14 6.55 Cranberry Community, 0.3 mi W. of Baptist Church, along U. S. Highway 421, thence 2.5 mi S. along County Road 2325; 16 ft S. of, and about 5 ft higher than junction of County Roads 2325 and 2418; in top of large boulder; standard tablet stamped "26 HLZ 1969" 1197.376
- 2 17 7.71 Cranberry Community, 0.3 mi W. of Baptist Church, along U. S. Highway 421, thence 1.4 mi S. along County Road 2325; 75 ft SW. of, and about 3 ft lower than junction of County Roads 2325 and 2433; 4 ft E. of witness sign; projecting 0.2 ft above ground; crimped to top of copper-coated steel rod driven 10 ft to refusal; standard tablet stamped "27 HLZ 1969" 1509.300

LINE 14.

By H. L. Zohn, 1969; Book AV 1542

- 2 30 0.00 "25 HLZ 1969" (Described in line 13) 1130.440
- 2 32 1.50 Brooks Crossroads, 8.7 mi W. of junction of U. S. Highways 421 and 21, along Highway 421 N., thence 4.0 mi S. along County Road 2400, thence 0.5 mi SW. along County Road 2416, thence 0.2 mi W. along County Road 2418, thence 1.8 mi NW. along County Road 2419; 62 ft S. and 8 ft E. of, and about 4 ft lower than junction of drive S.; on N. bank of Little Hunting Creek; in top of large rock outcrop; standard tablet stamped "29 HLZ 1969" 1048.932
- 2 35 3.00 Brooks Crossroads, 8.7 mi W. of junction of U. S. Highways 421 and 21, along Highway 421 N., thence 4.0 mi S. along County Road 2400, thence 0.5 mi SW. along County Road 2416, thence 0.2 mi W. along County Road 2418, thence 0.4 mi NW. along County Road 2419; 64 ft NNE. of, and about 6 ft higher than junction of drive SE.; in top of boulder; standard tablet stamped "30 HLZ 1969" 1110.145
- 2 37 4.0. "8 HLZ 1969" (Described in line 10) 1046.377