

W8215/15
TENNESSEE-NORTH CAROLINA

NGVD 29
Elevations

No. 127
ERWIN QUADRANGLE

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Third-order Leveling

Bull. 441, pg. 119
Recopied: 6/15/54 jmr

1912 Adj.

HUNTDALE, N.C., NORTHWEST ALONG CAROLINA, CLINCHFIELD AND OHIO RAILWAY, DOWN NOLICHUCKY RIVER TO ERWIN, TENN., THENCE NORTH ALONG HIGHWAY TO JONESBORO

Devils Creek, railroad bridge over, 9 ft. from center of railroad track, 8 ft. from NE. corner of bridge, in ledge; standard tablet stamped "1769 ASH 1901" 1769.297

Erwin, W. side of county courthouse, at left of main entrance, 3 ft. from ground; aluminum tablet stamped "1683 ASH 1901" 1683.429

JOHNSON CITY, SOUTH VIA UNICOI, TO ERWIN

Johnson City, 7.35 mi. S. of, 25 ft. N. of Buffalo Creek, 8 ft. N. of center of rd., at foot of perpendicular stone 8 ft. high and 30 ft. long, in stone ledge; aluminum tablet stamped "1765" 1765.028

Unicoi, at E. corner of hotel; standard tablet stamped "1922 ASH" 1921.746

FROM NEAR EAST BORDER OF QUADRANGLE, TOECANE QUADRANGLE ALONG ROADS NORTHWEST AND NORTHEAST INTO SAME QUADRANGLE (by R. P. Willingham, 1934; Book B5327)

S.L.D. of 1929

Limestone Cove, 0.9 mi. SE. of, 50 ft. N. of intersection of fork of rd. NW. at point of right-angle turn in main rd., 10 ft. W. of W. end of wooden bridge over Birchlog Creek, in root on N. side of 22-in. pine tree; copper nail and washer 2469.59

Limestone Cove, 40 ft. SW. of intersection of T-rd. S. to Iron Mountain Gap, 60 ft. S. of store, in concrete post; standard tablet stamped "RPW 1 1934 2380" 2380.393

Reference mark, 220 ft. SE. of tablet, in root on W. side of 12-in. locust tree; copper nail and washer 2384.04

FROM HUNTDALE EAST TO ROCK CREEK NEAR RED HILL (Bull. 646, pg. 51, corrected)

S.L.D. of 1929

Brummett, 0.2 mi. E. of, 20 ft. to left of creek, under NW. corner of church; on top of corner stone 2107.05

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5321

by R.W. Goebel, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr (Cont'd. P. 9)

- ✓ Valley, 350 ft. SE. of rd. intersection, 250 ft. NW. of intersection of Jerry Creek and Roaring Creek, 14 ft. E. of NE. corner of Baptist Church, in rock outcrop; standard tablet stamped "GL 2 1934" 3281.949
- Reference mark, 125 ft. N. 50° W. of tablet, 75 ft. SW. of SW. corner of Baptist Church, on S. bank of Jerry Creek; square cut 3286.04
- Valley, 1.0 mi. N. of, 20 ft. N. of rd. intersection, on E. edge of rd., on boulder; square cut, painted "BM 3680.4" 3680.38
- Valley, 2.0 mi. N. of, 115 ft. W. of stream crossing, 50 ft. N. of N. edge of rd.; square cut, painted "BM 4024.6" 4024.73
- Little Yellow Gap (N.C.-Tenn. Boundary), 3.5 mi. N. of Valley Post Office, 6.6 mi. S. of Roan Mountain, Tenn., 300 ft. W. of property corner and gate, 20 ft. S. of fence, on rock outcrop; standard tablet stamped "GL 5 1934 4681", painted "USBM 4680.6" 4681.500
- Reference mark, 595 ft. SE. of tablet, 20 ft. E. of E. edge of trail, on boulder; square cut 4678.17
- FROM POINT NEAR VALLEY SOUTHWEST ALONG ROAD TO GRASSY GAP
- Valley, 0.7 mi. W. of post office, 140 ft. NE. of NE. corner of barn, 25 ft. SE. of center of rd., on boulder; square cut, painted "BM 3724.1" 3724.12
- Valley, 2.7 mi. NW. of, 60 ft. W. of rd. intersection, top of Molley's Gap, in root of 6-in. buckeye; copper nail and washer, painted "BM 4306.7" 4306.96
- Grassy Gap, 2 mi. E. of, in trunk of 12-in. beech tree, on E. side of rd.; copper nail and washer 4712.51
- ✓ Grassy Gap, 3.7 mi. W. of Valley Post Office, 150 ft. NE. of rd. and trail intersection, 20 ft. W. of N. and S. fence, in rock outcrop; standard tablet stamped "GL 3 1934" 4852.961

NGVD 29
Elevations

TOECANE QUADRANGLE
Bk. B5321 & B5307
by R. W. Goebel, 1934
L.A. Easterly, 1934
Recopied: 6/18/54 jmr

NORTH CAROLINA-TENNESSEE

S.L.D. of 1929

(Cont'd. P. 10)

FROM SENIA SOUTH TO SPEAR

✓ Senia, 0.5 mi. S. of, 2.7 mi. NE. of Plumtree, 30 ft.
W. of rd. intersection, on N. end of W. abutment of
concrete highway bridge over Toe River; standard tablet
stamped "GL 4 1934 2947" 2946.981

Senia, 1.6 mi. S. of, 1.7 mi. N. of Plumtree, 20 ft. E.
of E. edge of rd., on rock outcrop; square cut,
painted "BM 2926.7" 2926.38

Plumtree, 0.6 mi. N. of, 2.6 mi. S. of Senia, 5 ft. E. of
E. edge of N.C. Hwy. 69, on rock ledge; square cut,
painted "BM 2885.4" 2879.66

Plumtree, 0.5 mi. S. of, 0.8 mi. NE. of Spear, on NW.
head wall of Hwy. 69 culvert; square cut, painted
"BM 2856.7" 2856.36

FROM SPEAR SOUTH ALONG ROAD INTO SEVENMILE RIDGE QUADRANGLE
(by L. A. Easterly, Jr., 1934; Book B5307)

Spear, 1.0 mi. S. of, W. of N. Toe River, 350 ft. N. of
brown house, in E. head wall of drain pipe, under
hwy.; chiseled cross, painted "BM 2846.6" 2847.14

FROM BAKERSVILLE SOUTHEAST ALONG ROAD INTO SEVENMILE RIDGE
QUADRANGLE (double run line)

Bakersville, 225 ft. SW. of school building, in S. portion
of school ground, 110 ft. SE. of school storage garage,
in concrete post; standard tablet stamped "1931"
(U.S.C. & G.S. Magnetic Station) 2490.986

Reference mark, 100 ft. NW. of tablet, in concrete pillar
of SE. corner of storage garage; chiseled square 2487.12

Bakersville, 0.5 mi. S. and 1.0 mi. E. of, on SW. side
of rd., 25 ft. SW. of White Oak Creek, across rd.,
in front of M. A. Wilson's residence, on rock ledge;
chiseled square with cross in center, painted white,
painted "BM 2539.4" 2539.77

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5307

by L. A. Easterly, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr

(Cont'd. P. 11)

FROM SEVENMILE RIDGE QUADRANGLE NORTH ALONG ROAD TO RED HILL

- Deyton Bend School, 0.2 mi. NE. of, where Brush Creek empties into Toe River on N. pier of bridge over Brush Creek, in E. end of pier; chiseled square with cross in center, painted "USBM 2166.2" 2168.87
- Forbes, 0.2 mi. E. of, on concrete highway bridge over Toe River, 29 ft. S. of center of bridge, in W. curb; chiseled square, painted white, painted "BM 2185.7" 2188.42
- Red Hill (Forbes, 1.0 mi. NE. of), 120 ft. NW. of junction of N.C. Highway 19 and 197, 15 ft. W. of W. bank of Red Hill Branch, in rock outcrop; standard tablet stamped "E 11 1934" 2369.489
- Reference mark, 105 ft. S. 10° W. of tablet, 13 ft. W. of center line of N.C. Hwy. 197, on rock ledge; chiseled square 2367.46
- Red Hill, 0.3 mi. SE. of, 27 ft. N. of SW. end of bridge over small stream at entrance to barnyard, 30 ft. S. of rd., on NE. part of rock outcrop; chiseled square, painted "USBM 2420.5" 2421.016
- NEAR SHELL CREEK, NORTHWEST ALONG EAST TENNESSEE AND WESTERN NORTH CAROLINA RAILROAD TO JOHNSON CITY (Bull. 441, pg. 119) 1912 ADJ.
- Elkpark, N.C., 2.46 mi. NW. of, at SE. end of railroad trestle; on coping 2961.57
- Shell Creek, 0.5 mi. W. of, 40 ft. N. of W. end of railroad bridge over Wilson Creek, in ledge of rock; standard tablet stamped "2626 ASH" 2624.349
- Roan Mountain, 0.2 mi. W. of, 60 ft. N. of railway, near white oak tree, in rock ledge; standard tablet stamped "2565 ASH" 2563.473

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA--TENNESSEE

Bk. B5313

J.P. Fish & R. P.

S.L.D. of 1929

Willingham, 1934

Recopied: 6/18/54 jmr

(Cont'd. P. 12)

Supplementary to 1st and 2nd order leveling by USC&GS and
bulletin 441 corrected

FROM NEAR SHELL CREEK ALONG ROAD NORTHEAST AND NORTHWEST TO
ODEMVILLE (double run line by J.P. Fish and R.P. Willingham,
1934)

Shell Creek, 0.5 mi. W. by rail of, 478 yds. W. of milepost 27, 40 ft. N. of W. end of Eastern Tennessee and Western North Carolina Railroad bridge over Wilson Creek, 6 ft. below base of rail, in top of rock in side of mountain; standard tablet stamped "2626 ASH"	2625.198
Shell Creek, 1.0 mi. N. of, 13 ft. W. of center of Walnut Mountain Road, on rock outcrop, in side cut, chiseled square	2924.01
Shell Creek, 2.0 mi. NE. of, 116 ft. SE. of T-rd., running N., in NW. root of 20-in. chestnut tree; copper nail and washer	3470.30
Shell Creek, 3.0 mi. NE. of, 110 ft. S. of old cross- roads, 38 ft. W. of center of old rd. S., 3.5 ft. NW. of 12-in. chestnut tree painted "USBM 3439" set in top of small boulder; standard tablet stamped "3439 FH 1 1934"	3438.955
Shell Creek, 4.1 mi. NE. of, 140 ft. SE. of intersection of Hardin Jones Road N. to Walnut Mountain Road, in NW. root of 36-in. chestnut tree; copper nail and washer	3432.96
Shell Creek, 6.4 mi. NE. of, 19 ft. SW. of center of Walnut Mountain Road, in rock outcrop; standard tablet stamped "3659 FH 2 1934"	3659.132
Reference mark, 240 ft. NW. of tablet, 18 ft. N. of center of rd., on rock outcrop; chiseled square	3650.41
Shell Creek, 7.5 mi. NE. of, 16 ft. E. of center of Walnut Mountain Road, 32 ft. NE. of bronze disk stamped "U S Dept of Agriculture Forest Service 22 1925", in NW. root of 14-in. white oak tree; copper nail and washer	3526.10
Shell Creek, 8.6 mi. N. of, 100 ft. NE. of corner post of Forest Service marked "Cor 71 & 7 CHS", 11 ft. N. of center of rd., on rock outcrop; chiseled square	3529.47

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5313

By J. P. Fish &

S.L.D. of 1929

R. P. Willingham, 1934

Recopied: 6/18/54 jmr (Cont'd. P. 13)

- Reference mark, 40 ft. S. of tablet, at W. edge of rd.,
in NW. root of 10-in. apple tree; copper nail and washer 3503.28
- Odemville, 200 ft. NE. of old Odemville Post Office,
17 ft. W. of center of Walnut Mountain Road, in top
of concrete post projecting 4 in. above ground; standard
tablet stamped "3506 FH 3 1934" 3506.497
- Odemville, 1.0 mi. NW. of, 25 ft. SW. of center of rd.
intersection on top of hill, in N. root of 20-in.
chestnut tree; copper nail and washer 3544.09
- FROM ODEMVILLE NORTHWEST ALONG TRAIL INTO ELIZABETHTON QUADRANGLE
(by J. P. Fish, 1934) Note: an error of .826' has been prorated in
10 miles.
- Odemville, 1.1 mi. NW. of by trail, 78 ft. W. of center
of old railroad grade, in E. root of 14-in. hemlock
tree; copper nail and washer 3259.48
- Odemville, 2.0 mi. NW. of by trail, 50 ft. W. of center
of Laurel Fork, on rock outcrop; painted high point 3176.71
- Odemville, 2.6 mi. NW. of by trail, 25 ft. NE. of center
of Laurel Fork, 7 ft. NE. of center of old railroad
grade on rock outcrop; painted circle 3131.10
- Odemville, 3.8 mi. NW. of by trail, 150 ft. S. of falls in
stream, 10 ft. E. of center of Laurel Fork, in rock
outcrop; standard tablet stamped "2978 FH 7 1934" 2977.992
- Hampton, 6.5 mi. SE. of by trail, 50 ft. NE. of center
of old railroad grade, on rock outcrop; chiseled square 2841.04
- Hampton, 7.5 mi. SE. of by trail, 20 ft. NW. of center
of Laurel Fork, in trail, on rock outcrop; chiseled
square 2805.86
- FROM ROAN MOUNTAIN ALONG HIGHWAYS WEST, SOUTHWEST AND NORTH INTO
ELIZABETHTON QUADRANGLE (double run line by R. W. Goebel and R.P.
Willingham, 1934; Book B5321)
- Roan Mountain, 0.2 mi. W. of station, 600 yards E. of
milepost 25, 858 ft. NW. of Roan Mountain Inn, 75 ft.
N. of center line of railway, 1 ft. above top of rail,
in rock ledge, in side of mountain; standard tablet
stamped "2565 ASH" (Bull. 441, pg. 119 Elev. 2563.473)
(USC&GS tie) 2564.283

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5321

by R.W. Goebel and

S.L.D. of 1929

R.P. Willingham, 1934

Recopied: 6/18/54 jmr (Contd. P. 14)

Roan Mountain, 1.0 mi. W. of Roan Mountain Inn, 140 ft. NW. of intersection of Hwy. U.S. 19E. and railway, 120 ft. N. of N. rail of concrete bridge, on rock ledge; chiseled square	2535.35
Crabtree, 60 ft. S. of rd. intersection, 15 ft. E. of center line of Backwoods Road, on rock outcrop; chiseled square	2513.14
Crabtree, 0.8 mi. S. of, 55 ft. S. of rd. intersection, 20 ft. W. of W. bank of George Creek, on rock outcrop; standard tablet stamped "GL 1 1934 2690"	2689.586
Crabtree, 1.3 mi. SW. of, 50 ft. E. of rd. intersection, 8 ft. N. of N. edge of rd., on boulder; square cut	2995.00
Crabtree, 1.8 mi. SW. of, 35 ft. E. of rd. intersection, 8 ft. N. of center line of rd., on rock ledge; square cut	3273.04
Crabtree, 2.6 mi. SW. of, 2.8 mi. NE. of Backwoods, on top of gap, 18 ft. S. of center of rd., 30 ft. W. of rd. intersection, in root of a four trunk maple; copper nail and washer	3644.61
Backwoods, 1.7 mi. NE. of, 150 ft. W. of small stream and rd. intersection, 200 ft. W. of mills of T. A. Arnett, on rock outcrop; standard tablet stamped "GL 2 1934 3520"	3519.903
Reference mark, 0.1 mi. N. of tablet, 75 ft. W. of rd. intersection, 30 ft. NW. of N. edge of rd., on boulder; square cut	3522.89
Backwoods, 0.6 mi. NE. of, 45 ft. N. of NW. corner of Backwoods School, 50 ft. S. of S. edge of rd., on 24-in. white pine; copper nail and washer	3542.54
Backwoods, 200 ft. W. of residence of Capt. Nelson, in root of 10-in. maple tree; copper nail and washer	3562.37
Backwoods, 0.8 mi. S. of, 465 ft. S. of gap, 8 ft. E. of E. edge of rd., on rock ledge; square cut	3653.25

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5321

by R.W. Goebel and

R.P. Willingham, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr (Contd. P. 15)

- Backwoods, 1.5 mi. W. of, 75 ft. SE. of rd. intersection,
22 ft. S. of S. edge of rd., on concrete post projecting
6 in. above ground; standard tablet stamped "GL 3 1934
3332" 3331.186
- Reference mark, N. 40° E. 155 ft., 110 ft. N. of N. edge
of rd., 25 ft. S. of S. bank of Tiger Creek, on boulder;
square cut 3325.63
- Backwoods, 2.6 mi. W. of, 10 ft. N. of N. edge of rd.,
on rock ledge; square cut 3097.21
- Backwoods, 3.4 mi. W. of, 150 ft. NE. of bridge, 50 ft.
E. of E. edge of rd., on W. bank of Tiger Creek, on
rock outcrop; square cut 2872.56
- Backwoods, 4.0 mi. NW. of, 0.3 mi. S. of Tiger Creek
School, 10 ft. E. of E. edge of rd., on large boulder;
square cut 2722.02
- Backwoods, 4.5 mi. NW. of, 115 ft. NE. of NE. corner of
Tiger Creek School, 20 ft. E. of E. edge of rd., on
large rock outcrop; standard tablet stamped
"GL 4 1934 2638" 2637.708
- Backwoods, 5.4 mi. NW. of, 310 ft. NE. of rd. intersection,
45 ft. E. of E. edge of rd., on boulder; square cut 2534.94
- Backwoods, 6.3 mi. NW. of, 300 ft. SW. of intersection
of Tiger Creek and Shields Branch, 100 ft. W. of W.
edge of rd., on W. bank of Tiger Creek, on rock ledge;
square cut 2281.98
- Backwoods, 6.9 mi. NW. of, 130 ft. SE. of intersection
of Tiger Creek and Gouge Branch, 100 ft. W. of inter-
section of Tiger Creek Road (Backwood Road) and U.S.
Highway 19E, on rock outcrop; standard tablet
stamped "GL 5 1934 2143" 2142.650
- Reference mark, 140 ft. N. 30° W. of tablet, 45 ft. of
center line of U.S. Hwy. 19E, 4 ft. below surface of
rd., at intersection of Tiger Creek and Gouge Branch,
on large boulder; square cut 2129.74

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5327

by R.P. Willingham, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr (Cont'd. P. 17)

- Burbank, 0.8 mi. W. of, at E. end of gate of W. entrance to residence S. of rd., 10 ft. S. of center of rd., on highest point of boulder; chiseled square 3161.43
- Burbank, 125 ft. SW. of intersection of T-rd. W., 20 ft. SE. of E. end of bridge over Doe River, 20 ft. E. of stream, 20 ft. S. of rd., in concrete post; standard tablet stamped "RPW 4 1934 2984" 2984.407
- Reference mark, 210 ft. NW. of rd. intersection, 120 ft. NW. of bridge, 60 ft. W. of W. bank of Doe River, on large boulder, in fence line; square cut 2985.90
- FROM BURBANK NORTHEAST ALONG ROAD TO ROAN MOUNTAIN
(double run line by Goebel and Willingham, 1934)
- Burbank, 0.9 mi. N. of, 5.0 mi. SW. of Roan Mountain, 45 ft. E. of center line of Cloudland Highway, on rock outcrop; square cut 2933.46
- Burbank, 1.8 mi. N. of, 190 ft. SW. of rd. intersection, 100 ft. W. of center line of Cloudland Highway, 7 ft. above surface of rd., on boulder; square cut 2813.39
- Roan Mountain, 3.2 mi. S. of, 800 ft. NW. of rd. intersection, 75 ft. N. of center line and 7 ft. above surface of Cloudland Highway, on rock ledge; standard tablet stamped "GL 8 1934 2736" 2736.119
- Reference mark, 60 ft. E. of tablet, 60 ft. N. of center of Cloudland Highway, on rock outcrop; square cut 2734.13
- Roan Mountain, 2.0 mi. S. of, 115 ft. N. of intersection of Cloudland Highway and Smith Branch Road, 22 ft. W. of center line of hwy., on rock ledge; 4.5 ft. above surface of rd.; square cut 2645.45
- Roan Mountain, 0.2 mi. W. of station, 600 yards E. of milepost No. 25, 858 ft. NW. of Roan Mountain Inn, 75 ft. N. of center line of railroad, 1 ft. above top of rail, in rock ledge in side of mountain; standard tablet stamped "2565 ASH" (bull. 441, pg. 119) 2564.283
- FROM CARVERS GAP (N.C.-TENN. STATE LINE) NORTH ALONG ROAD TO BURBANK (by R. P. Willingham, 1934)
- Reference mark, 12 ft. N. of tablet, on N. corner of boulder; chiseled square 5511.88

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5327

by R. P. Willingham, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr

(Cont'd. P. 18)

Carvers Gap, 50 ft. NW. of rd. intersection, 40 ft. W. of rd. to Burbank, set in flat rock; standard tablet stamped "RPW 9 1934 5512"	5512.555
Carvers Gap, 1.3 mi. N. of, 4.6 mi. S. of Burbank, 30 ft. S. of intersection of rds. at sawmill, 10 ft. W. of small stream crossing, on boulder; chiseled square	4912.68
Carvers Gap, 2.4 mi. N. of, 3.5 mi. S. of Burbank, at E. edge of rd., on SW. point of boulder, in lower part of rock outcrop; chiseled square	4478.48
Burbank, 2.3 mi. S. of, 0.4 mi. S. of Toll Gate, 20 ft. E. of rd., on E. corner of rock ledge; chiseled square	3889.06
Burbank, 1.8 mi. S. of, 220 ft. S. of Toll Gate on Cloudland Scenic Highway, 15 ft. S. of rd., at edge of small drain, on E. part of large boulder; standard tablet stamped "RPW 3 1934 3665"	3665.475
Reference mark, 50 ft. W. of tablet, at S. edge of rd., on highest point of boulder; chiseled square	3669.37
Burbank, 0.9 mi. S. of, 20 ft. SE. of intersection of private rd. E., 10 ft. E. of rd., on boulder; chiseled square	3252.30
FROM IRON MOUNTAIN GAP NORTHWEST ALONG ROAD INTO ERWIN QUADRANGLE	
Limestone Cove, 2.0 mi. SE. of, 70 ft. SE. of intersection of old rd., 10 ft. W. of Birchlog Creek, 50 ft. E. of row of mail boxes, on boulder; chiseled square, painted "USBM 2641.3"	2641.63
Iron Mountain Gap, 4.3 mi. NW. of Buladean, 4.4 mi. SE. of Limestone Cove, 40 ft. SW. of rd., 10 ft. W. of a T-rd. S., on N.-C.-Tenn. State Line, in concrete post; standard tablet stamped "RPW 11 1934 3723"	3723.486
Reference mark, 50 ft. NW. of tablet, in NE. root of 14-in. apple tree; copper nail and washer	3718.22
Limestone Cove, 3.0 mi. SE. of, 40 ft. S. of small stream crossing, 80 ft. W. of cabin, 30 ft. SE. of rd., on boulder; chiseled circle	3066.09

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5327

by R.P. Willingham, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr

(Cont'd. P. 19)

FROM ERWIN QUADRANGLE NORTHEAST ALONG ROAD INTO ELIZABETHTON QUADRANGLE

Limestone Cove, 1.2 mi. NE. of, 80 ft. NW. of intersection of T-rd. NW., at SW. edge of T-rd., on top of boulder; chiseled square 2428.09

Limestone Cove, 2.6 mi. NE. of, 3.8 mi. S. of Simley Store, 30 ft. NW. of intersection of T-rd. W., 20 ft. W. of rd., in concrete post; standard tablet stamped "RPW 2 1934 2474" 2474.510

Reference mark, 75 ft. E. of tablet, on top of boulder; chiseled square 2475.77

Limestone Cove, 3.6 mi. NE. of, 2.8 mi. S. of Simley Store, 180 ft. S. of stream crossing, 40 ft. SE. of rd., on SE. point of boulder; chiseled square 2394.26

Limestone Cove, 4.5 mi. N. of, 1.7 mi. S. of Simley Store, 30ft. NE. of rd., on boulder; chiseled square 2183.72

Limestone Cove, 5.5 mi. N. of, 0.7 mi. S. of Simley Store, at S. edge of rd., on NE. portion of large boulder; chiseled square 2072.83

Simley Store, 0.7 mi. S. of, 30 ft. S. of rd, in top of boulder; U.S. Forest Service tablet stamped "243 1933" 2071.39

FROM CARVERS GAP TO ROAN HIGH KNOW ALONG N.C.-TENN. BOUNDARY (double run spur in both state lists)

Carvers Gap, 50 ft. NW. of rd. intersection, 40 ft. W. of rd. N. to Burbank, set in flat rock; standard tablet stamped "RPW 9 1934 5512" 5512.555

Reference mark, 12 ft. N. of tablet, on N. corner of boulder; chiseled square 5511.88

Carvers Gap, 1.1 mi. W. of, on rd. to Roan High Knob, 10 ft. SW. of trail intersection at point of sharp curve in rd., on boulder; chiseled square 6030.24

Roan High Knob, set in top of Sunrise Rock; standard tablet stamped "Roan High Knob, RPW 12 1934 6285" 6285.403

Reference mark, 20 ft. N. of tablet, in lower portion of Sunrise Rock; square cut $\frac{1}{4}$ -in. deep over drill hole 6283.04

NGVD 29
Elevations

TOECANE QUADRANGLE

NORTH CAROLINA-TENNESSEE

Bk. B5313

by J. P. Fish, 1934

S.L.D. of 1929

Recopied: 6/18/54 jmr

(Cont'd. P. 20)

Shell Creek, 11.0 mi. NE. of, 7 ft. N. of center of
Lunceford Branch Road, 25 ft. N. of center of Lunceford
Branch at ford and intersection of small stream, on rock
outcrop; chiseled square

2599.71

Shell Creek, 10.0 mi. NE. of, 7 ft. SE. of center of
Walnut Mountain Road, in root of 16-in. black oak tree;
nail and washer

2935.49

NGVD 29
Elevations