

THIRD-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

233

36-077-21
MURFREESBORO QUADRANGLE
NORTH CAROLINA
N3615-47700/15
DIAGRAM NJ 18-10
HARFORD

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Hartford and Northampton Counties

Final adjustment of 1972


Edition of 4/16/76

PR: GWK/jyk

NGVD 29
Elevations

BOYKINS
(6 VA.-258 N.C.)

LASHER
(254)



WINTON
(232)

36°15'

AULANDER
(204)

NGVD (1929) VERTICAL CONTROL DATA

A. Quadrangle 360772

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
NOT STAMPED (29.069)	7	31 CRH 1972 81 <i>GOOD 3/85</i>	9
NOT STAMPED (57.711)	5	32 CRH 1972 89 <i>GOOD 3/85</i>	9
27 NC	3	33 CRH 1972 92 <i>GOOD 3/85</i>	9
50 NC	3	34 CRH 1972 90 <i>GOOD 3/85</i>	9
54 NC	3	35 CRH 1972 88 <i>GOOD 3/85</i>	9
14 WSM 1955 71	3	36 CRH 1972 76 <i>GOOD 3/85</i>	9
15 WSM 1955 65	3	37 CRH 1972 67 <i>GOOD 3/85</i>	10
16 WSM 1955 69	3	38 CRH 1972 46 <i>GOOD 3/85</i>	10
2 CRH 1972 49	3	40 CRH 1972 40 <i>DESTROYED 3/85</i>	10
3 CRH 1972 61	4	41 CRH 1972 30 <i>GOOD 3/85</i>	11
4 CRH 1972 55	4		
5 CRH 1972 50	4	<u>USED</u>	
6 CRH 1972 67	4	PARKER NO 2 1942	7
14 CRH 1972 55	4		
15 CRH 1972 68	5	<u>NGS</u>	
16 CRH 1972 64	5	F 66 1934	7
17 CRH 1972 55	5	HERRIN 1959	10
18 CRH 1972 59	6	HERRIN NO 1 1959	10
19 CRH 1972 61	6	HERRIN NO 2 1959	10
20 CRH 1972 64	6,8	JENKINS 1959	5
21 CRH 1972 63	6	JENKINS 1959 (AZ. MK.)	5
22 CRH 1972 RESET 1976	7	JENKINS NO 1 1959	4
23 CRH 1972 48	7	WOODLAND 1959-1968	6
25 CRH 1972 32 <i>GOOD 3/85</i>	7	WOODLAND 1959 (AZ. MK.)	6
26 CRH 1972 58 <i>DESTROYED 3/85</i>	7	WOODLAND NO 1 1959	7
27 CRH 1972 56 <i>GOOD 3/85</i>	8	WOODLAND NO 2 1959	7
28 CRH 1972 40 <i>GOOD 3/85</i>	8,9		
29 CRH 1972 44	8		
30 CRH 1972 61	8		

NGVD 29
Elevations

1906

ISOLATED BENCH MARKS (By F. L. Foust, 1906; Bulletin 646)		Feet
Mapleton, 3.8 mi N. of; 1.5 mi N. of Hills Ferry; in forks of Como-Murfreesboro Road; on iron post; standard cap stamped "27 NC"		27.836
Winton, 5.5 mi W. of; 0.4 mi E. of Mapleton; in forks of Union and Mapleton Roads; on iron post; standard cap stamped "50 NC"		50.486
Union; 50 ft S. of post office; at forks in rd.; in front of hotel; on iron post; standard cap stamped "54 NC"		54.819

LINE 1.

W. S. Monk, 1955; Book AV 424

2	6	2.22	Rich Square, 2.2 mi E. of; 0.16 mi W. of I-rd. S.; 300 ft E. and 25 ft S. of, and level with junction of drive S.; 34 ft E. of power pole No. 922; in concrete post; standard tablet stamped "14 WSM 1955 71" (<u>Reported destroyed, 1973</u>)	70.936
2	5	2.08	Reference mark; 0.15 mi W. of tablet; on S. concrete headwall of culvert; chiseled cross	71.32
2	9	4.19	Rich Square, 4.3 mi E. of; 20 ft N. and 15 ft W. of, and 2 ft lower than junction of I-rd. S.; in W. end of concrete headwall of culvert; standard tablet stamped "15 WSM 1955 65"	65.251
2	10	4.46	Reference mark; 0.3 mi S. of tablet; 25 ft E. of rd.; in root on E. side of 34-in. oak tree; rail spike	62.89
2	14	6.39	Rich Square, 4.3 mi E. of, thence 2.2 mi SE.; 0.3 mi N. of Hortons Baptist Church; 20 ft E. and 1 ft higher than junction of I-rd. N.E.; in concrete post; standard tablet stamped "16 WSM 1955 69" (<u>Reported destroyed, 1973</u>)	69.325
2	15	6.43	Reference mark; 220 ft S. of tablet; 75 ft E. of rd.; in root on SW. side of 14-in. persimmon tree; rail spike	68.90

LINE 2.

C. R. Henkle, 1972; Book AV 1626

1	12	1.06	U.E., in centerline of rd. at drive N.; nail and washer, painted "47.0"	46.95
1	12	1.48	Ahoskie; 1.3 mi SW. of intersection of U. S. Highway 13 and State Highway 350, on Highway 350; 51.7 ft SE. of County Road 1107; 21.8 ft NE. of Highway 350; 1.4 ft lower than I-rd. NE.; in center of concrete headwall; standard tablet stamped "2 CRH 1972 49", painted "48.5"	48.483
1	13	2.16	U.E., in centerline of crossroad, intersection of State Road 350 and County Road 1106; nail and washer, painted "62.9"	62.84

NGVD 29
Elevations

4
MURFREESBORO
Book AV 1626

NORTH CAROLINA

C. R. Henkle

1972

LINE 2 (Cont'd.)Feet

1	13	2.54	Ahoskie; 2.4 mi SW. of intersection of U. S. Highway 13 and State Highway 350, on Highway 350; 300 ft E. of WRCS radio station; 38.8 ft SW. of I-rd. (Intersection of State Highway 350 and County Road 1108); 25.4 ft NW. of power pole FI-91; 1.5 ft lower than I-rd.; in concrete headwall; standard tablet stamped "3 CRH 1972 61", painted "61.1"	61.110
1	14	3.29	U.E., in centerline of rd. at drive NW.; nail and washer, painted "60.7"	60.09
1	14	3.85	Ahoskie; 3.8 mi SW. of intersection of U. S. Highway 13 and State Highway 350, on Highway 350; 28.7 ft NW. of hwy.; 2.0 ft lower than rd.; in concrete headwall; standard tablet stamped "4 CRH 1972 55", painted "54.6"	54.609
1	15	4.24	U.E., in rd. at drive SE.; nail and washer, painted "64.0"	64.00
1	15	5.24	Ahoskie; 5.1 mi SW. of intersection of U. S. Highway 13 and State Highway 350, on Highway 350; 23.9 ft NW. of rd.; in center of concrete headwall over Turkey Creek; 1.1 ft lower than rd.; standard tablet stamped "5 CRH 1972 50", painted "49.8"	49.736

WL = 42 ft

1	16	5.65	U.E., in I-rd. N., intersection of State Road 350 and County Road 1111; nail and washer, painted "66.4"	66.34
1	16	6.17	Aulander; 2.4 mi NE. of intersection of State Highways 350 and 305, along Highway 350; 26.2 ft NW. of rd.; 9.5 ft E. of telephone pole #2096; 1.1 ft lower than rd.; in center of concrete headwall; standard tablet stamped "6 CRH 1972 67", painted "66.5"	66.422

LINE 3.

C. R. Henkle, 1972; Book AV 1626

1	20	1.09	Aulander; 1.9 mi N. of intersection of State Highways 350 and 305, along Highway 305; 15.7 ft SW. of hwy.; in center of concrete headwall; 0.6 ft lower than rd. at drain crossing; standard tablet stamped "14 CRH 1972 55", painted "55.3"	55.316
---	----	------	--	--------

WL = 49 ft

1	21	1.73	U.E., in rd. at drain crossing; nail and washer, painted "68.8"	68.80
1	21	2.33	Aulander; junction of State Highways 350 and 305; 90 ft NE. on Highway 305; 3.05 mi from station; 1.5 ft W. of NW. corner of grain storage shed; set in square concrete post projecting 0.5 ft.; HGS standard reference mark disk stamped "JENKINS NO 1 1959", painted "65.5"	65.476

NGVD 29
Elevations

1972

LINE 3 (Cont'd.)

Feet

1	22	2.39	Aulander, 2.5 mi NW. of; 5.5 mi E. of Rich Square; on SW. side of State Highway 305; on property of the Jenkins estate; 113.5 ft SE. of telephone pole; 87 ft SW. of powerline pole; 47 ft SW. of centerline of Highway 305; 41.5 ft NW. of telephone pole; 1.8 ft SW. of witness post; in concrete post projecting 0.3 ft.; NGS standard triangulation station disk stamped "JENKINS 1959", painted "65.7"	65.704
<i>Note Mark re-set BM value lost, see (BF) for new elevation</i>				
1	23	2.71	Aulander; 3.5 mi N. of intersection of State Highways 350 and 305, along Highway 305; 93 ft NE. of Highway 305; 47 ft SE. of SE. corner of house; 2 ft E. of powerline pole; in square concrete post; NGS standard azimuth mark disk stamped "JENKINS 1959", painted "65.8"	65.800
1	24	3.29	U.E., in crossroad, State Highway 305 and County Road 1118; nail and washer, painted "63.7"	63.71
1	24	3.98	Aulander; 4.5 mi N. of intersection of State Highways 350 and 305, along Highway 305; Mintons Store, 1.4 mi SE. of, along Highway 305; at SE. end of bridge over Ahoskie Creek; 40 ft SE. of USGS Gage Station; 19 ft NE. of centerline of rd., and 0.4 ft higher than rd.; at SE. end of bridge; in concrete post; USGS standard reference mark gaging station tablet not stamped, painted "57.7"	57.711
1	25	4.83	U.E., in rd. at drive N.; nail and washer, painted "67.4"	67.36
1	25	5.29	U.E., in T-rd. N., State Highway 561 and County Road 1185; nail and washer, painted "65.1"	65.14
1	26	5.87	Mintons Store, 1.5 mi E. of; at Tri-County Airport; 1.5 ft N. of N. corner of flight operations building; set in sidewalk; standard tablet stamped "15 CRH 1972 68", painted "67.9"	67.897
1	27	7.23	U.E., in T-rd. N., State Highway 561 and County Road 1155; nail and washer, painted "63.7"	63.68
1	28	8.21	U.E., Y-rd., intersection of State Highway 305 and County Road 1118, painted "62.2"	65.15
1	28	8.27	St. John, 2.9 mi W. of, along State Highway 305; Mintons Store, 3.9 mi E. of; 49.0 ft NW. of State Highway 305; 25.0 ft SW. of SW. corner of grocery store; in SW. corner of gas pump island; 0.3 ft higher than T-rd. NW.; standard tablet stamped "16 CRH 1972 64", painted "64.0"	63.938
1	29	9.27	Mintons Store, 3.9 mi E. of, along State Highway 305, thence 1.0 mi NW., along County Road 1152; 15 ft W. of, and 1.8 ft lower than rd. at drain crossing; in N. end of concrete headwall; standard tablet stamped "17 CRH 1972 55", painted "55.0"	55.021

WL = 51 ft

NGVD 29
Elevations

1972

LINE 3 (Cont'd.)

			<u>Feet</u>	
1	30	10.46	Mintons Store, 3.9 mi E. of, along State Highway 305, thence 1.0 mi NW. along County Road 1152, thence 1.2 mi NE. along County Road 1150; 115.6 ft SW. of SW. corner of abandoned house; 27.5 ft SE. of, and level with rd.; 2.0 ft NW. of powerline pole; in concrete post projecting 0.3 ft.; standard tablet stamped "18 CRH 1972 59", painted "58.8"	58.746
1	31	10.83	U.E., in centerline of bridge over Catawiskie Creek; nail and washer, painted "47.6" WL = 33 ft	47.58
1	31	11.43	St. John, 3.9 mi NW. of, along County Road 1141; Manola, 0.1 mi E. of; 25 ft S. of rd. at woods line S.; in center of concrete headwall; 0.8 ft lower than rd.; standard tablet stamped "19 CRH 1972 61", painted "61.0"	60.953
1	33	11.86	U.E., in rd. at drive ENE.; nail and washer, painted "61.9"	61.92
1	33	12.69	Woodland; 1.0 mi N. of intersection of U. S. Highway 258 and State Highway 35, along Highway 258, thence 3.3 mi E. along County Road 1160; 23.4 ft NW. of rd.; 3.8 ft NE. of SE. corner of cemetery; set in concrete post projecting 0.3 ft.; standard tablet stamped "20 CRH 1972 64", painted "64.2"	64.231
1	34	13.33	U.E., in rd. at drive N.; nail and washer, painted "61.3"	61.27
1	34	13.95	U.E., in crossroad, intersection of County Roads 1160 and 1159; nail and washer, painted "62.2"	62.15
1	35	14.25	Woodland; 1.0 mi N. of intersection of U. S. Highway 258 and State Highway 35, along Highway 258, thence 1.8 ft E. on County Road 1160; 35.0 ft N. of I-rd. S.; 10.9 ft E. of woods rd.; set in concrete post and level with I-rd. S.; standard tablet stamped "21 CRH 1972 63", painted "63.1"	63.096
1	36	14.81	U.E., in rd. at fenceline SE.; nail and washer, painted "63.0"	62.99
1	36	15.55	U.E., in rd. at fenceline SE.; nail and washer, painted "64.3"	64.25
1	38	16.23	Azimuth mark; 36.5 ft SE. of centerline of U. S. Highway 258; 0.05 mi NE. of I-intersection; at NE. corner of drainage ditch; 2 ft SE. of witness post; in square concrete post projecting 0.5 ft.; NGS standard azimuth mark disk stamped "WOODLAND 1959", painted "67.0"	67.030
1	39	16.58	Woodland, 1 mi NE. of; 0.2 mi NE. of intersection of I-rd. from SE.; on NW. side of U. S. Highway 258; at stop light in Woodland, go NE. on Highway 258 0.9 mi to house and station on left; 98 ft E. of SE. corner of house; 76 ft NE. of center of driveway; 64 ft SE. of SW. corner of barn; 51 ft NW. of Highway 258; NGS standard triangulation station disk stamped "WOODLAND 1959-1968"	67.818

1972

LINE 3 (Cont'd.)Feet

1	40	16.60	Reference mark No. 2; 1 ft NE. of NE. corner of house; in square concrete post projecting 0.5 ft.; NGS standard reference mark disk stamped "WOODLAND NO 2 1959"	69.292
1	41	16.63	Reference mark No. 1; 5/4 ft SE. of centerline of U. S. Highway 258; 1 ft NW. of telephone pole; in square concrete post projecting 0.5 ft.; NGS standard reference mark disk stamped "WOODLAND NO 1 1959", painted "68.2"	68.160
1	42	17.34	Woodland; at intersection of U. S. Highway 258 and State Highway 35; 27 ft S. and 40 ft W. of intersection; 10 ft E. of driveway S.; 0.75 ft N. of NW. corner of Copelands Hardware Store; in concrete sidewalk; standard tablet stamped "22 CRH 1972 RESET 1976"	68.211
1	43	18.19	Woodland; 0.8 mi NW. of intersection of U. S. Highway 258 and State Highway 35, along Highway 35; in NW. most bridge over Urahaw Swamp; in NE. bridge abutment; 19.5 ft NE. of rd. at NW. end of bridge; standard tablet stamped "23 CRH 1972 48", painted "48.3" WL = 42 ft	48.299
1	44	18.69	Reference mark No. 2; 31 ft NW. of State Highway 35; at SW. corner of plowed field; USED standard reference mark disk stamped "PARKER NO 2 1942", painted "76.4"	76.348
1	45	19.19	"F 66 1934" (NGS)	67.999

LINE 4.NGVD 29
Elevations

C. R. Henkle, 1972; Book AV 1626

1	51	3.20	U.E., in rd. at drive NW.; nail and washer, painted "27.6"	27.60
1	52	3.74	Union; 2.0 mi N. of intersection of County Roads 1128 and 1108, along Road 1108; at intersection of County Roads 1108 and 1189; in grass triangle; 47.5 ft E. of County Road 1189; 27.5 ft SE. of Road 1108; 12.5 ft W. of oak tree; in concrete post; 0.7 ft lower than Y-rd. NW.; standard tablet stamped "25 CRH 1972 32", painted "32.4"	32.372
1	53	4.63	Union; 1.9 mi N. of intersection of County Roads 1128 and 1108, along Road 1108, thence 0.9 mi NW. on Road 1001; at bridge over Potecasi Creek; 18.3 ft E. of rd. at SE. end of bridge; 3.9 ft SE. of S. end of concrete guardrail; in concrete post set flush with ground; USGS standard reference mark gaging station tablet not stamped, painted "29.1"	29.069
1	54	5.30	U.E., 32.8 ft SW. of rd.; on SE. end of concrete headwall; chiseled square, painted "46.8"	46.82
1	55	5.92	Union; 1.9 mi N. of intersection of County Roads 1128 and 1108, along Road 1108, thence 2.2 mi NW. along Road 1001; at intersection of County Roads 1001 and 1173; 73.5 ft S. of Road 1001; 35.2 ft E. of Road 1173; 2.1 ft N. of powerline pole, and 0.5 ft higher than I-rd. SSW.; in concrete post projecting 0.3 ft.; standard tablet stamped "26 CRH 1972 58", painted "58.3"	58.298

MURFREESBORO
Book AV 1626

NORTH CAROLINA

C. R. Henkle

1972

LINE 4 (Cont'd.)Feet

1	56	6.58	U.E., in crossroad, intersection of County Roads 1001 and 1167; nail and washer, painted "60.7"	60.65
1	57	6.81	U.E., in rd. at fenceline crossing; nail and washer, painted "61.8"	61.00
1	58	7.15	Union; 1.9 mi N. of County Roads 1128 and 1108, along Road 1108, thence 2.9 mi NW. along Road 1001, thence 0.6 mi SW. along Road 1167; on powerline right-of-way; 49.5 ft NW. of I-rd. SSE.; 3.7 ft S. of woods line; 0.3 ft lower than I-rd. SSE.; in concrete post; standard tablet stamped "27 CRH 1972 56", painted "56.3" RECOVERED AS DESCRIBED <u>3/85</u>	56.306
1	59	7.57	U.E., in centerline of bridge; nail and washer, painted "34.1"	34.05
WL = 29 ft				
1	60	8.37	Union; 1.9 mi N. of intersection of County Roads 1128 and 1108, along Road 1108, thence 2.9 mi NW. along Road 1001, thence 1.8 mi SW. along Road 1167; at New Heaven Church; 90.4 ft E. of SE. corner of church; 36.7 ft NW. of rd.; 2.0 ft SE. of powerline pole; 2.6 ft lower than I-rd. SE.; set in concrete post flush with ground; standard tablet stamped "28 CRH 1972 40", painted "39.9" RECOVERED AS DESCRIBED <u>3/85</u>	39.902
1	61	8.79	U.E., in rd. at drive NW.; nail and washer; painted "30.9"	30.84
1	62	9.24	U.E., in centerline of bridge over Potecasi Creek; nail and washer, painted "27.9"	27.84
WL = 19 ft				
1	63	9.67	St. John; 1.5 mi N. of intersection of State Highway 561 and County Road 1141, along Road 1141, thence 2.7 mi N. on County Road 1142; at intersection of County Roads 1160 and 1141; 65 ft S. of Road 1160; 49.0 ft W. of Road 1142; 0.3 ft higher than I-rd. S.; in concrete post projecting 0.4 ft.; standard tablet stamped "29 CRH 1972 44", painted "44.1"	44.074
1	64	10.83	St. John; 1.5 mi N. of intersection of State Highway 561 and County Road 1141, along Road 1141, thence 2.7 mi N. along Road 1142, thence 1.1 mi SW. along Road 1160; 0.3 ft higher than rd.; in concrete post projecting 0.4 ft.; standard tablet stamped "30 CRH 1972 61", painted "60.7"	60.727
1	65	11.43	U.E., in I-rd. H., intersection of County Roads 1162 and 1160; nail and washer, painted "60.3"	60.27
1	66	11.98	U.E., in centerline of I-rd. NW., intersection of County Roads 1160 and 1161; nail and washer, painted "62.4"	62.40
1	67	12.40	"20 CRH 1972 64" (Described in line 3)	64.231

NGVD 29
Elevations

1972

		<u>LINE 5.</u>	<u>Feet</u>
C. R. Henkle, 1972; Book AV 1626			
2	2	0.00 "28 CRH 1972 40" (Described in line 4)	39.902
2	2	0.60 U.E., in T-rd. SW., intersection of County Roads 1180 and 1165; nail and washer, painted "72.9"	72.91
2	3	1.26 U.E., in rd. at ditch line W.; nail and washer, painted "80.3"	80.30
2	4	1.78 Murfreesboro; 3.2 mi S. of intersection of U. S. Highway 258 and County Road 1180 (Spring Avenue), along Road 1180; New Heaven Church, 1.8 mi N. of; at intersection of County Roads 1180 and 1164; 109.7 ft NW. of Road 1164; 32.4 ft SW. of Road 1180; 1.0 ft lower than T-rd. SW.; at woods corner; in concrete post; standard tablet stamped "31 CRH 1972 81", painted "80.6" <small>RECOVERED AS DESCRIBED</small> <u>3/85</u>	80.546
2	5	2.75 Murfreesboro; 2.2 mi S. of intersection of U. S. Highway 258 and County Road 1180 (Spring Avenue); at intersection of County Roads 1180 and 1169; 99.6 ft S. of Road 1169; 23.4 ft E. of Road 1180; 2.6 ft W. of telephone pole; 0.5 ft lower than T-rd. E.; in concrete post; standard tablet stamped "32 CRH 1972 89", painted "89.0" <small>RECOVERED AS DESCRIBED</small> <u>3/85</u>	88.988
2	6	3.59 Murfreesboro; 1.4 mi S. of intersection of U. S. Highway 258 and County Road 1180 (Spring Avenue), along Road 1180; 68.5 ft SW. of SW. corner of brick house; 23.5 ft NE. of rd.; 1.7 ft E. of powerline pole; "IF-60"; 0.4 ft lower than rd.; in concrete post; standard tablet stamped "33 CRH 1972 92", painted "92.0" <small>RECOVERED AS DESCRIBED</small> <u>3/85</u>	91.940
2	7	4.29 U.E., in crossroad, intersection of County Roads 1180 and 1157; nail and washer, painted "89.2"	89.22
2	8	4.64 Murfreesboro; 0.4 mi S. of intersection of U. S. Highway 258 and County Road 1180 (Spring Avenue), along Road 1180; 20.4 ft W. of Spring Avenue; 25 ft E. of powerline pole 1A93; in concrete curb; standard tablet stamped "34 CRH 1972 90", painted "90.1" <small>RECOVERED AS DESCRIBED</small> <u>3/85</u>	90.106
2	9	4.98 U.E., in T-rd. S., intersection of U. S. Highway 258 (Main Street) and Spring Avenue; nail and washer, painted "88.8"	88.81
2	10	5.61 Murfreesboro; 0.25 mi N. of intersection of U. S. Highway 258 and County Road 1302 (N. Wynn Street), along N. Wynn Street; at N. Wynn Street and Darlene Street; 38.6 ft W. of N. Wynn Street; 16.0 ft N. of Darlene Street; in concrete curb; standard tablet stamped "35 CRH 1972 88", painted "88.2" <small>RECOVERED AS DESCRIBED</small> <u>3/85</u>	88.136
2	11	6.71 Murfreesboro; 1.4 mi N. of intersection of U. S. Highway 258 and County Road 1302 (N. Wynn Street), along Road 1302; 32.4 ft NE. of rd. at NW. corner of pines; 0.6 ft higher than rd.; in concrete post flush with ground; standard tablet stamped "36 CRH 1972 76", painted "76.2" <small>RECOVERED AS DESCRIBED</small> <u>3/85</u>	76.222

MURFREESBORO

NORTH CAROLINA

C. R. Henkle

Book AV 1626

1972

LINE 5 (Cont'd.)Feet

2	12	7.20	U.E., in T-rd. SE., intersection of County Roads 1302 and 1301; nail and washer, painted "68.9"	68.84
2	14	7.85	Murfreesboro; 1.9 mi N. of intersection of U. S. Highway 258 and County Road 1302 (N. Wynn Street), along Road 1302, thence 0.7 mi NE. along Road 1351; 32.0 ft SE. of rd. at SW. corner of woods; 4.4 ft higher than rd.; in concrete post; standard tablet stamped "37 CRH 1972 67", painted "66.8" <small>RECOVERED AS DESCRIBED</small>	66.758 <u>4/85</u>
2	15	8.30	U.E., in centerline of bridge over Kirbys Creek; nail and washer, painted "13.2"	13.21
2	16	8.67	U.E., in T-rd. E., intersection of County Roads 1351 and 1352; nail and washer, painted "30.6"	30.54
2	17	9.11	Reference mark No. 1; 34.5 ft E. of dirt rd.; 30.5 ft N. of blacktop rd.; 9.5 ft N. of fence corner; 1 ft W. of fenceline; in concrete post projecting 0.3 ft.; NGS standard reference mark disk stamped "HERRIN NO 1 1959"	47.054
2	18	9.13	Severn, 4.5 mi SE. of; 3.5 mi NW. of Murfreesboro; 2.0 mi SW. of Meherrin River; on property of Mr. J. E. Mann; follow blacktop rd. 1.85 mi to dirt rd. on right; 67 ft W. of dirt rd.; 38 ft N. of blacktop rd., and 18 ft W. of 8-in. tree with triangular blaze; in concrete post projecting 0.5 ft.; NGS standard triangulation station disk stamped "HERRIN 1959"	48.494
2	19	9.15	Reference mark No. 2; 14.9 ft W. of junction of dirt rd. and blacktop rd.; 19 ft S. of blacktop rd.; 1 ft S. of fenceline; in concrete post projecting 0.5 ft.; NGS standard reference mark disk stamped "HERRIN NO 2 1959"	47.362
2	20	9.43	U.E., in T-rd. W., intersection of County Roads 1360 and 1351; nail and washer, painted "49.4"	49.40
2	21	9.90	U.E., in rd. at drive N.; nail and washer, painted "47.3"	47.28
2	22	10.44	Murfreesboro; 1.9 mi N. of intersection of U. S. Highway 250 and County Road 1302 (N. Wynn Street), along Road 1302, thence 3.2 mi NE. along County Road 1351; 42.6 ft NE. of rd.; 2.5 ft SW. of powerline pole; in concrete post; standard tablet stamped "38 CRH 1972 46", painted "45.9" <small>RECOVERED AS DESCRIBED</small>	45.892 <u>3/85</u>
2	23	10.93	U.E., in T-rd., intersection of County Roads 1351 and 1361; nail and washer, painted "44.1"	44.13

LINE 6.NGVD 29
Elevations

C. R. Henkle, 1972; Book AV 1626

2	30	0.92	Como; 1.0 mi SW. of intersection of U. S. Highway 258 and County Road 1317, along Highway 258; 89.8 ft SW. of Road 1306; 50.6 ft SE. of Highway 258; 2.0 ft SW. of powerline pole; 3.2 ft lower than T-rd. SE.; in concrete post; standard tablet stamped "40 CRH 1972 40", painted "40.0" <small>DESTROYED</small>	40.048 <u>3/85</u>
---	----	------	--	-----------------------

11

MURFREESBORO

NORTH CAROLINA

C. R. Henkle

Book AV 1626

1972

LINE 6 (Cont'd.)feet

2	31	1.38	U.E., in Y-rd., County Roads 1306 and 1307; nail and washer, painted "38.7"	38.65
2	32	2.00	Como; 1.0 mi SW. of intersection of U. S. Highway 258 and County Road 1317, along Highway 258, thence 1.1 mi SE. along Road 1306; 29.0 ft NE. of rd.; 8.3 ft NW. of woods dornor; in concrete post; standard tablet stamped "41 CRH 1972 30", painted "30.1" RECOVERED AS DESCRIBED <u>3/85</u>	30.097
2	33	2.31	U.E., in centerline of bridge; nail and washer, painted "17.5"	17.48

WL = 13 ft

NGVD 29
Elevations