

242

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
51 RJN 1964 433	3	21 MAX 1971 629	11
52 RJN 1964 569	3	22 MAX 1971 594	11, 13
59 RJN 1964 631	<i>B2 GOOD</i> 4	23 MAX 1971 562	11
60 RJN 1964 623	<i>B2</i> 4	24 MAX 1971 600	11
61 RJN 1964 614	<i>B2 GOOD</i> 4	36 MAX 1971 679	<i>B2 GOOD</i> 13
18 HLZ 1967 749	5	37 MAX 1971 739	14
19 HLZ 1967 739	5	38 MAX 1971 723	14
28 HLZ 1967 701	5, 6	39 MAX 1971 711	14
29 HLZ 1967 708 ✓	5	40 MAX 1971 730	14
30 HLZ 1967 701	6	41 MAX 1971 737	15
31 HLZ 1967 728	6, 13	42 MAX 1971 733	15
34 HLZ 1967 639	6	43 MAX 1971 694	15
35 HLZ 1967 657	7	44 MAX 1971 728	15
36 HLZ 1967 730	7	45 MAX 1971 695	16
BROWN ET 1969	<i>B2 GOOD</i> 9	46 MAX 1971 628	16
DURHAM ET 1969	<i>B2 GOOD</i> 17	47 MAX 1971 461	16
GWYNN ET 1969	<i>B2 GOOD</i> 16	57 MAX 1971 763	17
YANCEY ET 1969	<i>B2 GOOD</i> 8	62 MAX 1971 537	<i>B2 GOOD</i> 12
6 MAX 1971 550	8	63 MAX 1971 575	12
8 MAX 1971 549	8	64 MAX 1971 615	13
12 MAX 1971 674	<i>B2 GOOD</i> 8	65 MAX 1971 634	13
13 MAX 1971 662	<i>B2 GOOD</i> 9		
14 MAX 1971 646	<i>B2 GOOD</i> 9		
15 MAX 1971 654	<i>B2 GOOD</i> 9		
16 MAX 1971 656	<i>B2 NOT FOUND</i> 9		
17 MAX 1971 729	<i>B2 GOOD</i> 10, 13, 17		
18 MAX 1971 692	10		
19 MAX 1971 668	10		
20 MAX 1971 617	11		
		<u>NGS</u>	
		J 44 1932	12, 12
		J 98	<i>B2 GOOD</i> 8
		ESTELLE 1932	4
		ESTELLE NO 2 1932	4, 8
		F 98 1935	<i>NF B2</i> 3, 4

NGVD 29
Elevations

1950

FeetLINE 1.

E. O. Miner, 1950; Book AV 204

There are no permanent marks in this line in this quadrangle

LINE 2.

R. J. Neff, 1964; Book AV 1304

6	27	0.00	"F 98 1935" (NGS) (Reported not found, 1972)	635.015
6	27	0.68	U.E., Pleasant Grove, 0.7 mi. E. of, along U. S. Highway 158; 24 ft N. of, and 6 ft lower than centerline of rd. at small drain crossing; on W. end of N. concrete headwall of culvert; chiseled square	616.34

LINE 3.

R. J. Neff, 1964; Book AV 1304

6	55	4.88	Hamer, 1.2 mi SE. of, along County Road 1597; 0.2 mi NW. of wooden bridge over Countryline Creek; 48 ft N. of, and 1.5 ft higher than centerline of rd. at trail NE.; in concrete post; standard tablet stamped "51 RJN 1964 433"	433.437
6	59	6.97	Hamer, 0.9 mi NE. of, along State Highway 62; 3.6 mi SW. of Estelle; 184 ft SW. of, and 4.3 ft higher than centerline of rd. at field rd. W.; 36 ft W. of centerline of rd.; 3 ft W. of power pole; in concrete post projecting 0.2 ft; standard tablet stamped "52 RJN 1964 569"	568.972

1964

LINE 3 (Cont'd.)

Feet

6	63	8.99	Milton, about 4.5 mi SW. of; 7.0 mi NE. of Yanceyville, along State Highway 62 to store of N. J. Taylor; in dirt rd. left with sign "Blanch 3 miles", thence 0.4 mi along Highway 62 to summit of grade; in yard in front of Bryant's house; 53 ft WNW. of centerline of Highway 62; 18 ft NNE. of centerline of lane leading to house; 35 ft N. of 36-in. oak tree; in concrete post 3 ft below ground; NGS standard triangulation station disk stamped "ESTELLE 1932" (Reported disturbed, 1964)	581.442
6	64	9.03	Reference mark No. 2; 181.56 ft from station; 16 ft ESE. of centerline of State Highway 62; 6 ft NW. of centerline of lane; in concrete post; NGS standard reference mark disk stamped "ESTELLE NO 2 1932" (Reported disturbed, 1964)	578.325

LINE 4.

NGVD 29
Elevations

R. J. Neff, 1964; Book AV 1304

7	18	0.00	"F 98 1935" (NGS) (Also in line 2) (Reported not found, 1972)	635.015
7	19	1.13	Pleasant Grove, 1.1 mi SE. of, along State Highway 86; 123 ft S. of, and level with centerline of hwy. at driveway S. to white frame house; in N. corner of concrete base of well cover; standard tablet stamped "59 RJN 1964 631"	630.916
7	21	2.08	Pleasant Grove, 2.1 mi SW. of, along State Highway 86; 380 ft S. of, and 3 ft higher than centerline of rd. at junction of T-rd. E.; 27 ft SW. of, and 18 ft SE. of driveway; in concrete post projecting 0.3 ft; standard tablet stamped "60 RJN 1964 623"	622.593
7	23	3.25	Pleasant Grove, 3.2 mi SE. of, along State Highway 86; 1.7 mi N. of Hightowers; 17 ft W. of, and 0.8 ft lower than centerline of rd. at drain crossing; in N. end of W. concrete headwall of culvert; standard tablet stamped "61 RJN 1964 614"	613.915

1967

FeetLINE 5.

H. L. Zohn, Jr., 1967; Book AV 1506

- 1 38 6.19 Pleasant Grove Elementary School, 3.9 mi N. of, along State Highway 62, thence 1.3 mi E. and NE. along County Road 1762; 28 ft NNW. of, and about level with junction of County Roads 1762 and 1763; 4 ft N. of witness post; crimped to top of copper-coated steel rod driven 12 ft to refusal, projecting 0.1 ft; standard tablet stamped "18 HLZ 1967 749" 749.198
- 1 40 7.22 Baynes, 1.1 mi S. of junction of County Road 1001, along State Highway 119, thence 0.7 mi E. along County Road 1764; at Prospect Methodist Church; in W. end of bottom step leading to main entrance of church; standard tablet stamped "19 HLZ 1967 739" 738.779

LINE 6.NGVD 29
Elevations

H. L. Zohn, Jr., 1967; Book AV 1506

- 1 61 9.63 Union Ridge, 1.1 mi NE. of United Church of Christ, along County Road 1001, thence 1.7 mi NW. along County Road 1613, thence 1.6 mi NW. along County Roads 1614 and 1106; 56 ft WNW. of, and about 2.0 ft higher than junction of County Roads 1106 and 1100; 1.0 ft ESE. of witness post; crimped to top of copper-coated steel rod driven 13 ft to refusal; projecting 0.1 ft; standard tablet stamped "28 HLZ 1967 701" 700.419
- 1 62 10.69 Union Ridge, 4.1 mi NE. of United Church of Christ, along County Road 1001, thence 2.4 mi W. along County Road 1100 at Corbitt's Grocery Store; in W. end of gas pump base; standard tablet stamped "29 HLZ 1967 708" 708.117
- 1 63 11.05 U.E., in centerline of County Road 1100 at junction of County Road 1112; copper nail and washer 688.91

1967

FeetLINE 6 (Cont'd.)

1	64	11.74	Union Ridge, 4.1 mi NE. of United Church of Christ, along County Road 1001, thence 1.3 mi W. along County Road 1100; 71 ft NE. of, and about 2.0 ft lower than centerline of rd. at junction of drive N.; 3.0 ft W. of witness sign; crimped to top of copper-coated steel rod driven 10 ft to refusal; projecting 0.2 ft; standard tablet stamped "30 HLZ 1967 701" (Reported destroyed, 1969)	700.806
1	65	12.32	U.E., 20 ft ESE. of, and about 0.5 ft higher than center of bridge over small stream; in E. end of S. wooden guardrail base; copper nail and washer	631.86
1	66	13.01	Union Ridge, 4.1 mi NE. of United Church of Christ, along County Road 1001; 159 ft WSW. of, and about 3.0 ft higher than junction of County Roads 1001 and 1100; in 3- by 4-ft boulder; standard tablet stamped "31 HLZ 1967 728"	728.385

LINE 7.

H. L. Zohn, Jr., 1967; Book AV 1506

1	71	16.25	Pleasant Grove, 4.7 mi N. of Pleasant Grove Elementary School, along State Highway 62; 15 ft N. of, and about 3.0 ft higher than center of bridge over small stream; in NW. end of NE. guardrail; standard tablet stamped "34 HLZ 1967 639"	638.671
---	----	-------	---	---------

LINE 8.

H. L. Zohn, Jr., 1967; Book AV 1506

1	75	0.00	"28 HLZ 1967 681" (Described in line 6)	700.419
1	75	0.41	U.E., in centerline of County Road 1100 at junction of County Road 1105; copper nail and washer	696.98

1967

Feet

LINE 8 (Cont'd.)

1	76	1.24	U.E., 65 ft NE. of, and about 0.5 ft higher than center of bridge over small stream; in E. end of N. wooden guardrail base; copper nail and washer	617.18
1	77	1.54	Union Ridge, 1.1 mi NE. of United Church of Christ, along County Road 1001, thence 1.7 mi NW. along County Road 1613, thence 1.6 mi NW. along County Roads 1614 and 1106, thence 1.6 mi W. along County Road 1100; 33 ft SSE. of, and about level with junction of County Roads 1100 and 1104; 0.5 ft N. of witness post; crimped to top of copper-coated steel rod driven 10 ft to refusal; projecting 0.1 ft; standard tablet stamped "35 HLZ 1967 657"	657.347
1	78	2.27	U.E., 23 ft E. of, and about 0.4 ft higher than junction of County Roads 1100 and 1103; on center of 2- by 4 ft traffic island; chiseled square	701.43
1	79	3.13	Altamahaw, 5.3 mi N. of junction of County Road 1002, along State Highway 87, thence 2.8 mi E. along County Road 1100; 89 ft SW. of, and about 1.0 ft higher than County Road 1100 at junction of County Roads 1102 and 1137; 1.0 ft N. of witness post; level with ground; crimped to top of copper-coated steel rod driven 21 ft to refusal; standard tablet stamped "36 HLZ 1967 730"	729.594

NGVD 29
Elevations

YANCEYVILLE
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

Feet

LINE 9.

Max K. Weber, 1971; Book AV 1598

1	12	0.00	"ESTELLE No. 2 1932" (Described in line 3)	578.325
1	13	1.72	Hamer, 2.4 mi N. of, along State Highway 62, thence 1.4 mi NW. along County Road 1523; 27 ft W. of centerline of hwy.; 6 ft SE. of power pole No. 498-1; in top of concrete post; standard tablet stamped "6 MAX 1971 550"	550.189
1	21	4.98	Blanch, 1.1 mi SW. of, along County Road 1523; 246 ft WSW. of junction of County Roads 1523 and 1525, thence 30 ft SSE. of centerline of rd.; 3 ft SW. of power pole 2 ft higher than rd.; in top of concrete post projecting 0.2 ft; standard tablet stamped "8 MAX 1971 549"	548.653

LINE 10.

Max K. Weber, 1971; Book AV 1598

NGVD 29
Elevations

1	29	0.00	"J 98" (NGS)	619.494
1	29	0.56	U.E., centerline of intersection of N. Main Street and N. Fifth Street; copper nail and washer	629.17
1	30	1.20	Yanceyville, 0.5 mi W. of; 78 ft N. of NE. corner of house; 35 ft S. of SW. corner of old log barn; 32 ft W. of a 48-in. oak tree; crimped to top of copper-coated steel rod driven to ground; standard tablet stamped "YANCEY ET 1969"	661.787
1	31	2.22	Yanceyville, 2.2 mi NW. of courthouse, along U. S. Highway 158 at junction of County Road 1123; 59 ft SE. of T-rd.; 47 ft S. of centerline of Highway 158; 15 ft SE. of power pole; in top of concrete post; standard tablet stamped "12 MAX 1971 674"	674.380

YANCEYVILLE NORTH CAROLINA

Max K. Weber

Book AV 1598

LINE 10 (Cont'd.)NGVD 29
ElevationsFeet

1	32	3.16	Yanceyville, 3.2 mi W. of courthouse, along U. S. Highway 158 at Prospect Methodist Church; 16.1 ft S. of center of double doors; 3.9 ft E. of SE. corner of church; in SE. corner of walk; standard tablet stamped "13 MAX 1971 662"	662.080
1	33	4.10	Yanceyville, 3.9 mi W. of courthouse, along U. S. Highway 158, thence 0.2 mi W. on dirt rd. to private airport; in approximate center of steel tower supporting beacon; 6.2 ft SW. of NE. leg and 6.2 ft SE. of NW. leg; in top of concrete post; standard tablet stamped "14 MAX 1971 646"	645.660
1	34	5.15	Yanceyville, 3.0 mi SW. of; 86.5 ft S. of S. corner of chimney on house; 72 ft SW. of S. corner of house; 44.5 ft E. of fence corner; 13 ft NE. of centerline of field rd.; crimped to top of copper-coated steel rod driven 0.1 ft below ground; standard tablet stamped "GWYNN ET 1969"	649.179
1	35	6.49	Yanceyville, 6.0 mi W. of courthouse, along U. S. Highway 158 at Elackwell Baptist Church; 42.8 ft N. of NW. corner of church; 28 ft S. of power pole and 7 ft W. of W. edge sidewalk; in top of concrete post; standard tablet stamped "15 MAX 1971 654"	654.315
1	37	8.10	Yanceyville, 5.5 mi SW. of; 100 ft S. of centerline of U. S. Highway 158; 153 ft SE. of SW. point of grass triangle at junction of Highways 158 and 150; 103 ft NW. of centerline of drive to house; crimped to top of copper-coated steel rod set flush with ground; standard tablet stamped "BROWN ET 1969"	686.086
1	38	9.27	Casville, 3.3 mi E. of crossroads, along U. S. Highway 158 to drive S. and mark on left; 46 ft NE. of centerline of hwy.; 30 ft NNW. of 3 ft oak tree; 17 ft SE. of another 3 ft oak tree; in top of concrete post projecting 0.2 ft; standard tablet stamped "16 MAX 1971 656"	656.015

YANCEYVILLE NORTH CAROLINA
Book AV 1598

Max K. Weber

1971

<u>LINE 10 (Cont'd.)</u>			<u>Feet</u>	
1	39	9.87	U.E., centerline of U. S. Highway 158 and County Road 1311; T-rd. NE.; copper nail and washer	703.03
1	40	10.60	Casville, 2.0 mi E. of crossroads at New Ephesus Baptist Church; 98.5 ft S. of centerline of U. S. Highway 158; 73.7 ft NE. of SE. corner of church and 38 ft E. of NE. corner of church; in top of concrete post flush with ground; standard tablet stamped "17 MAX 1971 729"	729.209
1	42	11.75	Casville, 2.0 mi E. of crossroads, thence 1.10 mi N. along County Road 1306; 92 ft NNE. of centerline of drive to white frame house; 65 ft N. of 20-in. pine tree in front yard; 29.5 ft ESE. of centerline of County Road 1306 at edge of front yard and garden plot; in top of concrete post projecting 0.2 ft; standard tablet stamped "18 MAX 1971 692"	691.518
1	43	12.35	U.E., centerline of T-rd. NW. at Allison intersection of County Roads 1306 and 1303; old nail and bottle cap	680.39
1	44	12.73	Casville, 2.0 mi E. on U. S. Highway 158, thence 1.5 mi NE. on County Road 1306, thence 0.4 mi NW. on County Road 1303; 70.1 ft E. of centerline of County Road 1303; 41 ft S. of centerline of drive to small white house and 3 ft SW. of NW. corner of tobacco barn; in top of concrete post projecting 0.2 ft; standard tablet stamped "19 MAX 1971 668"	667.693
1	46	13.70	U.E., centerline of bridge (County Road 1303) over Moon Creek; copper nail and washer	509.83
1	48	14.27	U.E., T-rd. SSE. of intersection of County Roads 1300 and 1303; copper nail and washer	597.38

NGVD 29
Elevations

YANCEYVILLE
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

FeetLINE 10 (Cont'd.)

1	49	14.59	Blackwell, 0.8 mi SW. of, at Cobb Memorial School; 51.1 ft SSE. of flag pole; 15.8 ft WNW. of center of double doors of front entrance of school; in drill hole on W. end of bottom step; standard tablet stamped "20 MAX 1971 617"	616.439
1	50	15.27	Blackwell, 77 ft NNE. of centerline of T-rd. N.; 52 ft NNW. of centerline of rd.; 50 ft WNW. of Blackwell community sign post and 5.3 ft NE. of E. corner of abandoned store building; in top of concrete post flush with ground; standard tablet stamped "21 MAX 1971 629"	628.605
1	51	15.80	U.E., centerline of T-rd. SE. (County Roads 1300 and 1307); copper nail and washer	623.05
1	52	16.25	Bethel; at Bethel Methodist Church; 100.7 ft E. of E. corner of church building; 91 ft NW. of centerline of rd.; 29 ft S. of 4 ft oak tree; 5.6 ft N. of power pole; in top of concrete post projecting 0.2 ft; standard tablet stamped "22 MAX 1971 594"	594.244
1	53	17.10	Bethel, 0.85 mi NW. of Bethel Methodist Church; 0.4 mi SE. of bridge over Hogans Creek; 53.8 ft SSW. of centerline of County Road 1341; 53.6 ft SE. of centerline of drive to two story gray shingled house; 28 ft NE. of NE. corner of tobacco barn; in top of concrete post projecting 0.2 ft; standard tablet stamped "23 MAX 1971 569"	568.643
1	54	17.51	U.E., centerline of bridge over centerline of Hogans Creek; copper nail and washer	446.41
1	56	18.13	Pelham, 1.7 mi SW. of post office, thence 1.5 mi SE. along County Road 1341; 132.6 ft SW. of SW. corner of brick house; 67 ft WSW. of centerline of County Road 1341; 15 ft WSW. of centerline of field rd.; 3.3 ft NW. of NE. corner of tobacco barn; in top of concrete post projecting 0.2 ft; standard tablet stamped "24 MAX 1971 600"	600.240

NGVD 29
Elevations

YANCEYVILLE NORTH CAROLINA
Book AV 1598

Max K. Weber

1971

LINE 10 (Cont'd.)

Feet

1	57	19.14	U.E., centerline at drive SSW. to brick house; copper nail and washer	696.25
1	58	19.72	"J 44 1932" (NGS)	731.281

LINE 11.

Max K. Weber, 1971; Book AV 1598

1	61	2.10	"J 44 1932" (NGS) (Also in line 10)	731.281
---	----	------	-------------------------------------	---------

LINE 12.

Max K. Weber, 1971; Book AV 1598

1	64	1.53	Providence, 1.3 mi SW. of post office, along County Road 1300 to junction of State Highway 86; 114 ft SW. of crossroads; 52.7 ft W. of centerline of Highway 86 and 45 ft S. of centerline of E. bound lane of County Road 1300; in drill hole on E. end of concrete culvert; standard tablet stamped "62 MAX 1971 537"	537.441
1	65	2.68	Providence, 2.4 mi SW. of post office, along County Road 1300, thence 0.05 mi SE. on County Road 1321 to Park Springs Pentecostal Church; 101.6 ft NW. of John Timothy Guill's headstone; 95 ft NE. of centerline of County Road 1321; 59.5 ft NE. of 15-in. pine tree and 21.3 ft NNW. of 30-in. oak tree; (the mark is located NW. of a planned new church building, but no distance could be obtained at this time); in top of concrete post projecting 0.3 ft; standard tablet stamped "63 MAX 1971 575"	574.866
1	66	3.24	U.E., T-rd. NW. (intersection of County Roads 1300 and 1330); RR spike driven flush with pavement	592.98

YANCEYVILLE NORTH CAROLINA
Book AV 1598

Max K. Weber

1971

FeetLINE 12 (Cont'd.)

1	67	4.17	Park Springs; at Poteat's Store; about 500 ft NE. of junction of County Road 1300 and 1306; 103 ft NE. of intersection of County Roads 1300 and 1325; 29.4 ft E. of centerline of County Road 1300; 12.9 ft NNW. of SW. corner of store building; in drill hole on SE. corner of Sunoco sign base; standard tablet stamped "64 MAX 1971 615"	615.479
1	68	5.15	Casville, 5 mi NE. of, to Bethel, thence 1.5 mi NE. along County Road 1300; 74 ft NW. of T-rd. N.; 58.6 ft W. of centerline of County Road 1332 and 33.2 ft N. of centerline of County Road 1300; in top of concrete post projecting 0.2 ft; standard tablet stamped "65 MAX 1971 634"	633.886
1	70	6.71	"22 MAX 1971 594" (Described in line 10)	594.244

LINE 13.

Max K. Weber, 1971; Book AV 1598

2	18	11.35	Casville, 0.9 mi E. of crossroads at junction of County Road 1305; 107 ft N. of intersection of U. S. Highway 158 and County Road 1305; 25.3 ft W. of centerline of County 1305; 8 ft W. of fence corner and 1.6 ft SSW. of fenceline; in top of concrete post projecting 0.3 ft; standard tablet stamped "36 MAX 1971 679"	678.920
2	19	12.47	"17 MAX 1971 729" (Described in line 10)	729.209

LINE 14.

Max K. Weber, 1971; Book AV 159

2	23	0.00	"31 HLZ 1967" (Described in line 6)	728.385
---	----	------	-------------------------------------	---------

NGVD 29
Elevations

YANCEYVILLE NORTH CAROLINA
Book AV 1598

Max K. Weber

1971

LINE 14 (Cont'd.)

Feet

2	23	1.27	Anderson, 0.65 mi N. of Anderson Elementary School; 173 ft N. of NW. corner of Hoopers General Store; 31.6 ft E. of centerline of State Highway 62 and 1.6 ft S. of fence corner; in top of concrete post projecting 0.4 ft; standard tablet stamped "37 MAX 1971 739"	739.237
2	24	1.92	U.E., T-rd. NE. (intersection of State Highway 62 and County Road 1759); copper nail and washer	730.04
2	25	2.30	Anderson, 1.65 mi NW. of Anderson Elementary School, along State Highway 62; about 140 ft E. of centerline of Highway 62 at drive NE. to D. A. Byrd's residence; 33.8 ft NE. of centerline of Highway 62 and 1.9 ft W. of power pole; in top of concrete post projecting 0.2 ft; standard tablet stamped "38 MAX 1971 723"	722.889
2	26	3.31	Anderson, 2.5 mi NW. of Anderson Elementary School, along State Highway 62, thence 0.1 mi NW. on County Road 1133, thence 0.1 mi on Church Drive to rear of Bush Arbor Baptist Church building; 12.1 ft NW. of S. corner of church building; in drill hole on top step of basement steps; standard tablet stamped "39 MAX 1971 711"	710.466
2	28	4.90	Anderson, 2.5 mi NW. of Anderson Elementary School, along State Highway 62, thence 1.70 mi NW. along County Road 1133; 64.5 ft SE. of centerline of County Road 1117; 24.8 ft NE. of centerline of County Road 1133 and 10 inches NW. of SE. end of concrete culvert; in drill hole on top of culvert; standard tablet stamped "40 MAX 1971 730"	729.490
2	29	5.51	U.E., centerline of T-rd. NE. (intersection of County Roads 1133 and 1160); copper nail and washer	740.22

YANCEYVILLE NORTH CAROLINA
Book AV 1598

Max K. Weber

1971

FeetLINE 14 (Cont'd.)

2	30	6.25	Anderson, 2.5 mi NW. of Anderson Elementary School, along State Highway 62, thence 3.05 mi NW. on County Road 1133 to T-rd. NE.; 77.3 ft NW. of centerline of County Road 1120 and 67.4 ft NE. of centerline of County Road 1133; in top of concrete post projecting 0.2 ft; standard tablet stamped "41 MAX 1971 737"	737.298
2	31	7.19	Anderson, 2.5 mi NW. of Anderson Elementary School, along State Highway 62, thence 3.05 mi NW. along County Road 1133, thence 0.95 mi NE. on County Road 1120; 55.2 ft N. of intersection of County Road 1120 and dirt rd. W.; 50.2 ft NW. of centerline of County Road 1120 and 21.3 ft NE. of centerline of dirt rd.; in top of concrete post projecting 0.3 ft; standard tablet stamped "42 MAX 1971 733"	732.578
2	32	8.22	Anderson, 2.5 mi NW. of Anderson Elementary School, along State Highway 62, thence 3.05 mi NW. along County Road 1133, thence 1.95 mi NE. along County Road 1120; across rd. from small white frame house of Tom Bigelow; 50.7 ft NW. of centerline of dirt rd.; 43.1 ft SE. of centerline of County Road 1120 and 2 ft SE. of power pole; in top of concrete post projecting 0.4 ft; standard tablet stamped "43 MAX 1971 694"	694.345
2	34	9.35	Yanceyville, 4.6 mi W. of courthouse, along U. S. Highway 158 (N. Main Street), thence 4.05 mi S. along County Road 1121, about 600 ft N. of intersection of County Roads 1121 and 1120; 43 ft ENE. of centerline of rd. and 2 ft N. of E. end of masonry foundation for Cherokee Scout Reservation sign; in top of concrete post projecting 0.3 ft; standard tablet stamped "44 MAX 1971 728"	727.890

NGVD 29
Elevations

YANCEYVILLE
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

FeetLINE 14 (Cont'd.)

2	35	10.06	Yanceyville, 4.6 mi W. of courthouse, along U. S. Highway 158 (N. Main Street), thence 3.35 mi S. along County Road 1121 to main entrance to Cherokee Scout Reservation; 54 ft W. of centerline of County Road 1121; 29 ft N. of centerline of Scout Camp entrance rd. and 1.5 ft W. of fenceline; in top of concrete post projecting 0.3 ft; standard tablet stamped "45 MAX 1971 695"	694.836
2	36	10.99	Yanceyville, 4.6 mi W. of courthouse, along U. S. Highway 158 (N. Main Street), thence 2.35 mi S. along County Road 1121; 59.3 ft W. of centerline of rd.; 27.2 ft N. of NE. corner of tobacco barn; 13 ft S. of edge of cultivated field and 6.5 ft E. of 15-in. black gum tree; in top of concrete post projecting 0.3 ft; standard tablet stamped "46 MAX 1971 628"	627.611
2	37	11.55	U.E., centerline of rd. at drive; across from large farm pond; Washer nail and washer (old star drill driven 1-in. below surface)	582.14
2	38	11.96	U.E., centerline of bridge over centerline of creek; (about 150 ft SW. of junction of County Roads 1121 and 1122); copper nail and washer	498.86
2	39	12.16	Yanceyville, 4.6 mi W. of courthouse, along U. S. Highway 158 (N. Main Street), thence 1.15 mi SE. along County Road 1121; about 165 ft N. of centerline of bridge over creek; 43.3 ft SE. of E. corner of old abandoned mill; 41.0 ft NW. of centerline of rd., and 2.0 ft SE. of power pole; in top of concrete post projecting 0.4 ft; standard tablet stamped "47 MAX 1971 461"	460.615
2	40	12.89	U.E., centerline of rd. at woods line ENE.; 0.6 mi S. on County Road 1121 from junction of U. S. Highway 158 and County Road 1121; RR spike driven flush	604.29
2	41	13.47	"GWYNN ET 1969" (Described in line 10)	649.179

NGVD 29
Elevations

YANCEYVILLE
Book AV 1598

NORTH CAROLINA

M. K. Weber

1971

LINE 15.

Feet

By M. K. Weber, 1971; Book AV 1598

2	46	3.56	Matkins, 3.55 mi NE. of; at Camp Springs; 235 ft W. of intersection of County Roads 1133 and 1146; 183 ft S. of double front doors of Camp Springs Methodist Church; 21.9 ft N. of centerline of County Road 1133 at drive S.; in drill hole on W. end of concrete culvert; standard tablet stamped "57 MAX 1971 763"	762.360
<u>/Jogs into Ruffin quadrangle/</u>				
2	56	10.46	Reidsville, 9.5 mi E. of; 8.5 mi W. of Yanceyville; 1.5 mi SE. of Casville; 0.4 mi to junction of South Fourth Avenue; 1.1 mi to junction of U. S. Highway 158; 8.6 mi W. along Highway 158 to Y-junction; 1.2 mi along County Road 1153 to residence of Mr. F. T. Durham; 54 ft SE. of centerline of paved rd.; 36.7 ft NE. of centerline of drive and 23 ft E. of power pole; crimped to top of copper-coated steel rod flush with ground; standard tablet stamped "DURHAM ET 1969"	752.27'
2	57	11.08	U.E., T-rd. E.; (intersection of County Roads 1153 and 1154); copper nail and washer	734.76
2	58	11.83	"17 MAX 1971 729" (Described in line 10) (Also in line 13)	729.209