

SECOND ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

36-079-34
WENTWORTH QUADRANGLE
NORTH CAROLINA
N3615-W7945/15
DIAGRAM NJ 17-12
GREENSBORO

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Rockingham County


Final adjustment of 1971

Edition of 8/7/75

PR: DSW/dt

NGVD 29
Elevations

MARTINSVILLE
(17 VA. - 269 N.C.)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360793

244

36-079-34

WENTWORTH QUADRANGLE

N3615-W7945/15
NORTH CAROLINA

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
823	3	111 MAX 1971 667	11
PTS 18 W 1924		112 MAX 1971 553	11
RESET 1938 611	16	113 MAX 1971 537	12
R 13 VA NC 1924 537	3	114 MAX 1971 652	12
R 14 VA NC 1924 768		115 MAX 1971 682	12
PTS 20 W 1924	3	116 MAX 1971 767	12
WV 43 1949 895	3	117 MAX 1971 814	13
WV 48 1949 853	3,15	118 MAX 1971 838	13
WV 49 1949	4	119 MAX 1971 717	14
59 HLZ 1969	5	120 MAX 1971 810	14
60 HLZ 1969	5	121 MAX 1971 872	14
61 HLZ 1969	5,5	122 MAX 1971 917	15
100 HLZ 1969	6	123 MAX 1971 878	15
101 HLZ 1969	6	124 MAX 1971 789	15
102 HLZ 1969	6		
103 HLZ 1969	6	<u>STATE</u>	
104 HLZ 1969	7	NC 467	4
105 HLZ 1969	7	22 WC 1 1967	17
106 HLZ 1969	7		
85 MAX 1971 720	17	<u>NCGS</u>	
87 MAX 1971 574	20	ERNEST 1969	17
88 MAX 1971 790	20	FELLOW 1969	18
100 MAX 1971 871	8	HESTER 1969	20
101 MAX 1971 850	8	NEAL 1969	19
102 MAX 1971 710	9	PARKER 1969	16
103 MAX 1971 638	9	RICE 1969	19
104 MAX 1971	9	WALKER 1969	18
105 MAX 1971 756	9,11		
106 MAX 1971 724	10,13	<u>NGS</u>	
107 MAX 1971 565	10	N 169 1965	5
108 MAX 1971 718	10	R 169 1965	10
109 MAX 1971 696	10	S 170 1965	13
110 MAX 1971 734	11		

NGVD 29
Elevations

WENTWORTH

NORTH CAROLINA

C. E. Reick

Book B 1604

1924

Feet

ISOLATED BENCH MARKS (C. E. Reick, 1924; Book B 1604)

Leaksville, 3.0 mi W. of, 500 ft E. of Upper Buffalo Creek bridge; in NW. angle of rd. N. to residence of J. O. Jones; in concrete post; standard tablet stamped "R 13 VA NC 1924 537" 537.365

Stoneville, 2.6 mi NE. of, 0.5 mi W. of Barnes Spring School; S. side of hwy.; in angle of farm rd. S.; in concrete post; standard tablet stamped "R 14 VA NC 1924 768 PRIM TRAV STA 20 W 1924" 767.655

Stoneville, 700 ft N. of station; 40 ft E. of RR. track; 10 ft E. of hwy.; on lot belonging to R. L. Stone; on iron post; standard tablet stamped "823" (Recovered by NGS, 1935) 822.626

LINE 1.

Wallace Varley, 1949-50; Book AV 142

Stokesdale RR. Station, 5.7 mi NE. of, along U. S. Highway 158; at Liberty Wesleyan Church; 150 ft N. of U. S. Highway 158; in W. end of bottom step of church; standard tablet stamped "WV 43 1949 895" (Reported destroyed, 1971) 894.706

Reference mark, 62 ft E. of tablet; 42.7 ft E. of SE. corner of church; in root on W. side of 16-in. oak tree; copper nail and washer 895.80

Stokesdale, 9.0 mi NE. of, along U. S. Highway 158; 3.2 mi SW. of, along U. S. Highway 158 from Midway; at Witty's crossroads; in NW. angle of crossroads; 24.8 ft N. of centerline of hwy.; 24 ft W. of centerline of paved rd. N.; in NW. abutment of culvert under hwy. buried 1.0 ft; standard tablet stamped "WV 48 1949 853" 853.197

Reference mark, 59 ft S. of tablet; 31.7 ft S. of hwy.; in W. end of base of gasoline pump stand; chiseled square 852.66

NGVD 29
Elevations

1949-50

LINE 1 (Cont'd.)Feet

- Midway, 1.7 mi SW. of, along U. S. Highway 158; in front yard of two-story yellow frame house owned by Dr. M. P. Cummings; 56 ft SE. of SE. corner of abandoned house; 30.5 ft N. of centerline of hwy.; 150 ft W. of E. drive to house; 20 ft S. of front drive to house; in concrete post projecting 0.2 ft; standard tablet stamped "WV 49 1949" (Reported destroyed, 1971) 847.615
- Reference mark, 69 ft N. of tablet; 100 ft N. of centerline of hwy.; in SE. root of 32-in. oak tree; copper nail and washer 850.66
- U.E., Midway, 3.0 mi S. of, along U. S. Highway 158; 56 ft SE. of Texaco Gas Station; 18 ft N. of hwy.; in W. end of N. headwall of culvert under hwy.; chiseled square 851.12
- Midway; S. of rd. leading W. to Reidsville; at W. end of semi-circular drive connecting rd. in front of Midway Methodist Episcopal Church; 142 ft N. and W. of NE. corner and 123 ft N. and W. of NW. corner of church; 128.2 ft N. and E. of NE. corner of school house; NGS and State Survey standard disk set in concrete; no coordinates have been determined for this station, designated "NC 467" 857.763
- Reference mark; 120 ft SE. of tablet; in E. end of bottom step of Midway Methodist Church; chiseled square 860.40

1949-50

FeetLINE 2.

Wallace Varley, 1949-50; Book AV 142

U.E., Midway, 1.2 mi SW. along rd.; in front yard of Glenn Johnson; 22.4 ft NW. of centerline of rd.; 15 ft NE. of centerline of private drive; in root on SE. side of 30-in. oak tree; copper nail and washer

828.75

LINE 3.

H. L. Zohn, 1969; Book AV 1542

NGVD 29
Elevations

3 65 0.00 "N 169 1965" (NGS) 867.505

[/Jogs into Pine Hill quadrangle/

3 70 3.29 Madison, 1.2 mi W. of junction of U. S. Highways 311 and 220, along Highway 311, thence 2.1 mi S. along County Road 1138; 26 ft W. of, and about 1 ft lower than centerline of rd. opposite; 6 ft NW. of fence corner; 0.5 ft E. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "59 HLZ 1969" 694.049

3 72 4.53 Madison, 1.2 mi W. of junction of U. S. Highways 311 and 220, along Highway 311, thence 0.8 mi S. along County Road 1138; at 385 ft bridge over Dan River; in N. end of W. guardrail; standard tablet stamped "60 HLZ 1969" 577.109

3 73 5.30 Madison, 1.2 mi W. of junction of U. S. Highways 311 and 220, along Highway 311; at 39-ft bridge over Little Beaver Island Creek; in W. end of N. guardrail; standard tablet stamped "61 HLZ 1969" 568.520

LINE 4.

H. L. Zohn, 1969; Book AV 1542

5 70 0.00 "61 HLZ 1969" (Described in line 3) 568.520

WENTWORTH
Book AV 1542

NORTH CAROLINA

H. L. Zohn

1969

LINE 4 (Cont'd.)Feet

5	70	0.30	U.E., in junction of County Roads 1169 and 1175; copper nail and washer	594.10
5	71	0.68	U.E., in centerline of County Road 1169 at dirt T-rd. S.; rail spike	654.47
5	73	1.77	Madison, 0.5 mi W. of Madison-Mayodan High School; along State Highway 704; 69 ft ENE. of, and about 6 ft higher than junction of Highway 704 and County Road 1169; 0.2 ft W. of witness sign; in concrete post projecting 0.5 ft; standard tablet stamped "100 HLZ 1969"	620.541
5	74	2.47	U.E., in junction of County Roads 1300 and 1169; copper nail and washer	695.32
5	76	3.18	Madison, 1.6 mi N. and NW. of junction of County Road 1300 and State Highway 704, along Road 1300; 57 ft NNW. of, and about 9 ft higher than junction of County Roads 1300 and 1316; 0.4 ft SW. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "101 HLZ 1969"	916.016
5	78	4.13	Madison, 2.6 mi N. and NW. of junction of County Road 1300 and State Highway 704, along Road 1300; at 30-ft bridge over small stream; in N. end of W. guardrail base; standard tablet stamped "102 HLZ 1969"	723.620
5	79	4.80	U.E., in junction of County Roads 1300 and 1334; copper nail and washer	837.85
5	80	5.11	Madison, 3.6 mi N. and NW. of junction of County Road 1300 and State Highway 704, along Road 1300; 45 ft S. of, and about level with junction of County Roads 1300 and 1330; 0.2 ft W. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "103 HLZ 1969"	885.477

NGVD 29
Elevations

1969

<u>LINE 4 (Cont'd.)</u>				<u>Feet</u>
6	5	5.98	U.E., in junction of County Road 1300 and rd. junction SW.; copper nail and washer	949.58
6	6	6.28	Madison, 4.8 mi N. and NW. of junction of County Road 1300 and State Highway 704, along Road 1300; 45 ft SE. of, and about 1/25 ft higher than junction of County Roads 1300 and 1329; 0.3 ft W. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "104 HLZ 1969"	945.740
6	7	6.59	U.E., in junction of State Highway 770 and County Road 1300; copper nail and washer	933.21
6	9	7.32	Madison, 5.2 mi N. and NW. of junction of County Road 1300 and State Highway 704, along Road 1300, thence 0.7 mi N. along County Road 1348; at 36-ft bridge over small stream; in SE. corner; standard tablet stamped "105 HLZ 1969"	783.942
6	10	7.63	U.E., in junction of County Roads 1348 and 1347; copper nail and washer	838.97
6	12	8.24	Madison, 5.2 mi N. and NW. of junction of State Highway 704 and County Road 1300, along Road 1300, thence 1.6 mi W. along County Road 1348; at 23-ft concrete culvert for small stream; 24 ft E. of, and about 2.5 ft lower than centerline of rd. opposite; in NE. corner; standard tablet stamped "106 HLZ 1969"	736.749
6	14	8.86	U.E., in junction of County Roads 1348 and 1350; copper nail and washer	891.72

NGVD 29
 Elevations

1971

Feet

LINE 5.

Max K. Weber, 1971; Book AV 1598

5	41	0.93	Wentworth, 1.5 mi SE. of, thence 0.6 mi SW. to community college gymnasium; 456 ft NW. of centerline of Route 2371; 256 ft W. of NW. corner of gymnasium building (lower level of building); 36.9 ft N. of T-street intersection and 22.5 ft NE. of centerline of street; set in drill hole on S. corner of concrete base of southwesternmost of three lamp post; standard tablet stamped "100 MAX 1971 871"	870.472
5	42	1.51	U.E., centerline of T-rd. W. (intersection of Routes 2671 and 2369) copper nail and washer	879.17
5	43	2.01	Wentworth, 1.5 mi SE. of, thence 1.6 mi SW. to Shady Grove Baptist Church; 120 ft NE. of front entrance of church building; 114.2 ft N. of SE. corner of church building; 56 ft SE. of centerline of Route 2671, and 3 ft E. of power pole; in top of concrete post projecting 0.3 ft; standard tablet stamped "101 MAX 1971 850"	849.583
5	44	2.35	U.E., centerline of Y-rd. NW. (intersection of Routes 2371 and 2396) copper nail and washer	839.27

NGVD 29
Elevations

19
Book AV 1598

WENTWORTH

NORTH CAROLINA

36-079-34
Max K. Weber

1971

Feet

LINE 5 (Cont'd.)

5	46	2.97	Wentworth, 1.5 mi SE. of, thence 2.7 mi SW. along Route 2371; about 400 ft S. of small bridge over creek; 164.5 ft ESE. of centerline of Route 2371 (old rd.) at drive E. to small green shingled house; 55.7 ft E. of NE. corner of house; 15.7 ft SW. of centerline of drive and 2 ft W. of power pole with lamp; in top of concrete post projecting 0.3 ft; standard tablet stamped "102 MAX 1971 710"	710.238
5	48	3.88	U.E., centerline of bridge over small creek; copper nail and washer	625.89
5	49	4.12	Wentworth, 4.2 mi SW. of courthouse, along Highway 65 to Bakers crossroads, thence 1.5 mi SE. along Route 2363 to T-rd. NE.; 160 ft ENE. of T-rd. intersection; 42.5 ft SE. of centerline of Route 2363 and in edge of woods; in top of concrete post projecting 0.3 ft; standard tablet stamped "103 MAX 1971 638"	637.998
5	51	5.65	Wentworth, 4.2 mi SW. of courthouse, along Highway 65 to Bakers crossroads; 183 ft S. of crossroads; 51.6 ft NE. of N. corner of Smyrna Presbyterian Church building; 23.0 ft NNW. of 24-in. chestnut oak tree, and 2.5 ft SE. of power pole with lamp; in top of concrete post projecting 0.3 ft; standard tablet stamped "104 MAX 1971 845"	844.965
5	52	6.79	U.E., centerline of Route 2363 at drive NE. to large two story frame house; painted circle	747.88
5	53	7.36	Madison, 5.95 mi E. of junction of Highway 220 by-pass and 704; 188 ft SSE. of T-rd. S.; 36.9 ft NE. and 8 ft lower than centerline of Route 2363; set in drill hole on NW. end of concrete culvert; standard tablet stamped "105 MAX 1971 756"	756.332

NGVD 29
Elevations

WENTWORTH
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

LINE 5 (Cont'd.)Feet

5	54	8.07	U.E., centerline of T-rd. SW. at offset of crossroads; intersection of Routes 704 and 2300; copper nail and washer	740.65
5	55	8.39	Madison, 5.0 mi E. of junction of Highways 220 by-pass and 704; about 250 ft W. of small grocery store; 60 ft S. and 6 ft lower than centerline of Highway 704; 54 ft W. of centerline of Route 2302; set in drill hole on W. end of concrete culvert; standard tablet stamped "106 MAX 1971 724"	724.292
5	56	9.06	U.E., center at drive S. to white shingled house; copper nail and washer	647.33
5	57	9.58	Madison, 3.8 mi E. of junction of Highways 220 by-pass and 704 to bridge over Jacobs Creek; 94 ft E. of centerline of bridge over creek and 23.6 ft NNE. of centerline of Highway 704; set in drill hole on NE. wingwall of 1970 bridge; standard tablet stamped "107 MAX 1971 565"	564.502
5	59	10.71	Madison, 2.65 mi E. of junction of Highway 220 by-pass and Highway 704; 84.8 ft E. of centerline of Route 2308; 57.8 ft S. of centerline of Highway 704; 5.5 ft E. of telephone pole and 4.2 ft W. of power pole; in top of concrete post projecting 0.3 ft; standard tablet stamped "108 MAX 1971 718"	<u>717.360</u>
5	60	11.34	U.E., T-rd. S. (intersection of Routes 704 & 2310); masonry nail	580.67
5	61	12.24	Madison, 1.15 mi E. of junction of Highway 220 by-pass and Route 704; 71.4 ft NE. of T-rd. N.; 66.7 ft E. of centerline of Route 2188, and 28.9 ft N. of centerline of Route 704; in E. end of "L" shaped culvert; standard tablet stamped "109 MAX 1971 696"	695.851
5	62	13.45	"R 169 1965" (NGS)	717.246

NGVD 29
Elevations

1971

FeetLINE 6.

Max K. Weber, 1971; Book 1598

6	1	0.00	"105 MAX 1971 756" (Described in line 5)	756.332
6	1	0.63	U.E., centerline of hwy. at dirt rd. SE. to ponds; copper nail and washer	665.25
6	2	1.38	Wentworth, 3.0 mi W. of court house, along Highway 704; 77.6 ft S. of cross-roads; 34.9 ft SW. of centerline of Route 2127; 1.0 ft NW. of SE. end of "L" shaped culvert; set in drill hole; standard tablet stamped "110 MAX 1971 734"	733.958
6	3	2.53	Wentworth, 3.0 mi W. of court house, along Highway 704, thence 1.15 mi N. along Route 2127 to Drapers Store; about 150 ft NE. of Drapers Store; 72.4 ft E. of T-rd.; 54.7 ft ESE. of centerline of Route 2127; 12.4 ft W. of SE. corner of barn; 8.4 ft SSE. of SW. corner of barn; in top of concrete post projecting 0.2 ft; standard tablet stamped "111 MAX 1971 667"	667.112
6	5	3.25	Wentworth, 1.35 mi W. of court house, along Highway 704, thence 2.45 mi NW. to NW. end of Settle Bridge over Dan River; 13.4 ft NE. of centerline of NW. end of bridge (1950 bridge); set in drill hole on N. wingwall; standard tablet stamped "112 MAX 1971 553"	552.362
6	6	4.36	U.E., centerline of rd. at drain crossing; easternmost of two concrete culverts; RR. spike	533.77

WENTWORTH
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

LINE 6 (Cont'd.)

Feet

6	7	5.04	Wentworth, 1.35 mi W. of courthouse, thence 2.7 mi NW. along Route 2150, to rd. left, turn left and continue 1.55 mi W. on Route 2150; 55.8 ft S. of T-rd.; 42.0 ft SSE. of centerline of Route 2150; 20.0 ft SSE. of fence line and 3.0 ft SW. of power pole; in top of concrete post projecting 0.3 ft; standard tablet stamped "113 MAX 1971 537"	536.685
6	8	6.02	Wentworth, 1.35 mi W. of courthouse, thence 4.75 mi NW. to rd. left (0.1 mi SE. of Centenary Church), turn left and go 0.8 mi to steel tower transmission line crossing; 113.4 ft W. of centerline of rd.; 18.5 ft SE. of NW. leg of transmission tower and 8.5 ft N. of SE. leg; in top of concrete post projecting 0.3 ft under transmission tower; standard tablet stamped "114 MAX 1971 652"	652.074
6	9	6.90	Wentworth, 1.35 mi W. of courthouse, thence 4.85 mi NW. to Centenary Methodist Church; 140.7 ft SW. of centerline of rd.; 6.3 ft ENE. S corner of church building and 2.5 ft SE. of SE. side of church; in top of concrete post projecting 0.2 ft; standard tablet stamped "115 MAX 1971 682"	682.167
6	10	7.84	Mayodan, 4.6 mi NE. of junction of Highways 220 by-pass and 135, along Highway 135 to Shiloh community; 81.6 ft WSW. of centerline of Route 2145; 34.5 ft N. of centerline of church drive and 2.1 ft E. of S. corner of Shiloh Primitive Baptist Church; in top of concrete post projecting 0.2 ft; standard tablet stamped "116 MAX 1971 767"	766.863

NGVD 29
Elevations

WENTWORTH
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

FeetLINE 6 (Cont'd.)

6	12	9.04	Mayodan, 4.6 mi NE. of junction of Highways 220 by-pass and 135, along Highway 135, thence 1.0 mi NW. along Route 2145, thence left on dirt rd. (Route 2144); 0.15 mi to cemetery; 49.8 ft W. of Willie H. Cox's Tombstone; 17 ft E. of centerline of rd. and 1.5 ft NE. of SW. corner of cemetery; in top of concrete post projecting 0.2 ft; standard tablet stamped "117 MAX 1971 814"	813.945
6	13	9.71	U.E., centerline of T-rd. S. (intersection of Routes 2145 & 2221); copper nail and washer	901.75
6	14	10.32	Stoneville, 1.0 mi E. of junction of Highways 770 and 220 (Bus.), along Highway 770 to power sub station on right (0.1 mi W. of Madison Thowing Co. Plant); 50.9 ft NE. of NW. corner of fence surrounding sub station; 51 ft S. of centerline of Highway 770, 29.2 ft E. of centerline of sub station drive and 2.1 ft E. of power pole; in top of concrete post projecting 0.2 ft; standard tablet stamped "118 MAX 1971 838"	838.260
6	15	11.47	"S 170 1965" (NGS)	787.200

LINE 7.

Max K. Weber, 1971; Book AV 1598

6	17	0.00	"106 MAX 1971 724" (Described in line 5)	724.292
6	17	0.78	U.E., centerline of rd. at drive S.; (0.75 mi S. of State Highway 704); copper nail and washer	631.52
6	18	1.14	U.E., centerline of bridge over centerline of creek; copper nail and washer	568.08

WENTWORTH
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

FeetLINE 7 (Cont'd.)

6	20	1.80	Madison, 5.0 mi E. of junction of U. S. Highway 220 by-pass and State Highway 704, thence 1.70 mi S. along Route 2302; 79.7 ft E. of centerline of Route 2302; 38.4 ft E. of centerline of dirt rd.; 21.0 ft S. of double red oak tree; 12.1 ft W. of NE. corner of tobacco barn; 6.7 ft ENE. of NW. corner of tobacco barn and 2.2 ft N. of side of tobacco barn; in top of concrete post projecting 0.3 ft; standard tablet stamped "119 MAX 1971 717"	717.313
6	22	3.13	Madison, 5.0 mi E. of junction of U. S. Highway 220 by-pass and State Highway 704 along Highway 704, thence 2.95 mi S. along Route 2302 to crossroads; 69 ft WNW. of crossroads; 55.4 ft NNW. of centerline of Route 2328; 48.3 ft SW. of Route 2316 and 2.7 ft ESE. of power pole; in top of concrete post flush with surface; standard tablet stamped "120 MAX 1971 810"	809.576
6	23	3.62	U.E., centerline of T-rd. E. at offset of crossroads; (intersection of Routes 2316 & 2159); copper nail and washer	846.51
6	24	4.28	Bethany, 1.2 mi N. of Bethany High School along Route 2316 on property of J. L. Griffin; about 200 ft NW. of Mr. Griffin's two story framehouse; 123.6 ft NE. of centerline of rd. at drive E.; 123.1 ft WSW. of SW. corner of pack house; 53.8 ft N. of centerline of drive and in NE. corner of small clearing; in top of concrete post projecting 0.3 ft; standard tablet stamped "121 MAX 1971 872"	871.394
6	25	4.83	U.E., centerline of T-rd. W.; (intersection of Routes 2316 & 2331); copper nail and washer	886.49

NGVD 29
Elevations

Book AV 1598

1971

LINE 7 (Cont'd.)Feet

6	26	5.50	Bethany; at Bethany High School; 76 ft SE. of flag pole; 37 ft NE. of centerline of school drive; 34.5 ft NW. of S. corner of school building; 1.0 ft SW. of SW. wall of school; in drill hole on third step; standard tablet stamped "122 MAX 1971 917"	916.893
6	27	6.43	Bethany, 0.9 mi S. of Bethany High School at Bethany Methodist Church; 176.5 ft SW. of centerline of Route 235; 56.2 ft N. of centerline of sidewalk leading to front entrance; 30 ft S. of S. edge of cemetery; 3.0 ft S. of NE. corner of church building and 1.6 ft E. of E. wall of church; in drill hole on concrete foundation of church; standard tablet stamped "123 MAX 1971 887"	886.698
6	28	6.87	U.E., centerline of T-rd. E.; (intersections of Route 2351 & 2356) copper nail and washer	870.64
6	29	7.59	Bethany, 2.0 mi S. of Bethany High School; 0.95 mi N. of Wittys crossroads; 161 ft NNE. of N. corner of small white shingled house; 33.7 ft NE. of centerline of Route 2351; 6.0 ft W. of woods line and 3.7 ft E. of telephone pole; in top of concrete post projecting 0.2 ft; standard tablet stamped "124 MAX 1971 789"	788.907
6	31	8.57	"WV 48 1949" (Described in line 1)	853.197

LINE 8.

Max K. Weber, 1971; Book AV 1598

4	72	4.56	U.E., centerline of cross streets; (intersection of Boone & Glovenia Streets); copper nail and washer	596.72
---	----	------	---	--------

WENTWORTH
Book AV 1598

NORTH CAROLINA

Max K. Weber

1971

LINE 8 (Cont'd.)Feet

4	73	5.24	U.E., Eden; at junction of Washington and S. Hamilton Streets; 129.8 ft SE. of intersection of Washington and S. Hamilton Streets, and 30.7 ft ENE. of centerline of Hamilton Street; on concrete base of lamp post; chiseled square	588.87
4	74	5.78	Eden; at junction of Washington and South Patterson Streets; 24 ft N. of centerline of Washington Street; 19 ft E. of centerline of South Patterson Street and 1.0 ft W. of SW. corner of Blands Furniture building; in drill hole; standard tablet stamped "PRIM TRAV STA 18 W 1924 RESET 1938"	610.779
4	75	6.27	U.E., centerline of intersection of Center Church Road & Patterson Street (crossroads); copper nail and washer	634.57
4	76	6.98	U.E., centerline of bridge over centerline of Matrimony Creek (1961 bridge); painted circle	569.94
4	77	7.34	Eden, proceed from Douglas High School on Center Church Street; go W. on Center Church Street for 0.4 mi to bridge over Matrimony Creek, continue on Center Church Street 0.4 mi to station on left and in NW. corner of yard owned by Mr. Parker; 56.6 ft SSW. of TP with aluminum ref. tag; 45.8 ft SSW. of 8- by 8-ft fence post with aluminum ref. tag; 78.8 ft E. of PP. with aluminum ref. tag; 102.1 ft W. of W. end of concrete culvert in driveway; 22.0 ft S. of centerline of County Road 1535; 95.9 ft W. of water meter cover; in concrete cylinder flush with ground; North Carolina Geodetic Survey standard disk stamped "PARKER 1969"	649.889

NGVD 29
Elevations

1971

Feet

LINE 8 (Cont'd.)

4	78	7.53	Eden; proceed from Douglas High School on Center Church Street; go W. on Center Church Street for 0.4 mi to bridge over Matrimony Creek, continue on Center Church Street for 0.6 mi to station on left in yard owned by Ernest Price; 74.6 ft E. of PP with aluminum ref. tag; 26.0 ft S. of centerline of County Road 1535; 5.1 ft NW. of water meter cover; 7.8 ft NW. of old hand water pump; 21.1 ft W. of W. end of concrete culvert; 23.4 ft W. of old water mill rock; in concrete cylinder flush with ground; North Carolina Geodetic Survey standard disk stamped "ERNEST 1969"	650.886
4	79	7.77	Eden, 0.5 mi NW. of junction of West Washington Street and S. Hamilton Street, thence 1.6 mi W. along center of church rd.; 23 $\frac{1}{4}$ ft WNW. of T-rd. N. (intersection of Routes 1535 & 1568); 31.3 ft N. of centerline of Route 1535 and 2.0 ft W. of telephone pole; in top of concrete post; North Carolina State Highway Commission standard tablet stamped "22 WC 1 1967"	689.532
5	1	8.19	U.E., centerline of T-rd. S.; (intersection of Routes 1535 & 1533) copper nail and washer	666.357
5	2	8.79	Eden, 0.5 mi NW. of junction of West Washington Street and South Hamilton Street, thence 2.6 mi W. along center Church Road; about 200 ft SE. of junction of 1543 and 1535; 71.8 ft S. of centerline of crossroads; 11.9 ft W. of centerline of lane leading to Sunset Farm; 2.3 ft N. of power pole, and 2.0 ft E. of fence line; in top of concrete post projecting 0.2 ft; standard tablet stamped "85 MAX 1971 720"	719.395

1971

Feet

LINE 9.

Max K. Weber, 1971; Book AV 1598

5	6	0.00	U.E., chiseled square (Described in line 8)	588.87
5	6	0.56	U.E., T-rd E. (intersection of State Highway 87 and Route 2019); copper nail and washer	531.19
5	7	0.78	Eden, 0.8 mi S. of intersection of State Highways 770 and 87 to intersection of State Highway 87 S and County Road 2100, continue on Highway 87 S for 0.05 mi to station on left in SW. corner of yard owned by Mr. Walker; 121.9 ft S. of PP with aluminum ref. tag; 50.4 ft N. of PP with aluminum ref. tag; 71.1 ft E. of TP #569 with aluminum ref. tag; 38.9 ft E. of centerline of State Highway 87; 50.4 ft NE. of fire hydrant; 31.6 ft N. of centerline of drive; 11.8 ft S. of 14-in. maple tree; in concrete cylinder 0.1 ft below ground; North Carolina Geodetic Survey standard disk stamped "WALKER 1969"	575.035
5	8	1.30	Eden, 1.35 mi S. of intersection of State Highways 770 and 87 S; station is approximately 100 ft S. of driveway leading to home of Mr. Pulliam on W. side of rd.; approximately 175 ft N. of intersection of State Highway 87 S and County Road 1969, and approximately 300 ft S. of Fellowship Baptist Church; 43.5 ft ESE. of 45 MPH speed sign, and with aluminum ref. tag; 55.7 ft ESE. of TP #546 with aluminum ref. tag; 24.3 ft E. of centerline of State Highway 87; 88.8 ft N. of PP with aluminum ref. tag; 177.1 ft SSE. of PP with aluminum ref. tag; in concrete cylinder flush with ground; North Carolina Geodetic Survey standard disk stamped "FELLOW 1969"	630.404

NGVD 29
Elevations

1971

FeetLINE 9 (Cont'd.)

- 5 9 1.96 Eden, 1.8 mi S. of intersection of State Highways 87 S and 770 to intersection of State Highway 87 with County Road 1969 left and County Road 2214 right, continue S. on Highway 87 for 0.6 mi. to station on right side of rd. and S. of asphalt rd. leading to Dan River Wesleyan Church; 19.8 ft NE. of TP with aluminum ref. tag; 124.5 ft SW. of TP #519 with aluminum ref. tag; 25.3 ft NW. of centerline of State Highway 87; 75.5 ft NE. of 4- by 4-ft post of stop sign, with aluminum ref. tag; 46.6 ft NE. of centerline of paved rd. leading to Dan River Wesleyan Church; 98.5 ft N. of PP with aluminum ref. tag; in concrete cylinder 0.2 ft below ground; North Carolina Geodetic Survey standard disk stamped "NEAL 1969" 676.522
- 5 10 2.60 Eden, 1.8 mi S. of intersection of State Highways 87 and 770 to intersection of Highway 87 and County Road 1969 left and County Road 2214 right, continue S. on Highway 87 for 1.2 mi. to station on right side of rd. and 0.05 mi S. of County Road 2105 going W.; 17.6 ft E. of TP #491 $\frac{1}{2}$ with aluminum ref. tag; 35.8 ft NE. of TP #491 with aluminum ref. tag; 45.4 ft SW. of PP with aluminum ref. tag; 19.7 ft W. of centerline of State Highway 87; 49.6 ft NW. of water meter cover; in concrete cylinder flush with ground; North Carolina Geodetic Survey standard disk stamped "RICE 1969" 738.780

NGVD 29
Elevations

WENTWORTH
Book AV 1598

NORTH CAROLINA

36-079-34
Max K. Weber

1971

FEET

LINE 9 (Cont'd.)

5	11	2.95	Eden; proceed from intersection of State Highways 87 and 770; go S. on Highway 87 for 1.6 mi to intersection of Highway 87 and County Road 2108; in SW. corner of intersection; 7.9 ft E. of TP; 16.6 ft SSE. of stop sign with aluminum ref. tag; 47.8 ft ENE. of PP. with aluminum ref. tag; 38.3 ft S. of centerline of County Road 2108; 28.2 ft W. of centerline of State Highway 87; 92.9 ft SW. of fire plug on S. side of Highway 87; in concrete cylinder flush with ground; North Carolina Geodetic Survey standard disk stamped "HESTER 1969"	783.113
5	13	3.93	Wentworth, 1.5 mi SE. of courthouse, thence 0.35 mi NE., thence 3.35 mi N. along State Highway 87; 275 ft N. of centerline of Highway 87 at centerline of dirt rd. W.; 16.9 ft W. of centerline of Highway 87; 1.5 ft W. of steel guard rail, directly over center of Roach Creek and about 25 ft higher than WL; in top of concrete post projecting 0.3 ft; standard tablet stamped "87 MAX 1971 574"	574.157
5	15	5.16	Wentworth, 1.5 mi SE. of courthouse, thence 0.35 mi NE., thence 2.2 mi N. along Highway 87; about 300 ft SE. of intersection of Routes 87 and 2126; 86.5 ft E. of centerline of Highway 87; 39.0 ft N. of NE. corner of block house and 3 ft N. of power pole; in top of concrete post projecting 0.3 ft; standard tablet stamped "88 MAX 1971 790"	789.369
5	16	5.78	U.E., T-rd. SW. (Intersection of State Highway 87 and Route 2124); copper nail and washer	821.76

NGVD 29
Elevations