

LEVELING
GEODETIC VERTICAL DATUM OF 1929

36-080-34
ROARING GAP QUADRANGLE
248 NORTH CAROLINA
N3615-W8045/15
DIAGRAM NJ 17-11
WINTSON-SALEM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


Alleghany, Surry, Wilkes, and
Yadkin Counties

Final adjustment of 1975

Edition of 7/17/75

PR: WSM/sws

GALAX
(21 VA.-273 N.C.)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360803

248

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
11 JLM 1963 1274	3	133 HLZ 1969	10
13 JLM 1963 1413	3	134 HLZ 1969	10
14 JLM 1963 1420	3	135 HLZ 1969	10
15 JLM 1963 1512	4	136 HLZ 1969	10
16 JLM 1963 1469	4	137 HLZ 1969	10, 13
17 JLM 1963 1486	4, 11	138 HLZ 1969	10
18 JLM 1963 1912	4	139 HLZ 1969	10
19 JLM 1963 2423	5	140 HLZ 1969	11, 11
20 JLM 1963 2977	5	141 HLZ 1969 RESET 1970	11
24 RJN 1963 RESET 1972	6	142 HLZ 1969	11
25 RJN 1963 2628.8	6	143 HLZ 1969	11
26 RJN 1963 2834	6	144 HLZ 1969	11
112 HLZ 1969	7	145 HLZ 1969	11
113 HLZ 1969	7	146 HLZ 1969	12
114 HLZ 1969	7	147 HLZ 1969	12
115 HLZ 1969	7	148 HLZ 1969	12
116 HLZ 1969	7	149 HLZ 1969	12
117 HLZ 1969	7, 10	151 HLZ 1969	12
118 HLZ 1969	7	152 HLZ 1969	12
119 HLZ 1969	7	153 HLZ 1969	13
120 HLZ 1969	8	154 HLZ 1969	13
125 HLZ 1969	9	155 HLZ 1969	13
126 HLZ 1969	9		
127 HLZ 1969	9	<u>NGS</u>	
128 HLZ 1969	9, 12	Q 45 1933	6
129 HLZ 1969	9	SALEM FORK 1954	8
130 HLZ 1969	9	SALEM FORK 1954 (azi)	8
131 HLZ 1969	9	SALEM FORK NO 1 1954	8
		SALEM FORK NO 2 1954	8

NGVD 29
Elevations

1963

LINE 1.

Feet

By L. L. Bean, 1963; Book AV 996

There are no permanent marks in this line in this quadrangle.

LINE 2.

NGVD 29
Elevations

By J. L. Hubbard, 1963; Book AV 956

Roaring River, 4.1 mi N. of, along County Road 1990; at residence of C. C. Alexander; 174 ft SE. of centerline of Road 1990 at junction of County Road 2012 E.; 119 ft SE. of, and 6 ft higher than centerline of rd.; 2 ft SW. of NW. corner of barn; in concrete step; standard tablet stamped "11 J LH 1963 1274" 1274.199

Reference mark; 67 ft E. of tablet; on concrete platform between two concrete block silos; chiseled square 1274.72

/Jogs into Dockery quadrangle/

U.E., 205 ft SE. of junction of County Roads 2002 and 1931⁴ SW.; 20 ft S. of, and level with centerline of rd.; on NW. corner of concrete sidewalk at house; chiseled square 1406.27

Roaring River, 8.2 mi N. of; at electric substation on County Road 1935; 46 ft E. of, and 3 ft higher than centerline of rd.; 3 ft W. of SW. corner of wire mesh fence bordering substation; in concrete post projecting 0.3 ft; standard tablet stamped "13 J LH 1963 1413" 1413.421

Reference mark; 40 ft SW. of tablet; 10 ft E. of centerline of rd.; on concrete pipe culvert; chiseled square 1411.08

Roaring River, 10.1 mi N. of; 1.0 mi SW. of junction of County Roads 1752 and 1935 SW.; 129 ft NW. of centerline of rd.; at residence of J. L. Cothren; 9 ft N. of centerline of driveway; in SW. end of concrete well base; standard tablet stamped "14 J LH 1963 1420" 1419.992

Reference mark; 34 ft S. of tablet; 2 ft N. of NW. corner of house; on concrete sidewalk; chiseled square 1419.72

U.E., 51 ft SW. of, and level with junction of County Roads 1749 and 1935 SW.; on S. end of concrete pipe culvert; chiseled square 1514.50

U.E., 9 ft SE. of SW. corner of store owned by A. M. Hinchers; 40 ft NE. of, and 5 ft higher than centerline of rd.; on SW. end of concrete platform at storage room; chiseled square 1527.32

NGVD 29
ElevationsLINE 2 (Cont'd.)Feet

U.E., Austin, 0.2 mi N. of; 18 ft W. of, and 1 ft lower than centerline of rd.; on N. end of concrete headwall of culvert; chiseled square	1525.94
Austin, 0.4 mi N. of; at junction of County Roads 1924 and 1917 NW.; 43 ft W. of, and 2 ft lower than centerline of rd.; in N. end of concrete headwall of culvert; standard tablet stamped "15 JLH 1963 1512"	1511.698
Reference mark; 97 ft NE. of tablet; 17 ft W. of centerline of rd.; on S. end of concrete headwall of culvert; chiseled square	1507.96
Austin, 2.9 mi N. of; at junction of County Roads 1002 and 1917 S.; 65 ft SE. of junction; 49 ft S. of centerline of rd.; in bottom step of residence of H. Cox; standard tablet stamped "16 JLH 1963 1469"	1469.361
Reference mark; 29 ft N. of tablet; 20 ft S. of centerline of rd.; on N. end of concrete sidewalk; chiseled square	1469.22
U.E., Austin, 3.4 mi NNE. of; 18 ft NW. of, and 1 ft lower than centerline of rd.; on SW. end of concrete pipe culvert; chiseled square	1520.17
Austin, 4.5 mi NNE. of; at junction of U.S. Highway 21 and County Road 1002; 48 ft W. of centerline of rd.; 87 ft NW. of, and 5 ft higher than centerline of junction; 3 ft SE. of electric pole; in concrete post projecting 0.2 ft; standard tablet stamped "17 JLH 1963 1486"	1486.393
Reference mark; 54 ft W. of tablet; 28 ft N. of centerline of rd.; on concrete right-of-way post; chiseled square	1489.42
U.E., Roaring Gap, 5.2 mi SE. of; 76 ft NE. of, and 2 ft higher than centerline of rd.; 37 ft N. of NW. corner of Oak Park Grill; on W. side of concrete base of light pole; chiseled square	1546.31
U.E., Roaring Gap, 4.2 mi SE. of; 19 ft S. of, and 1 ft lower than centerline of rd.; on W. end of concrete headwall of culvert; chiseled square	1718.11
Roaring Gap, 3.6 mi SE. of; 54 ft NW. of drive leading W.; 38 ft W. of, and 5 ft higher than centerline of rd.; 3 ft E. of metal witness post; in concrete post projecting 0.3 ft; standard tablet stamped "18 JLH 1963 1912"	1911.859
Reference mark; 48 ft S. of tablet; 40 ft W. of centerline of rd.; in root on E. side of maple tree; copper nail and washer	1904.06

LINE 2 (Cont'd.)Feet

U.E., Roaring Gap, 3.3 mi SE. of; 24 ft S. of, and 4 ft higher than centerline of rd.; on easternmost guardrail post of section of guardrails; chiseled square	2033.79
U.E., Roaring Gap, 2.6 mi SE. of; 18 ft N. of, and 1 ft lower than centerline of rd.; on concrete headwall of culvert; chiseled square	2239.22
U.E., Roaring Gap, 2.2 mi SE. of; 21 ft E. of, and 1 ft lower than centerline of rd.; on N. end of concrete headwall of catch basin; chiseled square	2355.14
Roaring Gap, 2.0 mi SE. of; about 0.2 mi S. of county line; 21 ft E. of, and 2 ft lower than centerline of rd.; in N. end of concrete headwall of catch basin; standard tablet stamped "19 JLH 1963 2423"	2423.055
U.E., Roaring Gap, 1.4 mi SE. of; 300 ft SE. of roadside picnic tablet; 17 ft NE. of, and 1 ft lower than centerline of rd.; on N. end of concrete headwall of catch basin; chiseled square	2620.72
U.E., Roaring Gap, 0.8 mi SE. of; 18 ft NE. of, and 2 ft lower than centerline of rd.; on N. end of concrete headwall of catch basin; chiseled square	2792.33
Roaring Gap, 84 ft W. of junction of U.S. Highway 21 and County Road 1478; 30 ft NE. of NE. corner of Roaring Gap Service Station; in NE. end of abandoned concrete grease rack; standard tablet stamped "20 JLH 1963 2977" (Probably destroyed) (Reported not found, 1970)	2976.887
Reference mark; 44 ft SE. of tablet; 66 ft SW. of rd. junction; on N. end of concrete base of gas pumps; chiseled square	2976.10
U.E., Roaring Gap, 0.4 mi NW. of; 58 ft E. of, and 2 ft higher than centerline of rd.; on NW. corner of concrete step to Holbrook Grocery; chiseled square	2851.38
U.E., Roaring Gap, 1.1 mi NW. of; 18 ft NE. of, and 1 ft lower than centerline of rd.; on S. end of stone culvert; chiseled square	2784.92
U.E., Roaring Gap, 1.6 mi NW. of; 40 ft NE. of, and 1 ft higher than centerline of rd.; 2 ft SW. of SW. corner of Roaring Gap Restaurant; on concrete sidewalk; chiseled square	2752.24

NGVD 29
Elevations

1963

LINE 3.

Feet

By R. J. Neff, 1963; Book AV 956

On Blue Ridge Parkway, 2.1 mi E. of junction of U.S. Highway 21,
thence N. of relocated County Road 1464 over Blue Ridge Parkway;
in top of coping stone at NW. bridge abutment and masonry faced
wingwall of new bridge; standard tablet stamped
"24 RJN 1963 RESET 1972"

2625.716

U.E., about 2.6 mi E. of junction of U.S. Highway 21, along Blue
Ridge Parkway; 22 ft S. of, and 3 ft lower than centerline of
rd. at culvert; on W. end of S. cut rock headwall; chiseled
square

2616.57

On Blue Ridge Parkway, 4.2 mi E. of junction of U.S. Highway 21;
17 ft N. of, and 1 ft lower than centerline of parkway at
culvert; in center of N. cut rock headwall; standard tablet
stamped "25 RJN 1963 2628.8"

2628.811

Reference mark; 39 ft S. of tablet; on E. end of S. cut rock
headwall of culvert; chiseled square

2628.58

U.E., about 4.4 mi E. of junction of U.S. Highway 21, along Blue
Ridge Parkway, thence 800 ft N. to steel bridge over Big Pine
Creek; on SE. concrete wingwall on SW. side of bridge; chiseled
square

2582.78

Glade Creek Elementary School; 85 ft N. of, and 11 ft higher than
junction of County Roads 1444 and 1464; in concrete base of
flagpole; standard tablet stamped "26 RJN 1963 2834"

2833.758

Reference mark; 25 ft N. of tablet; on corner of concrete walk;
chiseled square

2835.20

LINE 4.

By J. L. Hubbard, 1963; Book AV 956

U.E., chiseled square (Described in line 2)

1514.50

U.E., Traphill Post Office, 1.9 mi SE. of; 17 ft SW. of, and level
with centerline of rd.; on S. end of concrete catch basin;
chiseled square

1282.30

LINE 5.

By H. L. Zohn, 1969; Book AV 1542

6 30 0.00 "Q 45 1933" (NGS)

1110.054

NGVD 29
Elevations

LINE 5 (Cont'd.)Feet

6	32	1.05	Fairview, 3.4 mi SW. of junction of U.S. Highway 601 and State Highway 268, along Highway 268, thence 0.9 mi W. along County Road 1121; at 140-ft wooden bridge over Little Creek; in SW. corner of bridge; standard tablet stamped "112 HLZ 1969"	918.970
6	34	2.15	Fairview, 3.4 mi SW. of junction of U.S. Highway 601 and State Highway 268, along Highway 268, thence 2.0 mi W. along County Road 1121; 120 ft ESE. of, and about 0.5 ft lower than centerline of Road 1121 at drive S.; in concrete post projecting 0.3 ft; standard tablet stamped "113 HLZ 1969"	1078.822
6	36	3.30	Fairview, 3.4 mi SW. of junction of U.S. Highway 601 and State Highway 268, along Highway 268, thence 3.2 mi W. and N. along County Road 1121; at Welcome Valley Baptist Church; in S. end of bottom step; standard tablet stamped "114 HLZ 1969"	1101.96
6	38	4.42	Zephyr; 2.8 mi S. of Gum Orchard Baptist Church, along County Road 1001; at Bessies Chapel Baptist Church; in NW. corner of walk at main entrance; standard tablet stamped "115 HLZ 1969"	1187.98
6	40	5.74	Zephyr, 1.4 mi S. of Gum Orchard Baptist Church, along County Road 1001; 44 ft NE. of, and about 1.5 ft lower than centerline of Road 1001 at rd. E.; 0.2 ft W. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "116 HLZ 1969"	1256.423
6	43	7.04	Zephyr; at Gum Orchard Baptist Church; in NW. corner of front porch; standard tablet stamped "117 HLZ 1969"	1309.259
6	45	8.59	Zephyr, 1.6 mi N. of Gum Orchard Baptist Church, along County Road 1001; 26 ft SE. of, and about 0.5 ft lower than junction of County Roads 1001 and 1330; 0.5 ft NW. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "118 HLZ 1969"	1344.125
6	48	9.95	Zephyr, 3.0 mi N. and E. of Gum Orchard Baptist Church, along County Road 1001; at Salem Fork Christian Church; in SE. corner of front walk; standard tablet stamped "119 HLZ 1969"	1338.353

LINE 5 (Cont'd.)Feet

6	51	11.13	Reference mark No. 2; 32 ft N. of station; 21 ft E. of centerline of Twin Oak Road; 19 ft NW. of Perry tombstone; on concrete post flush with ground; NGS standard reference mark disk stamped "SALEM FORK NO 2 1954"	1339.029
6	52	11.14	Dobson, 3.6 mi W. of junction of U.S. Highway 601 and Zephyr Road at NE. corner of Courthouse Square, along Zephyr Road to side rd. left (Twin Oak Road), thence 0.9 mi left (S.) along Twin Oak Road; in SW. corner of Salem Fork Baptist Church cemetery; 24 ft E. of centerline of Twin Oak Road; 18 ft S. of large gray granite tombstone with name "PERRY" inscribed on W. side; in concrete post flush with ground; NGS standard triangulation station disk stamped "SALEM FORK 1954"	1339.401
6	53	11.15	Reference mark No. 1; 36 ft E. of station; 61 ft E. of centerline of Twin Oak Road; 38 ft SE. of Perry tombstone; in concrete post flush with ground; NGS standard reference mark disk stamped "SALEM FORK NO 1 1954"	1339.917
6	54	11.42	Azimuth mark; 0.2 mi S. of station; 19 ft W. of centerline of Twin Oak Road; 3 ft N. of telephone pole; 2 ft N. of white witness post; in concrete post flush with ground; NGS standard azimuth mark disk stamped "SALEM FORK 1954"	1367.101
6	56	12.60	Dobson, 2.5 mi SW. of courthouse, along County Road 1100; 44 ft S. of, and about 1.5 ft higher than centerline of Road 1100 at dirt drive SSE. 0.5 ft N. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "120 HLZ 1969"	1258.940

NGVD 29
Elevations

1969

LINE 6.

Feet

By H. L. Zohn, 1969; Book AV 1542

7	7	5.16	Dobson, 0.9 mi NNE. of courthouse, along U.S. Highway 601, thence 4.4 mi NW. along County Road 1345; at Dosiers Grocery Store; in NW. end of Shell Gas pump base; standard tablet stamped "125 HLZ 1969" <i>Gas pump base destroyed</i>	<i>Destroyed 90-01-10</i>	1275.040
7	9	6.15	Dobson, 0.9 mi NNE. of courthouse, along U.S. Highway 601, thence 5.0 mi NW. along County Road 1345, thence 0.4 mi W. along County Road 1331; at Flat Top Church; in E. end of bottom step at front entrance; standard tablet stamped "126 HLZ 1969"		1285.520
7	12	7.66	Dobson, 0.9 mi NNE. of courthouse, along U.S. Highway 601, thence 5.0 mi NW. along County Road 1345, thence 1.9 mi W. along County Road 1331; 43 ft SSE. of, and about level with junction of County Roads 1331 and 1406; 1 ft NW. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "127 HLZ 1969"		1279.749
7	16	9.15	Low Gap, 1.1 mi S. of post office, along State Highway 89, thence 5.2 mi S. along County Road 1338; 31 ft NE. of, and about 1 ft lower than junction of dirt County Roads 1331 and 1338; in concrete post projecting 0.2 ft; standard tablet stamped "128 HLZ 1969"		1178.153
7	20	10.72	Low Gap, 1.1 mi S. of post office, along State Highway 89, thence 3.7 mi S. along County Road 1338; at 100-ft steel bridge over stream; in SW. wingwall; standard tablet stamped "129 HLZ 1969"		1197.122
7	22	11.48	Low Gap 1.1 mi S. of post office, along State Highway 89, thence 3.0 mi S. along County Road 1338; at Ladonia Baptist Church; in SE. end of second step at rear entrance; standard tablet stamped "130 HLZ 1969"		1335.494
7	25	12.99	Low Gap, 1.1 mi S. of post office, along State Highway 89, thence 1.5 mi S. along County Road 1338; at 100-ft steel bridge over stream; in SW. corner; standard tablet stamped "131 HLZ 1969"		1248.335

1969

LINE 7.

Feet

By H. L. Zohn, 1969; Book AV 1542

7	40	0.00	"117 HLZ 1969" (Described in line 5)	1309.259
7	42	1.35	Zephyr, 1.3 mi W. of junction of County Roads 1001 and 1315, along Road 1315; at 210-ft bridge over Mitchell River; in N. end of E. abutment; standard tablet stamped "133 HLZ 1969"	1091.883
7	44	2.23	Mountain Park; at Mountain Park Elementary School; in second step at SW. entrance; standard tablet stamped "134 HLZ 1969"	1291.124
7	48	3.77	Mountain Park, 0.9 mi S. of, along County Road 1301, thence 0.6 mi SW. along County Road 1307; at 130-ft bridge over South Fork of Mitchell River; in NW. end of NE. abutment; standard tablet stamped "135 HLZ 1969"	1121.100
7	51	4.68	State Road, 1.2 mi NW. of post office, along U.S. Highway 21, thence 1.1 mi NE. along County Road 1307; 22 ft N. of, and about level with centerline of rd. opposite; 0.2 ft S. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "136 HLZ 1969"	1272.862
7	54	5.80	State Road, 1.2 mi NW. of post office, along U.S. Highway 21; 97 ft S. of, and about level with junction of Highway 21 and County Road 1307; in concrete base for Sunoco Gas sign; standard tablet stamped "137 HLZ 1969"	1388.334
7	56	6.90	State Road, 2.2 mi NW. of post office, along U.S. Highway 21; at 10-ft concrete culvert; 53 ft SW. of, and 7.5 ft lower than centerline of hwy. opposite; in NW. end of culvert; standard tablet stamped "138 HLZ 1969"	1302.013
7	58	8.17	Thurmond, 1.4 mi E. of post office, along County Road 1902; 29 ft NE. of, and about 0.5 ft higher than centerline of rd. opposite; 2 ft SW. of power pole; 0.5 ft SW. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "139 HLZ 1969"	1345.582

LINE 7 (Cont'd.)Feet

7	61	9.54	Thurmond; at entrance to Branscome's Store; in concrete step; standard tablet stamped "140 HLZ 1969"	1401.669
7	63	10.82	"17 JLH 1963 1486" (Described in line 2)	1486.393

LINE 8.

By H. L. Zohn, 1969; Book AV 1542

7	70	0.00	"140 HLZ 1969" (Described in line 7)	1401.669
7	73	1.48	Thurmond, 1.4 mi NE. of post office, along County Road 1328; 45 ft ESE. of, and 2.3 ft lower than centerline of rd. at land S. to residence of Grady Harris; 18 ft ENE. of centerline of lane; 2 ft SE. of witness sign; in concrete post projecting 0.5 ft; standard tablet stamped "141 HLZ 1969 RESET 1970"	1392.980
7	77	2.77	Thurmond, 2.6 mi NE. of post office, along County Road 1328; at 30-ft bridge over South Fork Mitchell River; in SE. wingwall; standard tablet stamped "142 HLZ 1969"	1306.768
7	79	4.07	Thurmond, 3.9 mi NNE. of post office, along County Road 1328; at Walker Graveyard; 42 ft NW. of, and about 5.5 ft higher than centerline of Road 1328 at junction of rd. W.; 0.5 ft E. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "143 HLZ 1969"	1496.187
8	7	5.18	Thurmond, 4.8 mi NNE. of post office, along County Road 1328; 63 ft NNE. of, and about 3.5 ft lower than centerline of Road 1328 at junction of rd. W.; 1 ft W. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "144 HLZ 1969"	1746.158
8	11	6.86	Thurmond, 6.4 mi NNE. of post office, along County Road 1328; at 77-ft bridge over Mitchell River; in NW. end of SW. abutment; standard tablet stamped "145 HLZ 1969"	1355.787

NGVD 29
Elevations

LINE 8 (Cont'd.)Feet

8 14 8.54 Thurmond, 6.4 mi NNE. of post office, along County Road 1328, thence 1.7 mi E. along County Road 1330; 50 ft SW. of, and about 7 ft lower than centerline of Road 1330 at drive WSW.; 1 ft NE. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "146 HLZ 1969" 1292.629

8 16 9.71 Dobson, 0.9 mi NNE. of courthouse, along U.S. Highway 601, thence 5.0 mi NW. along County Road 1345, thence 7.8 mi W. along County Road 1331; at 100-ft bridge over Mitchell River; in SE. wingwall; standard tablet stamped "147 HLZ 1969" 1233.175

8 20 11.35 Dobson, 0.9 mi NNE. of courthouse, along U.S. Highway 601, thence 5.0 mi NW. along County Road 1345, thence 6.2 mi W. along County Road 1331; 30 ft SW. of, and about level with centerline of Road 1331 at dirt rd. WSW.; 0.5 ft E. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "148 HLZ 1969" 1332.593

8 26 12.86 Dobson, 0.9 mi NNE. of courthouse, along U.S. Highway 601, thence 5.0 mi NW. along County Road 1345, thence 4.8 mi W. along County Road 1331; at New Bethel Regular Baptist Church; in E. end of second step at main entrance; standard tablet stamped "149 HLZ 1969" (D) Disk was sent 1468.329

8 30 14.33 "128 HLZ 1969" (Described in line 6) + was set in 1178.153

LINE 9.

By H. L. Zohn, 1969; Book AV 1542

8 49 1.85 West Elkin, 1.0 mi NW. of junction of Austin Road and State Highway 268, along Austin Road; at Pleasant Hill Fire Department building; 4 ft W. of NW. corner of building; 1 ft W. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "151 HLZ 1969" 1127.989

8 52 2.95 West Elkin, 2.1 mi NW. of junction of Austin Road and State Highway 268, along Austin Road; at Full Gospel Tabernacle; in W. end of second step at main entrance; standard tablet stamped "152 HLZ 1969" 1102.835

LINE 9 (Cont'd.)Feet

8	55	4.47	West Elkin, 3.6 mi NW. of junction of Austin Road and State Highway 268, along Austin Road; at Smith's Gulf Station; in S. end of gas pump base; standard tablet stamped "153 HLZ 1969"	1312.216
8	59	6.23	West Elkin, 4.0 mi NW. of junction of Austin Road and State Highway 268, along Austin Road, thence 1.3 mi NE. along County Road 2026; 69 ft NNW. of, and about 2 ft higher than junction of County Roads 2026 and 2035; 1 ft E. of witness sign; in concrete post projecting 0.5 ft; standard tablet stamped "154 HLZ 1969"	1188.329
8	64	7.82	State Road, 1.1 mi NW. of post office, along U.S. Highway 21, thence 1.4 mi SW. along macadam rd.; 64 ft SSE. of, and about level with junction of County Roads 2036 and 2037; 0.5 ft W. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "155 HLZ 1969"	1290.644
8	67	9.20	"137 HLZ 1969" (Described in line 7)	1388.334

NGVD 29
Elevations