

THIRD-ORDER LEVELING  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

36-077-12  
BOYKINS QUADRANGLE  
6 VA.-258 N.C.  
N3630-7700/15  
DIAGRAM NJ 18-10  
NORFOLK

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY


Southampton County, Va.; Hertford and  
Northampton Counties, N.C.

Final adjustment of 1972

Edition of 12/14/86

PR: GWK/jyk

DEC 11  
Geological Survey Section



NGVD 29  
Elevations

HGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360771

## INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
PTS NO 5 1918 45.650	13	66 JAS 1964 33	5
PTS NO 9 1918 1905	4	67 JAS 1964 RESET 1977	5
PTS NO 9 P 1918	5	68 JAS 1964 29	6
PTS NO 11 1918	11	69 JAS 1964 38	6
58.914 PTS 13 P 1918	3	70 JAS 1961 79	6
PTS 14 1918 40	3	71 JAS 1964 95	6
21 1918	3	72 JAS 1964 26	7
27 1918	3	73 JAS 1964 86	7
29 1918	4	79 JAS 1964 21	8
35 1918	6	80 JAS 1964 113	8,8
48 1918	3	81 JAS 1964 29	8
56 1918	4	82 JAS 1964 111	8
66 1918	4	83 JAS 1964 124	9
71 1918	4	84 JAS 1964 91	9
73 1918 PTS NO 10	3	85 JAS 1964 93	9
79 1918	3	86 JAS 1964 76	9
82 1918	3	87 JAS 1964 71	10
92 1918 (92.611)	3	88 JAS 1964 95	10
92 1918 (92.834)	3	89 JAS 1964 86	10
92 1918 (92.956)	3	39 CRH 1972 54	13
97 1918	3		
102 1918	3	<u>NGS</u>	
104 1918 PTS NO 12	4	D 11 RM NEWSOMS 1918	7
113 1918	3	E 11 NEWSOMS 1918	9,10
124 1918	4	COMD 1933	4,5
2 DSW 1963 53	11	COMO NO 3 1933	4,13
3 DSW 1963 111	8,11,13	KNIGHT NO 1 1933	7
4 DSW 1963 94	11	SHILOH 1933	10
5 DSW 1963 122	12	SHILOH NO 1 1933	10
6 DSW 1963 69	12	SHILOH NO 2 1933	10
7 DSW 1963 106	11,12,13	Z 51 1934	7
8 DSW 1963 49	12	A 52 1934	11
62 JAS 1964 81	4	F 52 1934 36.286	7
63 JAS 1964 38	4	COURTLAND 1942 (AZ. MK.)	11
64 JAS 1964 83	5		
65 JAS 1964 65	5		

NGVD 29  
Elevations

3 BOYKINS Book B 167	VA.-N.C.	G. C. Fales and others	1918	<u>Feet</u>
<b>ISOLATED BENCH MARKS (By G. C. Fales, E. E. Harris, C. R. French and R. B. Steele, 1918, Book B 167, B 110 and B 241)</b>				
Severn; 85 ft SE. of S. end of station; 18 ft E. of main track; 25 ft W. of center of hwy.; on iron post; standard cap stamped "58.914 PTS 13 P 1918" (Tied by NGS) (Reported not found, 1966)				58.924
Severn, 3.2 mi W. of; in SW. corner of junction of Jackson and Margaretsville Roads; 18 ft S. of center of hwy.; 20 ft NW. of center of hwy.; 12 ft E. of 30-in. pine tree; on iron post; standard cap stamped "113 1918" (Reported Not Found 1966)				113.646
Severn, 3.4 mi E. of; 0.2 mi W. of Boons Bridge over Meherrin River; 10 ft S. of W. end gate; on iron post; standard cap stamped "21 1918" (Reported not found, 1966)				21.747
Mount Sinai Church; 0.1 mi S. of T-rd. NE.; 220 ft SW. of church; 15 ft W. of Severn-Como Road; on iron post; standard cap stamped "27 1918" (Reported destroyed, 1964)				27.771
Sunbeam, 3.6 mi SE. of; 2.0 mi W. of Riverdale; 0.2 mi E. of New Hope Church; on N. edge of E.-W. rd.; 50 ft W. of T-rd. S. at Como; on iron post; standard cap stamped "79 1918" (Reported not found, 1966)				79.840
Como; 0.25 mi NE. of post office; on N. edge of rd.; in line with T-rd. N.; on iron post; standard cap stamped "73 1918 PRIM TRAV STA NO 10" (Not found, 1964)				74.136
Boykins; 0.15 mi W. of station; in fork of Lewiston Branch and main line of S.A.L. RR.; 45 ft S. of main line track and 25 ft NW. of branch track; on iron post; standard cap stamped "PRIM TRAV STA 14 1918 40" (Tied by NGS, 1934)				40.463
Boykins, 3.0 mi NE. of; 30 ft W. of RR. track; 15 ft N. of rd. crossing track; on iron post; standard cap stamped "92 1918"				92.834
Newsoms; about 1.2 mi E. along Seaboard Air Line Ry. from station; 0.11 mi E. of milepost 48; 13 ft E. along track from crossing private rd.; 27 ft N. of N. rail; at about level of rails; on iron post projecting about .12 ft above ground; standard cap stamped "92 1918" (Tied by NGS, 1953)				92.611
Courtland, 3.05 mi NE. of; 180 ft E. of residence of L. L. Manry; on W. side of rd.; at N. end of gate entrance to house; on iron post; standard cap stamped "82 1918"				82.801
Keys Crossroad, in NW. angle of; 3.3 mi NE. of Boykins; 1 ft E. of signpost; on iron post; standard cap stamped "102 1918" (Not found, 1964)				102.916
Blackhead School, 450 ft S. of schoolhouse; 3.4 mi S. of Courtland; 100 ft N. of Odom's store; 100 ft NE. of center of crossroad; 20 ft E. of center of N.-S. rd.; on iron post; standard cap stamped "92 1918" (Reported not found, 1964)				92.956
Darden Pond; 400 ft NE. of mill house; 3.2 mi NE. of Newsoms; in wye of rd. forks; on iron post; standard cap stamped "48 1918"				48.998
Boykins, 6.4 mi. NE. of; 60 ft E. of Grays Store; on E. side of main rd.; in line with rd. E. to Newsoms; on iron post; standard cap stamped "97 1918" (Reported destroyed, 1966)				97.791

4	BOYKINS	VA.-N.C.	G. C. Fales and others
	Book B 167		
	<u>ISOLATED BENCH MARKS (Cont'd.)</u>		1918
			<u>Feet</u>
	Courtland; 25 ft SE. of SE. corner of Southampton County Courthouse; 1 ft E. of SE. corner of courtyard fence; on iron post; standard cap stamped "29 1918"		29.69
	Courtland, 2.5 mi W. of; 0.3 mi E. of milepost 49; 55 ft S. of track; in SW. angle of crossroad; on iron post; standard cap stamped "71 1918"		72.254
	Pope; 150 ft E. of station; 30 ft S. of track; 15 ft W. of center of N.-S. rd.; on iron post; standard cap stamped "66 1918" (Reported destroyed, 1966)		67.255
	Capron, 2.1 mi W. of; 0.11 mi E. of Southern RR. water tank at "Angelico coal chute"; 20 ft S. of track; 5 ft W. of rd. crossing track; on iron post; standard cap stamped "56 1918" (Not found, 1966)		57.239
	Clarksbury Church, 1.1 mi S. of; on W. side of rd.; on S. side of gate entrance to residence of S. W. Crewery; on iron post; standard cap stamped "104 1918 PRIM TRAV STA NO 12"		104.604
	Capron, 2.6 mi S. of; in NW. angle of rd. forks W.; 8 ft W. of fence corner; on iron post; standard cap stamped "124 1918" (Not found, 1966)		123.986
	Como; at NW. corner of post office and store; in SE. angle of rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 9" (Reported not found, 1966) 1905?		73.364

LINE 1.

J. E. Stoner, 1964; Book AV 1340

2	54	13.78	Murfreesboro, about 6.5 mi NE. of; 8.5 mi NNW. of Winton; 3.8 mi SW. of Virginia-North Carolina State line, along U. S. Highway 158; at main corner in Como on property owned by J. B. Majette; 46 ft NW. of centerline of Highway 158; 48 ft S. of E. corner of large barn; 24 ft NE. of SE. end of large advertising sign board; in concrete post; NGS standard triangulation station disk stamped "COMO 1933" (Not found, 1964)	74.037
2	55	13.88	Reference mark No. 3; 28 ft SE. of centerline of paved hwy.; opposite curve in hwy.; 1 ft W. of N. corner of frontyard of large house of row of three or four; 7 ft NE. of northernmost one of row of four trees in front of house; in concrete post; NGS standard reference mark disk stamped "COMO NO 3 1933"	73.592
2	59	16.36	Como; 0.2 mi NE. of post office, along U. S. Highway 258, thence 2.1 mi N. along Secondary State Road 1316; 41 ft SW. of, and level with centerline of Road 1316; 1 ft NE. of metal witness post; 5 ft NW. of power pole; in concrete post projecting 0.2 ft above ground; standard tablet stamped "62 JAS 1964 81"	80.937
2	62	18.86	Sunbeam; 2.6 mi S. of junction of Secondary State Roads 680 and 684, along Road 680; at Windmans Mill; at junction of Secondary State Roads 679 and 680 N.; about 160 ft W. of, and 4 ft higher than centerline of rd.; 1 ft S. of metal witness post; 9 ft NW. of power pole; in concrete post projecting 0.3 ft above ground; standard tablet stamped "63 JAS 1964 38"	37.947

NGVD 29  
Elevations

5

BOYKINS  
Book AV 1340

VA.-N.C.

J. E. Stoner

1964

LINE 1 (Cont'd.)Feet

2	64	19.91	U.E., at drain crossing; on top of W. end of 24-in. concrete drain pipe and level with centerline of rd.; chiseled square	61.43
2	66	21.48	Sunbeam; at junction of Secondary State Roads 680 and 684; about 150 ft NW. of, and 3 ft higher than centerline of rd.; 1 ft NE. of wire fence; 1 ft NE. of metal witness post; 4 ft N. of power pole; in concrete post projecting 0.1 ft above ground; standard tablet stamped "64 JAS 1964 83"	82.631
2	68	22.48	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of W. end of 12-in. concrete drainpipe; chiseled square	73.12
2	70	23.66	Hanson; 1.8 mi S. of post office, along Secondary State Road 681, thence 0.8 mi W., along Secondary State Road 672; 2.2 mi NW. of Sunbeam; at Mount Horeb Methodist Church; at junction of Secondary State Roads 680 and 672; about 100 ft SE. of, and 1 ft higher than centerline of rd.; 2 ft N. of wire fence; 1 ft N. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "65 JAS 1964 65"	65.225
2	73	25.64	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of W. end of 18-in. concrete drain pipe; chiseled square	29.61
2	74	26.34	Newsoms; about 5.4 mi NE. of station, along S.A.L. Ry.; about 6.9 ft SW. of station at Franklin; at Hand (Hanson Post Office); 57 ft S. of S. rail of main track; 45.5 ft SW. of SW. corner of ry. station; 33 ft NNE. of NE. corner of abandoned store building; 62 ft NNE. of NE. corner of abandoned store building; 62 ft NNE. of NE. corner of brick foundation of addition to store building and post office Hanson; 34 ft SW. of telephone pole; about level with track; on iron post; standard cap stamped "PRIM TRAV STA NO 9 P 1918" (Tied by NGS, 1953)	34.708

LINE 2.

J. E. Stoner, 1964; Book AV 1340

3	2	0.00	"CQ40 1933" (NGS)	74.037
3	5	2.84	Como; 2.8 mi NW. of post office, along Secondary State Road 1317; at junction of Secondary State Roads 1310 and 1317 E.; about 75 ft NE. of, and 1 ft lower than centerline of rd.; 1 ft SW. of metal witness post; in concrete post projecting 0.1 ft above ground; standard tablet stamped "66 JAS 1964 33"	33.311
3	8	4.59	Como, 2.8 mi NW. of post office, along Secondary State Road 1317, thence 0.2 mi N. along Secondary State Road 1310, thence 1.6 mi NW. along Secondary State Road 1311; 0.1 mi N. of Mt. Sinai Church at junction of Road 1311 and Secondary State Road 1314 NE.; 74 ft NE. of, and about 4 ft higher than centerline of rd.; 57.5 ft W. of concrete right-of-way marker; in concrete post projecting 0.2 ft above ground; standard tablet stamped "67 JAS 1964 RESET 1977" (Unchecked elevation)	30.120

NGVD 29  
Elevations

6

BOYKINS  
Book AV 1340

VA.-N.C.

J. E. Stoner

1964

LINE 2 (Cont'd.)Feet

3	11	6.54	U.E., at drain crossing; about 3 ft lower than centerline of rd.; on top of E. end of N. concrete drainpipe; chiseled square	25.92
3	12	7.07	Mike Everett School, 1.2 mi SE. of; 300 ft S. of two-story unpainted house; on N. side of rd. at entrance to yard; on iron post; standard cap stamped "35 1918"	36.355
3	14	8.15	Reference mark; at drain crossing; on top of NE. end of SE. concrete headwall of culvert; chiseled square	29.180
3	15	8.15	Como; 2.8 mi NW. of post office, along Secondary State Road 1317, thence 0.2 mi N. along Secondary State Road 1310, thence 5.2 mi NW., along Road 1317; about 400 ft NE. of church at drain crossing; about 2 ft lower than centerline of rd.; in NE. end of NW. concrete headwall of culvert; standard tablet stamped "68 JAS 1964 29"	29.294
3	16	8.65	U.E., at drain crossing; on top of E. end of N. concrete headwall of culvert and level with centerline of rd.; chiseled square	31.72
3	17	9.17	U.E., about 0.1 mi W. of junction of Secondary State Roads 1311 and 1312 N.; at bridge over small stream; on top of N. end of E. abutment of bridge; chiseled square	23.95
3	19	10.61	Newsoms; 3.0 mi S. of post office, along Secondary State Road 673, thence 3.2 mi SW. along Secondary State Road 674; at junction of Secondary State Road 671 and Road 674 E.; 110 ft SE. and 15 ft SW. of, and level with centerline of rd.; 1 ft E. of metal witness post; in NE. edge of woods; in concrete post projecting 0.2 ft above ground; standard tablet stamped "69 JAS 1964 38"	38.311
3	20	11.39	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of SE. end of 18-in. concrete drainpipe; chiseled square	34.91
3	21	12.18	Newsoms; 3.0 mi S. of post office, along Secondary State Road 673, thence 1.6 mi SW., and Secondary State Road 674; at junction of Road 674 and Secondary State Road 708 SE.; 15 ft S. and 36 ft E. of, and about 2 ft higher than centerline of rd.; 5 ft NW. of power pole; 1 ft W. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "70 JAS 1964 79"	79.030
3	24	13.76	Newsoms; 3.0 mi S. of post office, along Secondary State Road 673; at junction of Secondary State Road 674 and Road 673 SE.; about 75 ft E. of, and 2 ft lower than centerline of rd.; 1 ft W. of metal witness post; in concrete post level with ground; standard tablet stamped "71 JAS 1964 95"	95.053
3	27	15.38	U.E., at bridge over small stream; on top of NW. end of SW. concrete abutment of bridge; chiseled square	79.26

NGVD 29  
Elevations

7  
BOYKINS  
Book AV 1340

VA.-N.C.

36-077-12  
J. E. Stoner  
1964

LINE 2 (Cont'd.)

Feet

3 29 16.90 "D 11 RM NEWSOMS 1918" (NGS) 93.671

LINE 3.

J. E. Stoner, 1964; Book AV 1340

3 31 0.00 "U.E., chiseled square" (Described in line 2) 23.95

3 31 0.69 Reference mark; at bridge over Meherrin River; on top of SW. end of SE. wheelguard of bridge; chiseled square 26.37

3 32 0.69 Severn; 0.3 mi E. of post office, along Secondary State Road 1334, thence 0.8 mi NE. along State Highway 35, thence 1.4 mi SE. along Secondary State Road 1351, thence 1.1 mi along Secondary State Road 1311 at bridge over Meherrin River; in top of SW. end of NW. wheelguard of bridge; standard tablet stamped "72 JAS 1964 26" 26.393

3 33 1.42 U.E., at drain crossing; on top of NE. end of SE. concrete headwall of culvert and level with centerline of rd.; chiseled square 60.10

3 36 3.23 Severn; 0.3 mi E. of post office, along Secondary State Road 1334, thence 0.8 mi NE., along State Highway 35; 4.5 mi S. of Boykins, along Highway 35; at junction of Highway 35 and Secondary State Road 1351 SE.; 185 ft S. of, and 2 ft lower than centerline of rd.; 13 ft SW. of telephone pole; 1 ft NE. of metal witness post; in concrete post projecting 0.4 ft above ground; standard tablet stamped "73 JAS 1964 86" 85.989

3 38 4.39 U.E., at bridge over Meherrin River; on top of S. end of E. wheelguard of bridge; chiseled square 35.17

3 39 4.99 Boykins; 2.8 mi S. of RR. crossing, along State Highway 35 to state line; 1 ft N. of fence on state line; 5 ft S. of lane leading E. from rd.; in concrete; NGS standard reference mark disk stamped "KNIGHT NO 1 1933" 35.383

3 40 5.48 "F 52 1934 36.286" (NGS) 36.299

LINE 4.

J. E. Stoner, 1964; Book AV 1340

4 3 0.11 "Z 51 1934" (NGS) 32.067

4 6 1.76 Reference mark; at concrete culvert over Turner Branch Creek; on top of N. end of W. concrete headwall of culvert; chiseled square 20.83

NGVD 29  
Elevations

BOYKINS  
Book AV 1340

VA.-N.C.

J. E. Stoner

1964

LINE 4 (Cont'd.)Feet

4	7	1.76	Courtland; 0.9 mi W. of post office, along U. S. Highway 58, thence 0.8 mi NW., along Secondary State Road 651; at concrete culvert over Turner Branch Creek; 1 ft lower than centerline of rd.; in top of N. end of E. concrete headwall of culvert; standard tablet stamped "79 JAS 1964 21"	20.939
4	8	2.46	U.E., at drain crossing; 2 ft lower than centerline of rd.; on top of N. end of large concrete drainpipe; chiseled square	30.87
4	10	3.87	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of N. end of middle of three 24-in. concrete drain pipes; chiseled square	86.97
4	11	4.36	Courtland; 0.9 mi W. of post office, along U. S. Highway 58, thence 3.4 mi NW., along Secondary State Road 651; at woods rd. S.; 45 ft NNW. of, and about 1 ft lower than centerline of rd.; 13 ft NW. of power pole No. 52; 1 ft SW. of metal witness post; in concrete post projecting 0.1 ft above ground; standard tablet stamped "80 JAS 1964 113"	113.094
4	12	4.85	U.E., at drain crossing; on top of W. end of 18-in. concrete drainpipe and level with centerline of rd.; chiseled square	81.03
4	14	6.24	Courtland; 0.9 mi W. of post office, along U. S. Highway 58, thence 5.2 mi NW. along Secondary State Road 651; at bridge over Assamoosick Swamp; 1 ft lower than centerline of rd.; in top of N. end of E. abutment of bridge; standard tablet stamped "81 JAS 1964 29"	29.21
4	15	6.24	Reference mark; at bridge over Assamoosick Swamp; on top of N. end of W. concrete abutment of bridge; chiseled square	29.21
4	17	7.48	U.E., at drain crossing; on top of S. end of 24-in. concrete drain pipe and about level with centerline of rd.; chiseled square	65.37
4	18	8.05	Courtland; 0.9 mi W. of post office, along U. S. Highway 58, thence 7.1 mi NW. along Secondary State Road 651; at junction of Secondary State Road 653 and Road 651 E.; about 120 ft ENE. of, and 2 ft lower than centerline of rd.; 1 ft SW. of metal witness post; in concrete post projecting 0.1 ft above ground; standard tablet stamped "82 JAS 1964 111"	111.513
4	22	10.39	"3 OSW 1963 111" (Destroyed, 1967)	111.841

RESET - SEE BACK  
OF RECORD FOR  
DESCRIPTION AND  
ELEVATION

J.E. Stoner, 1964; Book AV 1340

LINE 5.

4	24	0.00	"80 JAS 1964 113" (Described in line 4)	113.094
4	24	0.75	U.E., at end of Secondary State Road 757; 32 ft E. of, and about 3 ft higher than centerline of rd.; about 1 ft above ground; in N. side of 8-in. oak tree; spike	114.74

NGVD 29  
Elevations

9

BOYKINS  
Book AV 1340

VA.-N.C.

J.E. Stoner

1964

LINE 5 (Cont'd.)Feet

4	26	1.97	Courtland; 4.2 mi W. of post office, along U. S. Highway 58; at junction of Highway 58 and Secondary State Road 757 N.; 43 ft S. and 28 ft W. of, and about 2 ft lower than centerline of rd.; 3 ft W. of, and about 2 ft lower than centerline of rd.; 3 ft W. of power pole No. 490; 1 ft N. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "83 JAS 1964 124"	124.148
4	28	3.23	U.E., at drain crossing; 3 ft lower than centerline of rd.; on top of E. end of S. concrete headwall of culvert; chiseled square	77.60
4	29	3.75	Reference mark; 8 ft SSW. of tablet; on top of E. end of concrete headwall; chiseled square	90.48
4	30	3.75	Courtland; 2.4 mi W. of post office, along U. S. Highway 58; about 0.1 mi W. of junction of Highway 58 and State Highway 35 SW.; opposite entrance to Southhampton High School; 23 ft S. of, and about 1 ft lower than centerline of rd.; in top of E. end of S. concrete headwall of culvert; standard tablet stamped "84 JAS 1964 91"	90.802
4	31	4.38	U.E., at concrete culvert over small stream; about 1 ft lower than centerline of rd.; on top of SW. end of NW. headwall; chiseled square	54.56
4	33	5.58	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of E. end of large concrete drainpipe; chiseled square	58.92
4	34	6.25	Courtland; 2.3 mi W. of post office, along U. S. Highway 58, thence 1.4 mi SW. along State Highway 35, thence 1.2 mi S. along Secondary State Road 658; at junction of Road 658 and Secondary State Road 675 E.; 37 ft S. and 22 ft E. of, and level with centerline of rd.; 1 ft W. of wire fence; 1 ft W. of metal witness post; in concrete post projecting 0.4 ft above ground; standard tablet stamped "85 JAS 1964 93"	93.448
4	35	6.68	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of NE. end of 24-in. concrete drainpipe; chiseled square	73.00
4	37	8.23	Newsoms; 0.8 mi NW. of post office, along Secondary State Road 673, thence 1.3 mi NE. along Secondary State Road 658; at field rd. SE.; 46 ft S. and 23 ft E. of, and about 3 ft higher than centerline of rd.; 1 ft W. of wire fence; 1 ft W. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "86 JAS 1964 76"	76.452
4	38	8.99	U.E., at drain crossing; about 2 ft lower than centerline of rd.; on top of S. end of 18-in. concrete drainpipe; chiseled square	70.17
4	41	10.26	"E 11 NEWSOMS 1918" (NGS)	92.234

NGVD 29  
Elevations

10  
BOYKINS  
Book AV 1340

VA.-N.C.

J. E. Stoner

1964

LINE 6.

NGVD 29  
Elevations

Feet

J. E. Stoner, 1964; Book AV 1340

4	43	0.00	"E 11 NEWSOMS 1918" (NGS) (Also in line 5)	92.234
4	46	1.90	Newsoms, 1.9 mi NW. of, along Secondary State Road 673; at junction of Road 673 and Secondary State Road 703 W.; 21 ft W. and 72 ft S. of, and about 2 ft higher than centerline of rd.; 6 ft N. of wire fence; 1 ft NE. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "87 JAS 1964 71"	70.591
4	47	2.49	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of S. end of 12-in. concrete drainpipe; chiseled square	90.46
4	48	3.04	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of S. end of 18-in. concrete drainpipe; chiseled square	89.33
4	49	3.73	Boykins, 4.6 mi NE. of, along State Highway 35; at junction of Highway 35 and Secondary State Road 703 E.; 50 ft W. of, and about 1 ft lower than centerline of rd.; 2 ft SE. of wire fence; 1 ft SE. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "88 JAS 1964 95"	94.910
4	50	4.49	U.E., at drain crossing; about 3 ft lower than centerline of rd.; on top of SE. end of 36-in. concrete drainpipe; chiseled square	81.33
4	52	5.65	Reference mark No. 1; 0.3 mi E. of station; in SE. corner of cultivated field where crossroads meet; 25 ft from rd. running NE. into woods; 25 ft N. of centerline of rd.; in concrete; NGS standard reference mark disk stamped "SHILOH NO 1 1933"	104.285
4	53	5.95	Boykins; 3.1 mi N. of RR. crossing, along State Highway 35 to crossroad with old red brick in NE. angle, thence 0.7 mi NE. along dirt rd; on land owned by Ben Worrell; in NE. corner of barnyard; 53 ft W. of SE. corner of barn at fence on W. side of peanut patch; 88 ft N. of NW. corner of barn on SE. corner of yard; in concrete; NGS standard triangulation station disk stamped "SHILOH 1933"	112.268
4	54	5.95	Reference mark No. 2; 176 ft S. of station; 15 ft N. of centerline of rd.; 88 ft S. of NW. corner of barn on E. side of house; 55 ft W. of center of gate entrance; in concrete; NGS standard reference mark disk stamped "SHILOH NO 2 1942"	112.222
4	56	6.99	U.E., at drain crossing; about 1 ft lower than centerline of rd.; on top of W. end of 18-in. concrete drainpipe; chiseled square	78.21
4	57	7.56	Boykins; 2.1 mi N. of post office, along State Highway 35, thence 0.6 mi W. along Secondary State Road 666, thence 0.4 mi N. along Secondary State Road 668; at junction of Road 668 and Secondary State Road 665 W.; 26 ft E. of, and about 2 ft higher than centerline of rd.; 1 ft W. of wire fence; 1 ft W. of metal witness post; in concrete post projecting 0.1 ft above ground; standard tablet stamped "89 JAS 1964 86"	85.785

11

BOYKINS

VA.-N.C.

J. E. Stoner

Book AV 1340

1964

LINE 6 (Cont'd.)Feet

4	61	9.75	Branchville, 0.3 mi N. of, along Secondary State Road 730, thence 0.6 mi N. along Secondary State Road 666, thence 3.0 mi N. along Secondary State Road 659; 35 ft NW. of centerline of Roads 665 and 659; in concrete post projecting about 0.2 ft above ground; standard tablet stamped "7 DSW 1963 106"	106.197
---	----	------	--	---------

LINE 7.

J. E. Stoner, 1964; Book AV 1340

5	2	0.91	Franklin; 4.9 mi NW. of station, along Southern Railway; about 3.3 mi E. of Courtland; at crossing of Secondary State Road 650 at Story; 13.9 ft S. of S. rail of side track; 27.9 ft S. of S. rail of main track; 13 ft W. of centerline of rd.; 2.5 ft NE. of crossing sign; about 1 ft above level of track; on iron post; standard cap stamped "PTS NO 11 1918" (Tied by NGS, 1953)	66.348
---	---	------	---	--------

[Jogs into Holland, Ivor and Homville quadrangle]

5	24	12.18	Azimuth mark; 0.2 mi SW. of station, along State Highway 312 to dirt side rd. left, thence 0.2 mi left; on property owned and occupied by T. H. Birdsong; 19 ft N. of centerline of dirt rd. leading to house; 3 ft N. of E.-W. fenceline; in concrete post projecting 0.3 ft.; NGS standard azimuth mark disk stamped "COURTLAND 1942"	62.567
5	29	14.76	"A 52 1934" (NGS)	29.062

LINE 8.

6	11	4.32	Joyner, 1.0 mi E. of, along Secondary State Road 609, thence 2.8 mi S. along Secondary State Road 655; 66 ft SW. of junction of Secondary State Road 655 and 612; 5 ft SW. of witness post; in concrete post projecting about 0.7 ft above ground; standard tablet stamped "2 DSW 1963 53"	53.112
6	12	5.09	U.E., at drain crossing; on top of S. end of 18-in. concrete drainpipe, and about 2 ft lower than centerline of rd.; chiseled square	38.72
6	15	6.30	"3 DSW 1963 111" (Described in line 4)	111.841
6	19	8.50	U.E., 10 ft W. of rd., and level with centerline of rd.; on concrete pipe; chiseled square	83.00
6	20	9.07	Worrell, 1.0 mi W. of, along Secondary State Road 652, thence 1.8 mi S. along Secondary State Road 657 to U. S. Highway 58; 50 ft NE. of centerline of U. S. Highway 58 and Road 657; in concrete culvert; standard tablet stamped "4 DSW 1963 94"	94.214

12

BOYKINS

VA.-N.C.

D. S. Wright

Book AV 964

19 3

LINE 8 (Cont'd.)Feet

6	21	9.08	Reference mark; 90 ft SE. of tablet; on concrete culvert on W. side of rd.; chiseled square	94.54
6	23	10.36	U.E., 13 ft E. of, and about 6-in. lower than centerline of rd.; on concrete pipe; chiseled square	98.96
6	24	10.81	Capron, 1.0 mi W. of, along U. S. Highway 58, thence 1.8 mi S. along Secondary State Roads 657 and 658; 96 ft NW. of centerline of Roads 657 and 658; in concrete post projecting 0.3 ft above ground; standard tablet stamped "5 DSW 1963 122"	122.916
6	25	10.81	Reference mark; 25 ft SE. of tablet; in root on S. side of pine tree; copper nail and washer	123.35
6	26	11.35	U.E., 15 ft S. of, and 1 ft lower than centerline of rd.; on concrete pipe; chiseled square	104.87
6	30	13.36	Capron, 1.0 mi W. of, along U. S. Highway 58, thence S. 1.8 mi along Secondary State Road 657, thence 1.1 mi SW. along Secondary State Road 653, thence 1.5 mi SE. along Secondary State Road 668 to Secondary State Road 702; 71 ft NW. of centerline of Roads 668 and 702; in concrete post; projecting 0.2 ft above ground; standard tablet stamped "6 DSW 1963 69"	69.319
6	31	13.95	U.E., 17 ft N. of, and about 4 ft higher than centerline of rd.; in root on N. side of sycamore tree; copper nail and washer	119.49
6	32	14.53	U.E., 15 ft W. of, and about 1 ft lower than centerline of rd.; on concrete pipe; chiseled square	114.96
6	34	15.60	U.E., 15 ft W. of, and about 1 ft lower than centerline of rd.; on concrete pipe; chiseled square	82.96
6	35	16.07	U.E., 11 ft W. of, and about 6 in. lower than centerline of rd.; on concrete pipe; chiseled square	90.00
6	37	16.75	Reference mark; 41 ft SE. of tablet; on W. end of concrete pipe; chiseled square	105.68
6	38	16.78	"7 DSW 1963 106" (Described in line 6)	106.197
6	40	17.79	U.E., 50 ft NE. of centerline of rd. at I-rd. W.; on concrete pipe; chiseled square	91.30
6	42	18.67	Branchville, 0.3 mi N. of, along Secondary State Road 730, thence 0.6 mi N. along Secondary State Road 666, thence 1.1 mi N. along Secondary State Road 659; in NW. headwall of bridge over Flat Swamp; standard tablet stamped "8 DSW 1963 49"	49.225

NGVD 29  
Elevations

13		BOYKINS		VA.-N.C.	D. S. Wright
Book AV 964					1963
<u>LINE 8 (Cont'd.)</u>					<u>Feet</u>
6	43	18.69	Reference mark; 45 ft SE. of tablet; on E. concrete headwall of bridge over Flat Swamp; chiseled square		48.860
6	47	20.79	Branchville; in line with E. wall; 2 ft S. of S. wall; about 3 in. beneath ground; on iron post; standard cap stamped "PRIM TRAV STA NO 5 1918 45.650" (Tied by NGS, 1934)		45.666

LINE 9.

D. S. Wright, 1963; Book AV 964

5	35	13.53	"7 DSW 1963 106" (Described in line 6)		106.197
---	----	-------	--	--	---------

LINE 10.

D. S. Wright, 1963; Book AV 964

6	68	7.02	U.E., 10 ft S. of, and level with centerline of rd.; on NE. headwall of bridge over Angelico Creek; chiseled square		47.66
6	72	8.27	"3 DSW 1963 111" (Described in line 4)		111.841

LINE 11.

C. R. Henkle, 1972; Book AV 1626

2	24	11.46	Severn; 0.3 mi E. of post office, along County Road 1334, thence 0.8 mi NE. along State Highway 35, thence 2.2 mi SE. along County Road 1351; 43.8 ft SE. of farm rd.; 21.2 ft NE. of rd.; 6.5 ft N. of cedar tree; 5.8 ft SW. of fence line; level with rd.; set in concrete post; standard tablet stamped "39 CRH 1972 54", painted "54.0"		53.942
2	25	12.09	U.E., in T-rd. WSW. intersection of County Roads 1351 and 1356; nail and washer, painted "52.8"		52.74
2	26	12.33	U.E., in centerline of rd.; at junction of Secondary State Roads 1351 and 1355 NE.; copper nail and washer, painted "CL 57.0"		57.04
2	27	12.75	U.E., at drain crossing; on top of NE. end of SE. concrete headwall of culvert; level with centerline of rd.; chiseled square, painted "UE 60.0" (Also described in line 3)		60.10

LINE 12.

C. R. Henkle, 1972; Book AV 1626

2	30	0.00	"COMO NO 3 1933" (Described in line 1)		73.592
---	----	------	--	--	--------

NGVD 29  
Elevations

BOYKINS QUADRANGLE  
6 VA - 258 NC

RESET

BM 81 JAS 1964 RESET 1986

BM; COURTLAND, 0.9 MI W. ALONG U.S. HWY. 58 FROM POST OFFICE,  
THENCE 5.2 MI NW. ALONG SECONDARY STATE ROAD 651, AT BRIDGE OVER  
ASSAMOOSICK SWAMP; IN TOP OF N. END OF W. BRIDGE ABUTMENT, ABOUT  
1 FT LOWER THAN CENTER OF RD., A STANDARD TABLET STAMPED "81 JAS  
1964 RESET 1986"  
ELEVATION 29.420 FT

RESET BY VIRGINIA DEPARTMENT OF TRANSPORTATION

NGVD 29  
Elevations