

269

36-079-43

THIRD-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

MARTINSVILLE QUADRANGLE
17 VA. - 268 N.C.
N3630-W7945/15
DIAGRAM NJ 17-12
GREENSBORO, N.C. VA.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Henry, (Va.) and
Rockingham (N.C.) counties

Final adjustment of 1971

Edition of 4/16/76


PR: DSW/dt

ROCKY MOUNT
(49)

NGVD 29
Elevations

CRITZ
(18 VA.-270 N.C.)

DRAPER
(16 VA.-268 N.C.)



36°30'

79°45'

WENTWORTH
(244)

NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360794

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
834	3	100 JAS 1963 824	9
720 1905 PTS NO 39 W		101 JAS 1963 1092	10,12
1924 VA	3	102 JAS 1963 1101	10
729 1905	3	103 JAS 1963 894	11
772.945 1905	3	104 JAS 1963 1072	13
947.462 1905	7,8,8	105 JAS 1963 1031	13
1003 1905	3	106 JAS 1963 982	14
R 2 1923 VA 703	4	107 JAS 1963 1003	14
R 5 1923 VA 859	4	109 JAS 1963 1022	12,14
R 6 1923 VA 778	4	110 JAS 1963 948	12
R 7 1923 VA 770	4	111 JAS 1963 RESET 1970	12
PTS 11 W R 5 1924		112 JAS 1963 1015	15
RESET 1940 661.54	4	113 JAS 1963 809	15
989.880 PTS NO 22 W 1924	3	114 JAS 1963 838	15,19
PTS NO 24 W 1924 VA		115 JAS 1963 765	16
NC R 15 995	5	116 JAS 1963 797	16
PTS 25 W 1924 VA		117 JAS 1963 714	17
NC R 16 717	5	118 JAS 1963 750	17
PTS NO 28 W 1924 VA		119 JAS 1963 766	17
R 19 879	4	125 JAS 1963 844	18
PTS NO 36 W 1924		129 JAS 1963 RESET 1965	18
VA R 26 753	4	86 MAX 1971 782	19
PTS NO 37 W 1924 VA			
R 25 1914	4	<u>STATE</u>	
R 21 1924 VA 1030	9	27 JS 6 1962	17
ET 29 MAX 1963 831	11	27 JS 7 1962	16
88 JAS 1963 776	5,17		
89 JAS 1963 892	5	<u>NGS</u>	
90 JAS 1963 968	6	CHESTNUT NO 1 1932	10
91 JAS 1963 876	6,12	LEAK 1933	11,13
92 JAS 1963 812	6,11	LEAK NO 2 1933	14
93 JAS 1963 700	7	LEAK NO 3 1933	14
94 JAS 1963 690	7	S 59 1935	8,9
95 JAS 1963 1026	8,17	X 59 1935	8
96 JAS 1963 722	8		
97 JAS 1963 RESET 1976	9		
99 JAS 1963 940	9		

NGVD 29
 Elevations

3

MARTINSVILLE
Books 5946 & B 1604

VIRGINIA-N.C.

R. L. Libbey
C. E. Reick

1905 & 1924

FeetISOLATED BENCH MARKS (R. L. Libbey, 1905;
C. E. Reick, 1924; Books 5946 & B 1604)

Price, 1.6 mi S. of, along Norfolk and Western
Railway; 400 ft N. of milepost R83; 500 ft N.
of house owned by L. P. Grogan; 75 ft N. of
pipe culvert; at N. end of fill; 21 ft E. of
E. rail; 60 ft E. of U. S. Highway 220; on
iron post; standard cap stamped
"989.880 1905 PRIM TRAV STA NO 22 W 1924"
(Reported not found, 1962)

989.785

Price; about 125 ft NE. of N. & W. Ry. station;
275 ft SE. of milepost 45; 50 ft SE. of
crossing; 30 ft E. of track; on iron post;
standard cap stamped "1003 1905"
(Reported destroyed, 1965)

1003.000

Ridgeway, 161 ft NE. of NE. end of N. & W. Ry.
station; 88 ft SE. of SE. rail of main track;
32 ft NE. of hwy. overpass; 6 ft lower than
rail; on iron post; standard cap stamped
"834" (Reported in 1935 that face of tablet
had been mutilated and the stamping illegible.
Elevation no longer considered accurate)

833.837

Ridgeway, 4.5 mi N. of station, along N. & W. Ry.;
214 ft NW. of milepost 72; 56 ft W. of W. rail
of main track; in cultivated field; 1 ft lower
than rail; on iron post; standard cap stamped
"720 1905 PRIM TRAV STA NO 39 W 1924 VA"
(Tied by NGS, 1965)

719.884

Martinsville, 2.5 mi NW. of station, along N. & W.
Ry.; 576 ft NW. of milepost 64; 46 ft NE. of NE.
rail; 2 ft above rail; on iron post; standard
cap stamped "772.945 1905" (Tied by NGS, 1965)
(Not found, 1962)

772.846

Martinsville, 4.5 mi NW. of station, along N. & W.
Ry.; 600 ft N. of milepost 62; in S. abutment of
concrete culvert No. 1870; standard tablet
stamped "729 1905" (Tied by NGS, 1965)
(Not found, 1962)

729.470

NGVD 29
Elevations

MARTINSVILLE
Books 5946 & B 1604

VIRGINIA-N.C.

R. L. Libbey
C. E. Reick

1905 & 1924

ISOLATED BENCH MARKS (Cont'd.)

FEET

Spencer, 2.2 mi SE. of; 20 ft NE. of lane E. to farm house of J. DeShazo; on E. side of hwy.; inside fence; in concrete post; standard tablet stamped "PRIM TRAV STA NO 28 W 1924 VA R 19 879"	878.972
Martinsville; at E. entrance to post office; in top of stone portico wall; in S. side; standard tablet stamped "PRIM TRAV STA NO 37 W 1924 VA R 25 1014" (Recovered by NGS, 1938) (Reported destroyed, 1940)	1014.243
Martinsville, 3.0 mi N. of, along Figsboro Road; 40 ft NE. of T-rd. E.; in fence corner; in concrete post; standard tablet stamped "PRIM TRAV STA NO 36 W 1924 VA R 26 753" (Reported destroyed, 1962)	753.506
Leatherwood, 3.5 mi SW. of; 170 ft N. of center of bridge over Leatherwood Creek; in fence corner; in concrete post; standard tablet stamped "R 2 1923 VA 703"	703.264
Irisburg, 70 ft E. of school building; 10 ft W. of rd.; in concrete post; standard tablet stamped "R 5 1923 VA 859"	859.429
Irisburg, 2.5 mi S. of; 590 ft N. of residence of T. S. Elliott; in center of grass triangle of rd. forks; in concrete post; standard tablet stamped "R 6 1923 VA 778" (Reported not found, 1962)	777.534
Hopper, 20 ft E. of rd. to Spray; 50 ft S. of sand clay rd.; in concrete post; standard tablet stamped "R 7 1923 VA 770" (Reported destroyed, 1962)	770.320
Spray, 0.5 mi N. of elementary school; 336 ft S. of SW. corner of bell tower of stone Episcopal Church; about 70 ft N. of crossroad; in concrete post; flush with ground; standard tablet stamped "PRIM TRAV STA 11 W R 5 1924 RESET 1940 661.54"	661.587

5
 MARTINSVILLE VIRGINIA-N.C.
 Books 5946 & B 1604
 R. L. Libbey
 C. E. Reick
 1905 & 1924

ISOLATED BENCH MARKS (Cont'd.)

Feet

- Price, 3.0 mi W. of; 2.8 mi E. of Anglins Bridge;
 on S. side of hwy.; in angle of farm rd. SE.;
 in concrete post; standard tablet stamped
 "PRIM TRAV STA NO 24 W 1924 VA NC R 15 995"
 (Reported not found, 1962) 994.983
- Anglins Bridge; 250 ft S. of; on W. bank of Mayo
 River; in SW. angle of rd. forks; in concrete
 post; standard tablet stamped
 "PRIM TRAV STA NO 25 W 1924 VA NC R 16 717"
 (Reported destroyed, 1962) 716.941

LINE 1.

J. E. Stoner, 1963; Book AV 942

- 10 4 3.15 Cascade Station, 5.9 mi W. of RR.
 crossing, along Secondary State
 Road 622; at junction of Secondary
 State Roads 522 and 632 S.; 10 ft
 N. and 140 ft E. of, and 2 ft higher
 than centerline of rd.; 3 ft E. of
 power pole; 0.4 ft S. of metal witness
 post; in concrete post; standard tab-
 let stamped "88 JAS 1963 776" 775.730
- 10 9 5.92 Ridgeway, 3.2 mi E. of junction of
 U. S. Highway 220 and State Highway
 87 SE., thence 1.4 mi E., along
 Secondary State Road 622; at junction
 of Secondary State Roads 622 and 635
 N.; 4 ft S. and 59 ft W. of, and 6 ft
 higher than centerline of rd.; 2 ft N.
 of power pole; 0.5 ft N. of metal witness
 post; in concrete post; standard tablet
 stamped "89 JAS 1963 892" 891.579
- 10 8 5.92 Reference mark; in centerline of rd. at
 junction of Secondary State Roads 622
 and 635 N.; copper nail and washer 885.97

MARTINSVILLE
Book AV 942

VIRGINIA-N.C.

J. E. Stoner

1963

LINE 1 (Cont'd.)Feet

10	12	8.55	Ridgeway, 1.7 mi E. of junction of U. S. Highway 220 and State Highway 87 SE.; at junction of Highway 87 and Secondary State Road 640 NW.; 6 ft N. and 74 ft W. of, and 2 ft higher than centerline of rd.; 3 ft W. of power pole; 0.5 ft E. of metal witness post; in concrete post; standard tablet stamped "90 JAS 1963 968"	967.579
10	12	8.55	Reference mark; in centerline of rd. at junction of State Highway 87 and Secondary State Road 640 NW.; copper nail and washer	965.76
10	17	10.42	Ridgeway, 1.2 mi NE. of junction of U. S. Highway 220 and Secondary State Road 902 NE.; 1.0 mi S. of bridge over Marrowbone Creek, along Secondary State Road 782; at junction of Secondary State Roads 782 and 638 SE.; 21 ft S. and 44 ft W. of, and level with centerline of rd.; 2 ft SW. of telephone pole No. 15; 0.5 ft SE. of metal witness post; in concrete post; standard tablet stamped "91 JAS 1963 876"	876.464
10	17	10.42	Reference mark; in centerline of rd. at junction of Secondary State Road 782 and 638 SE.; copper nail and washer	876.66
10	21	12.73	Martinsville, 4.3 mi S. of junction of U. S. Highways 220 and 58 NE.; along Highway 220; at junction of Highway 220 and Secondary State Road 782 SE.; 77 ft S. and 24 ft E. of, and 3 ft lower than centerline of rd.; 2 ft N. of power pole No. 180; 0.5 ft W. of metal witness post; in concrete post; standard tablet stamped "92 JAS 1963 812"	811.943

7
 MARTINSVILLE VIRGINIA-N.C. J. E. Stoner
 Book AV 942 1963

<u>LINE 1 (Cont'd.)</u>				<u>Feet</u>
10	21	12.73	Reference mark; in centerline of rd. at junction of U. S. Highway 220 and Secondary State Road 782 SE.; copper nail and washer	814.66
10	27	15.55	Martinsville, 1.3 mi S. of junction of U. S. Highway 220 and U. S. Highway 58 NE., along Highway 220; at bridge over Smith River; in top of S. end of E. wingwall of northbound lane of bridge; standard tablet stamped "93 JAS 1963 700"	700.434
10	27	15.55	Reference mark; on centerline of rd. at northbound lane of bridge over Smith River; painted circle	699.88
10	32	17.41	Martinsville, 350 ft W. of N. & W. Ry. station; 250 ft N. of center of track; at SW. corner of lot owned by Mrs. John W. Smith; 133 ft S. of center of walk leading to Smith residence (229 College Street); 26 ft E. of center of College Street); 6 ft NE. of fence corner; 6 ft above street; on iron post; standard cap stamped "947.462 1905" (Reported destroyed, 1965)	947.360

LINE 2.

J. E. Stoner, 1963; Book AV 942

10	44	4.86	Martinsville, 5.5 mi E. of junction of U. S. Highway 58 and State Highway 57 W., along Highway 58; at bridge over Leatherwood Creek; in top of SE. end of NE. wingwall of eastbound lane of bridge; standard tablet stamped "94 JAS 1963 690"	690.169
10	44	4.86	Reference mark; on centerline of rd. at eastbound lane of bridge over Leatherwood Creek; painted circle	687.86

MARTINSVILLE
Book AV 942

VIRGINIA-N.C.

J. E. Stoner

1963

<u>LINE 2 (Cont'd.)</u>				<u>Feet</u>
10	50	7.64	"X 59 1935" (NGS) (Bench mark loose in ground)	896.389
10	55	9.71	Martinsville, 0.7 mi E. of junction of U. S. Highway 58 and State Highway 57 W., along Highway 58; about 0.1 mi SW. of junction of Highway 58 and State Highway 57 NE.; at bridge over Danville and Western Railroad; in top of NE. end of NW. wingwall; standard tablet stamped "95 JAS 1962 1026"	1025.610
10	55	9.71	Reference mark; in centerline of rd. at junction of U. S. Highway 58 westbound lane and State Highway 57 NE.; copper nail and washer	1041.35
10	58	11.15	"947.462 1905" (Described in line 1) (Reported destroyed, 1965)	947.360

LINE 3.

J. E. Stoner, 1963; Book AV 942

10	60	0.00	"S 59 1935" (NGS)	738.834
10	62	1.65	Koehler, at Hill Memorial Baptist Church; in top of SE. end of bottom step to front entrance of church; standard tablet stamped "96 JAS 1963 722"	722.014
10	62	1.65	Reference mark; in centerline of rd. at junction of State Highway 57 and Secondary State Road 667 NE.; copper nail and washer	720.83
10	67	4.10	"947.462 1905" (Described in line 1) (Also in line 2) (Reported destroyed, 1965)	947.360

MARTINSVILLE VIRGINIA-N.C.

J. E. Stoner

Book AV 942

1963

				<u>Feet</u>
<u>LINE 4.</u>				
11	1	0.00	"S 59 1935" (NGS) (Also in line 3)	738.834
11	5	2.31	Fieldale, 2.3 mi W. of junction of State Highways 57 and 609 W., along Highway 609; about 0.1 mi E. of bridge over small stream; at drive leading N.; 18 ft N. and 50 ft E. of, and about 4 ft higher than centerline of rd.; 3 ft N. of power pole; 0.5 ft S. of metal witness post; in concrete post projecting 0.1 ft; standard tablet stamped "97 JAS 1963 RESET 1976"	815.593
/Jogs into Critz quadrangle/				
11	15	7.42	Spencer, 3.7 mi NE. of; 0.2 mi N. of store of F. S. Sheffield; 250 ft N. of Mount Olive Church; in concrete post; standard tablet stamped "R 21 1924 VA 1030"	1029.786
11	19	9.64	Spencer, 1.4 mi N. of post office, along Secondary State Road 695; at drive leading W.; 23 ft E. of, and about 1 ft lower than centerline of rd.; 3 ft NE. of power pole No. 63; 0.5 ft W. of metal witness post; in concrete post projecting 0.4 ft; standard tablet stamped "99 JAS 1963 940"	940.500
/Jogs into Critz quadrangle/				
11	23	11.68	Spencer, 0.6 mi E. of post office, along U. S. Highway 58; at bridge over Horse Pasture Creek; in top of N. end of W. wingwall of bridge; standard tablet stamped "100 JAS 1963 824"	824.057
11	23	11.68	Reference mark; on centerline of rd. at bridge over Horse Pasture Creek; painted circle	824.38

MARTINSVILLE VIRGINIA-N.C.
Book AV 942

J. E. Stoner

1963

LINE 4 (Cont'd.)Feet

11	28	13.92	Spencer, 2.6 mi E. of post office, along U. S. Highway 58; about 0.1 mi W. of junction of Highway 58 and Secondary State Road 692 S.; 57 ft S. of centerline of Highway 58; 2 ft S. of power pole; 0.6 ft N. of metal witness post; in concrete post projecting 0.1 ft; standard tablet stamped "101 JAS 1963 1092"	1091.564
11	28	13.92	Reference mark; in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 692 S.; copper nail and washer	1085.26
11	33	15.62	Spencer, 3.0 mi E. of post office, along U. S. Highway 58, thence 1.3 mi E. of Horse Pasture, along Secondary State Road 687; 1.4 mi NW. of junction of Secondary State Roads 687 and 781 N. in Chestnut Knob, along Road 687; about 100 ft NW. of woods rd. NE.; 23 ft N. of and about 1 ft lower than centerline of Road 687; 2 ft NW. of power pole No. 25; 0.5 ft S. of metal witness post; in concrete post level with ground; standard tablet stamped "102 JAS 1963 1101"	1101.036
11	36	16.95	Reference mark No. 1; in Chestnut Knob settlement; about 0.8 mi NE. of triangulation station; 18 ft S. of main rd.; 43 ft W. of W. side of two-story house; 60 ft SW. of SW. corner of church; 3 ft W. of lone locust tree; in concrete post; NGS standard reference mark disk stamped "CHESTNUT NO 1 1932"	1151.02
11	36	16.98	Reference mark; in centerline of rd. at junction of Secondary State Roads 687 and 781 N.; copper nail and washer	1150.59

NGVD 29
Elevations

MARTINSVILLE
Book AV 942

VIRGINIA-N.C.

J. E. Stoner

NGVD 29
Elevations

1963

FeetLINE 4 (Cont'd.)

11	39	18.28	Chestnut Knob, 1.3 mi SE. of junction of Secondary State Roads 687 and 781 N., along Road 687; at junction of Road 687 and Secondary State Road 641 E.; 120 ft N. and 42 ft W. of, and 4 ft lower than centerline of rd.; 2 ft N. of power pole; 0.5 ft E. of metal witness post; in concrete post projecting 0.2 ft; standard tablet stamped "103 JAS 1963 894"	894.187
11	39	18.28	Reference mark; in centerline of rd. at junction of Secondary State Roads 687 and 641 E.; copper nail and washer	897.99
11	46	21.30	Martinsville, 1.5 mi S. of, along U. S. Highway 58 and 220 to their junction, thence 2.1 mi S. along U. S. Highway 220 to paved rd. right, thence 0.9 mi right along main rd. to brick house; 6.3 mi WSW. of Irisburg; 6.1 mi N. of State line; 24 ft S. of centerline of rd.; 7 ft E. of telephone pole; 4 ft W. of small evergreen tree; in concrete post flush with ground; standard tablet stamped "ET 29 MAX 1963 831"	831.09
11	47	22.26	"92 JAS 1963 812" (Described in line 1)	811.943

LINE 5.

J. E. Stoner, 1963; Book AV 942

11	49	0.00	Martinsville, 10.5 mi S. of; 10.0 mi WNW. of Leaksville; about 75 ft S. of Virginia-North Carolina State line; on property of Benny Leak; in front yard of house with brick pillars on porch and letter "C" on front gable; about 2 ft N. of line of brick pillars of front porch; 34 ft E. of easternmost pillar; 48 ft S. of centerline of rd.; 6 ft E. of large cherry tree; in concrete post; NGS standard triangulation station disk stamped "LEAK 1933"	1021.578
----	----	------	---	----------

MARTINSVILLE VIRGINIA-N.C.
Book AV 942

J. E. Stoner

1963

<u>LINE 5 (Cont'd.)</u>				<u>Feet</u>
11	51	1.43	Price; at bridge over N. & W. Ry.; opposite Whites Chapel Baptist Church; in top of SW. end of SW. wingwall of bridge; standard tablet stamped "109 JAS 1963 1022"	1022.197
11	50	1.43	Reference mark; on centerline of rd. at junction of County Roads 1378 and 1380 NW.; painted circle	1022.06
11	55	3.71	Ridgeway, 2.3 mi. SW. of RR. station, along U. S. Highway 220; 2.3 mi NE. of Whites Chapel Baptist Church in Price, along Highway 220; about 350 ft WSW. of junction of Highway 220 northbound lane and Secondary State Road 734 SE.; at rd. to cross the median between northbound lane and southbound lane of Highway 220; 31 ft NNW. of centerline of Highway 220 northbound lane; in top of S. end of W. headwall; standard tablet stamped "110 JAS 1963 948"	948.524
11	56	3.77	Reference mark; in centerline of rd. at junction of U. S. Highway 220 northbound lane and Secondary State Road 734 SE.; copper nail and washer	951.74
11	58	5.83	Ridgeway, at U. S. Highway 220 bridge over N. & W. Ry.; in top of E. end of SE. wingwall; standard tablet stamped "111 JAS 1963 RESET 1970" (Tied by NGS, 1965)	869.379
11	62	7.31	"91 JAS 1963 876" (Described in line 1)	876.464

LINE 6.

J. E. Stoner, 1963; Book AV 942

12	1	0.00	"101 JAS 1963 1092" (Described in line 4)	1091.564
----	---	------	---	----------

MARTINSVILLE VIRGINIA-N.C.
Book AV 942

J. E. Stoner

1963

LINE 6 (Cont'd.)Feet

12	6	2.27	Price, 4.9 mi NW. of Whites Chapel Baptist Church; about 150 ft S. of, and 4 ft higher than centerline of junction of Secondary State Roads 692 and 688 SW.; 2 ft W. of power pole No. 87; in concrete post level with ground; standard tablet stamped "104 JAS 1963 1072"	1072.058
12	7	2.83	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 688 E.; copper nail and washer	1088.481
12	8	3.66	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 629 SW.; copper nail and washer	1037.049
12	9	4.66	Price, 2.6 mi NW. of Whites Chapel Baptist Church; at junction of Secondary State Roads 692 and 690; 48 ft N. and 91 ft W. of, and 7 ft higher than centerline of rd.; 2 ft SE. of power pole; 2 ft W. of corner fencepost; 0.5 ft SW. of metal witness post; in concrete post level with ground; standard tablet stamped "105 JAS 1963 1031"	1030.827
12	10	4.68	Reference mark; in centerline of rd. at junction of Secondary State Roads 692 and 690; copper nail and washer	1023.924
12	11	5.41	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 690 NE.; copper nail and washer	1012.254
12	12	6.25	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 691 SW.; copper nail and washer	1008.156
12	13	6.59	"LEAK 1933" (Described in line 5)	1021.578

Book AV 942

MARTINSVILLE

VIRGINIA-N.C.

J. E. Stoner

1963

LINE 6 (Cont'd.)Feet

12	14	6.62	Reference mark No. 2; 116 ft ESE. of station; 1 ft E. of NE. corner of metal garage attached to tobacco shed; in concrete post; NGS standard reference mark disk stamped "LEAK NO 2 1933"	1016.652
12	15	6.66	Reference mark No. 3; 87 ft WSE. of station; 42 ft NNW. of NW. corner of house; 29 ft S. of centerline of main rd.; in concrete post; NGS standard reference mark disk stamped "LEAK NO 3 1933"	1020.504
12	18	8.42	Reference mark; in centerline of rd. at junction of County Roads 1381 and 1382 S.; copper nail and washer	984.35
12	19	8.44	Anglins Bridge, 2.0 mi E. of; 1.8 mi SW. of Virginia-North Carolina State boundary line; about 120 ft SW. of junction of County Roads 1381 and 1382 S.; 1 ft E. of power pole No. 94; 0.5 ft N. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "106 JAS 1963 982"	982.305
12	25	10.35	Anglins Bridge; in top of W. end of NW. wingwall of bridge; standard tablet stamped "107 JAS 1963 708"	707.655
12	24	10.44	Reference mark; on centerline of rd. at Anglins Bridge over Mayo River; painted circle	708.31

LINE 7.

J. E. Stoner, 1963; Book AV 942

12	37	0.00	"109 JAS 1963 1022" (Described in line 5)	1022.197
----	----	------	---	----------

NGVD 29
Elevations

MARTINSVILLE VIRGINIA-N.C.
Book AV 942

J. E. Stoner

1963

LINE 7 (Cont'd.)Feet

12	41	2.48	Price, 2.4 mi S. of Whites Chapel Baptist Church, along U. S. Highway 220; at junction of Highway 220 and County Road 1509 E.; 42 ft S. and 22 ft W. of, and 3 ft higher than centerline of rd.; 2 ft S. of power pole No. 506; 0.5 ft E. of metal witness post; in concrete post projecting 0.1 ft above ground; standard tablet stamped "112 JAS 1963 1015" (Tied by NGS, 1965)	1014.844
12	40	2.47	Reference mark; in centerline of rd. at junction of U. S. Highway 220 and County Road 1509 E.; copper nail and washer	1011.43
12	44	4.95	Price, 2.4 mi S. of Whites Chapel Baptist Church, along U. S. Highway 220, thence 2.4 mi E. along County Road 1509; about 0.4 mi NW. of small bridge over Buffalo Creek, along County Road 1509; at drive leading S.; 77 ft S. and 12 ft E. of, and 2 ft lower than centerline of rd.; 0.5 ft N. of metal witness post; in concrete post level with ground; standard tablet stamped "113 JAS 1963 809"	808.588
12	50	7.03	Leaksville, 0.3 mi W. of post office, along Secondary State Road 770, thence 0.5 mi N. along County Road 1561, thence 5.3 mi NW. along County Road 1535; at Floyd Missionary Baptist Church; 78 ft NW. of NW. corner of church; 2 ft S. of power pole; in concrete post 0.1 ft below surface of ground; standard tablet stamped "114 JAS 1963 838"	837.938
12	49	7.00	Reference mark; in centerline of rd. at junction of County Roads 1535 and 1523 SE.; copper nail and washer	832.50

MARTINSVILLE VIRGINIA-N.C.
Book AV 942

J. E. Stoner

1963

FeetLINE 7 (Cont'd.)

12	56	9.97	Spray, 2.8 mi NW. of Spray Grade School, along Secondary State Road 700, thence 0.5 mi NW. along State Highway 87, thence 2.5 mi W. along County Road 1501; about 250 ft E. of junction of County Roads 1501 and 1546 S.; 30 ft N. of centerline of Road 1501; 2 ft N. of power pole; 0.5 ft S. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "115 JAS 1963 755"	755.134
12	56	9.96	Reference mark; 52 ft S. and 37 ft W. of tablet; in root on N. side of 36-in. oak tree; copper nail and washer	758.70
12	59	10.70	U.E., 45 ft N. and 57 ft E. of, and about 3 ft higher than centerline of rd.; at junction of County Roads 1501 and 1552 S.; in root on N. side of 15-in. maple tree; copper nail and washer	714.71
12	64	12.38	Spray, 2.8 mi NW. of Spray Grade School, along Secondary State Road 700, thence 0.5 mi NW. along State Highway 87; at junction of County Roads 1501 and 1557 S.; 25 ft S. and 36 ft W. of, and about 4 ft lower than centerline of rd.; 4 ft SE. of power pole; 0.4 ft NE. of metal witness post; in concrete post projecting 0.2 ft above ground; standard tablet stamped "116 JAS 1963 797"	797.209
12	65	12.39	Reference mark; 53 ft N. and 13 ft E. of, tablet; on top of NE. corner of catch basin; chiseled square	799.69
12	67	13.02	Spray, 2.8 mi NW. of Spray Grade School, along Secondary State Road 700; at junction of State Highway 87 and Road 700 E.; about 250 ft SE. of centerline of hwy.; in concrete post projecting 0.2 ft above ground; North Carolina State Highway Commission standard disk stamped "27 JS 7 1962"	769.863

MARTINSVILLE
Book AV 942

VIRGINIA-N.C.

J. E. Stoner

1963

FeetLINE 7 (Cont'd.)

12	68	13.21	Spray, 2.3 mi NW. of Spray Grade School, along Secondary State Road 700; at junction of Road 700 and County Road 1702 SE.; 40 ft S. of, and about 2 ft lower than centerline of rd.; in concrete post projecting about 0.2 ft above ground; SHC standard disk stamped "27 JS 6 1962"	759.890
12	71	14.41	Spray, 1.9 mi NW. of Spray Grade School, along State Highway 700, thence 0.5 mi N. along County Road 1700; about 0.5 mi S. of bridge over Martin Creek; 25 ft NW. of centerline of Road 1700; 2 ft SE. of power pole; 0.5 ft SE. of metal witness post; in concrete post level with ground; standard tablet stamped "117 JAS 1963 714"	714.202
12	75	16.32	"88 JAS 1963 776" (Described in line 1)	775.730

LINE 8.

J. E. Stoner, 1963; Book AV 942

13	1	0.00	"95 JAS 1963 1026" (Described in line 5)	1025.610
13	6	2.61	Martinsville, 2.1 mi N. of post office, along State Highway 108; at bridge over Little Beaver Creek; in top of E. end of SE. wingwall of bridge; standard tablet stamped "118 JAS 1963 750"	749.764
13	5	2.61	Reference mark; at bridge over Little Beaver Creek; on top of W. end of SW. wingwall; chiseled square	749.79
13	10	4.18	Martinsville, 3.6 mi N. of post office, along State Highway 108; about 0.2 mi N. of junction of Highway 108 and Secondary State Road 882 NW.; at bridge over small stream; about 0.5 ft higher than centerline of rd.; in top of S. end of W. wheelguard; standard tablet stamped "119 JAS 1963 766"	765.539

MARTINSVILLE VIRGINIA-N.C.
Book AV 942

J. E. Stoner

1963

FeetLINE 8 (Cont'd.)

13	9	4.16	Reference mark; on top of S. end of E. wheelguard of bridge over small stream crossing; chiseled square	765.51
----	---	------	---	--------

LINE 9.

J. E. Stoner, 1963; Book AV 942

13	52	6.27	Figsboro, 0.8 mi NE. of junction of Secondary State Roads 890 and 657 NW., along Road 890, thence 6.4 mi SE. along Road 657; 0.6 mi NW. of junction of State Highway 57 and Road 657 NW., along Road 657; at drain crossing; in top of S. end of W. headwall; standard tablet stamped "125 JAS 1963 844"	843.974
13	51	6.27	Reference mark; 12 ft N. and 26 ft E. of tablet; on top of N. end of E. headwall; chiseled square	842.73
13	53	6.88	U.E., at junction of State Highway 57 and Secondary State Road 657 NW.; 13 ft N. and 25 ft W. of, and about 2 ft higher than centerline of rd.; on top of SW. end of NW. concrete headwall; chiseled square	824.57
13	54	7.35	U.E., at bridge over Leatherwood Creek; on top of S. end of E. abutment of bridge; chiseled square	732.61

LINE 10.

J. E. Stoner, 1963; Book AV 942

14	11	4.76	Bassett, 0.9 mi SE. of post office, along Alternate State Highway 57, thence 1.3 mi SW. along Secondary State Road 698; at private drive NW.; 49 ft W. of, and about 5 ft higher than centerline of newly constructed rd.; 2 ft W. of metal witness post; about 2 ft E. of large pine tree; in concrete post projecting 0.1 ft above ground; standard tablet stamped "129 JAS 1963 RESET 1965"	815.077
----	----	------	--	---------

MARTINSVILLE
Book AV 1598

VIRGINIA-N.C.

Max K. Weber

1971

Feet

LINE 11.

Max K. Weber, 1971; Book AV 1598

5	3	10.00	Eden, 0.5 mi NW. of junction of W. Washington Street and S. Hamilton Street, thence 3.75 mi W. along center Church Road; 75.4 ft N. of T-rd. S. (Interstate Routes 1535 & 1524); 47.3 ft S. of SE. corner of cinder block garage; 22.5 ft E. of centerline of driveway; in top of concrete post projecting 0.2 ft; standard tablet stamped "86 MAX 1971 782"	781.466
5	4	11.31	"114 JAS 1963 838" (Described in line 7)	837.938

NGVD 29
Elevations