

ORDER LEVELING
ATIONAL GEODETIC VERTICAL DATUM OF 1929

271

36-080-13
STUART QUADRANGLE
19 VA. 271 N.C.
N3630-W8015/15
DIAGRAM N J 17-11
WINSTON-SALEM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Final adjustment of 1972

Edition of 6/19/79


PR: CRV/mna

NGVD 29
Elevations

FLOYD
(51)

MOUNT AIRY
(20 VA.-272 N.C.)

CRITZ
(18 VA.-270 N.C.)



PILOT MOUNTAIN
(246)

VERTICAL CONTROL DATA

A. Quadrangle 360801

INDEX PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
R 45 VA 1924	3	33 HBC 1967 2812	9
R 53 VA TT STA 63 W 1924	3	34 HBC 1967 2823	9
R 54 VA 1924	3	35 HBC 1967 2760	9
PIS NO 8 T 1925	3	36 HBC 1967 1888	9
TT STA NO 2 T 1927	3	37 HBC 1967 1642	9
TT STA NO 3 T 1927	3	38 HBC 1967 1541	9
TT STA NO 4 T 1927 RESET 1971	4,11	39 HBC 1967 RESET 1978	9
TT STA NO 5 T 1927 RECOVERED AS DESCRIBED <u>2/87</u>	11	40 HBC 1967 1272	10
TT STA NO 6 T 1927	7	41 HBC 1967 1269	10
TT STA NO 7 T 1927 1370	4,11	42 HBC 1967 1286	10
TT STA NO 9 T 1927	3	44 HBC 1967 RECOVERED AS DESCRIBED <u>2/87</u>	10
TT STA NO 10 T 1927	6	45 HBC 1967 979 RECOVERED AS DESCRIBED <u>2/87</u>	10
TT STA NO 11 T 1927	3	46 HBC 1967 1285	10,11
TT STA NO 18 T 1927 1897	3	47 HBC 1967 7568	10
TT STA NO 23 T 1927	3	48 HBC 1967 1537	11
TT STA NO 24 T 1927	8	49 HBC 1967 1474	11
TT STA NO 25 T 1927	3	50 HBC 1967 1401	11
TT STA NO 26 T 1927	3	51 HBC 1967 118.2 NOT FOUND <u>2/87</u>	11
TT 12 TWC 1955 1365	4,11	52 HBC 1967 1319 RECOVERED AS DESCRIBED <u>2/87</u>	11
3 DOP 1962 1162 RECOVERED AS DESCRIBED <u>2/87</u>	4,11	53 HBC 1967 1285 RECOVERED AS DESCRIBED <u>2/87</u>	11
1 HBC 1967 2946	5	54 HBC 1967 1158 RECOVERED AS DESCRIBED <u>2/87</u>	11
HBC 1967 2804	5	55 HBC 1967 1124 RECOVERED AS DESCRIBED <u>2/87</u>	11
3 HBC 1967 2870	5	56 HBC 1967 868 RECOVERED AS DESCRIBED <u>2/87</u>	12
4 HBC 1967 2820	5	57 HBC 1967 938 RECOVERED AS DESCRIBED <u>2/87</u>	12
5 HBC 1967 2993	5	58 HBC 1967 951 RECOVERED AS DESCRIBED <u>2/87</u>	12
6 HBC 1967 2786	5	59 HBC 1967 1091 RECOVERED AS DESCRIBED <u>2/87</u>	12
7 HBC 1967 2786	5	43 HBC 1967 1286	
8 HBC 1967 2680	6	<u>NATIONAL PARK SERVICE</u>	
9 HBC 1967 2695	6	U 18 5:63	5,6
10 HBC 1967 2657	6	<u>NGS</u>	
11 HBC 1967 2641	6	W 50 1935	4
12 HBC 1967 1905	6	Y 58 1935	9
13 HBC 1967 1654	6	A 222 1938	8
14 HBC 1967 1452	6,10		
15 HBC 1967 1342	6		
16 HBC 1967 1244	6		
17 HBC 1967 1494	7		
18 HBC 1967 1310	7		
19 HBC 1967 1459	7		
20 HBC 1967 1296	7		
21 HBC 1967 1388	7		
22 HBC 1967 1442	7,8		
23 HBC 1967 1564	7		
24 HBC 1967 1919	7,9		
25 HBC 1967 1486	8		
26 HBC 1967 1334	8		
27 HBC 1967 1278	8		
28 HBC 1967 RESET 1970	8		
29 HBC 1967 1538	8		
30 HBC 1967 1675	8		
31 HBC 1967 1500	8		
32 HBC 1967 1731	8		

NGVD 29
Elevations

ISOLATED BENCH MARKS (By C. E. Rieck, 1924; Book B1907; S. L. Parker, 1927; Book B2721)

Stuart, 3.0 mi N. of; 70 ft NE. of rd. forks at Crew's store; in concrete post; standard tablet stamped "R 45 VA 1924" (Reported not found, 1967)	1379.698
Stuart, 50 ft SE. of station; on S. side of track; 10 ft N. of scales; in concrete post; standard tablet stamped "R 53 VA 1924 TT STA 63 W 1924" (Tied by NGS, 1935) (Destroyed, 1937)	1188.902
Stuart, 3.8 mi S. of; 0.8 mi N. of Five Forks; at rd. fork SW. to Mt. Airy; in concrete post; standard tablet stamped "R 54 VA 1924" (Not found, 1967)	1353.267
Stuart, 0.6 mi NW. of courthouse; 120 ft NW. of service station of Wade Hylton; on S. side of rd.; 3 ft S. of fence line; in concrete post; standard tablet stamped "PRIM TRAV STA NO 8 T 1925" (Tied by NGS, 1935) (Reported not found, 1967)	1393.203
Buffalo Ridge, 3.5 mi N. and W. of; 4.2 mi E. of Mountain View Church; about 200 ft SE. of Bowling Bros. General Store; 36 ft S. and 22 ft E. of T-rd. S.; on E. side of Smith River; in concrete post; standard tablet stamped "TT STA NO 18 T 1927 1897" (Reported not found, 1967)	1397.536
Dan River Church, 2.1 mi E. of; 3.3 mi W. of N. C. State Highway 891; on graded rd.; 140 ft NE. of iron bridge over Peters Creek; 25 ft N. of centerline of rd.; standard tablet stamped "TT STA NO 2 T 1927" (Reported not found, 1967)	932.448
Dan River Church, 1.6 mi W. of, along State Highway 89; 1.5 mi E. of Francisco; 40 ft S. and 18 ft W. of junction of rd. forks at store of L. F. Lawson; in concrete post; standard tablet stamped "TT STA NO 3 T 1927" (Reported not found, 1967)	1132.750
Bishops Garage, 1.2 mi E. of, along Stuart-Mt. Airy Road; 30 ft E. of rd. fork NW.; in concrete post; standard tablet stamped "TT STA NO 6 T 1927" (Reported not found, 1967)	1331.361
Carters Mills; 36 ft S. and 20 ft E. of centerline of crossroads; in NE. corner of field directly opposite post office; in concrete post; standard tablet stamped "TT STA NO 9 T 1927" (Reported not found, 1967)	1450.876
Carters Mills, 3.5 mi E. of; 1.1 mi NE. of Meadow Field; 130 ft S. and 35 ft W. of rd. fork (N. by W.) that leads up valley; 17 ft S. of centerline of rd.; in concrete post; standard tablet stamped "TT STA NO 26 T 1927" (Reported not found, 1967)	1504.313
Claudville, 4.2 mi W. of; 8.1 mi E. of Carters Mills; 21 ft S. of centerline of rd.; directly opposite farmhouse of W. R. Burge; in concrete post; standard tablet stamped "TT STA NO 25 T 1927" (Reported not found, 1967)	1332.626
Stuart, 3.0 mi NW. of; 3.0 mi S. and E. of Claudville; 720 ft NW. of wooden bridge over Mayo River; on E. side of rd.; at curve; in large outcrop of sandstone; standard tablet stamped "TT STA NO 23 T 1927" (Reported not found, 1967)	1323.257
Laurel Fork, 5.7 mi S. and E. of 260; ft NW. of rd. forks; 24 ft S. and 24 ft W. of NW. corner of Bell Spur Church; in concrete post; standard tablet stamped "TT STA NO 11 T 1927" (Reported destroyed, 1967)	2694.332

STUART QUADRANGLE
ook AV 468

19 VA.-271 N.C.

R. H. Paine

36-080-13

4

LINE 1.

1956

By R. H. Paine, 1956; Book AV 468

"W 58 1935" (NGS)

2918.859

U.E., about 300 ft SW. of Meadows of Dan High School; on W. end of N. concrete headwall of culvert; chiseled square

2935.25

U.E., on N. end of E. headwall of rock bridge (Blue Ridge Parkway over U. S. Highway 58); chiseled square

2965.84

U.E., 113 ft SE. of milepost 177; on W. end of S. stone headwall of culvert; chiseled square

3062.19

LINE 2.

By S. E. Mattingly, 1957; AV 468

1 19 11.16 Mt. Airy, 9.6 mi NE. of post office, along State Highway 103 to VA.-N.C. State line; 13 ft N. of centerline of rd.; in top of NW. wheelguard of concrete wall of small bridge over Silver Leaf Creek; standard tablet stamped "TI 12 TWC 1955 1365"

1364.878

1 20 11.30 Mt. Airy, 11.3 mi NE. of post office, along State Highway 103 to N.C.-Va. State line; about 500 ft NW. of State Highway 103, along Highway 614 to two-story white frame house; 36 ft NE. center of rd.; 61 ft SE. of S. corner of porch; in concrete post in NE.-SW. hedge row; standard tablet stamped "TI STA 7 T 1927 1370"

1370.452

LINE 3.

By D. O. Pruitt, 1962; Book AV 872

There are no permanent marks on this line in this quadrangle.

LINE 4.

By D. O. Pruitt, 1962; Book AV 872

U.E., on top of S. end of concrete gasoline pump platform; chiseled square

1125.62

Francisco; 70 ft NNW. of intersection of State Highway 89 and County Road 1463; 2 ft NW. of power pole; in concrete post; standard tablet stamped "3 DOP 1962 1162" *DESTROYED EWB - DISK GONE & MON. LEANING 3/87*

1162.530

U.E., on top of E. end of N. concrete culvert headwall; chiseled square

1160.23

Asbury, 2.6 mi W. of; 2.1 mi SW. of Francisco Post Office along State Highway 89; 3 ft S. and 20 ft W. of rd. fork NW. to Asbury, in concrete post; standard tablet stamped "TI 4 T 1927 RESET 1971"

1211.778

NGVD 29
Elevations

1967

LINE 5.Feet

By H. W. Clarkson, 1967; Book AV 1480

1	2	0.00	"W 58 1935" (NGS)	2918.859
1	3	0.99	Meadows of Dan High School, 0.6 mi W. of, along U.S. Highway 58; 185 ft E. of centerline of Blue Ridge Parkway overpass; 19 ft N. of, and 2.5 ft lower than centerline Highway 58 opposite; in center of N. concrete culvert; standard tablet stamped "1 HBC 1967 2946"	2945.820
1	4	1.20	U.E., chiseled square (Described in line 1)	2965.84
1	6	2.78	Meadows of Dan High School, 0.6 mi W. of, along U.S. Highway 58, thence 1.6 mi SW. along Blue Ridge Parkway; at Round Meadow Overlook; 54 ft E. of E. end of bridge; in top of SE. retaining wall; standard tablet stamped "2 HBC 1967 2804"	2804.123
1	7	3.50	Meadows of Dan High School, 0.6 mi W. of, along U.S. Highway 58, thence 2.3 mi SW. along Blue Ridge Parkway; 19 ft N. of centerline of rd. opposite; 1 ft N. of milepost 180; in concrete post; standard tablet stamped "3 HBC 1967 2870"	2869.564
1	9	4.48	Meadows of Dan High School, 0.6 mi W. of, along U.S. Highway 58, thence 3.3 mi SW. along Blue Ridge Parkway; 55 ft E. of, and across rd. from milepost 181; 38 ft E. of, and 4.0 ft higher than centerline of rd. opposite; in concrete post; standard tablet stamped "4 HBC 1967 2820"	2819.770
1	11	5.51	Meadows of Dan High School, 0.6 mi W. of, along U.S. Highway 58, thence 4.3 mi SW. along Blue Ridge Parkway; 45 ft SE. of, and across rd. from milepost 182; 28 ft SE. of, and 1.0 ft higher than centerline of rd. opposite; in concrete post; standard tablet stamped "5 HBC 1967 2993"	2993.425
1	13	6.46	Meadows of Dan High School, 0.6 W. of, along U.S. Highway 58, thence 5.3 mi SW. along Blue Ridge Parkway; 6.0 mi NE. of Ground Hog Mountain, along Blue Ridge Parkway; 17 ft W. and level with centerline of rd. opposite; 1 ft W. of milepost 183; in concrete post; standard tablet stamped "6 HBC 1967 2910"	2909.898
1	14	7.41	Ground Hog Mountain, 5.0 mi NE. of, along Blue Ridge Parkway; 156 ft E. of milepost 184; 21 ft N. of, and 1 ft lower than centerline of rd. opposite; in NE. corner of overpass over State Highway 908; standard tablet stamped "7 HBC 1967 2786"	2786.397
1	15	8.42	Ground Hog Mountain, 4.0 mi NE. of, along Blue Ridge Parkway; about 229 ft S. of parkway; 90 ft E. of, and 12 ft higher than centerline of rd. at junction of Y-rd. NE.; in concrete post; U.S.D.I. National Park Service standard disk stamped "U 18 5:63"	2781.435

LINE 5 (Cont'd.)Feet

1	16	9.50	Ground Hog Mountain, 3.0 mi NE. of, along Blue Ridge Parkway; 27 ft NE. of milepost; 180; 29 ft N. of, and 2.0 ft lower than centerline of rd. at drain crossing; in N. rock culvert; standard tablet stamped "8 HBC 1967 2680"	2679.966
---	----	------	---	----------

LINE 6.

By H. W. Clarkson, 1967; Book AV 1480

1	19	0.00	"U 18 5:63" (Described in line 5)	2781.435
1	19	0.78	Carters Mills, 5.5 mi N. of, along Squirrel Spur Road; at Bell Spur Church; 200 ft NW. of centerline of rd. of junction of Y-rd. N.; in NE. end of bottom step leading to church; standard tablet stamped "9 HBC 1967 2695"	2694.686
1	20	1.63	Carters Mills; 4.6 mi N. of, along Squirrel Spur Road; 30 ft W. of, and 1.5 ft higher than centerline of rd. at junction of private drive W.; in SE. corner of field; in concrete post; standard tablet stamped "10 HBC 1967 2637"	2656.723
1	22	2.55	Carters Mills, 3.7 mi N. of, along Squirrel Spur Road; 112 ft SW. of utility pole No. 251; 28 ft NW. of, and about 2.0 ft lower than centerline of rd. opposite; in rock out crop; standard tablet stamped "11 HBC 1967 2641"	2641.388
1	25	3.68	Carters Mills, 2.6 mi N. and E. of; 3.3 mi S. of Bell Spur Church; on Squirrel Spur Road; about two-thirds distance up mountain N. of Carters Mills; on bluff side of rd.; in vertical face of large outcrop of rock; standard tablet stamped "11 STA NO 10 I 1927" Note: (To have been reset in 1955 by Highway Department)	2221.870
1	28	4.57	Carters Mills; 1.7 mi N. of along Squirrel Spur Road; at sharp bend; 37 ft NW. of, and about 3.5 ft higher than centerline of rd. at stream crossing; in large rock; standard tablet stamped "12 HBC 1967 1905"	1905.096
1	30	5.37	Carters Mills, 0.9 mi N. of Squirrel Spur Road; 52 ft SW. of, and about 2.0 ft higher than centerline of rd. at trail E.; in concrete post; standard tablet stamped "13 HBC 1967 1654"	1653.838
1	32	6.24	Carters Mills; 23 ft N. of, and about level with centerline of crossroads; in concrete base to stop sign; standard tablet stamped "14 HBC 1967 1452"	1452.223
1	34	7.44	Carters Mills, 1.2 mi E. of, along State Highway 773; 77 ft E. of, and about 6 ft higher than centerline of rd. at junction of private drive NE.; in concrete post; standard tablet stamped "15 HBC 1967 1342"	1341.641
1	35	8.30	Carters Mills, 2.1 mi E. of, along State Highway 773; at bridge over Dan River; 52 ft SW. of, and about level with centerline of rd. at bridge; in SW. wingwall; standard tablet stamped "16 HBC 1967 1244"	1243.818

LINE 6 (Cont'd.)Feet

1	37	9.46	Carters Mills, 3.3 mi E. of, along State Highway 773; at junction of State Highway 648 N.; 37 ft SE. of, and about level with centerline of rd. at junction of I-rd. N.; in yard of house trailer; in concrete post; standard tablet stamped "17 HBC 1967 1494"	1493.618
1	39	10.96	Carters Mills, 4.1 mi E. of, along State Highway 773; thence 0.7 mi SE. along graded rd.; 70 ft W. of NW. corner of house; 27 ft SE. of centerline of stream crossing; 51 ft SE. of centerline of rd. at junction of V-rd. NW.; in concrete post 2 in. under surface of ground; standard tablet stamped "18 HBC 1967 1310"	1309.750
1	41	11.86	Carters Mills, 4.1 mi E. of, along State Highway 773, thence 0.7 mi SE. along graded rd., thence 0.9 mi N. and E. along State Highway 646; at Hill Grove Church; 31 ft S. of, and about 2.5 ft higher than centerline of crossroads; in yard of church; in concrete post; standard tablet stamped "19 HBC 1967 1459"	1459.328
1	43	13.10	Carters Mills, 4.1 mi E. of, along State Highway 773, thence 0.7 mi SE. along graded rd., thence 2.1 mi N. and E. along State Highway 646; 4 ft SE. of utility pole; 41 ft SW. of centerline of rd. at drain crossing; in concrete post; standard tablet stamped "20 HBC 1967 1296"	1295.892
1	45	14.28	Carters Mills, 4.1 mi E. of along State Highway 773, thence 0.7 mi SE. along graded rd., thence 3.3 mi N. and E. along State Highway 646; 2 ft N. of utility pole 71; 27 ft SE. of, and about 10.0 ft higher than centerline of rd. opposite; in concrete post; standard tablet stamped "21 HBC 1967 1388"	1387.582
1	48	15.23	Carters Mills, 4.1 mi E. of, along State Highway 773, thence 0.7 mi SE. along graded rd., thence 4.3 mi N. and E. along State Highway 646; at small bridge over Dan River; 8.5 mi W. of Stuart; 60 ft W. of centerline of rd. at junction of private rd. S.; 15 ft S. of, and about level with centerline of stream crossing; in center of S. headwall; standard tablet stamped "22 HBC 1967 1442"	1441.544
1	50	16.13	Stuart Court House, 0.8 mi SW. of, thence 4.6 mi W., thence 1.3 mi S. along graded rd., thence 0.9 mi W.; 34 ft E. of, and across side rd. from SW. corner of small barn; 56 ft E. of, and about 5.0 ft higher than centerline of rd. at junction of I-rd. NE.; in concrete post; standard tablet stamped "23 HBC 1967 1564"	1563.848
1	53	16.99	Stuart Court House, 0.8 mi SW. of, thence 4.6 mi W., thence 1.3 mi S. along graded rd.; 75 ft N. of, and about 3.0 ft higher than centerline of rd. at junction of I-rd. W.; 10 ft W. of 18-in. oak tree witness sign; in concrete post; standard tablet stamped "24 HBC 1967 1918"	1917.483

LINE 6 (Cont'd.)Feet

1	56	18.19	Claudville; 20 ft E. and 7 ft S. of SE. corner of general store and post office; 16 ft N. of centerline of rd.; in SW. corner of frontyard of residence of Elmer Vipperman; in concrete post; standard tablet stamped "TT STA NO 24 T 1927"	1482.656
1	57	18.75	Stuart Court House, 0.8 mi SW. of, thence 4.0 mi W.; at Dobyms Baptist Church; 7 ft N. of N. corner of church; 12 ft SW. of, and about 2.0 ft higher than centerline of rd. opposite; in NW. end of concrete wall; standard tablet stamped "25 HBC 1967 1486"	1485.414
1	59	20.33	Stuart Court House, 0.8 mi SW. of, thence 2.4 mi W. along paved rd.; 48 ft E. of and across stream from centerline of rd. opposite; in large rock; standard tablet stamped "26 HBC 1967 1334"	1333.808
1	60	21.25	Stuart Court House, 0.8 mi SW. of, thence 1.4 mi W. along paved rd; at bridge over S. Mayo River; 22 ft E. of center of bridge; in NE. concrete wingwall; standard tablet stamped "27 HBC 1967 1278"	1278.103
1	62	22.54	Stuart Court House; 0.8 mi SW. of; 57 ft S. of center of bridge; in SE. wingwall; standard tablet stamped "28 HBC 1967 RESET 1970"	1232.160
1	64	23.52	"A 222 1938" (NGS)	1192.895

LINE 7.

By H. W. Clarkson, 1967; Book AV 1480

1	66	0.00	"22 HBC 1967 1442" (Described in line 6)	1441.544
1	66	0.97	Stuart Court House, 0.8 mi SW. of, thence 7.1 mi W. along State Highway 631, thence 0.7 mi S. along State Highway 647; 47 ft W. of, and about 3.0 ft higher than centerline of rd. at junction of woods rd. W.; in concrete post; standard tablet stamped "29 HBC 1967 1538"	1567.601
1	68	1.69	Stuart Court House, 0.8 mi SW. of thence 7.1 mi W. along State Highway 631; at Mary H. Walker Presbyterian Church; 106 ft N. of NE. corner of church; 63 ft W. of centerline of rd. opposite; at edge of woods; in concrete post; standard tablet stamped "30 HBC 1967 1675"	1674.644
1	72	3.35	Stuart Court House, 0.8 mi SW. of, thence 8.6 mi W. along State Highway 631, thence 0.3 mi S. along woods rd.; at N. end of clearing; 14 ft E. of, and level with centerline of field rd. SSE.; in concrete post; standard tablet stamped "31 HBC 1967 1500"	1499.708
1	75	4.56	Stuart Court House, 0.8 mi SW. of, thence 8.6 mi W. along State Highway 631, thence 0.3 mi S. along woods rd. to clearing, thence 0.4 mi NW. along woods rd. to Y-rd., thence right for 0.8 mi along rd. to small clearing; 6 ft NW. of double white oak tree with witness sign; 45 ft NE. of small wooden bridge over stream; in concrete post; standard tablet stamped "32 HBC 1967 1731"	1730.948

NGVD 29
Elevations

1967

LINE 8.

Feet

By H. W. Clarkson, 1967; Book AV 1480

2	11	0.00	"Y 58 1935" (NGS)	2903.334
2	12	0.99	Circle M Zoo, 0.1 mi W. of entrance, along State Highway 58, thence 1.0 mi S. along State Highway 610; 24 ft NE. of, and about 3.0 ft higher than centerline of rd. at junction of woods line NE.; in concrete post; standard tablet stamped "33 HBC 1967 2812"	2812.473
2	17	3.05	Circle M Zoo, 0.1 mi W. of entrance, along State Highway 58, thence 3.0 mi S. along State Highway 610; 7 ft N. of fence corner; 18 ft SE. of, and level with centerline of rd. at junction of field rd. S.; in concrete post; standard tablet stamped "34 HBC 1967 2823"	2823.414
2	22	5.03	Circle M Zoo, 0.1 mi W. of entrance, along State Highway 58, thence 5.0 mi S. along State Highway 610 and Appalachian Trail; at overlook to S.; 19 ft SE. of, and about 4 ft higher than centerline of rd. opposite; in rock; standard tablet stamped "35 HBC 1967 2760"	2759.928

LINE 9.

By H. W. Clarkson, 1967; Book AV 1480

2	36	0.00	"24 HBC 1967 1918" (Described in line 6)	1917.483
2	37	1.12	Stuart Court House, 0.8 mi SW. of, thence 4.6 mi W., thence 2.4 mi S. along graded rd.; 42 ft W. of, and about 6.0 ft lower than centerline of rd. at junction of woods rd. NW.; in concrete post; standard tablet stamped "36 HBC 1967 1888"	1887.832
2	41	2.15	Stuart Court House, 0.8 mi SW. of, thence 4.6 mi W., thence 3.4 mi S. along graded rd.; 4.1 mi E. of Claudeville Post Office, along State Highway 103, thence 3.4 mi N. along State Highway 742 and 645; at tobacco barn; 4 ft W. of NW. corner of barn; 20 ft S. of, and level with centerline of rd. opposite; in concrete post; standard tablet stamped "37 HBC 1642"	1641.512
2	43	3.31	Claudeville Post Office 4.1 mi E. of, along State Highway 103, thence 2.2 mi N. along State Highway 742, and 645; 41 ft W. of, and about 2 ft lower than centerline of rd. at junction of woods rd. SW.; in concrete post; standard tablet stamped "38 HBC 1967 1541"	1540.669
2	45	4.33	Claudeville Post Office, 4.1 mi E. of, along State Highway 103, thence 10 mi N. along State Highway 742 to junction of State Highway 645; 92 ft S. of centerline of rd. at junction of Y-rd. W.; in concrete post; standard tablet stamped "39 HBC 1967 RESET 1978"	1328.042

LINE 9 (Cont'd.)

Feet

2	48	5.48	Claudeville Post Office, 4.1 mi E. of, along State Highway 103; at bridge over Sandy Creek; 15 ft S. of, and about level with center of bridge; in S. concrete curb; standard tablet stamped "40 HBC 1967 1272"	1271.997
2	49	6.08	Claudeville Post Office, 3.9 mi E. of, along State Highway 103, thence 0.4 mi S. along State Highway 663; 65 ft NW. of small white house; 22 ft SE. of, and about 4.5 ft higher than centerline of rd. opposite; in rock in bank of rd.; standard tablet stamped "41 HBC 1967 1269"	1268.937
2	51	7.08	Claudeville Post Office, 3.9 mi E. of, along State Highway 103, thence 1.4 mi S. along State Highway 663; 29 ft W. of, and level with centerline of rd. at junction of State Highway 630 E.; in concrete post; standard tablet stamped "42 HBC 1967 1160"	1159.336
2	54	8.23	Claudeville Post Office, 3.9 mi E. of, along State Highway 103, thence 2.2 mi S. along State Highway 663, thence 0.4 mi SE. along State Highway 774; at VA.-N.C. State line; 30 ft N. of centerline of rd. opposite; in state line marker; standard tablet stamped "43 HBC 1967 1286"	1285.820
2	55	9.29	Claudeville Post Office, 3.9 mi E. of, along State Highway 103, thence 2.2 S. along State Highway 663, thence 1.5 mi SE. along State Highway 774; at Jefferson Grocery Store; 60 ft S. of centerline of rd. at junction of I-rd. N.; 2 ft E. of E. gasoline pump; in concrete base; standard tablet stamped "44 HBC 1967" <i>Good 3/87 WCB</i>	1231.062
2	57	10.22	Claudeville Post Office, 3.9 mi E. of, along State Highway 103, thence 2.2 mi S. along State Highway 663, thence 1.5 mi SE. along State Highway 774, thence 0.9 mi SW. along Collinstown Road; at bridge over Dan River; 15 ft SE. of SW. end of bridge; in S. concrete wingwall; standard tablet stamped "45 HBC 1967 979" <i>Good 3/87 WCB</i>	978.535
2	60	11.33	Claudeville Post Office, 3.9 mi E. of, along State Highway 103, thence 2.2 mi S. along State Highway 663, thence 1.5 mi SE. along State Highway 774, thence 2.0 mi SW. along Collinstown Road; at junction of Ashby Road; 150 ft NE. of I-rd. SE.; 5 ft SW. of witness sign nailed to pine tree; 32 ft NW. of, and about 4 ft higher than centerline of rd. opposite; in concrete post; standard tablet stamped "46 HBC 1967 1285" <i>Good 2/87 EWB</i>	1285.059

LINE 10.

*5.3' SW OF 14" PINE W/TAG
95.4 NE " NE COR OF TRIANGULAR
TRAFFIC ISLAND*

By H. W. Clarkson, 1967; Book 1480

2	62	0.00	"14 HBC 1967 1452" (Described in line 6)	1452.223
2	64	1.55	Carters Mills, 1.6 mi S. of, along State Highway 614; at Unity Presbyterian Church; 52 ft NW. of front entrance of church; 67 ft SE. of centerline of rd. opposite; in W. corner of bottom concrete step; standard tablet stamped "47 HBC 1967 1568"	1567.529

LINE 10 (Cont'd.)

NGVD 29
Elevations

Feet

2	65	2.40	Carters Mills, 2.4 mi S. of, along State Highway 614 to junction of State Highway 645; 100 ft N. of centerline of rd. at junction of Y-rd. N.; 7 ft NW. of pole No. 48; in concrete post; standard tablet stamped "48 HBC 1967 1537"	1536.793
2	67	3.42	Carters Mills, 3.4 mi S. of, along State Highway 614; 33 ft NW. of, and about level with centerline of rd. at junction of woods line NW.; in concrete post; standard tablet stamped "49 HBC 1967 1474"	1473.957
2	68	4.34	"TT STA 7 T 1927 (Described in line 2)	1370.452
2	69	4.48	"TT 12 IWC 1955 1365" (Described in line 2)	1364.878
2	72	6.40	Carters Mills, 4.4 mi S. of, along State Highway 614, thence 0.9 mi NE. along State Highway 103, thence 1.1 mi SE. along State Highway 645; 0.3 mi N. of Asbury, thence 2.1 mi NW. along graded rd., thence 1.4 mi W. along State Highway 645; 21 ft S. of, and about level with centerline of rd. opposite; 97 ft SE. of SE. corner of tobacco barn; 5 ft E. of utility pole; in concrete post; standard tablet stamped "50 HBC 1967 1401"	1400.905
2	75	7.58	Asbury, 0.3 mi N. of, thence 2.1 mi NW. along graded rd., thence 0.2 mi W. along State Highway 645; at small stream; 32 ft SW. of center of bridge; in SW. wingwall of bridge; standard tablet stamped "51 HBC 1967 118.21" <i>BRIDGE MAY HAVE BEEN REPLACED</i>	NOT FOUND WCB 3/87 1181.472
2	77	8.55	Asbury, 0.3 mi N. of, thence 1.3 mi NW. along graded rd.; 3 ft SE. of corner fencepost; 30 ft E. of, and about 2.5 ft lower than centerline of rd. opposite; in concrete post; standard tablet stamped "52 HBC 1967 1319" PROJ. 2"	GOOD GWT 3/87 1318.800
3	4	9.99	Asbury; 25 ft W. of I-rd. E.; in SE. corner of frontyard of residence of Ed Slates; in concrete post; standard tablet stamped "TT STA NO 5 T 1927" <i>28' E & SR 1415 15.3 N FENCE POST W/TAG</i>	1279.473
3	5	11.08	Asbury, 1.1 mi SE. of, along Asbury Road to junction of Joyce Mill Road; 88 ft E. of, and about level with centerline of rd. at junction of Y-rd. N.; 3 ft NW. of utility pole; in concrete post; standard tablet stamped "53 HBC 1967 1316" <i>W/TAG GOOD EWB 3/87 49.0' NNE OF E OF RD</i>	1316.038
3	6	11.96	"46 HBC 1967 1285" (Described in line 9)	1285.059
3	8	12.67	"TT 4 T 1927 RESET 1971" (Described in line 4)	1211.778
3	9	13.59	"U.E., 1160.1" chiseled square (Described in line 4)	1160.23
3	10	14.21	Francisco High School, 0.2 mi W. of, along State Highway 89; at Francisco Presbyterian Church; 45 ft SW. of NW. corner of church; 8 ft NW. of water fountain; in N. corner of concrete walk leading to side entrance; standard tablet stamped "54 HBC 1967 1158" <i>GOOD EWB 2/87</i>	1158.180
	11	15.44	"3 DOP 1962 1162" (Described in line 4)	1162.550
	12	16.34	Francisco High School, 1.7 mi E. of, along State Highway 89, thence 0.4 mi NE. along State Highway 704; 144 ft WNW. of centerline of rd. at junction of utility pole on edge of field; standard tablet stamped "55 HBC 1967 1124" <i>DESTROYED EWB 3/87 TALKED W/PROPERTY OWNER DEST. BY PLOWING.</i>	1123.373

LINE 10 (Cont'd.)feet

3	14	17.85	Francisco High School, 1.7 mi E. of, along State Highway 89, thence 1.9 mi NE. along State Highway 704 to bridge over Dan River; 15 ft N. of, and 1.0 ft higher than centerline of rd. at E. end of bridge; in wheelguard; standard tablet stamped "56 HBC 1967 868" <i>GOOD EWB 2/87</i>	868.038
3	16	18.91	Francisco High School, 1.7 mi E. of, along State Highway 89, thence 3.1 mi NE. along State Highway 704 to bridge; 13 ft NW. of, and about 0.5 ft higher than centerline of rd. at NE. end of bridge; in wheelguard; standard tablet stamped "57 HBC 1967 938" <i>GOOD EWB 2/87</i>	937.335
3	18	19.89	Francisco High School, 1.7 mi E. of, along State Highway 89, thence 4.1 mi NE. along State Highway 704; 43 ft E. of, and about 3.0 ft lower than centerline of rd. at stream crossing; in SE. end of NE. concrete culvert; standard tablet stamped "58 HBC 1967 951" <i>GOOD EWB 2/87</i> 24.0' SW E OF HWY 8.4 N OF HWY SIGN POST W/TAG	950.340
3	20	20.90	Francisco High School, 1.7 mi E. of, along State Highway 89, thence 5.2 mi NE. along State Highway 704; 47 ft N. of centerline of rd. at junction of Lawson Road N.; in concrete post; standard tablet stamped "59 HBC 1967 1091" <i>NOT FOUND EWB 2/87</i>	1090.932

NGVD 29
Elevations