

IRD-ORDER LEVELING
ATIONAL GEODETIC VERTICAL DATUM OF 1929

34-080-41
MONROE QUADRANGLE
N.C.-135 S.C.
N3445-W8030/15
DIAGRAM NI 17-5
SPARTANBURG

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


ion County, N.C.; Chesterfield and Lancaster
Counties, S.C.

Final adjustment of 1976

Edition of 3/12/76

PR: LFB/kp

NGVD 29
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 340804

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
TT 38 B 1933 593	3	337 HLZ 1969	10
TT 39 B 1933 618	3	338 HLZ 1969	10
TT 40 B 1933 669	3	339 HLZ 1969	11
TT 41 B 1933 698	3,3,4,8	340 HLZ 1969	11,11
TT 45 B 1933 620	3	341 HLZ 1969	11
TT 46 B 1933 548	3,9	342 HLZ 1969	11
6 WDK 1964 547	4	347 HLZ 1969	11
7 WDK 1964 605	4	348 HLZ 1969	11
8 WDK 1964 660	4	349 HLZ 1969	12
15 EGB 1965 553	5	350 HLZ 1969	12
190 HLZ 1969 RESET 1971	5	351 HLZ 1969	12
308 HLZ 1969	6	352 HLZ 1969	12
309 HLZ 1969	6		
317 HLZ 1969	6	<u>N.C. GEODETIC SURVEY</u>	
318 HLZ 1969	6		
319 HLZ 1969	7	TODD 1965	13
320 HLZ 1969	7	WHITE 1965	12
321 HLZ 1969	7,10		
322 HLZ 1969	7	<u>NGS</u>	
323 HLZ 1969	8		
324 HLZ 1969	8	S 51 1933	5
325 HLZ 1969	8	U 51 1933	6,13
326 HLZ 1969	8	Y 51 1933	4,5
327 HLZ 1969	8	Z 51 1933	12
328 HLZ 1969	9,11	MINERAL NO 1 1934	13
329 HLZ 1969	9	MINERAL NO 2 1934	12
331 HLZ 1969 <i>99 GOOD</i>	9	TT 1 B NO 1 1934	7
332 HLZ 1969 <i>99 GOOD</i>	9	TT 1 B NO 2 1934	7
333 HLZ 1969 <i>99 NOT FOUND</i>	9	ALTAN 1935	9
334 HLZ 1969	10	ALTAN 1935 (Az. Mk.)	10,10
335 HLZ 1969	10	PARKER NO 2 1935	8
336 HLZ 1969	10		

NGVD 29
Elevations

1933

LINE 1.Feet

By T. T. Bobbitt, 1933; Book B6014

Lancaster, 3.4 mi NE. of; 200 ft S. of centerline of rd.; 17 ft N. of NW. corner of residence of Mrs. Lessie Caskey; in concrete post; standard tablet stamped "TT 38 B 1933 593" (Not found, 1970)

591.920

Camp Creek School, 15 ft N. of NW. corner of; 160 ft S. of centerline of rd.; in concrete post; standard tablet stamped "TT 39 B 1933 618" (Not found, 1970)

617.110

Lingle's store, 1.5 mi W. of; 0.2 mi E. of New Hope Church; 30 ft N. and 20 ft E. of NW. corner of residence of Sim Funderburk; in concrete post; standard tablet stamped "TT 40 B 1933 669"

667.999

Lingle's store, 1.8 mi E. of New Hope Church; 1.2 mi N. of Bufford Monument; 0.3 mi S. of Bufford High School; 75 ft NW. of center of crossroads; 60 ft E. of SE. corner of brick house; in concrete post; standard tablet stamped "TT 41 B 1933 698"

697.602

LINE 2.

By T. T. Bobbitt, 1933-34; Books B6014, B6017

"TT 41 B 1933 698" (Described in line 1)

697.602

Lingle's store, 3.0 mi E. of; 2.0 mi W. of Tradesville; 27 ft S. of centerline of rd.; in concrete post; standard tablet stamped "TT 45 B 1933 620" (Not found, 1971)

618.926

U.E., Tradesville; 4.9 mi E. of Lingle's store; 15 ft S. of centerline of rd.; at drive entrance to residence of Mrs. J. S. Funderburk; piece of iron in concrete post

539.16

Tradesville, 0.9 mi SE. of junction of County Roads S-28 and S-29-39, along Road S-28; in frontyard of abandoned house; 57 ft SW. of, and about 6.0 ft higher than junction of Road S-28 and drive N.; in concrete post flush with ground; standard tablet stamped "TT 46 B 1933 548" (Not found, 1971)

547.550

LINE 3.

By W. D. Kelly, 1964; Book AV 1312

1 41 3.73

U.E., Lancaster, 2.6 mi N. of, along State Highway 200, thence 1.1 mi E. along State Highway 200; 18 ft N. and 10 ft W. of, and 1 ft lower than centerline of drive N.; on W. end of concrete pipe; chiseled square

569.17

NGVD 29
Elevations

LINE 3 (Cont'd.)Feet

1	42	4.15	Lancaster, 2.6 mi N. of, along State Highway 200, thence 1.5 mi E. along State Road; 120 ft N. of, and 1.0 ft lower than centerline of rd.; in SE. corner of concrete well base; standard tablet stamped "6 WDK 1964 547"	547.049
1	42	4.15	Reference mark; 240 ft S. of tablet; 85 ft S. of, and 3 ft higher than centerline of rd.; in root of 24-in. oak tree; copper nail and washer	551.12
1	43	4.75	U.E., 15 ft N. and 40 ft W. of, and 3.0 ft lower than centerline of rd. at private drive S.; on N. end of concrete pipe; chiseled square	556.87
1	46	6.25	Reference mark; 200 ft N. of tablet; on E. end of concrete pipe under drive S.; chiseled square	600.04
1	46	6.25	Lancaster, 2.6 mi N. of, along State Highway 200, thence 3.6 mi E., along State Road; 225 ft S. and 50 ft E. of, and 3.0 ft higher than centerline of rd. at drive S.; in first concrete step to side porch; standard tablet stamped "7 WDK 1964 605" (Reported destroyed, 1965)	604.492
1	50	8.28	U.E., 18 ft N. and 12 ft E. of, and 1.0 ft lower than centerline of rd. at private drive N.; on E. end of concrete pipe under drive; chiseled square	656.86
1	52	9.30	Reference mark; 80 ft NW. of tablet; on W. end of second step to church; chiseled square	659.67
1	52	9.30	Lancaster, 2.6 mi N. of, along State Highway 200, thence 6.7 mi E. at New Hope Church; 50 ft E. and 30 ft N. of, and 3.0 ft higher than centerline of rd. at church drive; in concrete post projecting 0.1 ft; standard tablet stamped "8 WDK 1964 660"	660.289
1	55	11.04	"TT 41 B 1933 698" (Described in line 1) (Also in line 2)	697.602

LINE 4.

By E. G. Bates, 1965; Book AV 1392

2	2	0.00	"Y 51 1933" (NGS)	672.869
---	---	------	-------------------	---------

NGVD 29
Elevations

LINE 4 (Cont'd.)

Feet

2	12	0.37	U.E., 57 ft S. and 19 ft E. of, and level with centerline of State Highway 75 at junction of County Road 1107; on S. end of concrete pipe culvert; chiseled square	661.30
<u>Joins into Catawba quadrangle</u>				
2	15	7.53	U.E., 21 ft N. and 15 ft W. of, and 0.5 ft lower than centerline of County Road 1106 at junction of County Road 1100; on N. end of steel pipe culvert; chiseled square	637.22
<u>Joins into Catawba quadrangle</u>				
2	17	8.78	U.E., 15 ft S. and 12 ft E. of, and level with centerline of rd. at junction of driveway E.; on S. end of steel pipe culvert; chiseled square	606.37
2	18	9.36	U.E., 10 ft S. and 12 ft W. of, and 1.5 ft lower than centerline of rd. at junction of driveway W.; on S. end of concrete pipe culvert; chiseled square	581.715
2	19	10.28	Lancaster, 6.1 mi NE. of intersection of U. S. Highway 521, along State Highway 200; 40 ft SW. and 35 ft NW. of, and 5.3 ft higher than centerline of rd. at junction of T-rd. NW.; in concrete post; standard tablet stamped "15 EGB 1965 553"	547.030
2	20	10.59	U.E., 14 ft SE. of, and 0.5 ft higher than centerline of rd. at NE. end of 100-ft concrete bridge; on top of NE. end of concrete wheelguard; chiseled square	488.29

LINE 5.

By E. G. Bates, 1965; Book AV 1392

3	2	0.00	"Y 51 1933" (NGS) (Also in line 4)	672.869
---	---	------	------------------------------------	---------

NGVD 29
ElevationsLINE 6.

By H. L. Zohn, Jr.; 1969; Book AV 1558

1	5	0.00	"S 51 1933" (NGS)	594.536
1	6	0.91	Monroe Court House, 1.0 mi N. of, along skyway; at 140-ft concrete bridge over U. S. Highway 74; in NE. end of NW. wallway; standard tablet stamped "190 HLZ 1969 RESET 1971"	616.267

1969

LINE 7.Feet

By H. L. Zohn, Jr., 1969; Book AV 1558

7	.6	0.00	"U 51 1933" (NGS)	665.691
7	.8	1.84	Wesley Chapel, 2.1 mi S. of Elementary School, along County Road 1162, thence 0.8 mi E. along County Road 1315; at 26-ft bridge over small stream; in SE. end of SW. guardrail base; standard tablet stamped "308 HLZ 1969"	597.436
7	11	3.53	Wesley Chapel, 1.2 mi S. of Elementary School, along County Road 1162; 83 ft SE. of, and about level with junction of County Roads 1162 and 1334; 0.5 ft W. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "309 HLZ 1969"	631.800

LINE 8.

By H. L. Zohn, Jr., 1969; Book AV 1558

(There are no permanent marks in this line in this quadrangle)

LINE 9.

By H. L. Zohn, Jr., 1969; Book AV 1558

7	46	0.00	"U 51 1933" (NGS) (Also in line 7)	665.691
7	.47	1.41	Houston, 1.4 mi S. of junction of State Highway 75 and County Road 1007, along Road 1007; 53 ft SE. of, and about 0.5 ft higher than junction of County Roads 1007 and 1149; 0.3 ft W. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "317 HLZ 1969"	632.658
7	49	2.61	Houston, 2.6 mi S. of junction of State Highway 75 and County Road 1007, along Road 1007; 38 ft NE. of, and about 0.5 ft lower than junction of County Roads 1007 and 1155; 5 ft NE. of witness sign; in concrete post flush with ground; standard tablet stamped "318 HLZ 1969"	655.222

NGVD 29
Elevations

LINE 9 (Cont'd.)Feet

7	52	3.99	Houston, 4.0 mi S. of junction of State Highway 75 and County Road 1007, along Road 1007; 0.2 mi E. of Parkwood High School; 53 ft W. of, and about level with junction of State Highway 200 and County Road 1007; 0.3 ft S. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "319 HLZ 1969"	697.906
7	55	5.33	Roughedge, 1.3 mi S. of junction of State Highways 522 and 200, along Highway 522; 30 ft NW. of, and about level with junction of Highway 522 and County Road 1134; in center of 4-ft concrete culvert; standard tablet stamped "320 HLZ 1969"	692.397
7	58	6.80	Roughedge, 2.8 mi S. of junction of State Highways 522 and 200, along Highway 522; 53 ft SSE. of, and about level with junction of Highway 522 and County Road 2171; in N. end of 10-ft concrete culvert; standard tablet stamped "321 HLZ 1969"	664.518
7	59	7.13	U.E., at Starnes' Grocery; on N. end of concrete base for Shell gas pumps; chiseled square	705.34
7	61	8.03	Roughedge, 4.1 mi S. of junction of State Highways 522 and 200, along Highway 522; 43 ft NE. of, and about 1.0 ft higher than junction of Highway 522 and County Road 2166; 0.3 ft SW. of witness sign; in concrete post; standard tablet stamped "322 HLZ 1969"	677.013
7	64	9.61	Roughedge, 5.6 mi S. of junction of State Highways 522 and 200, along Highway 522; 115 ft E. of centerline of Highway 522 opposite; about 50 ft N. of N.C.-S.C. State line; 0.5 ft W. of witness sign; in concrete post projecting 0.3 ft; NGS standard reference mark disk stamped "TT 1 B NO 2 1934"	668.604
7	65	9.69	Roughedge, 5.6 mi S. of junction of State Highways 522 and 200, along Highway 522; about 200 ft S. of N.C.-S.C. State line; 126 ft E. of centerline of Highway 522; 2.0 ft E. of witness sign; in concrete post projecting 0.3 ft; NGS standard reference mark disk stamped "TT 1 B NO 1 1934"	660.986
7	66	10.32	U.E., 28 ft E. of junction of State Highway 522 and County Road S-28; on E. end of traffic island; chiseled square	665.80

NGVD 29
Elevations

LINE 9 (Cont'd.)Feet

7	67	10.99	Roughedge, 7.0 mi S. of junction of State Highways 522 and 200, along Highway 522; at Flynn's Grocery; in NW. end of concrete base for Shell gas pumps; standard tablet stamped "323 HLZ 1969"	654.744
7	69	12.74	Roughedge, 8.8 mi S. of junction of State Highways 522 and 200, along Highway 522; 64 ft E. of J. Ghent's brick house; 2 ft W. of wire fence; in concrete post projecting 0.2 ft; NGS standard reference mark disk stamped "PARKER NO 2 1935"	711.665
7	71	13.83	"TT 41 B 1933 698" (Described in line 1) (Also in lines 2 and 3)	697.602

LINE 10.

By H. L. Zohn, Jr., 1969; Book AV 1558

8	3	0.00	U.E., chiseled square (Described in line 9)	665.80
8	4	1.32	Tradesville, 4.2 mi NW. of junction of County Roads S-28 and S-29-39, along Road S-28; 41 ft N. of, and about 1.0 ft higher than junction of Road S-28 and drive NNE.; 0.5 ft SW. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "324 HLZ 1969"	605.108
8	7	2.44	Tradesville, 3.1 mi NW. of junction of County Roads S-28 and S-29-39, along Road S-28; at 42-ft concrete bridge over Otter Creek; in NW. end of NE. guardrail base; standard tablet stamped "325 HLZ 1969"	538.007
8	9	3.45	Tradesville, 2.0 mi NW. of junction of County Roads S-28 and S-29-39, along Road S-28; 52 ft SSE. of, and about 2.0 ft higher than junction of Road S-28 and dirt rd. N.; 0.3 ft N. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "326 HLZ 1969"	580.166
8	11	4.49	Tradesville, 1.0 mi NW. of junction of County Roads S-28 and S-29-39, along Road S-28; 45 ft W. of, and about 2.0 ft higher than junction of County Roads S-28 and S-29-286; 0.3 ft NE. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "327 HLZ 1969"	598.358

LINE 10 (Cont'd.)Feet

8	13	5.49	Tradesville, at McManus Grocery Store; in center of concrete base for Esso gas pumps; standard tablet stamped "328 HLZ 1969"	531.071
8	15	6.34	"TT 46 B 1933 548" (Described in line 2)	547.526
			<u>Jogs into Kershaw quadrangle</u>	
8	18	8.06	Tradesville, 2.0 mi SE. of junction of County Roads S-28 and S-29-39, along Road S-28, thence 0.6 mi E. along State Highway 9; at 300-ft concrete bridge over Lynches River; in W. end of N. guardrail; standard tablet stamped "329 HLZ 1969"	382.348

LINE 11.

By H. L. Zohn, Jr., 1969; Book AV 1558

8	33	1.64	Monroe, 1.9 mi SE. of Monroe Country Club, along U. S. Highway 601, thence 1.0 mi SW. along County Road 2106; 103 ft N. of, and about 0.5 ft lower than junction of Road 2106 and drive SE.; 3 ft SW. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "331 HLZ 1969" 99 GOOD	563.863
8	36	3.18	Monroe, 1.9 mi SE. of Monroe Country Club, along U. S. Highway 601, thence 2.6 mi SW. along County Road 2106; 49 ft WNW. of, and about level with junction of County Roads 2115 and 2106; 1.5 ft E. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "332 HLZ 1969" - 99 GOOD	594.933
8	39	4.67	Alton, 2.0 mi E. and NE. of junction of State Highway 207 and County Road 2133, along Road 2133; 58 ft NE. of, and about 1.5 ft lower than junction of County Roads 2133 and 2132; 7 ft E. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "333 HLZ 1969" 99-NOT FOUND	611.913
8	41	6.15	Alton, 0.6 mi E. of junction of State Highway 207 and County Road 2133, along Road 2133; in large cleared field; 235 ft S. of, and about 9.0 ft higher than centerline of rd. opposite; in concrete post projecting 0.2 ft; NGS standard triangulation station disk stamped "ALTAN 1935"	741.169

LINE 11 (Cont'd.)Feet

8	42	6.81	Altan, 0.1 mi S. of junction of State Highway 207 and County Road 2133, along Highway 207; 77 ft SSW. of, and about 0.5 ft higher than junction of Highway 207 and drive W.; 1.0 ft E. of wooden fence; in concrete post projecting 0.4 ft; NGS standard azimuth mark disk stamped "ALTAN 1935"	723.107
8	46	8.43	Altan, 1.6 mi W. of Altan Presbyterian Church, along County Road 2152; at main entrance to Sandy Ridge Baptist Church; in NE. corner of walk; standard tablet stamped "334 HLZ 1969" <u>(Reported destroyed, 1975)</u>	690.341
8	49	9.64	Prospect, 2.0 mi NE. of Prospect School, along County Road 2171; 78 ft SSW. of, and about 1.5 ft lower than junction of County Roads 2171 and 2146; 4 ft W. of power pole; in concrete post flush with ground; standard tablet stamped "335 HLZ 1969"	702.516
8	51	10.87	Prospect, 0.8 mi NE. of Prospect School, along County Baptist Church; 29 ft NW. of, and about 1.0 ft higher than centerline of rd. opposite; 0.2 ft SE. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "336 HLZ 1969"	717.112
8	53	11.94	"321 HLZ 1969" (Described in line 9)	664.518

LINE 12.

By H. L. Zohn, Jr., 1970; Book AV 1558

8	60	0.00	"ALTAN 1935" (Az. Mk.) (Described in line 11)	723.107
8	60	0.63	Altan, 0.7 mi S. of Presbyterian Church, along State Highway 207; 200 ft N. of junction of County Road 2129 and Highway 207; 36 ft W. of, and about 1.5 ft lower than centerline of rd. opposite; 3 ft W. of fence; 0.3 ft E. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "337 HLZ 1969"	656.187
8	63	1.95	Altan, 2.0 mi S. of Presbyterian Church, along State Highway 207; at 31-ft wooden bridge over small stream; in W. end of N. backwall; standard tablet stamped "338 HLZ 1969" <u>(Not found, 1970)</u>	574.809

LINE 12 (Cont'd.)Feet

8	65	2.94	Altan, 3.0 mi S. of Presbyterian Church, along State Highway 207; 14 ft E. of, and about level with centerline of hwy. opposite; in N. end of 8-ft concrete culvert; standard tablet stamped "339 HLZ 1969" (Not found, 1970)	561.645
8	67	4.45	Altan, 4.5 mi S. of Presbyterian Church, along State Highway 207; at Wolf Pond Baptist Church; in N. end of bottom step at main entrance; standard tablet stamped "340 HLZ 1969"	610.220
8	70	5.76	Tradesville, 2.0 mi NE. of Fire Station, along County Roads 39 and 35; 60 ft ENE. of, and about 2.0 ft higher than junction of County Roads 35 and 102; 0.3 ft W. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "341 HLZ 1969"	485.534
8	73	6.72	Tradesville, 1.0 mi N. of Fire Station, along County Road 39; 72 ft W. of, and about 1.5 ft higher than junction of County Roads 39 and 286; 1.0 ft E. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "342 HLZ 1969"	477.053
8	76	7.99	"328 HLZ 1969" (Described in line 10)	531.071

LINE 13.

By H. L. Zohn, Jr., 1970; Book AV 1558

9	16	6.56	"340 HLZ 1969" (Described in line 12)	610.220
---	----	------	---------------------------------------	---------

LINE 14.

By H. L. Zohn, Jr., 1970; Book AV 1558

9	26	0.00	U.E., chiseled square (Described in line 9)	705.34
9	27	1.30	Prospect, 1.3 mi W. of Starnes Grocery, along County Roads 1129 and 1128; 37 ft WSW. of, and about 0.5 ft lower than junction of County Roads 1128 and 1131; 0.5 ft E. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "347 HLZ 1969"	667.459
9	30	2.71	Prospect, 2.8 mi W. of Starnes Grocery, along County Roads 1129 and 1128; 87 ft N. of, and about 1.0 ft higher than junction of County Roads 1128 and 1136; 1.0 ft S. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "348 HLZ 1969"	655.331

LINE 14 (Cont'd.)Feet

9	32	4.18	Jackson, 0.7 mi NE. of abandoned Elementary School, along State Highway 200; 75 ft WSW. of, and about 3.0 ft lower than junction of Highway 200 and County Road 1137; in center of 5-ft concrete culvert; standard tablet stamped "349 HLZ 1969"	640.038
9	34	5.39	Jackson, 0.6 mi SW. of abandoned Elementary School, along State Highway 200; at McCain Grocery; in concrete base for Gulf sign; standard tablet stamped "350 HLZ 1969"	636.045
9	36	6.95	Jackson, 2.2 mi SW. of abandoned Elementary School, along State Highway 200; at Hermon Baptist Church; in ENE. end of walk in front of church; standard tablet stamped " <u>351 HLZ 1969</u> "	<u>693.913</u>
9	39	8.30	Jackson, 2.7 mi SW. of abandoned Elementary School, along State Highway 200, thence 0.9 mi W. along County Road 1100; at Tirzah Church; in W. end of walk at main entrance; standard tablet stamped "352 HLZ 1969"	634.207

LINE 15.

By L. Zohn, Jr., 1970; Book AV 1558

9	51	0.00	"Z 51 1933" (NGS)	664.375
9	52	2.06	Monroe, 10.1 mi SW. of; 1.8 mi NE. of State Highways 16 and 75 in Waxhaw, along Highway 75; 0.2 mi SW. of junction of Highway 75 and County Road 1326; 38 ft N. of 8-in. oak tree; on S. side of hwy.; in concrete post flush with ground; North Carolina Geodetic Survey standard traverse disk stamped "WHITE 1965"	648.072
9	54	3.31	Monroe, 8.9 mi SW. of; 3.2 mi E. of Waxhaw; 1.4 mi SW. of Mineral Springs; 0.5 mi NE. of junction of State Highway 75 and County Road 1143; about 50 ft SW. of junction of Highway 75 and County Road 1325; 26 ft S. of centerline of Highway 75; at N. edge of cultivated field; in concrete post; NGS standard reference mark disk stamped "MINERAL NO 2 1934"	683.866

LINE 15 (Cont'd.)Feet

9	55	3.33	Monroe, 8.9 mi SW. of; 3.2 mi E. of Waxhaw; 1.4 mi SW. of Mineral Springs; 0.5 mi NE. of junction of State Highway 75 and County Road 1143; near junction of Highway 75 and County Road 1325; 29 ft S. of centerline of Highway 75; in concrete post projecting 0.8 ft; NGS standard reference mark disk stamped "MINERAL NO 1 1934"	679.582
9	57	4.58	Monroe, 7.4 mi SW. of; 2.8 mi SW. of Houston; at Mineral Springs; about 150 ft NE. of junction of State Highway 75 and County Road 1327; about 50 ft SE. of SE. corner of Todd's store; in concrete post flush with ground; North Carolina Geodetic Survey standard traverse disk stamped "TODD 1965"	630.976
9	61	6.95	"U 51 1933" (NGS) (Also in line 7 and 9)	665.691

NGVD 29
Elevations