

REELSBORO QUADRANGLE WITH OVEREDGE

N3500-W7645/15 NORTH CAROLINA

REELSBORO QUADRANGLE WITH OVEREDGE

N3500-W7645/15 NORTH CAROLINA

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY


THIRD-ORDER LEVELING

UNADJUSTED FIELD ELEVATIONS

SEA LEVEL DATUM OF 1929

Edition of 6/19/64

Counties: Beaufort, Craven, Pamlico



PRELIMINARY

INDEX OF PERMANENT MARKS

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
1 CMP 1964 15	3	36 CMP 1964 36	13
2 CMP 1964 17	4	37 CMP 1964 38	13
3 CMP 1964 34 ET	4	38 CMP 1964 39	14
4 CMP 1964 32 ET	4, 32	40 CMP 1964 42	14
5 CMP 1964 26	4	41 CMP 1964 38	14
6 CMP 1964 33 ET	5	42 CMP 1964 31	14
7 CMP 1964 33 ET	5	43 CMP 1964 31	15
8 CMP 1964 38	5	44 CMP 1964 32	15
9 CMP 1964 40	6	45 CMP 1964 42	16
10 CMP 1964 39	6	46 CMP 1964 45	16
11 CMP 1964 27 ET	6	47 CMP 1964 47	16
12 CMP 1964 32 ET	6, 14	48 CMP 1964 43	16
13 CMP 1964 30 ET	7	49 CMP 1964 37	17
14 CMP 1964 56 ET	7, 17	50 CMP 1964 43	17
15 CMP 1964 17	7	51 CMP 1964 53	17
16 CMP 1964 15 ET	8	52 CMP 1964 16	18
17 CMP 1964 13	8		
18 CMP 1964 8 ET	8		
19 CMP 1964 13 ET	8		
20 CMP 1964 15	9		
21 CMP 1964 16 ET	9		
22 CMP 1964 16 ET	9		
23 CMP 1964 17 ET	9		
24 CMP 1964 11	10		
25 CMP 1964 12	10		
26 CMP 1964 9	10		
27 CMP 1964 17 ET	11		
28 CMP 1964 15	11		
29 CMP 1964 27 ET	11, 18		
30 CMP 1964 24	11		
31 CMP 1964 30	12		
32 CMP 1964 27	12		
33 CMP 1964 30	12, 14		
34 CMP 1964 28	12		
35 CMP 1964 28	12		

USC&GS

ELEV 24,900 FEET ASKIN 1931	3
TURNSTALL NO 3 1931	5
Q 239 1947	10
A 240 1947	15
F 240 1947	10
T 110 1963	3
U 110 1963	3

NGVD 29 Elevations

REELSBORO NORTH CAROLINA C. M. Peel Book AV 1345 a 6/17/64 not 1964

LINE 1.

FROM ASKINS ALONG ROADS EAST AND SOUTH TO STONEWALL (By C. M. Peel, 1964; Book AV 1345 a)

1	4	0.00	Bridgeton, about 5.0 mi N. of, along Norfolk Southern Railroad; about 1.6 mi S. of station at Askin; about 60 ft E. of centerline of rd. at intersection of brick rd. and U.S. Highway 17; 56 ft W. of W. rail; 41 ft NE. of centerline of rd.; in top of concrete post projecting about 6-in. above ground; USC&GS standard triangulation station disk stamped "ELEV 24,900 FEET ASKIN 1931"	24.927
			This Elev. 24.927 Prev. Elev. 24.928 Closure -.001	
1	4	0.83	"T 110 1963" (USC&GS)	19.875
			This Elev. 19.875 USC&GS Elev. 19.943 Closure -.068	
1	5	0.99	"U 110 1963" (USC&GS)	14.112
1	6	1.85	Askins, 0.9 mi E. of, along paved rd.; 47 ft W., 55 ft W. of, and 0.4 ft higher centerline of rd. at T-rd. N.; in concrete post; standard tablet stamped "1 CMP 1964 15", painted "BM 14.7"	14.745

11/87 DEST

BROKEN OFF - BASE PART OF STEM ONLY

REELSBORO NORTH CAROLINA C. M. Peel Book AV 1345 a 6/18/64 not 1964

LINE 1 (Cont'd.)

1	7	2.82	Askin, 1.8 mi E. of, along paved rd.; 13 ft S. and 60 ft higher than centerline of rd. at E. end of bridge; in E. end of S. wheelguard; standard tablet stamped "2 CMP 1964 17", painted "BM 17.2"	17.238
			11/87 GOOD	
1	8	4.03	Askin, 3.0 mi E. of, along paved rd.; 3 ft W. of power pole; 44 ft S., 64 ft W. of, and 1.8 ft higher than centerline of private drive S.; in concrete post; standard tablet stamped "3 CMP 1964 34 ET", painted "BM 33.5"	33.516
			11/87 GOOD LEANING SLIGHTLY WEST	
1	9	5.15	Askin, 4.1 mi E. of, along paved rd.; 3 ft W. of state right-of-way post; 29 ft S.; 124 ft W. of, and 0.3 ft lower than centerline of rd. at T-rd. S.; in concrete post; standard tablet stamped "4 CMP 1964 32 ET" painted "BM 31.6"	31.572
			11/87 GOOD	
1	10	6.00	Askin, 5.0 mi E. of, along paved rd. to Wetherington's Store; 65 ft S., 49 ft E. of, and 1.5 ft lower than centerline of W. end of circular drive; in center of concrete base of gas pump; standard tablet stamped "5 CMP 1964 26", painted "BM 25.9"	25.908
			11/87 DEST	

NOW IN NEW BLD ACROSS R

NGVD-29
Elevations

5 REELSBO RO NORTH CAROLINA C. M. Peel
Book AV 1345 a 6/18/64 not 1964
LINE 1 (Cont'd.)

1 1 29 Askin, 6.3 mi E. of, along paved rd.; 3 ft W. of fence corner; 32 ft N., 6 ft W. of, and 0.2 ft higher than centerline of rd. at field rd. N.; in concrete post; standard tablet stamped "6 CMP 1964 33 ET", painted "EM 32.5" 32.541

1 12 8.75 Askin, 7.8 mi E. of, along paved rd.; 4 ft W. of state right-of-way marker; 43 ft N., 147 ft W. of, and level with centerline of rd. at T-rd. N.; in concrete post; standard tablet stamped "7 CMP 1964 33 ET", painted "EM 33.4" 33.444

1 13 9.77 Newbern, 13.0 mi NE. of; 8.0 mi NE. of Askin; 5.0 mi SW. of Edwards; 51 ft. SE. of centerline of rd. at Turnstall Road, opposite/lane leading N.; 11 ft NE. of first transmission line pole NE. of curve NE.; in concrete; USCGS standard reference mark disk stamped "TURNSTALL NO 3 1931", painted "EM 36.8" 36.789

1 14 10.68 Askin, 9.7 mi E. of, along paved rd.; in SE. corner of large field; 39 ft N. of, and level with centerline of rd. at drain crossing and woods line N.; in concrete post; standard tablet stamped "8 CMP 1964 38" 37.716

GOOD 11/87
DEST 11/87
F6P KNOCKED OFF
REPORTED DEST

7 REELSBO RO NORTH CAROLINA C. M. Peel
Book AV 1345 a 6/18/64 not 1964
LINE 1 (Cont'd.)

1 19 16.27 Askin, 12.6 mi E. of, along paved rd., thence 2.2 mi S. along dirt and paved rd., thence 0.6 mi S. along dirt rd.; 2 ft W. of power pole; 61 ft N., 22 ft E. of, and 1.5 ft higher than private drive E.; 0.9 mi W. of intersection of State Highway 306 and County Road 1927; in concrete post; standard tablet stamped "13 CMP 1964 30 ET", painted "EM 29.5" 29.505

1 20 17.14 Askin; at intersection of State Highway 306 and County Road 1927 N. of Grantsboro; 10 ft S. of fence corner; 33 ft S., 30 ft W. of, and 0.6 ft higher than centerline of crossroads; in concrete post; standard tablet stamped "14 CMP 1964 56 ET", painted "EM 56.0" 56.013

1 21 18.28 Grantsboro, 1.1 mi E. of intersection of State Highway 306 and County Road 1927 N., along Road 1927; at SW. corner of farm shed; 30 ft N., 15 ft W. of, and 0.4 ft lower than centerline of rd. opposite shed; in concrete post; standard tablet stamped "15 CMP 1964 17" 17.352

6 REELSBO RO NORTH CAROLINA C. M. Peel
Book AV 1345 a 6/18/64 not 1964
LINE 1 (Cont'd.)

1 15 11.84 Askin, 10.8 mi E. of, along paved rd.; 32 ft, 18 ft W. of, and 0.4 ft higher than centerline of woods rd. N.; in concrete post; standard tablet stamped "9 CMP 1964 40", painted "EM 39.9" 39.861

1 16 12.95 Askin, 12.0 mi E. of, along paved rd.; 4 ft W. of 10-in. pine tree; 26 ft N., 37 ft W. of, and level with centerline of private drive N.; in concrete post; standard tablet stamped "10 CMP 1964 39", painted "EM 38.6" 38.589

1 17 13.78 Askin, 12.6 mi E. of, along paved rd., thence 0.2 mi S. along dirt rd.; 21 ft E. of, and 0.6 ft higher than centerline of rd. at T-rd. W. opposite; in concrete post; standard tablet stamped "11 CMP 1964 27 ET", painted "EM 26.6" 26.577

1 18 15.33 Askin, 12.6 mi E. of, along paved rd., thence 1.8 mi S. along dirt rd. to Marys Chapel; 233 ft N., 59 ft W. of, and 6.2 ft higher than centerline of rd. at T-rd. W.; in NE. corner of second step to church; standard tablet stamped "12 CMP 1964 32 ET" 32.469

GOOD 11/87
NF 11/87
INT. APPARENTLY HAS BEEN WIDENED TO THE E. AND GRADED DOWN
CHRISTIAN CH
9.3' NE OF CEN. OF ENTR. DOORS

8 REELSBO RO NORTH CAROLINA C. M. Peel
Book AV 1345 a 6/19/64 not 1964
LINE 1 (Cont'd.)

1 22 19.25 Grantsboro, 2.1 mi E. of intersection of State Highway 306 and County Road 1927 N., along Road 1927; 37 ft N., 29 ft E. of, and level with centerline of rd. at T-rd. N.; in concrete post; standard tablet stamped "16 CMP 1964 15 ET" 15.051

1 23 20.37 Grantsboro, 3.2 mi E. of intersection of State Highway 306 and County Road 1927 N., along County Road 1927; 10.0 mi NW. of Bayboro; at Cedar Grove Church; 207 ft S., 50 ft E. of, and 1.5 ft lower than centerline of private drive S.; in second-step concrete to house behind church; standard tablet stamped "17 CMP 1964 13", painted "EM 13.1" 13.125

1 24 21.95 Bayboro, 8.4 mi N. of, along County Road 1002; 1 ft S. of stop sign; 20 ft S., 63 ft W. of, and 0.4 ft lower than centerline of rd. at T-rd. W.; in concrete post; standard tablet stamped "18 CMP 1964 8 ET", painted "EM 8.1" 8.070

1 25 23.09 Bayboro, 7.3 mi N. of, along County Road 1002; 38 ft S., 26 ft E. of, and 0.3 ft higher than centerline of drain crossing; in concrete post; standard tablet stamped "19 CMP 1964 13 ET" 12.840

NGVD 29
Elevations 10

9 REELSBOBO NORTH CAROLINA C.M. Peel 1964	
Book AV 1345 a 6/19/64 nct	
LINE 1 (Cont'd.)	
1 26 23.97	Bayboro, 6.4 mi N. of, along County Road 1002; E. of, and 0.4 ft lower than centerline of rd. opposite irrigation ditch W.; in concrete post; standard tablet stamped "20 CMP 1964 15" 15.303
1 27 24.94	Bayboro, 5.5 mi N. of, along County Road 1002; 17 ft S., 24 ft E. of, and 0.1 ft lower than centerline of rd. at woods rd. W.; in concrete post; standard tablet stamped "21 CMP 1964 16 ET" 15.759
1 28 26.12	Bayboro, 4.3 mi N. of, along County Road 1002; 26 ft E. of, and level with centerline of rd. opposite; in concrete post; standard tablet stamped "22 CMP 1964 16 ET" 16.440
1 29 27.37	Bayboro, 3.0 mi N. of, along County Road 1002; 23 ft E. of, and 50 ft lower than centerline of rd. opposite fence line E.; in concrete post; standard tablet stamped "23 CMP 1964 17 ET" 15.947
1 30 28.34	Bayboro, 2.0 mi N. of, along County Road 1002; 25 ft E. of, and 1.7 ft lower than centerline of rd. opposite canal NW.; in concrete post; standard tablet stamped "24 CMP 1964 15" 14.763

12/83 DISK GONE STEM IN

12/83 DISK GONE STEM IN

12/83 DISK GONE PART OF STEM REMAINS

12/83 DISK GONE PART OF STEM STILL INTACT

11 REELSBOBO NORTH CAROLINA C.M. Peel 1964	
Book AV 1345 a 6/19/64 nct	
LINE 2 (Cont'd.)	
1 39 2.18	Bridgeton, 2.2 mi E. of, along State Highway 55; 25 ft E. of fence corner; 46 ft S., 43 ft E. of, and 0.4 ft lower than centerline of crossroads; in concrete post; standard tablet stamped "28 CMP 1964 17 ET", painted "16.7" 16.728
1 40 2.93	Bridgeton, 2.9 mi E. of, along State Highway 55; 18 ft N. of, and 0.5 ft higher than center of E. end of bridge; in N. end of NE. abutment; standard tablet stamped "29 CMP 1964 15", painted "BM 14.6" 14.577
1 41 3.72	Bridgeton, 3.7 mi E. of, along State Highway 55; 3 ft S. of power pole; 394 ft N., 34 ft W. of, and 0.5 ft lower than centerline of rd. at T-rd. N.; in concrete post; standard tablet stamped "30 CMP 1964 27 ET", painted "BM 26.7" 26.748
1 42 4.92	Bridgeton, 3.7 mi N. of, along State Highway 55, thence 1.2 mi N. along dirt and paved rd.; 12 ft N., 24 ft E. of, and level with centerline of rd. at drain crossing; in N. end of E. headwall of culvert; standard tablet stamped "31 CMP 1964 24", painted "BM 24.1" 24.069

LEANING TO EAST 12/83 LWA 11/87

W. OF A WIT POST

OK 12/83 11/87

OK 12/83 11/87

12 REELSBOBO NORTH CAROLINA C.M. Peel 1964	
Book AV 1345 a 6/19/64 nct	
LINE 1 (Cont'd.)	
1 31 29.59	Bayboro, 0.8 mi N. of, along County Road 1002; 3 ft N. of power pole; 35 ft S., 64 ft E. of, and 2.5 ft lower than centerline of rd. at Y-rd.; in concrete post; standard tablet stamped "25 CMP 1964 11", painted "BM 11.4" 11.424
1 32 30.39	Bayboro, 138 ft N., 68 ft E. of, and 1.3 ft higher than centerline of front walk to Pamlico County Court House; in bottom step of E. entrance; standard tablet stamped "26 CMP 1964 12" 11.823
1 33 31.79	"P 240 1947" (USC&GS) 9.897 This Elev. 9.897 USC&GS Elev. 9.618 Closure +.279
LINE 2.	
FROM BRIDGETON GENERALLY ALONG ROADS NORTHEAST TO MARY'S CHAPEL (By C. M. Peel, 1964; Book AV 1345 a)	
1 38 0.00	"Q 239 1947" (USC&GS) 10.371
1 38 1.05	Bridgeton, 1.0 mi E. of, along State Highway 55; 28 ft N. of, and 0.6 ft lower than centerline of rd. at drain crossing; in W. end of N. headwall of culvert; standard tablet stamped "27 CMP 1964 9", painted "BM 9.3" 9.288

NE 12/83 PROB DEST WATER LINE & TELE LINE CONSTR.

OK 12/83

12 REELSBOBO NORTH CAROLINA C.M. Peel 1964	
Book AV 1345 a 6/19/64 nct	
LINE 2 (Cont'd.)	
1 43 6.06	Bridgeton, 3.7 mi N. of, along State Highway 55, thence 2.3 mi N. along dirt and paved rd.; 3 ft N. of power pole; 74 ft N., 42 ft W. of, and 0.2 ft lower than centerline of private drive W.; in concrete post; standard tablet stamped "32 CMP 1964 30", painted "BM 30.0" 29.988
1 44 7.35	Bridgeton, 3.7 mi E. of, along State Highway 55, thence 3.6 mi N. along dirt and paved rd.; 0.9 mi S. of Spring Hope; 14 ft N., 23 ft W. of, and 0.3 ft lower than centerline of private drive W.; in concrete post; standard tablet stamped "33 CMP 1964 27", painted "BM 26.6" 26.646
1 45 8.21	Spring Hope; 54 ft N. of, and 0.4 ft lower than centerline of intersection of County Road 1610 E.; in concrete post; standard tablet stamped "34 CMP 1964 30", painted "BM 30.0" 30.027
1 46 9.14	Spring Hope, 0.9 mi E. of, along County Road 1610; 3 ft N. of power pole; 24 ft S., 25 ft E. of, and 1.2 ft lower than centerline of woods line SW.; in concrete post; standard tablet stamped "35 CMP 1964 28", painted "BM 28.4" 28.404

DISK GONE 12/83 IMPRINT OF DISK VISIBLE 11/87

NE PROB DEST 12/83

GOOD 11/87

GOOD 11/87

Line # 1

- 3 CMP 1964 34 ET Askin, 2.8 miles ENE of: Along SR 1003 (Aurora Road) for 3.05 miles E. from US 17 in Askin; or 1.1. miles W. from SR 1611 (Purifoy Road), in the NW corner of an old yard (now occupied by an abandoned house trailer).
43.0 ft. SSE of the C/L of Road
120.2 ft. SW of a Tele. Ped.
35.5 ft. W of a 30" Oak W/Tag
5.0 ft. SW of a service pole W/Tag
Mark projects 18" and is about level with Road.
- 4 CMP 1964 32 ET Askin, 3.9 miles ENE of: Along SR 1003 (Aurora Road) for 4.2 miles E. from US 17 in Askin, to SR 1611 (Purifoy Rd.), in the S-most quadrant of the T-intersection.
29.5 ft. SE of the C/L of Road
126.0 ft. SW of the C/L of the T-int.
21.5 ft. WNW of a 28" Pine W/Tag
33.5 ft. NNE of a 16" Pine W/Tag
1.0 ft. SE of a witness post W/sign
Mark is flush with ground and about level with Road.
- 6 CMP 1964 33 ET Askin, 5.8 miles ENE of: Along SR 1003 (Aurora Road) for 6.35 miles E. from US 17 in Askin; or 0.75 mile E. from the New Haven Church, at the SE fence corner of a orchard and vineyard.
31.5 ft. NNW of the C/L of Road
12.0 ft. WSW of the C/L of a field road
232.5 ft. ENE of a tele. ped. (largest of 2) on E. side of G. Jerome Norman's driveway
4.5 ft. SW of the corner fence post W/ witness sign
Mark projects 4 " and is about level with Road.
- 8 CMP 1964 38 Aurora, 8.0 miles W. of: Along SR 1003 (Aurora Road) for 4.35 miles W. from NC 306; or 0.45 mile E. of the Beaufort-Graven county line, at the SE corner of a cultivated field (SW corner of woods).
38.5 ft. NNW of the C/L of Road
18.3 ft. NW of the N. end of Road culvert
5.5 ft. W of a 12" Maple W/Tag
3.3 ft. NNE of a witness post W/sign
Mark projects 4 " and is about level with Road.
- 10 CMP 1964 39 Aurora, 5.9 miles W. of: Along SR 1003 (Aurora Road) for 2.15 miles W. from NC 306; or 0.65 mile W. from SR 1932 (Mary's Chapel Road) crossroads, directly across road from Gartha Jones' gray concrete block residence.
26.5 ft. N of the C/L of Road
69.0 ft. NE of the W. end of Jones' driveway culvert
36.6 ft. WSW of a tele. ped. beside a service pole W/Tag
6.5 ft. W of a 21" Pine W/Tag
2.0 ft. NNE of a witness post W/sign
Mark projects 2" and is about level with Road.

NGVD 29
Elevations

Line # 2

34 CMP 1964 30 In Spring Hope Community: At the intersection of SR 1611 (Purifoy Road) with SR 1610 (Walker Road), in the N-most quadrant of the T-intersection.

- 69.0 ft. ENE of the C/L of Road
- 43.0 ft. NW of the C/L of the unpaved road
- 109.0 ft. SE of a tele. ped.
- 32.5 ft. WSW of a 24" Pine W/Tag
- 1.8 ft. NE of a witness post W/sign

**NGVD 29
Elevations**

Mark is recessed 1 " and is about level with Road.

35 CMP 1964 28 In Spring Hope Community: Along SR 1610 (Walker Road) for 0.95 mile NE from SR 1611 (Purifoy Road), approximately 360 ft. SW of a small drain crossing, beside a PP.

- 23.0 ft. SE of the C/L of the Road (unpaved)
- 2.8 ft. NNE of a PP W/Tag
- 29.0 ft. NNW of a 14" twin trunk Gum W/Tag
- 45.0 ft. W of a 16 " Pine W/Tag

Mark is recessed 1 inch and is about level with Road.

41 CMP 1964 38 Aurora, 6.6. miles WSW of: Along SR 1932 (Mary's Chapel Rd. for miles from NC 306, to SR 1933

- 56.0 ft. ESE of the C/L of SR 1934
- 31.0 ft. N of the C/L of SR 1933
- 90.3 ft. E of a tele. ped. on W. side of T-int.
- 3.4 ft. WNW of a PP w/Transformer and Tag
- 1.0 ft. E of a witness post W/sign

Mark projects 4 inches and is about 2 ft. above level of road.

Line # 3

42 cmp 1964 31 Spring Hope, 1.0 mile NW of: Along SR 1611 (Purifoy Rd.) for 0.45 mile N from SR 1620 (Morgan Swamp Rd.), or 0.4 mile S. from SR 1615 (St. Delight's Church Rd.), in NE corner of yard of a Mobile Home.

- 32.0 ft. W of the C/L of the Road
- 113.6 ft. N of the N. end of a drive culvert
- 59.4 ft. NE of the NE corner of the mobile home
- 6.2 ft. SW of a telephone pedestal
- 7.5 ft. SE of a 12-inch Pine with reference tag

Mark is recessed 1 inch and is about level with Road.

44 CMP 1964 32 Askin, 4.0 miles E. of and 3.3 miles NNW of Spring Hope; Along SR 1003 (Aurora Rd.) for 4.2 miles E. from US 17 (in Askithence 0.5 mile SE along SR 1611 (purifoy RD.), in the SW quadrant of the T-intersection with a gravel drive.

- 43.0 ft. WSW of the C/L of the Road
- 17.0 ft. SSE of the C/L of the drive
- 37.0 ft. S of the N. end of drive culvert
- 16.5 ft. ENE of a Power Pole W/Tag
- 1.5 ft. WSW of a witness post W/sign

Mark projects 2 inches and is about level with the Road.