

THIRD-ORDER LEVELING  
SEALLEVEL DATUM OF 1929

75  
35-079-32  
JACKSON SPRINGS QUADRANGLE  
NORTH CAROLINA  
N3500-W7930/15  
DIAGRAM NI 17-3  
RALEIGH

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY


Montgomery, Moore and Richmond Counties

Final adjustment of 1974

Edition of 1/23/74

PR: DSW/ale

NGVD 29  
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 350793

JACKSON QUADRANGLE  
75 NORTH CAROLINA

35-079-32  
N3500-W7930/15

INDEX OF PERMANENT MARKS

35-5  
77-20

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
TT 30 FLS 1946 447	3	<del>30 WSM 1949 632 (D) 8/15/77</del>	11,11
33 RLB 1946 380 <i>POOR CONDITION 89/01</i>	3	32 WSM 1949 637	11
TT 4 HF 1949 348	9	33 WSM 1949 513 <i>NOT FOUND 89/01</i>	11
TT 5 HF 1949 RESET 1968	9	34 WSM 1949 503 <i>NOT FOUND 89/01</i>	12,14
<del>TT 12 HF 1949 520 R/D 9/14/77, N/F 89/01</del>	10	35 WSM 1949 402	12
<del>TT 13 HF 1949 552 R/D 9/17/77, N/F 89/01</del>	13	36 WSM 1949 436	12
TT 14 HF 1949 534 <i>DESTROYED 89/01</i>	13	37 WSM 1949 488 <i>DESTROYED 89/01</i>	13
TT 15 HF 1949 524 <i>NOT FOUND 89/01</i>	13	38 WSM 1949 401	13
1 WSM 1949 324 <i>NOT FOUND 89/01</i>	4	10 MLW 1973 591	14,15
2 WSM 1949 395	4,7		
3 WSM 1949 432	4	<u>USED</u>	
4 WSM 1949 495	5		
5 WSM 1949 535 <i>NOT FOUND 89/01</i>	5,8	D 30 AM 1 3 TT 1 D 2 EL	
6 WSM 1949 566	5	487.6 ft 1941 <i>NOT FOUND 89/01</i>	12
7 WSM 1949 576 <i>DESTROYED 89/01</i>	6		
8 WSM 1949 445	6,12	<u>NCGS</u>	
9 WSM 1949 403	6		
<del>10 WSM 1949 553 N/F 9/17 DESTROYED 89/01</del>	6	APPLE 1972	14
<del>11 WSM 1949 537 N/F 9/17 DESTROYED 89/01 1983</del>	7	HONEYCUTT 1972	15
<del>12 WSM 1949 501 N/F 9/17, 89/01</del>	7	SANDHILL 1972	15
<del>13 WSM 1949 461 N/F 9/17</del>	7		
<del>14 WSM 1949 519 (R) 9/17</del>	7,12	<u>NGS</u>	
15 WSM 1949 407 <i>NOT FOUND 89/01</i>	8		
17 WSM 1941 388 <i>NOT FOUND 89/01</i>	8	HOFFMAN 1918	3,3,8
18 WSM 1941 536 <i>NOT FOUND 89/01</i>	8	P 75 1935	5,5
<del>19 WSM 1949 460 N/F 9/17, 89/01</del>	9	Q 75 1935	15
23 WSM 1949 362	9		
24 WSM 1949 338 <i>N/F 89/01</i>	10		
25 WSM 1949 494 <i>N/F 89/01</i>	10		
<del>26 WSM 1949 585 (D) 8/25/77</del>	10,13		
<del>27 WSM 1949 607 (D) 8/25/77</del>	11,14		
<del>28 WSM 1949 635 (D) 8/25/77</del>	11		
<del>29 WSM 1949 655 (R) 8/25/77, 89/01, N/F</del>	11		

NGVD 29  
Elevations

JACKSON SPRINGS QUADRANGLE 75 NORTH CAROLINA R. L. Beitle 35-079-32  
Book V262 a 1946 3

LINE 1.

Feet

By R. L. Beitle, 1946; Book V 262 a

Taylorstown, 2.5 mi NW. of; 4.2 mi SW. of Eastwood; 0.9 mi N. of Beulah Hill Church; 25 ft S. and 39 ft E. of intersection of T-rd.; in concrete post; standard tablet stamped "TT 30 FLS 1946 447" 447.049

Reference mark; 14 ft NW. of tablet; 20 ft S. and 29 ft E. of junction of T-rd. E.; in root on SW. side of 8-in. oak tree; copper nail and washer 447.06

LINE 2.

By R. L. Beitle, 1946; Book V 262 a

Hoffman, 2.7 mi NE. of station, along Seaboard Air Line Railroad; 104 ft E. of milepost 237; 30 ft N. of rail; 19 ft SE. of telephone pole; 15 ft S. of field rd.; in concrete post projecting 6 in.; standard tablet stamped "33 RLB 1946 380" *MARK FOUND AS DESCRIBED, HOWEVER, IT WAS FOUND LEARNING. OK FOR STADIA. JWO* *DISTURBED BA/01* 380.451

Reference mark; 332 ft SE. of tablet; 141 ft S. of S. rail; 33 ft S. of center of E.-W. rd.; 63 ft SE. of telephone pole 1507; in root on NE. side of 20-in. lone red oak tree; copper nail and washer 380.99

Hoffman, 0.5 mi NE. of, along S. A. L. RR.; 840 ft NE. of milepost 239; 100 ft N. of rd. crossing; at first curve N. of station; at intersection of prolongation of tangents; 34 ft NW. of N. rail; 27 ft SE. of center of U. S. Highway 1; in concrete post 1 in. below surface of ground; NGS standard triangulation station disk stamped "HOFFMAN 1918" 421.193

LINE 3.

By W. S. Monk, 1949; Book AV 84

"HOFFMAN 1918" (NGS) (Described in line 2) 421.193

U.E., Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 1.2 mi N. along Hoffman-West End rd.; 5 ft S. and 85 ft E. of junction of rd. W.; 30 ft N. of NW. corner of abandoned residence; in root on W. side of 14-in. wild cherry tree; copper nail and washer 386.12

JACKSON SPRINGS QUADRANGLE 75 NORTH CAROLINA

35-079-32

4

LINE 3 (Cont'd.)

Feet

Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 2.8 mi N. along Hoffman-West End rd.; 20 ft S. and 170 ft W. of junction of rd. NE.; 10 ft S. of blazed 6-in. hickory tree; in concrete post projecting 4 in.; standard tablet stamped "1 WSM 1949 324" <i>USGS JWO</i>	NOT FOUND <i>B9/10</i>	324.115
Reference mark; 10 ft N. of tablet; in root on S. side of blazed 6-in. hickory tree; copper nail and washer		323.89
U.E., Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 3.4 mi N. along Hoffman-West End rd.; 25 ft S. and 20 ft W. of junction of rd. W. to farm residence; in root on E. side of 12-in. oak tree; copper nail and washer		367.85
Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 4.2 mi N. along Hoffman-West End rd.; 80 ft N. and 30 ft W. of cross-roads; 3 ft N. of 18-in. oak tree; 3 ft S. of 18-in. oak tree; in concrete post projecting 3 in.; standard tablet stamped "2 WSM 1949 395"		395.147
Reference mark; 3 ft S. of tablet; in root on SE. side of 18-in. oak tree; copper nail and washer		394.57
U.E., Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 4.8 mi N. along Hoffman-West End rd.; 95 ft N. and 20 ft E. of junction of field rd. E.; 2.5 ft higher than rd.; in root on N. side of 12-in. pine tree; copper nail and washer		432.96
Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 6.2 mi N. along Hoffman-West End rd.; 0.5 mi S. of Taylor Baptist Church; 10 ft N. and 55 ft W. of junction of rd. and driveway to residence on W. side of rd.; 15 ft E. of 16-in. sycamore tree; 15 ft W. of 18-in. sycamore tree; in concrete post projecting 4 in.; standard tablet stamped "3 WSM 1949 432"		431.700
Reference mark; 15 ft W. of tablet; in root on N. side of 15-in. sycamore tree; copper nail and washer		431.24
U.E., Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 7.5 mi N. along Hoffman-West End rd.; 180 ft NE. of NE. corner of community building; in line with field rd. W.; 50 ft E. of rd.; in root on S. side of 5-in. pine tree; copper nail and washer		423.84

LINE 3 (Cont'd.)Feet

Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 8.6 mi N. along Hoffman-West End rd.; 190 ft S. and 25 ft W. of junction of rd. E.; 2 ft S. of R.E.A. pole 13-E-11; in concrete post projecting 5 in.; standard tablet stamped "4 WSM 1949 495"	495.156
Reference mark; 110 ft NW. of tablet; in root on E. side of 8-in. oak tree; copper nail and washer	494.34
U.E., Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 9.6 mi N. along Hoffman-West End rd.; 30 ft E. of, and 2 ft higher than rd.; 160 ft SW. of SW. corner of residence; 7 ft E. of driveway to residence; in root on SE. side of 5-in. oak tree; copper nail and washer	516.20
* Hoffman, 0.4 mi E. of, along U. S. Highway 1, thence 11.1 mi N. along Hoffman-West End rd.; 0.9 mi SE. of West End, along State Highway 211, thence 3.4 mi S. along Hoffman-West End rd.; 65 ft S. and 35 ft E. of crossroads; in line with rd. NW. to Jackson Springs; in concrete post projecting 4 in.; standard tablet stamped "5 WSM 1949 535" <i>NF 89/01</i>	534.687
Reference mark; 7 ft W. of tablet; in root on NW. side of 6-in. pine tree; copper nail and washer	534.48
U.E., West End, 0.9 mi SE. of, along State Highway 211, thence 2.2 mi S. along Hoffman-West End rd.; 100 ft S. and 40 ft E. of crossroads; 1 ft higher than rd.; 400 ft S. of powerline; in root on N. side of 11-in. pine tree; copper nail and washer	527.59
West End, 0.9 mi SE. of, along State Highway 211, thence 1.1 mi S. along Hoffman-West End rd.; 60 ft W. of junction of rd. E.; in line with rd. E.; 2 ft N. of blazed 5-in. pine tree; in concrete post projecting 3 in.; standard tablet stamped "6 WSM 1949 566"	566.153
Reference mark; 2 ft S. of tablet; in root on E. side of blazed 5-in. pine tree; copper nail and washer	565.77
"P 75 1935" (NGS)	604.195

LINE 4.

By W. S. Monk, 1949; Book AV 84

"P 75 1935" (NGS) (Also in line 3)	604.195
------------------------------------	---------

JACKSON SPRINGS QUADRANGLE

75 NORTH CAROLINA

35-079-32

6

LINE 4 (Cont'd.)

Feet

- U.E., West End, 1.4 mi SW. of, along State Highway 73; 330 ft SW. of SW. corner of fruit packing house; 60 ft W. of junction of hwy. and rd. E. to packing house; in root on SW. side of 9-in. pine tree; copper nail and washer 613.80
- West End, 2.0 mi SW. of, along State Highway 73; 30 ft S. and 170 ft E. of crossing of N.-S. field rd.; 10 ft S. of powerline pole; in concrete post projecting 4 in.; standard tablet stamped "7 WSM 1949 576" DESTROYED 89/01 JWO USGS 576.402
- Reference mark; 35 ft SW. of tablet; in root on NE. side of 5-in. oak tree; copper nail and washer 575.54
- U.E., West End, 2.9 mi SW. of, along State Highway 73; 1.1 mi NE. of Jackson Springs; 25 ft S. and 50 ft E. of junction of field rd. S.; 1 ft lower than hwy.; in root on W. side of 18-in. pine tree; copper nail and washer 471.82
- Jackson Springs; 15 ft N. and 130 ft E. of crossroads; in center of concrete headwall of culvert; standard tablet stamped "8 WSM 1949 445" NOT FOUND 89/01 444.749  
THERE IS ABOUT 3" OF CONCRETE ON TOP OF HEADWALL WITH A BAG CONCRETE COVERING RESTING ON THE NEWLY POURED CONCRETE & BM MAY BE COVERED UP. JWO USGS
- Reference mark; 35 ft S. of tablet; on W. end of concrete head-wall of culvert; chiseled square GOOD 89/01 443.52
- U.E., Jackson Springs, 0.5 mi SW. of, along State Highway 73; 35 ft N. and 80 ft W. of crossroads; in root on S. side of 11-in. pine tree; copper nail and washer 533.45
- Jackson Springs, 2.1 mi SW. of, along State Highway 73; at concrete bridge over Drowning Creek; in NE. concrete abutment; standard tablet stamped "9 WSM 1949 403" 402.622
- Reference mark; on NE. corner of concrete guardrail; chiseled square 403.18
- U.E., Jackson Springs, 3.1 mi SW. of, along State Highway 73; 400 ft S. and 20 ft W. of junction of rd. SE.; 2 ft lower than hwy.; on N. end of concrete headwall of culvert; chiseled square 540.34
- Jackson Springs, 3.7 mi SW. of, along State Highway 73, thence 0.7 mi SE.; 160 ft N. and 40 ft E. of junction of rd. to Derby and rd. SE. to peach orchard; 5 ft W. of blazed 12-in. pine tree; in concrete post projecting 3 in.; standard tablet stamped "10 WSM 1949 553" 552.620

<u>LINE 4 (Cont'd.)</u>	<u>Feet</u>
Reference mark; 5 ft E. of tablet; in root on SW. side of 12-in. blazed pine tree; copper nail and washer	551.72
U.E., Jackson Springs, 3.7 mi SW. of, along State Highway 73, thence 1.6 mi SE.; 1.2 mi NW. of Derby; 90 ft N. and 35 ft W. of junction of Derby-Emery rd. and rd. SW.; in root on S. side of 30-in. chinaberry tree; copper nail and washer	549.06
Derby, 0.3 mi NW. of; 80 ft N. and 140 ft W. of junction of Derby-Emery rd. and Pinehurst rd.; 2 ft S. of powerline pole 217; in concrete post projecting 6 in.; standard tablet stamped "11 WSM 1949 537" <del>FOUND DESTROYED 1982</del> FOUND DESTROYED 1982	<del>536.655</del>
Reference mark; 210 ft SE. of tablet; 100 ft S. and 20 ft E. of rd. junction; in root on S. side of 12-in. maple tree; copper nail and washer	539.82
U.E., Derby; 725 ft S. and 15 ft W. of junction of Derby-Emery rd. and rd. SW. to Ellerbe; 80 ft N. and 15 ft W. of junction of rd. and driveway to barn; in root on SE. side of 25-in. sycamore tree; copper nail and washer	524.03
Derby, 1.0 mi SE. of, along Derby-Hoffman rd.; in line with rd. SW.; 30 ft E. of rd.; 5 ft SW. of blazed 14-in. pine tree; in concrete post; standard tablet stamped "12 WSM 1949 501"	501.363
Reference mark; 12 ft E. of tablet; in root on W. side of 12-in. pine tree; copper nail and washer	498.91
U.E., Derby, 1.8 mi SE. of, along Derby-Hoffman rd.; 25 ft E. of hwy.; 90 ft SW. of SW. corner of church on E. side of hwy.; in root on W. side of 6-in. oak tree; copper nail and washer	449.93
Derby, 3.1 mi SE. of, along Derby-Hoffman rd.; 100 ft S. and 95 ft E. of crossing of E.-W. field rd.; 3 ft higher than rd.; 1 ft S. of powerline pole; in concrete post projecting 2 in.; standard tablet stamped "13 WSM 1949 461"	460.741
U.E., Derby, 3.6 mi SE. of, along Derby-Hoffman rd.; 10 ft S. and 55 ft W. of crossing of E.-W. woods rd.; in root on E. side of 6-in. oak tree; copper nail and washer	439.99
Derby, 5.2 mi SE. of, along Derby-Hoffman rd.; 4.2 mi N. of Hoffman, along Hoffman-West End rd., thence 1.4 mi W.; at bridge over Naked Creek; in NE. concrete abutment; standard tablet stamped "14 WSM 1949 319"	319.188
"2 WSM 1949 395" (Described in line 3)	395.147

JACKSON SPRINGS QUADRANGLE

75 NORTH CAROLINA

NGVD 29  
Elevations

35-079-32  
8

LINE 4 (Cont'd.)

Feet

- U.E., Addor, 5.2 mi W. of; 30 ft N. and 15 ft W. of SW. corner of brick school on N. side of rd.; 5 ft higher than rd.; on SW. end of concrete foundation of pump; chiseled square 418.92
- Addor, 4.9 mi W. of; 0.3 mi E. of brick school on N. side of rd.; 20 ft S. and 150 ft W. of junction of rd. S.; 5 ft N. of blazed 14-in. pine tree; in concrete post projecting 3 in.; standard tablet stamped "15 WSM 1949 407" <sup>NOT FOUND</sup> ~~407.452~~ <sup>8/1/01</sup> <sub>USGS JWO</sub>
- Reference mark; 15 ft NW. of tablet; on SW. end of concrete headwall of culvert; chiseled square 408.11
- U.E., Addor, 3.5 mi W. of; at wooden bridge over creek; at SE. end of bridge; in wooden guardrail; copper nail and washer 299.56
- U.E., Addor, 3.2 mi W. of; 0.3 mi E. of creek; near crest of hill; 20 ft N. and 5 ft E. of junction of driveway SW. to gravel pit and Addor rd.; on bank 4 ft above rd.; in concrete post projecting 2 in.; iron pipe 381.30

LINE 5.

By W. S. Monk, 1949; Book AV 84

- "5 WSM 1949 535" (Described in line 3) 534.687
- Pinehurst, 4.8 mi W. of, along Jackson Springs-Pinehurst rd.; at McDonald Chapel; 38 ft N. and 20 ft W. of junction of driveway N. to chapel; 4.5 ft W. of 8-in. blazed pine tree; on bank 4 ft above rd.; in concrete post projecting 4 in.; standard tablet stamped "17 WSM 1949 388" 387.594
- Reference mark; 400 ft E. of tablet; at small bridge over creek; in center on S. concrete rail; chiseled square 375.33
- U.E., Pinehurst, 3.8 mi W. of, along Jackson Springs-Pinehurst rd.; at small concrete bridge over Sandy Run; in center on S. concrete rail; chiseled square 389.96
- Pinehurst, 2.3 mi SW. of, along rd. to Jackson Springs; 10 ft N. and 20 ft E. of rd. junction; 110 ft N. of powerline; in concrete post; standard tablet stamped "18 WSM 1949 536" <sup>N/P-10/19-04</sup> <sub>W/W</sub> 535.716

LINE 6.

By W. S. Monk, 1949; Book AV 84

- "HOFFMAN 1918" (Described in line 2) (Also in line 3) 421.193

LINE 6 (Cont'd.)Feet

Hoffman, 0.6 mi SW. of station, along U. S. Highway 1; 50 ft S. and 150 ft W. of crossroads; 290 ft NE. of milepost 240; in concrete post projecting 4 in.; standard tablet stamped "19 WSM 1949 430" 429.849

LINE 7.

By W. S. Monk, 1949; Book AV 84

Lincoln School, 1.4 mi SE. of, along dirt rd.; 25 ft NE. of center of rd.; 11 ft E. of telephone pole; 20 ft SE. of borrow pit on E. side of rd.; about one-third way between two abandoned houses on W. side of rd.; standard tablet stamped "TT 5 HF 1949 RESET 1968" 319.26

U.E., Lincoln School, 0.7 mi SE. of; 130 ft SW. of SW. corner of residence; 10 ft N. of rd.; in root on SE. side of 34-in. oak tree; copper nail and washer 314.13

U.E., Lincoln School; 15 ft N. and 20 ft W. of crossroads; in concrete post projecting 2 in.; iron pipe 352.70

Mt. Zion Baptist Church, 0.3 mi NE. of, along dirt rd.; 102 ft NE. of E. corner of residence of Jasper Love; 25 ft NW. of center of rd.; in concrete post; standard tablet stamped "TT 4 HF 1949 348" 348.183

Reference mark; 60 ft S. of tablet; in root on N. side of 18-in. pine tree; copper nail and washer 348.44

[Jogs into Hamlet quadrangle]

Ledbetter Methodist Church, 1.2 mi NW. of; 150 ft N. and 50 ft E. of junction of Ellerbe-Ledbetter rd. and field rd. E.; 85 ft N. of NW. corner of school; at sharp curve; in concrete post projecting 3 in.; standard tablet stamped "23 WSM 1949 362" 361.967

Reference mark; 120 ft S. of tablet; in root on W. side of 26-in. pine tree; copper nail and washer 361.01

U.E., Ledbetter Methodist Church, 2.2 mi NW. of; 150 ft NE. of NE. corner of Greenlake Methodist Church; 55 ft N. and 30 ft E. of crossroads; in root on E. side of 22-in. pine tree; copper nail and washer, identification tag stamped "381" 381.017

JACKSON SPRINGS QUADRANGLE

75 NORTH CAROLINA

35-079-32  
10

LINE 7 (Cont'd.)

Feet

- U.E., Ledbetter Methodist Church, 2.6 mi NW. of; 4.0 mi SE. of Ellerbe; 5 ft N. and 40 ft E. of junction of Ellerbe-Ledbetter rd. and driveway SE. to residence; at crest of hill; in root on W. side of 8-in. pine tree; copper nail and washer 422.23
- U.E., Ellerbe, 3.5 mi SE. of, along Ellerbe-Ledbetter rd.; 15 ft E. of rd.; on center of concrete headwall of culvert; chiseled square 346.11
- Ellerbe, 3.0 mi SE. of junction of Ellerbe rd. and U. S. Highway 220; 110 ft N. and 20 ft E. of junction of Ellerbe rd. and rd. N.; 21 ft S. of blazed 26-in. oak tree; in concrete post projecting 2 in.; standard tablet stamped "24 WSM 1949 338" *N/F 89/01 USGS JWO* 337.708
- Reference mark; 21 ft N. of tablet; in root on NE. side of 26-in. oak tree; copper nail and washer 339.20
- U.E., Ellerbe, 1.9 mi SE. of junction of Ellerbe rd. and U. S. Highway 220; 20 ft N. and 170 ft W. of junction of Ellerbe rd. and rd. E.; in root on SE. side of 24-in. pine tree; copper nail and washer 452.06
- Ellerbe, 1.1 mi SE. of junction of Ellerbe rd. and U. S. Highway 220; 1 ft lower than hwy.; at junction of Ellerbe rd. and rd. SW.; 20 ft E. of rd.; in line with rd. SW.; 30 ft W. of blazed 12-in. pine tree; in concrete post projecting 5 in.; standard tablet stamped "25 WSM 1949 494" *NOT FOUND 89/01 USGS JWO* 493.982

LINE 8.

By W. S. Monk, 1949; Book AV 84

- U.E., Ellerbe, 2.5 mi NE. of First Baptist Church, along U. S. Highway 220; at creek crossing; 15 ft E. of hwy.; on N. end of concrete headwall of culvert; chiseled square 406.24
- Ellerbe, 4.0 mi NE. of, along U. S. Highway 220; 33 ft SE. of center of hwy.; 24 ft N. of fence corner; 3 ft W. of fence; on 4-ft bank; in concrete post; standard tablet stamped "TT 12 HF 1949 520" *PD 9/14/77, NF 89/01 USGS JWO* 520.557
- Plain View; 20 ft S. and 50 ft W. of junction of U. S. Highway 220 and State Highway 73; in center of concrete headwall of culvert; standard tablet stamped "26 WSM 1949 585" 585.298
- Reference mark; 35 ft N. of tablet; on E. end of concrete headwall of culvert; chiseled square 585.94

LINE 8 (Cont'd.)Feet

- EZ 5722 - Norman Presbyterian Church, 0.1 mi N. of; 160 ft N. and 30 ft W. of junction of U. S. Highway 220 and rd. W.; 1 ft N. of telephone pole; in concrete post projecting 4 in.; standard tablet stamped "27 WSM 1949 614" Recovered 8/28/77 614.209
- Reference mark; 55 ft E. of tablet; in root on SE. side of 30-in. chinaberry tree; copper nail and washer 613.98
- Norman Presbyterian Church, 2.2 mi N. of, along U. S. Highway 220; 15 ft S. and 40 ft W. of junction of hwy. and driveway W. to residence; 25 ft S. of SE. corner of fruit packing house; in concrete post projecting 5 in.; standard tablet stamped "28 WSM 1949 635" Destroyed 8/25/77 634.968
- EZ 5723 Norman Presbyterian Church, 3.9 mi N. of, along U. S. Highway 220; 30 ft N. and 55 ft W. of crossroads; 1 ft N. of telephone pole; in concrete post projecting 6 in.; standard tablet stamped "29 WSM 1949 655" NOT FOUND 89/01 655.679
- Candor, 3.5 mi S. of; at intersection of U. S. Highway 220 and rd. SE. (State Highway 1521); 34.2 ft E. of centerline of Highway 220; 18.4 ft SW. of centerline of Road 1521; 106 ft SE. of intersection; in concrete post; standard tablet stamped "30 WSM 1949 682" (Reported not found, 1963) 89/01 682.548
- Reference mark; 440 ft S. of tablet; on center of concrete head-wall of culvert; chiseled square 680.01

LINE 9.

By W. S. Monk, 1949; Book AV 84

- "30 WSM 1949 682" (Described in line 8) 682.548
- Pleasant Hill Church, 0.3 mi W. of; 30 ft S. and 40 ft W. of junction of Jackson Springs rd. and rd. S.; 12 ft N. of 6-in. blazed pine tree; in concrete post projecting 4 in.; standard tablet stamped "32 WSM 1949 637" (Reported destroyed, 1960) 637.460
- U.E., Pleasant Hill Church; 75 ft S. of SW. corner; 40 ft N. and 150 ft E. of rd. junction; in root on SW. side of 20-in. pine tree; copper nail and washer 626.19

- Pleasant Hill Church, 1.7 mi SE. of; 130 ft S. and 30 ft E. of junction of Jackson Springs rd. and field rd. N.; 175 ft N. of NW. corner of residence on E. side of rd.; in concrete post projecting 3 in.; standard tablet stamped "33 WSM 1949 513" NOT FOUND 89/01 512.995
- USGS REPORT "A LENGTHY SEARCH WAS MADE, MARK IS THOUGHT TO STILL BE THERE, BUT MARK NOT FOUND." JWO USGS.

LINE 9 (Cont'd.)Feet

Reference mark; 5 ft S. of tablet; in root on W. side of 12-in.  
sweetgum tree; copper nail and washer 513.62

"8 WSM 1949 445" (Described in line 4) 444.749

LINE 10.

By W. S. Monk, 1949; Book AV 84

U.E., Lincoln School; iron pipe (Described in line 7) 352.70

Lincoln School, 1.2 mi NE. of; 50 ft S. and 30 ft W. of five-  
way rd. intersection; in line with rd. N.; in concrete post  
projecting 5 in.; standard tablet stamped  
"34 WSM 1949 402" **USGS JWO** NOT FOUND 89/01 401.897

Lincoln School, 3.4 mi NE. of; 45 ft N. and 40 ft W. of  
junction of Addor-Ledbetter rd. and rd. NE.; 6 ft S. of  
blazed 14-in. pine tree; in concrete post projecting  
4 in.; standard tablet stamped "35 WSM 1949 430" 430.341

Reference mark; 6 ft N. of tablet; in root on N. side of 14-in.  
pine tree; copper nail and washer 429.70

U.E., Lincoln School, 4.0 mi NE. of; 45 ft N. and 55 ft E. of  
crossroads; in root on W. side of 12-in. pine tree; copper  
nail and washer 486.23

Lincoln School, 4.5 mi SE. of; 20 ft N. and 20 ft E. of junction **USGS JWO**  
of Addor-Ledbetter rd. and N.-S. rd.; in concrete post  
projecting 6 in.; on iron pipe; U. S. Corps of Engineers  
standard cap stamped "D 30 AM 1 3 TT 1 D 2 EL 487.6 ft 1941" NOT FOUND 89/01 488.151

Lincoln School, 5.6 mi NE. of; 25 ft S. and 100 ft E. of six-way  
rd. intersection; 4 ft W. of blazed 14-in. pine tree; in  
concrete post projecting 4 in.; standard tablet stamped  
"36 WSM 1949 436" 436.396

Reference mark; 4 ft E. of tablet; in root on N. side of 14-in.  
blazed pine tree; copper nail and washer 435.94

"14 WSM 1949 319" (Described in line 4) 319.188

JACKSON SPRINGS QUADRANGLE      75 NORTH CAROLINA      W. S. Monk      35-079-32  
Book AV 84                     13

1949

LINE 11.

Feet

By W. S. Monk, 1949; Book AV 84

"26 WSM 1949 585" (Described in line 8)      585.298

Plain View, 0.5 mi S. of; 0.6 mi E. of St. Lukes Church, along trail; 21 ft N. and 26 ft E. of rd. junction; 15 ft W. of W. rail of Norfolk and Southern RR.; 30 ft E. of center of graded rd.; in concrete post; standard tablet stamped "TT 13 HF 1949 552"      552.598

U.E., Plain View, 1.7 mi S. of; 80 ft S. and 110 ft E. of junction of rd. E.; in root on N. side of 24-in. pine tree; copper nail and washer      551.97

Plain View, 1.7 mi S. of, thence 0.9 mi E.; 24 ft S. of center of rd.; at powerline through timber; 10 ft W. of power pole; in concrete post; standard tablet stamped "TT 14 HF 1949 534"      *USGS JWO DESTROYED 89/01*      533.643

Plain View, 1.7 mi S. of, thence 2.8 mi E.; 3.0 mi SE. of Derby; 26 ft S. of center of rd.; 6 ft SE. of pine tree; in concrete post; standard tablet stamped "TT 15 HF 1949 534"      *USGS JWO NOT FOUND 89/01*      533.630

U.E., Derby, 3.0 mi SE. of, along Derby-Ledbetter rd.; 20 ft N. and 70 ft W. of junction of rd. W.; in root on SE. side of 6-in. pine tree; copper nail and washer      504.45

U.E., Derby, 3.9 mi SE. of, along Derby-Ledbetter rd.; 25 ft S. and 30 ft E. of junction of field rd. W.; in root on W. side of 8-in. pine tree; copper nail and washer      487.62

Derby, 5.1 mi SE. of, along Derby-Ledbetter rd.; 15 ft N. and 30 ft W. of crossroads; 2 ft E. of telephone pole; in concrete post projecting 4 in.; standard tablet stamped "37 WSM 1949 488"      *USGS JWO DESTROYED 89/01*      488.035

Lincoln School, 1.2 mi E. of, thence 2.3 mi N.; 40 ft N. and 20 ft E. of crossroads; in concrete post projecting 5 in.; standard tablet stamped "38 WSM 1949 401"      401.493

Reference mark; 5 ft E. of tablet; in root on NW. side of 6-in. pine tree; copper nail and washer      401.51

LINE 11 (Cont'd.)Feet

U.E., Lincoln School, 1.2 mi E. of, thence 1.6 mi N.; 35 ft N. and 30 ft W. of crossroads; in root on E. side of 15-in. pine tree; copper nail and washer	408.44
U.E., Lincoln School, 1.2 mi E. of, thence 0.9 mi N.; 280 ft N. of creek; 15 ft W. of rd.; in root on NE. side of 12-in. pine tree; copper nail and washer	319.66
"34 WSM 1949 402" (Described in line 10)	401.897

LINE 12.

By W. S. Monk, 1954; Book AV 390

"27 WSM 1949 614" (Described in line 8)	614.209
-----------------------------------------	---------

LINE 13.

By M. L. Webster, 1973; Book AV 1686

1 31 15.31 U.E., in centerline of rd. at T-rd. E.; copper nail	542.80
1 32 16.14 West End, 0.5 mi E. of post office, along State Highway 73 to junction of County Road 1229; 84 ft N. and 33 ft W. of junction of T-rd.; 2 ft W. of powerline pole; in concrete post; standard tablet stamped "10 MLW 1973 591"	590.475
1 33 16.32 West End, 0.3 mi E. of post office, along State Highway 73; 0.1 mi E. of intersection of Highway 73 and County Road 1232; 16.4 ft SSE. of centerline of Highway 73; 40.8 ft ESE. of 10-in. catawba tree; 23.1 ft WNW. of guy pole; in concrete post 5 in. below surface; NCGS standard disk stamped "APPLE 1972"	592.997

Vertcon = NAVD 88 = 589.787  
40

Vertcon 29 → 88 = 592.259 FT

NGVD 29  
ElevationsLINE 13 (Cont'd.)Feet

1	34	16.68	West End, about 200 ft ESE. of Carolina Bank Building; about 200 ft NE. of NE. corner of loading dock of Sandhill Furniture Building surrounded by asphalt; 15.6 ft S. of centerline of County Road 1133; 49 ft W. of NW. corner of building complex; 44 ft NE. of NE. corner of block pump house; 31.4 ft WNW. of 14-in. oak tree; in concrete post 1 in. below surface; NCGS standard disk stamped "SANDHILL 1972"	608.078
1	35	17.19	West End, 0.5 mi NNW. of intersection of State Highways 211 and 73, along Highway 211; 100 ft SE. of County Road 1302 intersection; about 250 ft N. of Honeycut Groceries; 30.4 ft NE. of centerline of Highway 211; 77.4 ft NNW. of N. end of driveway culvert; 53.3 ft W. of 10-in. pine tree; in concrete post; NCGS standard disk stamped "HONEYCUTT 1972"	605.306
1	36	17.44	"Q 75 1935" (NGS)	589.667

LINE 14.

By M. L. Webster, 1973; Book AV 1686

2	2	0.00	"10 MLW 1973 591" (Described in line 13)	590.475
2	2	0.63	U.E., in centerline of rd. at T-rd. N.; copper nail and washer	597.18