

130

NGVD 29
Elevations

Qd. #130

Station: HAW KNOB #2 (Not occupied) County: Monroe State: N. C.

Observer: R. H. Lyddan Year: 1934 Datum: 1927 N.A.D. - Preliminary

Description: Comp. Bk. TVA No. 31

On Bald Top known as Little Fodderstack, about 14 mi NW. of Robbinsville and 4 mi S. of Calderwood, Tenn. Station is about 15 ft W. of crest of ridge. To reach from Tapaco, walk up Yellowhammer Creek to head, proceed through Slickrock Creek Gap to Slickrock Creek for 4 mi, turn up Slickrock Creek about 0.5 mi to Little Slickrock Creek, turn right and follow trail up Little Slickrock Creek about 2.5 mi W. to Low Gap. Turn left and follow ridge S. 0.75 mi to station.

Station mark: Drill hole in rock set in place under signal.

[Latitude 35 27 00.89 Longitude 84 00 58.55]

Station—	Azimuth			Back Azimuth			Distance	
	°	'	"	°	'	"	Log. Meters	Miles
Parson Bald	239	02	56.32	59	07	34.42	4.1485181	8.747
Hangover	326	09	56.69	146	11	38.13	3.8994405	4.929

Qd. #130

Station: HAW KNOB #1 (not occupied) County: Monroe ^{NGVD 29} State: N. C.
Elevations

Observer: R. H. Lydian Year: 1934 Datum: 1927 N.A.D. - Preliminary

Description:
 Camp. Bk. TVA #31 Position unchecked.

About 15 mi NW. of Robbinsville on heavily wooded top. To reach from Tapoca, follow Yellowhammer Creek to head, proceed thru Slickrock Gap to Slickrock Creek, turn up Slickrock Creek and walk about 0.5 mi to Little Slickrock Creek, follow Little Slickrock Creek W. about 2 mi. Take trail N. about 2 mi to station.

Signal: Red over white flags in 18-in. pine tree. Triangle blaze.

Station mark: Drill hole in rock set in place under signal.

[Latitude 35 28 26.88

Longitude 84 00 25.03]

Station—	Azimuth			Back Azimuth			Distance	
	°	'	"	°	'	"	Log. Meters	Miles
Parson Bald	247	46	12.93	67	50	31.65	4.0838459	7.537
Hamover	338	52	10.57	158	53	32.60	3.9959015	6.155

for 130

QUAD. #93
SR

RANGER (N.C.-TENN) STATE N.CAR. BY C.E. REICK, 1931

ELEV. ABOVE MEAN SEA LEVEL (FEET)

Third. ADJ. PRELIMINARY, 1912

4/17/33 NORTH CAROLINA FOWLER BEND
SHR. RANGER (N.C.-TENN) QUADRANGLE (IN MURPHY 30' QD.)
Bk. B4830 (Latitude 35°-35°15: Longitude 84°-84°15')

Third-order leveling:
FROM ~~SASSAPARILLA MOUNTAIN~~ ^{How Knob} QUADRANGLE NEAR TIPTONS GAP
SOUTHWEST ALONG TRAIL AND ROAD TO MOUTH OF BEAVERDAM
CREEK (by C.E. Reick, 1931)

Tiptons Gap, 0.5 mi. W. of Tipton Knob, 50 ft. E. of trail fork, on boulder; square cut, painted "B.M. 3416" NGVD 29 Elevations
3416.19
.14

Tiptons Gap, 0.6 mi. E. of, in small gap, at trail crossing, S. side of trail, on ledge; square cut, painted "B.M. 3370.4" 3370.85
.22

Unaka, 6 mi. NE. of, at forks of Beaverdam Creek, 230 ft. NE. of cabin, 10 ft. W. of wagon rd., in ledge; bronze tablet stamped "R-26-1931" 1912.45
.453

Reference mark: 450 ft. SW. of tablet, on boulder; square cut 1920.47
.48

Unaka, 5 mi. NE. of, 30 ft. N. of ford through Beaverdam Creek, on ledge; square cut, painted "B.M. 1838.7" 1838.7
.58

Unaka, 3/6 mi. NE. of, 200 ft. E. of school, S. edge of rd. at rd. fork N., in root of 24-in. oak tree; copper nail painted "B.M. 1800" 1799.50
.53

Beaverdam Creek bridge; floor of 1732.9
.70

Unaka, 1.5 mi. NE. of, S. side of rd. at right angle turn, 60 ft. N. of spring, on ledge; square cut, painted "B.M. 1798" 1797.4
.55

Unaka, 60 ft. S. of church, 40 ft. E. of rd., in ledge; bronze tablet stamped "R-27-1931" 1678.501
.035

Reference mark: 8 ft. N. of tablet, on ledge; square cut 1672.60
.17

QUAD. ~~RANGER~~ (N.C.-TENN.) STATE N. CAR. BY C. E. REICK, 1931

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

DER Third.

ADJ. PRELIMINARY, 1912.

4/17/33

(Cont'd. P. 2)

SHR

BK. B4830/

NGVD 29
Elevations

Unaka, 1.2 mi. SW. of, 10 ft. S. of rd., on ledge; square cut, painted "B.M. 1744.1" ~~1743.95~~

Unaka, 1.8 mi. SW. of, 140 ft. E. of rd. fork NW., E. side of rd., on point of boulder; square cut, painted "B.M. 1669" ~~1668.50~~

Unaka, 3 mi. SW. of, 0.3 mi. N. of Hiwassee River, in triangle of rd. fork NW. to Violet, on boulder; square cut, painted "B.M. 1333" ~~1332.59~~

Unaka, 3 mi. SW. of, Beaverdam Creek bridge, on SE. abutment; square cut, painted "B.M. 1321" (established by U.S.C.E.) ~~1320.50~~

.86

QUAD. RANGER (N.C.-TENN.)

STATE N.C. BY Turner, 1933

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

ORDER Third

ADJ. Approx. 1929 Gen'l

NGVD 29
Elevations

PUBLICATIONS OFFICE

11-28-33

ECL

Bk. B4478

contd p.3

FROM GEORGIA-NORTH CAROLINA BOUNDARY NORTH ALONG HIGHWAYS
TO MURPHY (by C.A. Turner, 1933)

Feet

North Carolina-Georgia state line, on N. side of rd.,
at SE cor. of state line monument; chiseled square,
painted "B.M. 1701.3 (In Ellijay Quad.)" 1,702.84
.63

N.C.-GA. state line, 0.4 mi. NE of, Bellview-Lance Mill
rd. crossing route 19, near top of hill; crossroads,
crossing hwy. painted "1784" (In Ellijay Quad.) 1,785.6
.4

Davidsonville, rd. fork NW, junction with route 19,
painted "1670" (In Ellijay Quad.) 1,671.4
.3

Ivylog, 3.4 mi. N. of, 9.6 mi. SW of Murphy, on route 19,
400 ft. N. of rd. fork N. (which is 0.4 mi. E. of Davidsonville),
150 ft. N. of creek and 35 ft. E. of dirt rd., on property of
C.Z. Price, at point of small ridge, on rock outcrop;
standard tablet stamped "T 1 1933" 1,684.253
.131

Reference mark, 9.6 ft. N. of tablet, on rock; chiseled
square 1,684.39
.26

Davidsonville, 0.7 mi. NE of, Moccasin^{a.} rd. SE junction
with route 19, post painted "1708" 1,709.5
.4

Davidsonville, 1.1 mi. NE of, at small creek crossing
route 19, on S. head wall of concrete culvert; chiseled
square, painted "1761.3" 1,762.78
.67

Top of hill, telephone pole painted "1901" 1,903.0
2.9

Martins Creek Consolidated School, 2 mi. SW of, on
route 19, in center of S. head wall of concrete culvert
over small stream from NW; chiseled square, painted
"1842.6" 1,844.16
4.02

Martins Creek School, 1.5 mi. SW of, Hughes rd. S. junction
with route 19, signpost painted "1783" 1,784.3
2

QUAD. RANGER (N.C.--TENN.) STATE N.C. BY Turner, 1933

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

ORDER

Third

ADJ. Approx. 1929 Gen'l

11-28-33

ECL
Bk. B4478 ✓

contd p.4 NGVD 29
Elevations

Martins Creek School, 0.9 mi. W. of, on route 19, on
S. end of E. head wall of concrete culvert; chiseled
square, painted "1719.0" 1,720.53
42

Martins Creek School, 0.5 mi. W. of, Staloup rd. SW,
junction with route 19, signpost painted "1682" 1,683.0
2.9

Martins Creek School, 89.8 ft. SE of, on route 19,
in N. cor. of concrete filter plant of school, in
top of concrete roof; standard tablet stamped
"T 2 1933", painted "1670.05" 1,671.578
460

Reference mark, 23.8 ft. SE of tablet, in top of NE cor.
of filter plant concrete roof; chiseled square 1,671.56
44

Martins Creek School, 400 ft. N. of, rd. fork E. to
Brasstown, post painted "1665" 1,666.5
3

Ranger rd. NW, junction with route 19, post painted
"1652" 1,653.8
6

Martins Creek, center of bridge floor over, painted
"1642" 1,643.1
3.0

R.T. Stiles farmhouse, at stone culvert over small drain
from E. at, center of rd., W. end of culvert painted
"1649" 1,650.5
4

Martins Creek School, 1.4 mi. NE of, on route 19, at
store, E. end of N. head wall of concrete culvert;
chiseled square, painted "1629.8" 1,631.33
22

Concrete culvert over stream from E., center of rd.,
W. head wall painted "1618" 1,619.7
6

QUAD. RANGER (N.C.-TENN.)

STATE N.C. BY Turner, 1933

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

ORDER Third

11-28-33

ADJ. Approx. 1929 Gen'l

ECL
Bk. B4478 ✓

contd p.5

NGVD 29
Elevations

- Martins Creek Consolidated School, 2.5 mi. N. of,
3.5 mi. SW of Murphy, on route 19, 53 ft. N. and 50
ft. W. of junction of rd. fork W. (known as "Martins
Creek Rd."), 30 ft. E. of creek, in rock outcrop;
standard tablet stamped "T 3 1933", rock painted
"1604.01" 1,605.536 ✓
.430
- Reference mark, 350 ft. N. of tablet, on E. head wall
of concrete culvert; chiseled square 1,603.32 ✓
.22
- Route 19 at top of hill, center of, tree on N. side
of bank painted "1661" 1,662.7 ✓
.6
- Murphy, 2.9 mi. S. of, on route 19, at entrance to
Midway Lake, center of W. base of concrete bridge over
small stream; chiseled square, guard rail painted
"1598.6" 1,600.12 ✓
.02
- Martins Creek, center of bridge floor, guard rail
painted "1570" 1,571.3 ✓
.2
- Top of hill, opposite oak tree painted "1678";
center of rd. 1,679.8 ✓
.7
- Murphy, 1.5 mi. S. of, on route 19 at horseshoe bend
in rd., on concrete culvert over stream from SW,
at S. end of E. head wall; chiseled square, painted
"1597.8" 1,599.28 ✓
.23
- Murphy, 0.8 mi. above (left bank), where concrete
hwy. turns out of valley, near NE cor. of house of
E. J. Killian; iron pipe in concrete (U.S.E.D. b.m.
C 1, their elev. = 1535.632) 1,537.007 ✓
6.961

Third 11-29-33

Approx. 1929 Gen'l

NGVD 29
ElevationsECL
Bk. B4478 ✓

contd p.6

FROM MURPHY NORTH AND NORTHWEST ALONG HIGHWAYS TO POINT
3.6 MILES NORTHEAST OF UNAKA

	Feet
Murphy, 1.1 mi. N. of, on Murphy-Grandview rd., 0.2 mi. S. of Grandview-Unaka rd. forks, on E. side of rd. at drain, in rock; chiseled square, painted "1520.0"	1,521.62
Murphy, 1.3 mi. N. of, Grandview-Unaka rd. forks, rock painted "1515"	1516.6 ⁵⁷
Murphy, 1.9 mi. N. of, on Grandview rd., 15 ft. W. and 30 ft. N. of Hembre Branch crossing main rd., at rd. fork NE, in rock; chiseled square, painted "1696.4"	1,697.99 ⁵
Marr Gap, at, 2.1 mi. N. of Murphy, center of highest point of rd., fence post opposite painted "1755"	1,756.7 ⁹²
Marr Gap, 0.5 mi. N. of, at Bates Creek rd. E., junction with Grandview rd. above sawmill, gatepost painted "1700"	1,702.0 ⁶
Stream crossing, road, fence post painted "1770"	1,771.7 ¹⁻⁹
✓ Murphy, 3.4 mi. NW of, 4.3 mi. S. of Grandview P.O., 400 ft. NE of Bates Creek crossing rd., 360 ft. SW of Geo. Levengood's farmhouse, 230 ft. W. of rd., 180 ft. S. of Bates Creek, near base of hill, in pasture, set in rock outcrop; standard tablet stamped "T 4 1933", rock painted "1785.66"	1,787.21 ⁶
Reference mark, 11 ft. NE of tablet, in rock; chiseled square	1,788.21 ²²²
Blackwell Gap, 410 ft. S. of, on W. side of rd., on point of rock; chiseled square, painted "1926.5"	1,928.22 ¹²
Blackwell Gap, 0.7 mi. N. of, on Grandview rd., on downstream side of concrete bridge over Owl Creek, center of concrete guard wall; chiseled square, painted "1784.1"	1,785.79 ¹¹

ORDER Third 11-29-33 ADJ. Approx. 1929 Gen'l

ECL
Ek. B4478

contd p.7

NGVD 29
Elevations

Grandview, 1.8 mi. S. of P.O., 5.9 mi. N. of Murphy,
on Murphy-Grandview rd., on N. side of Owl Creek,
32 48 ft. NE of small drain, 33 ft. NW of rd., in
top of rock outcrop; standard tablet stamped "T 5 1933",
rock painted "1827.43" 1,829.165
.034

Reference mark, 38.5 ft. SW of tablet, in rock;
chiseled square 1,827.47
.34

Hanging Dog Church, 0.3 mi. S. of; rd. fork E., pine
tree opposite painted "1859" 1,860.5
.4

Hanging Dog Church, rd. entrance to, painted on
rock "1912" 1,913.8
.5

Grandview P.O., 0.9 mi. S. of, at horseshoe bend in rd.,
26 ft. NE of small stream crossing rd., on point of
rock; chiseled square, painted "1850.9" 1,852.68
.54

Grandview P.O., 0.6 mi. S. of, rd. fork S., pine tree
painted "1799" 1,801.1
0.9

Grandview P.O., 880 ft. S. of, rd. fork E., center line
of main rd., rock (2 ft. high) on W. (opposite) side
of rd. painted "1752" 1,753.68
.52

Grandview, 0.2 mi. N. of P.O., right bank, downstream side,
of concrete bridge over Hanging Dog Creek, in top of
concrete guard rail; chiseled square, painted "1765.8" 1,767.56
.40

✓ Grandview, 0.6 mi. N. of P.O., 2.3 mi. SE of Beaverdam
Gap, 500 ft. S. of Davis Creek rd. fork, on property of
John Levingood (Levengood?) and 450 ft. E. of his
farmhouse, 100 ft. W. of rd., in top of large rock
outcrop; standard tablet stamped "T 6 1933", rock
painted "1813.54" 1,815.353
.132

Reference mark, 75 ft. E. of tablet, in NW root of pine
stump; copper nail and washer 1,823.30
.08

ORDER Third

ADJ. Approx. 1929 Gen'l

11-29-33

ECL

Bk. B4478

contd p. 8

NGVD 29
Elevations

Beaverdam Gap, 2.2 mi. SE of, Davis Creek rd. fork NE,
gatepost painted "1836" 1,838.2

Beaverdam Gap, 1.7 mi. SE of, floor of wooden bridge,
painted "1914" 1,915.5

Beaverdam Gap, 1.2 mi. SE of, 1.8 mi. NW of Grandview,
on E. side of rd., in top of large rock outcrop;
chiseled square, painted "2015.1" 2,016.98

Beaverdam, 0.8 mi. SE of, on E. side of rd. at saddle
at abandoned rd. E. to valley, in root of stump; copper
nail and washer, tree painted "2133.6" 2,135.51

Beaverdam Gap, 23 ft. N. of center of apex of rd., in
rock; chiseled square, tree painted "2301.9" 2,303.79

Beaverdam Gap, 0.1 mi. NW of, rd. fork W., center line
of main rd., tree opposite painted "2255" 2,257.1

Beaverdam Gap, 0.5 mi. NW of, bridge over ~~xxxxx~~ stream
from NE, floor, painted "2091.3" 2,093.2

Beaverdam Gap, 0.8 mi. NW of, 1.4 mi. SE of Mount
School, on Beaverdam Gap rd., at foot path SW, in center
of abandoned rd.; 50 ft. SW of main rd., in top of boulder;
standard tablet stamped "T 7 1933", rock painted
"1988.32" 1,990.233

Reference mark, 17.7 ft. NW of tablet, in rock;
chiseled square 1,989.76

Beaverdam Gap, 1.7 mi. NW of, at farmhouse of L.D. Garrett,
20 ft. E. of rd. at gate to barn yard, in root of persimmon
tree; copper nail and washer, tree painted "1825.5" 1,827.50

QUAD.

RANGER (N.C.--TENN.)

STATE

N.C.

BY

Turner, 1933

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

ORDER

Third

ADJ.

Approx. 1929 Gen'l

11-29-33

ECL

Bk. B4478

contd p.9

NGVD 29
Elevations

FROM NEAR SOUTHEAST CORNER OF FARNER QUADRANGLE ALONG
HIGHWAYS NORTHEAST AND NORTH, TO SUIT, THENCE NORTHWEST
Mount Maria Church, 0.9 mile NE. of, on ^{mount have =} 1,859.04
N. side of main rd. at priv. rd. W., ^{Feet}
in W. root of 15-in. pine tree; ^{1,871.0}
copper nail and washer, ^{1,870.96}
painted "B.M. 1858.7" ^{1,859.04 ft.} 1,870.96⁸³

Hopewell Church, 0.7 mi. SW of, top of hill, 1,850
ft. S. of route 28, at woods rd. E., 35 ft. E. of rd., in
W. root of oak tree; copper nail and washer, painted
"1965.9" 1,966.22⁰⁹

Hopewell, 0.4 mi. SW of, junction of Arp rd. SE with
route 28, signpost painted "1937" 1,937.3¹

Hopewell Church, 300 ft. W. of, rd. fork NE, pine tree
painted "1908" 1,908.3²

Hopewell Church, 0.3 mi. E. of, on route 28, downstream
side of bridge over Persimmon Creek; center bolthead
of sill, bridge sill painted "B.M. 1814.8" 1,815.22⁰⁷

Hopewell Church, 1.1 mi. E. of, 3,700 ft. SW of Taylors
Ferry rd., on route 28, on property of D.W. Jenkins
(Jenkins Bros.), 18 ft. N. of center of rd., about 450
ft. W. of Jenkins farmhouse, in rock outcrop; standard
tablet stamped "T 10 1933", rock painted "P.B.M.
1774.62" 1,775.01^{4.863}

Reference mark, 128 ft. S. 60° W. of tablet, in rock boulder;
chiseled square 1,779.47⁰¹

Hopewell Church, 1.8 mi. E. of, at junction of Taylors
Ferry rd. N. with route 28, S. end of large triangle,
rock opposite painted "1733" 1,733.0^{2.8}

Sunny Point School, 400 ft. S. of, 2 mi. NE of Hopewell
Church, on N. side of rd., 5 ft. E. of small stream, on
rock; chiseled square, painted "B.M. 1737.9" 1,738.32^{.15}

QUAD. RANCHER (N.C.-TENN.) STATE N.C. BY Turner, 1933

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

ORDER Third

ADJ. APPROX. 1929 Gen'l

11-29-33

ECL

Bk. B4478

contd p.10

NGVD 29

Elevations

Sunny Point School, 0.5 mi. N. of, 150 ft. S. of rd. fork,
stream crossing rd. from W., persimmon tree painted
"1675" 1,675.0

Sunny Point School, 0.7 mi. N. of, rd. fork E., in W.
root of oak tree; copper nail and washer, tree
painted "1738" 1,737.99

Sunny Point School, 0.8 mi. N. of, on Taylors Ferry
rd., 200 ft. S. of farmhouse of Jerry Jones at sharp
bend in rd., on flint rock boulder; chiseled square,
painted "B.M. 1752.3" 1,752.70

Sunny Point School, 1 mi. N. of, old crossroads,
oak tree painted "1814" 1,814.8

Sunny Point School, 1.4 mi. N. of, on Taylors Ferry rd.,
on W. side of rd., 45 ft. N. of creek crossing, at old
rd. NW, in W. root of 20-in. oak tree in fence line;
copper nail and washer, tree painted "B.M. 1740.4" 1,740.78

Sunny Point School, 2.1 mi. N. of, 2.7 mi. S. of Suit, on
Taylors Ferry rd., 65 ft. SW of Freed Brown's cabin, 80
ft. S. of rd., in large rock outcrop; standard tablet
stamped "T 11 1933", rock painted "P.B.M. 1665.56" 1,665.993

Reference mark, 18.6 ft. W. of tablet, in rock;
chiseled square 1,666.49

Suit, 2.4 mi. S. of, rd. fork SE, in NE cor. of forks, in
root of 20-in. oak tree; copper nail and washer, tree
painted "1643" 1,643.2

Suit, 2.1 mi. S. of, top of hill, E. side of rd., in
W. root of 18-in. oak tree; copper nail and washer,
tree painted "1759" 1,759.09

Suit, 1.9 mi. S. of, on Taylors Ferry rd., 200 ft. NE
of J. Montgomery's farmhouse, 36 ft. E. and 7 ft. S. from
stream crossing, on S. bank of stream, in SW root of
20-in. hickory tree; copper nail and washer, tree
painted "B.M. 1611.0" 1,611.46

11-29-33

ECL

Bk. B4478

contd p. 11

NGVD 29
Elevations

Suit, 1;1 mi. S. of, on Taylors Ferry rd., on W. side
of rd. directly opposite two-story white house, in
E. root of 36-in. oak tree; copper nail and washer,
tree painted "B.M. 1597.4" 1,597.86
66

✓ Suit, 630 ft. S. of, at junction of Taylors Ferry rd.
with route 294, in rd. fork, on property of W.F. Styles,
in large flat rock outcrop; standard tablet stamped
"T 12 1933", telephone pole painted "P.B.M. 1793.25" 1,793.722
506

Reference mark, 205 ft. N. of tablet, on E. side of
route 294, in large rock outcrop; square cut 1,799.23
07

Suit, 0.7 mi. NW of, rd. fork NE to Vests, signpost
painted "1662" 1,663.32
09

Suit, 0.9 mi. NW of, on route 294, left bridge seat
(upstream side) of wooden bridge over Bearpaw Creek, in
rock; chiseled square, bridge floor painted "B.M. 1666.6" 1,667.10
6.88

Suit, 1.6 mi. NW of, 450 ft. N. of junction of Oak Park rd.
with route 294, 25 ft. NE of plank bridge, on N. side of rd.,
on rock boulder; chiseled square, rock painted "B.M. 1719.3" 1,719.79
56

✓ Suit, 2.6 mi. NW of, 4.7 mi. SE of Patrick, on Taylors Ferry
rd., on W. side of rd., 130 ft. NW of E.E. Thompson's farm-
house, 50 ft. W. of center line of rd., in top of large
boulder; standard tablet stamped "T 13 1933", painted
on rock "P.B.M. 1672.36" 1,672.866
621

Reference mark, 55.5 ft. S. 20° W. of tablet, on rock boulder;
chiseled square 1,675.92
68

Patrick, 3.5 mi. SE of, on Taylors Ferry rd., 22 ft. S. and
15 ft. E. from rd. fork W. to Oak Park, in SE angle of rd.
fork, on rock outcrop; chiseled square, painted "B.M.
1573.1" 1,573.60
34

Suit, 4.5 mi. NW of, top of hill, painted on fence near
gate "1782" 1,782.8
6

QUAD
ORDER

MURPHY

STATE N.C. BY G.W. Moore, 1936

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

THIRD

ADJ. 1929 General P. 12

11/9/36

~~NORTH CAROLINA~~

MIN

~~MURPHY (N.C. Town) - QUADRANGLE~~

Br. B7005 (Latitude 35°-35'15" Longitude 81°-04'15")

~~WILKINSON COUNTY~~

Third-order leveling:

NGVD 20
Elevations

FROM BIG STAMP KNOB QUADRANGLE SOUTHWEST ALONG ROAD TO
GRANDVIEW (by G.W. Moore in 1936)

✓ Grandview post office, 4.4 mi. NE. of, 2.35 mi. SW. of
Lucy Gap, 0.75 mi. NE. of Hanging Dog Church, 43 ft.
N. of rd. fork N., 28 ft. NW. of ford over creek, at
group of boulders between T-rd. N. and creek, top of
boulder; standard tablet stamped "G.W.M. 111 1936 2039,"
painted "U.S.P.B.M. 2039.0" 2,039.202

Reference mark, 41 ft. SE. of tablet, 22 ft. E. of
rd. fork N., on W. bank of creek, top on E. end of
large boulder; chiseled square 2,036.49

Grandview post office, 3.65 mi. NE. of, 111 ft. NE. of
SE. corner of Hanging Dog church, 38 ft. SE. of rd.,
in root on N. side of 36-in. oak tree; copper nail and
washer, painted "U.S.B.M. 1956.0" 1,956.17

Grandview post office, 2.95 mi. NE. of, 0.7 mi. SE.
of Hanging Dog Church, 180 ft. SW. of house, 11 ft. SE.
of rd., at curve, in case on NW. side of 20-in. oak
tree; R.R. spike, painted white, painted "U.S.B.M.
1910.4" 1,910.55

✓ Grandview post office, 2.0 mi. NE. of, 1.65 mi. SW.
of Hanging Dog Church, 75 ft. S. of log barn, on top
of hill, 60 ft. SE. of rd., in pasture, top of large
boulder; standard tablet stamped "G W M 112 1936 1856,"
painted "U.S.P.B.M. 1856.0" 1,856.248

Reference mark, 130 ft. SW. of tablet, 185 ft. E. of
drain, 37 ft. S. of rd., in pasture, top of boulder;
chiseled square 1,847.74