

138

QUAD. PINETOWN

STATE NORTH CAROLINA By

J. B. METCALFE,
1914

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER THIRD

ADJ. SEA LEVEL DATUM OF 1929

BUL. 646

RECOPY 5-16-52

SDS

NORTH CAROLINA
PINETOWN QUADRANGLE

(Latitude 35°30'-35°45'; longitude 76°45'-77°)

BEAUFORT, WASHINGTON & MARTIN COS.

-1-

NGVD 29
Elevations

FROM POINT 3 MILES EAST OF WASHINGTON EAST ALONG NORFOLK
SOUTHERN R. R. TO TERRACEIA (leveled twice).

Washington, 3.62 mi. E of, 100 ft. W of milepost B. 123, N.
37, on S rail; spike 17.3

River Road sta., at road crossing; top S rail 21.6

Bunyon, about 700 ft. W of sta., SE cor. of R.R. crossing;
top of rail 13.8

Bunyon, 1 mi. E of, 15 ft. N of R.R. tracks, in top of mile-
post B.121, N 40; R.R. spike 36.42

Hall Swamp, 0.25 mi. W of sta., 6 ft. S of track, in top face
of SW cor. of west concrete abutment of R.R. bridge; copper
tablet stamped "30" 30.732 -

Hall Swamp, R.R. crossing at sta.; top of rail 37.5

Hall Swamp, 0.5 mi. E of sta., 250 ft. E of lumber R.R. cross-
ing, N side of track, in top of milepost B. 120, N. 41;
spike 39.86 -

Alligoods sta., at rd. crossing; top of rail 38.3

Alligoods, 0.5 mi. E of station, N of track, in top of mile-
post B. 119, N. 42; spike 41.71

Alligoods, about 1 mi. E of sta.; at R.R. crossing 40.0

Slatestone, 0.25 mi. W of sta., 100 ft. E of milepost B. 118,
N. 43, 50 ft. E of 2nd-class rd. crossing; top of N rail 40.0

Slatestone, R.R. crossing at sta.; top of rail 40.2

Slatestone, 1 mi. E of sta., N side of track, in side of mile-
post B. 117, N. 44; spike 41.74

Slatestone, 2 mi. E of sta., 200 ft. E of rd. crossing, N
side of track, in side of milepost B. 116, N. 45; spike 41.54

Milepost B. 116, 0.4 mi. E of; rd. crossing 38.2

138
PINETOWN QUADRANGLE

N3530-W7545/15
NORTH CAROLINA

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

NGVD 29
Elevations

THIRD-ORDER LEVELING

Bull. 646; P. 36

Recopied: 11/9/54 lrm

1912 ADJ.

FROM POINT 3 MILES EAST OF WASHINGTON EAST ALONG NORFOLK
SOUTHERN R. R. TO TERRACEIA (Leveled twice)

(Feet)

FOR CORRECTION TO APPROX S.L.D. 1929 ADJ. +.3 FT

Washington, 3.62 mi. E. of, 100 ft. W. of milepost B. 123, N. 37, on S. rail; spike	17.0
Bunyon, 1 mi. E. of, 15 ft. N. of railroad tracks, in top of milepost B. 121, N. 40; railroad spike	36.17
Hall Swamp, 0.25 mi. W. of station, 6 ft. S. of track, in top face of SW. corner of W. concrete abutment of railroad bridge; copper tablet stamped "30"	30.473
Hall Swamp, 0.5 mi. E. of station, 250 ft. E. of lumber railroad crossing, N. side of track, in top of milepost B. 120, N. 41; spike	39.62
Alligoods, 0.5 mi. E. of station, N. of track, in top of milepost B. 119, N. 42; spike	41.48
Slatestone, 1 mi. E. of station, N. side of track, in side of milepost B. 117, N. 44; spike	41.53
Slatestone, 2 mi. E. of station, 200 ft. E. of rd. crossing, N. side of track, in side of milepost B. 116, N. 45; spike	41.35
Walla Watta, about 700 ft. E. of station, N. side of track, in side of milepost B. 115, N. 46; spike	34.74
Pinetown, 35 ft. NE. of station, in NE. corner of railroad crossing; iron post stamped "P.T. Sta. No. 143"	43.082
Pinetown, top of hydrant (Drainage Survey b.m. C.25, elevation, 42.89 feet), opposite Morris store	43.13
Acre, at Crossing of Long Acre road over Norfolk Southern Railroad; nail in crossing signpost (Drainage Survey bench mark)	34.1

PINETOWN QUADRANGLE

NORTH CAROLINA

Bull. 646; P. 36

(Cont'd. P. 2)

Recopied: 11/9/54 lrm

1912 ADJ.

+3

Acre, 0.97 mi. E. of, at switch to N., in base of switch signal; spike

20.9

Acre, 2.14 mi. E. of, in SW. corner of trestle over canal to N.; bolt

19.90

Terraceia, 120 ft. W. of rd. crossing, 15 ft. S. of railroad track; iron post stamped "17.8"

17.829

NGVD 29
Elevations