164 N. C. - 66 TENN. LE CONTE CONTE QUADRANGLE WITH OVEREDGE

N3530-W8315/15

LE CONTE QUADRANGLE WITH OVEREDGE

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY


Third-order leveling

UNADJUSTED FIELD ELEVATIONS

SEA LEVEL DATUM OF 1929

Edition of 1/22/64

Counties: Haywood, Jackson, Swain, N.C.; Cocke, Sevier, Te



INDEX	OF	PERMANENT	MARKS

MARK (USGS)	sa still	PAGE NO.	MARK (USGS)	PAGE NO.
L 9 1928 L 10 1928 L 11 1928 L 11 1928 L 15 1928 N 14 1928 N 15 1928 N 16 1928 N 17 1928 N 19 1928 N 20 1928 N 20 1928 N 20 1928 N 20 1928 N 20 1928 N 21 1928 N 22 1928 N 22 1928 N 22 1928 N 27 1938 N 28 1939 N 3 1929 N 3 1929 N 3 1929 N 3 1929	28 28 28 28 28 28 28 28 28 28 29 28 29 28 29 28 29 28 29 28 29 28 28 28 28 28 28 28 28 28 28 28 28 28	25, 45, 46, 32, 33, 33, 33, 33, 33, 33, 33, 33, 33	MARK (USOS) TT STA NO 1 D 1921 TT STA NO 2 D 1925 TT STA NO 4 D 1925 TT STA NO 6 D 1925 TT STA NO 6 D 1925 TT STA NO 12 D 1937 TT STA NO 12 D 1937 TT STA NO 12 D 1937 TT STA NO 13 D 193 34 RJN 1963 183 35 RJN 1963 183 35 RJN 1963 183 36 RJN 1963 183 37 RJN 1963 183 38 RJN 1963 183 39 RJN 1963 183 39 RJN 1963 183 40 RJN 1963 193 39 RJN 1963 193 39 RJN 1963 193 40 RJN 1963 193 50 RJN 1	15,39,724 19,20 15,39,724 19,20 21,40 24,33 45,51 47,518 45,51 45,518 45

NGVD 29 Elevations

LE CONTE 1/17/64 nec

- STATE LINE

N.C.-TENN. LINE 1.

W. D. Leech

1928

6642.362

6243.08

5720.57

N.C.-TENN.

W. D. Leech

3027.01

1928-29

FROM TOWNSEND QUADRANGLE ALONG APPALACHIAN TRAIL NORTHEAST TO POINT 1.6 MILES NORTHEAST OF CLINGMANS DOME (By W. D. Leech, 1928; Book B3088).

U.E.,
/Forney Creek, 5.8 mi N. of forks; 0.4 mi E. of Clingmans Dome; on Andrews Bald-Clingmans Dome Trail; 4 ft S. of hub marked (W-2485); at S. edge of trail; in root on N. side of 6-in. spruce tree; copper nail and washer 6420.94 Clingmans Dome, 20 ft N. of NW. corner of triangulation

tower; between two posts marked "L.R.Co." and red painted post; in top of stone post; standard tablet stamped "L 15 1928"

Reference mark; 20 ft NE. of tablet; in root of 10-in. balsam tree; copper nail and washer 6642.40 U.E., Clingmans Dome, 0.3 mi NE. of; at gap in mountain; 5 ft SE. of trail; in root of 16-in. balsam tree; copper nail and washer 6366.33

U.E., Clingmans Dome, 0.9 mi NE. of; at former camp ground; 10 ft N. of trail; 30 ft NW. of old fire place; on rock; chiseled square

U.E., Clingmans Dome, 1.6 mi NE. of; 1.0 mi SW. of Round Top Mountain; 1 ft NW. of trail, at point 30 ft NW. of saddle; in root of 26-in. birch tree; copper nail and washer

LE CONTE Book B3088 1/17/64 nec

clearing; on rock; chiseled square

LINE 2.

FROM POINT NEAR SOUTHEAST CORNER OF TOWNSEND QUADRANGLE GENERALLY NORTH ALONG NOLAND CREEK TO POINT MEAR BALD CREEK (By W. D. Leech, NORTH ALONG NOLAND CI 1928-29; Book B3088) CHECKED SPUR LINE Noland, 4.9 mi N. of; 0.5 mi N. of old Solola Post Office; 15 ft W. of rd.; 30 ft SW. of private rd. and mailbox marked "S. J. Woody"; on rock outcrop; chiseled square 2391.08 Noland, 5.9 mi N. of; 1.0 mi N. of old Solola Post Office; 400 ft N. of Mill Creek School; 100 ft NW. of rd. forks; 120 ft N. of bridge over Noland Creek; in cultivated field; in embedded boulder; standard tablet stamped "L 9 1928" 2543.869 Reference mark; 60 ft SE. of tablet; 10 ft N. of N. end of house of E. T. Branton; 70 ft NE. of rd. forks; on embedded boulder; chiseled square 2547.33 U.E., Noland, 6.8 mi N. of; 1.8 mi N. of old Solola Post Office; 0.8 mi N. of Mill Creek School; 40 ft N. of bridge over Noland Creek; E. of rd. and W. of stream; on boulder; chiseled square 2748.19 U.E., Noland, 7.4 mi N. of; 2.4 mi N. of old Solola Post Office; 1.5 mi N. of Mill Creek School; 400 ft S. of house N. of rd.; 40 ft S. of rd.; 60 ft N. of Noland Creek; near E. end of cleared field; on boulder; chiseled square 2877.46 U.E., Mill Creek School; 2.2 mi N. of; 8.1 mi N. of Noland; 0.7 mi N. of last house on rd.; 50 ft S. of old camp; 20 ft S. of trail; 30 ft N. of edge of woods; in small

	5 LE CONTE Book B3088 1/17/64 nec	W. D. Leech	6 LE CONTE N.CTENN. W.D. Leech Book B3088 1/23/64 nec	
	LINE 2 (Cont'd.)	1920-29	LINE 3.	
	Mill Creek School, 2.7 ml N. of; 8.6 ml N. of Noland;		FROM BRYSON QUADRANGLE NORTH ALONG DEEP CREEK NORTH TO INDIAN GAP (By	
	250 ft N. of Noland Creek; 20 ft N. of old barn; 30		W. D. Leech, 1928; Book B3088)	
	ft S. of trail; in old field; in large flat rock;			2
	standard tablet stamped "L 10 1928"	3176.455	U.E., Deep Creek, 4.3 mi N. of mouth of; 1.1 mi N. of mouth of	
	Reference mark; 12 ft SW. of tablet; 10 ft N. of barn;		Indian Creek; 40 ft W. of center of bridge over Deep Creek;	
	on rock; chiseled square	3175.09	20 ft Nw. of rd.; on rock ledge; chiseled square 1947.23	
	U.E., Mill Creek School, 3.2 mi N. of; 9.1 mi N. of		U.E., Deep Creek, 5.1 mi N. of mouth of; 2.0 mi N. of mouth	
	Noland; 170 ft N. of tree marked "S 32"; 20 ft W. of		of Indian Creek; 450 ft W. of ford; at S. edge of rock;	
	trail; at N. end of former campsite; on rock;		on rock; chiseled square 2017.41	
Š	chiseled square	3268.34	Deep Creek, 6.1 mi N. of mouth of; 2.8 mi N. of mouth of	
	U.E., Mill Creek School, 3.6 mi N. of; 0.8 mi S. of Ba	.1d	Indian Creek; 55 ft N. of Bridges Creek; 50 ft W. of rd.	
	Creek Camp; 150 ft S. of gulley crossing trail; at W		and trail intersection; in top of boulder; standard tablet	
ż	edge of trail; in root of 22-in. oak tree; spike	3405.31	stamped "L 16 1928" 2186.318	
4	Mill Creek School, 4.4 mi N. of; 10.3 mi N. of Noland;		Reference mark; 30 ft E. of tablet; 20 ft W. of junction of	
	200 ft S. of Bald Creek Camp; 200 ft S. of trail NW.		woods rd. NW.; in root of 36-in. oak tree; copper nail	
÷	along Bald Creek; 30 ft S. of center of Noland Creek		and washer 2183.05	
	15 ft E. of trail; in rock; standard tablet stamped		U.E., Deep Creek, 0.9 mi S. of Bryson Place; 1.1 mi N. of	
	"L 11 1928"	3564.296	Bridge Creek; 2 ft W. of rd.; on S. side of creek at	
	Reference mark No. 1; 40 ft W. of tablet; at W. edge of	r	crossing; on boulder; chiseled square 2306.86	
	stream; on large boulder; chiseled square	3561.94	U.E., Deep Creek, 0.7 mi S. of main forks; 0.2 mi N. of	
	Reference mark No. 2; 20 ft S of tablet; in root on W		Bryson Place; 20 ft E. of small stream crossing; on boulder;	
	side of 30-in. maple tree; copper nail and washer	3563.20	chiseled square 2411.71	
			Deep Creek Rd. and Gun Clubhouse, 1.0 mi N. of; on E. side of	
			trail along Deep Creek; 80 ft SW. of triangle blazed on	c
			sycamore tree; in large granite rock; standard tablet stamped	*
			"TT STA NO 1 D 1929" 2485.876	

Book B3088 1/23/64 nec	D. Leech 1928
LINE 3 (Cont'd.)	1920
Reference mark; 10 ft NW. of tablet; on boulder; chiseled square	2482.82
U.E., Deep Creek, 1.8 mi N. of Bryson Place; 0.8 mi N. of	
main fork; 60 ft SW. of creek at trail crossing; on boulde	er;
chiseled square	2588.80
U.E., Deep Creek, 2.8 mi N. of Bryson Place; 1.8 mi NE. of	
main fork; in center of creek at trail crossing; on huge	
boulder; chiseled square	2732.50
U.E., Deep Creek, 3.8 mi N. of Bryson Place; 2.8 mi N. of	
main fork; E. side of trail at point where trail joins old	1
creek bed; on boulder; chiseled square	2942.40
Reference mark; 5 ft N. of tablet; on boulder; chiseled	
square	3215.36
Deep Creek Rod and Gun Clubhouse, 4.4 mi N. of; 3.5 mi S. of	r
Indian Gap, along Deep Creek; 60 ft W. of trail and 65 ft	3 1 5 M
W. of triangle blazed on hemlock tree 3 ft in diameter; in	1
E. edge of creek; in large gray granite rock; standard	
tablet stamped "TT STA NO 2 D 1929"	3215.480
U.E., Deep Creek, 6.0 mi N. of Bryson Place; 2.4 mi SE. of	
Indian Gap; at upper fork of Deep Creek; on large boulder	,
chiseled square	3634.72
U.E., Deep Creek, 7.0 mi N. of Bryson Place; 1.4 mi SE. of	
Indian Gap; 10 ft NE, of stream; on rock ledge; chiseled	
square	4057.93

8	
LE CONTE N.CTENN. Book B3088 1/23/64 nec	W. D. Leech 1928
LINE 3 (Cont'd.)	1920
U.E., Deep Creek, 7.8 mi N. of Bryson Place; 1.	O mi SE. of
Indian Gap; W. edge of creek at bottom of fall	s; near fork;
on rock ledge; chiseled square	4524.30
Indian Gap, 10 ft S. of center of trail; 3 ft N.	and 8 ft W.
of state line stake; in large limestone boulde	er buried in
ground; standard tablet stamped "TT STA NO 34	TN 1928" 5266.097
LINE 4.	en in de la companya de la companya La companya de la co
FROM BRYSON QUADRANGLE ALONG INDIAN CREEK NORTHE 4.0 MILES NORTHEAST OF MOUTH OF INDIAN CREEK (By Book B3140)	
CHECKED SPUR LINE	
Indian Creek, 3.0 mi NE. of mouth of; 60 ft E. o	f Robert
Wiggen's residence; 15 ft SW. of springhouse;	40 ft W. of
rd.; 5 ft S. of trail; in top of rock outcrop;	standard
tablet stamped "N 26 1928"	2379.351
Reference mark; 200 ft S. of tablet; on boulder;	chiseled
square	2380.26
U.E., Indian Creek, 4.0 mi NE. of mouth of; 1.0	mi SW. of
forks of creek; 10 ft E. of stream crossing ne	ear end of
rd.; on boulder; chiseled square	2622.65
Indian Creek, 5.0 mi NE. of mouth of; 110 ft Sw.	from main

forks of creek; 7 ft SW. of blazed 24-in. chestnut tree; 2 ft W. of foot path; in top of large boulder; standard

				*	
9 LE CONTE	N.CTENN.	F. B. Neary	10 LE CONTE	N.CTENN.	F. B. Neary
Book B3140 1/23/64 nec	5.2g+ - 4-44 - +	1928-29	Book B3139 1/23/64 nec		1928
LINE 4 (Cont'd.)			RUTY	LINE 6.	1920
Reference mark; 6 ft N. of	tablet; in root of 24-i	n. chestnut	FROM BRYSON QUADRANGLE ALON		
tree; copper nail and wa	sher,	3008.09	THENCE ALONG OLD ROAD NORTH ALONG CREST OF RIDGE TO POI	INT 2.0 MILES NORTHEAS	
a mere in the	LINE 5.	and graduated 20%	DOME (By F. B. Neary, 1928;	Book B3139)	
FROM BRYSON QUADRANGLE ALO	NG COOPER CREEK NORTH TO	POINT ABOUT 6.2	U.E., Cherokee, 1.0 mi N. c	of; 25 ft E. of rd.; 5	ft E. of W.
MILES NORTH OF ELA (By F.	and the street of the street o	ж вэтээ)	end of dam; on concrete w	all; chiseled square	1960.00
	CHECKED SPUR LINE	tagen and a same a	U.E., Cherokee, 1.9 mi N. c	of; 325 ft E. of priva	te rd. fork
U.E., Cooper Creek, 3.8 mi	N. of hwy.; 1.6 mi N. o	f Cooper	N.; 60 ft SW. of house; o	n N. headwall of conc	rete culvert;
Creek School; 10 ft SW.	of field rd. fork; 5 ft	SE. of	chiseled square	haray je sugar je je	1983.66
fence corner; on W. side	of rd.; on huge boulder	; chiseled	U.E., Cherokee, 3.2 mi N. o	of; 0.6 m1 S. of rd. f	ork to
square		2570.94	Ravensford; on SW. side of	of rd.; on boulder pro	jecting
U.E., Cooper Creek, 5.0 mi	. N. of hwy.; 40 ft NE. o	f W. R.	out of bank; chiseled squ	are	2051.87
Springer; on S. side of	rd; on boulder; chiseled	l square 2937.43	Ravensford, 0.8 mi W. and N	. of: 3.2 mi N. of Ch	erokee: 15
U.E., Cooper Creek, 5.8 mi	. N. of hwy.; 0.4 mi S. o	f forks of	ft S. and 15 ft W. of T-r		이 작은 밤 하시네요? 연속 네트
creek; 10 ft E. of trail	; 30 ft E. of stream; in	root of	Highway 107; in top of ro	na filologija september gredini	ing the later of the property of the
8-in. maple tree; copper	nail and washer	3185.99	"TT STA NO 28 T 1928" (T1		
Cooper Creek, 6.2 mi N. of	hwy.; 40 ft NW. of fork	s of creek;	(Reported destroyed, 1949	그리는 생각이 있는 사람들이 되었다.	2046.515
on NE. side of creek to	NW.; 10 ft E. of trail;	in top of	Reference mark; 15 ft N. of		
huge boulder; standard t	ablet stamped "N 14 1928	3369.410	square		2045.34
Reference mark; 40 ft SW.	of tablet; in root of 20)-in.	U.E., Smokemont, 2.3 mi S.	of: 0.9 mi S. of RR.	gara Alphan III an Salita
hickory tree; copper nai	l and washer	3366.21	50 ft S. of drain; on W.		
, and a second without	i watan en en de la retire	ng majah ngami bawasi Tanggar	chiseled square		2085.93
	e są Dergel projeji i ce	An grand had been also as the	U.E., Smokemont, 1.3 ml S.	of OO et NW of md	and the second s
	* District the religion and	pulkiyasa ka kwa mala ka		e Nago Baron i seu sija	计可靠 医双性性畸形 化二基甲烷
en har en region			N. side of E. abutment of	prioge over Ocousing	
			chiseled square	ger former frage for its	2127.88
		NCI	/D 20		The state of the s
			7		

11 LE CONTE N.CTENN. F. B. Neary Book B3139 1/23/64 nec 1928 LINE 6 (Cont'd.) Smokemont, O.2 mi NW. of school; 250 ft SE. of rd. forks at Ry. crossing; 280 ft SE. of center of bridge over Bradley Fork; 20 ft NE. of rd.; in top of rock outerop; 2198.506 standard tablet stamped "N 15 1928" 2198.506	12 Book B3139 1/23/64 nec 1928 LINE 6 (Cont'd.) U.E., Smokemont, 5.7 mi NW. of; 175 ft NW. of forks of Ry. at Camp No. 9; 4 ft S. of S. rail; on boulder; chiseled square Smokemont, 6.7 mi NW. of; about 200 ft SW. of Camp No. 18;
Reference mark; 280 ft NW. of tablet; on N. side of E. end	150 ft Sw. of junction of RR.; 50 ft Sw. of RR. to W.; in
of bridge over Bradley Fork; chiseled square 2200.38	top of large boulder; standard tablet stamped "N 22 1928" 3736.053
U.E., Smokemont, 0.6 ml NW. of; 15 ft NW. of store; 15 ft	Reference mark; 30 ft W. of tablet; on boulder; chiseled
NE. of rd.; on boulder; chiseled square 2265.36	square 3733.94
U.E., Smokemont, 1.7 mi NW. of; 450 ft NW. of bridge over	U.E., Smokemont, 7.7 mi NW. of; 1.1 mi NW. of Camp No. 18;
Collins Creek; 4 ft SW. of rail; on boulder; chiseled	3 ft NE. of drain; on N. side of rd.; on large boulder;
square 2393.49	chiseled square 4215.00
U.E., Smokemont, 2.6 mi NW. of; 8 ft E. of E. rail at point	U.E., Smokemont, 8.7 mi NW. of; 1.1 mi SE. of Indian Gap;
20 ft N. of N. end of bridge No. 8; on boulder; chiseled	10 ft NW. of rd. fork; in root of 12-in. maple tree;
square 2527.17	copper nail and washer 4709.71
Smokemont, 3.9 mi NW. of; at Camp No. 3; 350 ft N. of forks	Indian Gap, 10 ft S. of center of trail; 3 ft N. and 8 ft W.
of Lufty River with Mud Creek Prong; 7 ft NE. of rail at	of state line stake at Indian Gap; in large limestone
point 15 ft NW. of trestle; 5 ft NW. of Mud Creek; in top	boulder buried in ground; standard tablet stamped
of boulder; standard tablet stamped "N 21 1928" 2801.659	"TT STA NO 34 TN 1928" 5266.097
Reference mark; 60 ft SE. of tablet; on boulder; chiseled	Reference mark; 60 ft NW. of tablet; on boulder; chiseled
square 2799.34	square 5269.20
U.E., Smokemont, 4.8 mi NW. of; 0.8 mi NW. of Camp No. 3;	U.E., Indian Gap, 1.0 mi SW. of; 5 ft NW. of forks of trail
100 ft W. of RR.; 30 ft E. of stream crossing; 10 ft S. of	at angle in state line; in root of 12-in. balsam tree;
trail; on large boulder; chiseled square 2992.60	copper nail and washer 5698.93

13 LE CONTE N.CTENN. F. B. Neary	14	
Book B3139 1/23/64 nec 1928	LE CONTE N.CTENN. Book B3139-B3510 1/23/64 nec	F. B. Neary
LINE 6 (Cont'd.)	LINE 7 (Cont'd.)	1928-29
U.E., Indian Gap, 2.0 mi SW. of; 100 ft SW. of small top;	Reference mark; 50 ft S. of tablet; on rock outcrep;	
on SE, side of trail at bend; in root of 15-in. balsam	chiseled square	2453.75
tree; copper nail and washer 5885.82	Smokemont, 2.4 mi N. of; 100 ft S. of first Ry. crossing	
Indian Gap, 2.5 mi SW. of; 15 ft SE. of triangulation station	Bradley Fork; above Smokemont; 300 ft N. of dwelling;	
on Mount Kephart; 20 ft SE. of trail; in top of boulder;	on W. side of track; in top of rock outcrop; standard	
standard tablet stamped "N 25 1928" 6188.140	tablet stamped "N 16 1928"	2457.05
Reference mark; 15 ft NW. of tablet; in root of 15-in.	U.E., Smokemont, 3.4 mi N. of; 3 ft E. of Ry. at point 5	
spruce tree which is triangulation station; copper nail	S. of bridge; on rock ledge; chiseled square	2687.66
and washer 6190.42	U.E., Smokemont, 4.5 mi N. of; 60 ft SE. of junction of	2007.000
LINE 7.	Bradley Fork with Upper Creek Ry.; 4 ft Sw. of track;	
FROM SMOKEMONT ALONG ROAD AND TRAIL GENERALLY NORTHWEST TO DRY SIUICE	N. end of huge boulder; chiseled square	2927.01
GAP (By F. B. Neary, 1928-29; Books B3139-B3510)	U.E., Smokemont, 5.4 mi NW. of; 1.0 mi SE. of Beech Sprin	
Smokemont, 0.2 mi NW.of schoolhouse; 250 ft SE. of rd. fork	E. side of Dry Sluice Gap Trail; in root of 15-in. cher	
at Ry. crossing; 280 ft SE. of center of bridge over	tree; copper nail and washer	3964.04
Bradley Fork; 20 ft NE. of rd.; in top of rock outcrop;	Reference mark; 12 ft SE, of tablet; on boulder; chiseled	
standard tablet stamped "N 15 1928" 2198.506	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	
Reference mark; 280 ft NW. of tablet; on N. side of E. end	square Smokemont, 6.0 mi NW of 1.5 mi W of Prodley Rowk (mask	4720.76
of bridge over Bradley Fork; chiseled square 2200.38	Smokemont, 6.0 mi NW. of; 1.5 mi W. of Bradley Fork Creel end of RR. on old abandoned trail leading up ridge to 1	Market and the second
U.E., Smokemont, 0.9 mi N. of; 60 ft NW. of S. end of switch;	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	ury
25 ft W. of track and 8 ft W. of gate; on boulder; chiseled	Sluice Gap; 60 ft S. of trail; in large rock outcrop;	
square 2279.99	standard tablet stamped "TT STA NO 6 D 1929"	4726.586
U.E., Smokemont, 1.7 mi N. of; 120 ft Nw. of Ry. forks;	U.E., Dry Sluice Gap; 1.4 mi SE. of; 0.6 mi N. of Beech	
about 100 ft S. of Ry. bridge over Lower Creek; 50 ft	Springs; top of ridge in gap; in root of 3-ft spruce tr	•
NW. of house; in root of sycamore tree; copper nail and	copper nail and washer	5296.08
15	16 LE CONTE N.CTENN. F	. B. Neary
LE CONTE N.CTENN. F. B. Neary Book B3139-B3510 1/23/64 nec	BOOK B3139 1/23/64 nec	1928-29
LINE 7 (Cont'd.)	LINE 8 (Cont'd.)	The Analysis of
Stream fork, 0.3 mi N. of; 65 ft NE. of triangle blaze on	Smokemont, 4.1 mi N. of; about 200 ft N. of forks of right	
large hemlock tree about 3.5 ft in diameter; on W. side	prong of Bradley Fork; 50 ft N. of bridge over E. prong;	Branch Co
of Coopers Creek; standard tablet stamped	100 ft NE. of bridge over W. prong; 40 ft NE. of track;	
"TT STA NO 4 D 1929" 19 2-8 5375.622	in top of large boulder; standard tablet stamped	
Reference mark; 15 ft SE. of tablet; on ledge; chiseled	"N 17 1928"	3076.864
square 5372.24	LINE 9.	
LINE 8.	FROM RAVENSFORD NORTHEAST TO SWANEY THENCE ALONG TRAILS GE	
DING O.	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2	NERALLY 29: Books
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532)	NERALLY 9; Books
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139)	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6)	2046.515
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6)	2046.515 2045.35
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE J.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd	2046.515 2045.35
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE U.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft NW. of house;	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square	2046.515 2045.35
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE J.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft NW. of house; in root of double sycamore tree; copper nail and washer 2356.491	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin	2046.515 2045.35 2037.49
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE J.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft NW. of house; in root of double sycamore tree; copper nail and washer 2356.491 J.E., Smokemont, 2.7 mi N. of, along right prong of Bradley	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o	2046.515 2045.35 2037.49
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE U.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft NW. of house; in root of double sycamore tree; copper nail and washer 2356.491 U.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek;	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square	2046.515 2045.35 2037.49
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE J.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft NW. of house; in root of double sycamore tree; copper nail and washer 2356.491 J.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek; 25 ft N. of track; in root of 20-in. beech tree; copper	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square U.E., Ravensford, 1.9 mi N. of; 40 ft SE. of RR. at rd.	2046.515 2045.35 .; 2037.49 t
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE J.E., Smokemont, 1.7 mi N. of; 120 ft NW. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft NW. of house; in root of double sycamore tree; copper nail and washer 2356.491 J.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek; 25 ft N. of track; in root of 20-in. beech tree; copper nail and washer 2693.85	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square U.E., Ravensford, 1.9 mi N. of; 40 ft SE. of RR. at rd. crossing; in root of 8-in. oak tree; copper nail and	2046.515 2045.35 2037.49 t
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE U.E., Smokemont, 1.7 mi N. of; 120 ft Nw. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft Nw. of house; in root of double sycamore tree; copper nail and washer 2356.491 U.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek; 25 ft N. of track; in root of 20-in. beech tree; copper nail and washer 2693.85 J.E., Smokemont, 3.7 mi N. of; 0.4 mi S. of forks of Bradley	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square U.E., Ravensford, 1.9 mi N. of; 40 ft SE. of RR. at rd. crossing; in root of 8-in. oak tree; copper nail and washer	2046.515 2045.35 2037.49 t
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE U.E., Smokemont, 1.7 mi N. of; 120 ft Nw. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft Nw. of house; in root of double sycamore tree; copper nail and washer 2356.491 U.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek; 25 ft N. of track; in root of 20-in. beech tree; copper nail and washer U.E., Smokemont, 3.7 mi N. of; 0.4 mi S. of forks of Bradley Fork; 50 ft N. of bridge over drain; E. side of track; on	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square U.E., Ravensford, 1.9 mi N. of; 40 ft SE. of RR. at rd. crossing; in root of 8-in. oak tree; copper nail and washer U.E., Ravenford, 2.9 mi NE. of; 25 ft SE. of RR. crossing;	2046.515 2045.35 ; 2037.49 t n
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE U.E., Smokemont, 1.7 mi N. of; 120 ft Nw. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft Nw. of house; in root of double sycamore tree; copper nail and washer 2356.491 U.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek; 25 ft N. of track; in root of 20-in. beech tree; copper nail and washer 2693.85 U.E., Smokemont, 3.7 mi N. of; 0.4 mi S. of forks of Bradley Fork; 50 ft N. of bridge over drain; E. side of track; on rock ledge; chiseled square 2976.98	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square U.E., Ravensford, 1.9 mi N. of; 40 ft SE. of RR. at rd. crossing; in root of 8-in. oak tree; copper nail and washer U.E., Ravenford, 2.9 mi NE. of; 25 ft SE. of RR. crossing; on E. side of rd.; in root of 12-in. tree; copper nail	2046.515 2045.35 ; 2037.49 t n 2100.65
FROM POINT 1.7 MILES NORTH OF SMOKEMONT ALONG CHASTEEN CREEK NORTHEAST ABOUT 2.2 MILES (By F. B. Neary, 1928-29; Book B3139) CHECKED SPUR LINE U.E., Smokemont, 1.7 mi N. of; 120 ft Nw. of Ry. fork; about 100 ft S. of Ry. bridge over Lower Creek; 50 ft Nw. of house; in root of double sycamore tree; copper nail and washer 2356.491 U.E., Smokemont, 2.7 mi N. of, along right prong of Bradley Fork; 100 ft N. of old camp site; 60 ft N. of small creek; 25 ft N. of track; in root of 20-in. beech tree; copper nail and washer 2693.85 U.E., Smokemont, 3.7 mi N. of; 0.4 mi S. of forks of Bradley Fork; 50 ft N. of bridge over drain; E. side of track; on	NORTH TO MT. GUYOT (By W. D. Leech and F. B. Neary, 1928-2 B3140-B3532) "TT STA NO 28 T 1928" (Described in line 6) Reference mark; chiseled square (Described in line 6) U.E., Ravensford, 25 ft NE. of commissary; 20 ft NE. of rd 10 ft SE. of rail; on rock; chiseled square U.E., Ravensford, 1.0 mi N. of; 10 ft S. of track; at poin 7 ft W. of W. end of RR. bridge over Oconalufty River; o large boulder; chiseled square U.E., Ravensford, 1.9 mi N. of; 40 ft SE. of RR. at rd. crossing; in root of 8-in. oak tree; copper nail and washer U.E., Ravenford, 2.9 mi NE. of; 25 ft SE. of RR. crossing;	2046.515 2045.35 ; 2037.49 t n 2100.65

17 LE CONTE Book B3140-B3532 1/23/64 nec 1928-1929 LINE 9 (Cont'd.) Swayney, 4.2 mi S. and W. of; 313 mi NE. of Ravensford; on Parson's Pulp & Lumber Co. logging RR.; on W. side of track opposite swinging foot bridge over Raven Fork	18 LE CONTE BOOK B3140-B3532 1/24/64 LINE 9 (Cont'd.) U.E., &wayney, 55 ft N. of N. end Cove and Straight Fork; rock outcrop; chiseled s
River; in vertical face of rock oucrop; standard tablet	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
stamped "TT STA NO 27 T 1928" 2223.603 Reference mark; 40 ft SE. of tablet; on rock ledge; chiseled	U.E., Swayney, 1.0 mi NE. o
square 2219.82 U.E., Ravensford, 4.1 mi NE. of; 110 ft N. of RR. bridge	U.E., Swayney, 2.0 mi NE. o to Raven Fork with Strai
over small creek; 25 ft SE. of SE. rail; on rock ledge; chiseled square 2261.51	20 ft SW. of shack; on b Swayney, 2.0 mi NE. of, the Raven Fork; at summit of
U.E., Swayney, 2.0 mi Sw. of; 20 ft SE. of track; at point 20 ft NE. of NE. end of switch; in root on N. side of	5 ft E. of rail in top o stamped "N 19 1928"
lone 36-in. apple tree; mail Swayney, 1.0 mi S. of; 6.5 mi NE. of Ravensford; on Parson's Pulp & Lumber Co. logging RR.; directly opposite mouth of	Reference mark; 210 ft N. rock ledge; chiseled squ
Bunch Creek; 10 ft W. of centerline of track; in vertical face of rock outcrop; standard tablet stamped	U.E., Swayney, 0.8 mi NW. o
"TT STA NO 26 T 1928" 2384.343 Reference mark; 15 ft S. of tablet; on top of pointed	on rock outcrop; chisele U.E., Raven Fork, 2.3 mi N RR.; on E. side of grade
boulder; chiseled square 2380.89	Raven Fork, 3.2 mi NE. of Enloe Creek; on S. side
ing the Court of t	standard tablet stamped Reference mark; 20 ft NW.

18 Book B31	LE CONTE 140-B3532 1/24/64 ne	N.CTENN.	W,D,Leech,F	
LINE 9 (Cont'd.)		1920-19	29
Śwayney,	55 ft N. of N. end of	RR. bridge at for	k of Big	3 4 4
Cove a	and Straight Fork; 10	ft W. of track; on	top of	
rock o	outcrop; chiseled squa	re		2458.34
U.E., Swa	ayney, 1.0 mi NE. of;	10 rails N. of N.	end of trestle;	
10 ft	W. of track; at bend;	on boulder; chise.	led square	2560.24
U.E., Swa	ayney, 2.0 mi NE. of;	125 ft SW. of junct	tion of RR.	
to Rav	en Fork with Straight	Fork rd.; 10 ft N	W. of rail;	
20 ft	SW. of shack; on boul	der; chiseled squar	re galaka kas	2709.54
Swayney,	2.0 mi NE. of, thence	1.5 mi SW. along F	RR. to	
Raven	Fork; at summit of hi	11; 300 ft S. of ju	unction of RR.;	
	. of rail in top of r			A 12 9
stampe	d "N 19 1928"			3120.522
Referenc	e mark; 210 ft N. of	tablet; on W. side	of track; on	
C - 127	edge; chiseled square			3117.82
U.E., Swa	ayney, 0.8 mi NW. of j	unction of new RR.	at top of	e e anager
	about 450 ft W. of ol			
on roc	k outcrop; chiseled s	quare		3201.36
U.E., Ra	ven Fork, 2.3 mi NW.	of mouth of; 525 ft	N. of end of	
RR.; o	n E. side of grade; o	n rock ledge; chise	eled square	3339.46
Raven Fo	rk, 3.2 mi NE. of mou	th of; 300 ft E. of	mouth of	
Enloe	Creek; on S. side of	creek; in top of la	arge boulder;	
	rd tablet stamped "N			3552.481
	e mark; 20 ft NW. of		chiseled	
square			•	3545.84

19	och B.D. Verson
Book B3140-B3532 1/24/64 nec	ech, F.B. Neary
LINE 9 (Cont'd.)	-1929
U.E., Raven Fork, 4.2 mi N. of mouth of; 80 ft S. of stream	
from E.; at E. side of Raven Fork Creek; on large boulder;	
chiseled square	3744.00
U.E., Three Forks, 2.5 mi S. of; 5.2 mi N. of mouth of Raven	
Fork; 1.3 mi S. of Armstrong Creek; at trail crossing; on	
N. side of Raven Fork; 5 ft W. of trail; on large boulder;	
chiseled square	3926.76
U.E., Three Forks, 1.5 mi S. of; 0.4 mi S. of Armstrong	
Creek; 50 ft W. of small island in stream; at W. edge of	er dans er graden er
stream; on ledge; chiseled square	4074.22
U.E., Three Forks, 1.2 mi S. of; 40 ft NE. of mouth of	and the second second
Armstrong Creek; on NE. side of Raven Fork; in root on	
S. side of 48-in. hemlock tree; copper nail and washer	4102.98
U.E., Three Forks, 0.4 m1 S. of; 50 ft N. of center of	The second second
stream and trail crossing; 15 ft NW. of water's edge; 8 ft	and the second
NE. of trail; in root on E. side of 16-in. spruce tree;	and the second of the second o
copper mail and washer	4164.90
Swayney, 7.7 m1 NW. of; 320 ft SW. of Three Forks; on W.	
side of Raven Fork Creek; 5 ft N. and 45 ft E. of log	F 2018
cabin camp house, between trail and creek; in large rock;	
standard tablet stamped "TT STA NO 12 D 1929"	4203.289
Reference mark; 350 ft NE. of tablet; 30 ft NE. of mouth of	rankur 1906 - Geragia Geografia
right prong; in base on N. side of 10-in. birch tree;	ANTONIO SERVICE
copper nail and washer	4211.58

LE CONTE N.CTENN. W.D. Leech	,F.B. Neary
Book B3140-B3532 1/24/64 nec	-1929
LINE 9 (Cont'd.)	
U.E., Three Forks, 0.4 mi N. of; on trail on ridge; 3 ft	
E. of trail; in root on W. side of 24-in. spruce tree;	
copper nail and washer	4720.67
U.E., Three Forks, 1.0 mi N. of; in cut-out trail; in root	
4 ft S. of base of 38-in. spruce tree; copper nail and	
washer	5211.40
U.E., Three Forks, 1.6 mi N. of; 5 ft E. of trail; in root	
on W. side of 20-in. spruce tree; copper nail and washer	5629.51
U.E., Mount Guyot, 3.0 mi S. of; 2.1 mi N. of Three Forks;	
4 ft NW. of trail; in root on SE. side of 30-in. spruce	property of
tree; copper nail and washer	5833.37
U.E., Mount Guyot, 2.4 mi S. of; in cut-out traverse trail;	
in root on E. side of 22-in. spruce tree; copper nail and	
washer	5980.12
Mount Guyot, 1.5 mi S. of; 0.2 mi S. of gap at head of	
Straight Fork; 6 ft E. of trail; in ledge; standard tablet	ra Lami
stamped "TT STA NO 13 D 1929"	6134.292
Reference mark; 100 ft S. of tablet; 2 ft E. of trail; in	
root on SW. side of 20-in. spruce tree; copper nail and	
washer	6146.50
U.E., Mount Guyot, 1.3 mi S. of; in gap; 2 ft E. of trail;	02.0.00
in root on SW. side of 20-in. spruce tree; copper nail	-0
and washer	5891.53

21 LE CONTE N.CTENN. W.D. Leech, F.B. Neary Book B3140-B3532 1/24/64 nec	LE CONTE N.CTENN. F. B. Neary
LINE 9 (Cont'd.)	Book B3510 1/24/64 nec
	LINE 10 (Cont'd.)
U.E., Mount Guyot, 0.5 mi S. of; at N. end of gap; 1 ft	U.E., Deep Creek, 2.0 mi N. of Bryson Place; 1.0 mi Nw. of
E. of trail; in root on NW. side of 18-in. spruce tree;	main fork of creek; 20 ft N. of creek at trail crossing;
copper nail and washer 5968.57	in center of trail; on round embedded rock; chiseled
Greenbrier Cove, on Little Pigeon River, 7.5 mi (airline) E. of: on highest point of	square 2691.88
Mount Guyot; at summit of Great Smoky Mountains; on highest	Deep Creek, 3.2 mi N. of Bryson Place; 2.2 mi N. of main
ground at edge of green timber joining old fire scald; at	fork of creek; 350 ft S. of Deep Gap Camp grounds; 25 ft
headwaters of Left Prong of Little Pigeon River and Cosby	S. of stream at trail crossing; in top of embedded boulder;
Creek on N. and Big Creek and Raven Fork on S.; in	standard tablet stamped "N 1 1929" 2951.017
8- by 8-in. sandstone; standard tablet stamped	Reference mark; 20 ft NW. of tablet; on boulder; chiseled
"TT STA NO 14 D 1929" (Designated "QUYOT" triangulation	square 2950.99
station) 6621.039	LINE 11.
Reference mark; 30 ft E. of tablet; in root of 6-in.	FROM POINT 4.5 MILES NORTH OF SMOKEMONT ALONG BRADLEY FORK THENCE
spruce tree; ten penny nail and copper washer 6617.76	NORTHEAST ALONG CREEK 1.5 MILES (By F. B. Neary, 1929; Book B3510)
LINE 10.	CHECKED SPUR LINE
FROM TT STA NO 1 D 1929 NORTHWEST UP LEFT PRONG OF DEEP CREEK 2.3 MILES (By F.B. Neary, 1929; Book B3510)	U.E., Smokemont, 4.5 mi N. of; 60 ft SE. of junction of Bradley
TILLES (By F.D. Neary, 1929; BOOK B3510)	Fork with Upper Creek Ry.; 4 ft SW. of track; on N. end of
CHECKED SPUR LINE	huge boulder; chiseled square 2922.17
Deep Creek Rod and Gun Clubhouse, 1.0 mi N. of; on E. side of	U.E., Smokemont, 5.5 mi N. of; 0.5 mi S. of mouth of Bear
trail along Deep Creek; 80 ft SW. of triangle blazed on	Wallow Creek; on E. side of creek; at trail crossing; on
sycamore tree; in large granite rock; standard tablet	boulder; chiseled square 3122.27
stamped "TT STA NO 1 D 1929" 2485.876	Reference mark; 40 ft S. of tablet; on boulder; chiseled
Constitution of the second of	square 3234.46
and the second of the second o	Smokemont, 6.0 mi N. of; in SE. angle of forks of Bradley
	Fork with Bear Wallow Creek; in boulder; standard tablet
	stamped "N 3 1929" 3236.877
23 LE CONTE N.CTENN. F.B. Neary	and the 24 , who are the control of
Book B3510 1/24/64 nec	LE CONTE N.CTENN. C. E. Reick Book B3133 1/27/64 nec
LINE 12.	1928 LINE 13.
FROM POINT 0.8 MILE NORTHWEST OF RAVENSFORD ALONG MINGUS CREEK	FROM GATLINBURG ALONG ROADS NORTHEAST INTO ENGLISH MOUNTAIN CHADRANGER
WEST AND NORTH 3.3 MILES (By F. B. Neary, 1929; Book B3510)	BY WAY OF PITTMAN CENTER THENCE EAST INTO NEWPORT QUADRANGLE (By C.E. Reick, 1928; Book B3133)
CHECKED SPUR LINE	Gatlinburg, 40 ft W. of NW. corner of Mountainview Hotel;
"TT STA NO 28 T 1928" (Described in line 6) 2046.515	in rock wall; standard tablet stamped "TT STA NO 23 TW 1928"
Reference mark; chiseled square (Described in line 6) 2045.35	المرازي المرازي المرازي والمرازي
U.E., Ravensford, 2.0 mi W. of; 20 ft S. of foot log to	(Tied by USCAGS, 1934) (Reported destroyed, 1956) 1292.310 Reference mark; 50 ft E. of tablet; on top stone of corner
residence of Grady Mathews; on S. edge of rd.; in boulder;	
chiseled square 2314.10	
U.E., Ravensford, 3.0 mi W. of; 60 ft W. of Mingus Creek	U.E., Gatlinburg, 1.0 mi E. of; 20 ft N. of Dudley Creek;
School; on S. edge of rd.; on boulder; chiseled square 2783.92	in root of 30-in. sycamore tree; copper nail and washer 1323.04
Reference mark; 10 ft S. of tablet; on boulder; chiseled	U.E., Gatlinburg, 2.0 mi E. of; 50 ft N. of Dudley Creek;
square 3183.34	on S. edge of rd.; on boulder; chiseled square 1437.66
Ravensford, 4.0 mi W. of; about 300 ft SW. of residence of	U.E., Gatlinburg, 2.8 mi E. of; 1.0 mi W. of T.Z. McCarter's
Jim Treadaway; 100 ft N. of second class rd. forks; on	store; on N. edge of rd.; on ledge; drill hole 1503.30
W. edge of rd.; in top of boulder; standard tablet stamped	Gatlinburg, 3.8 mi NE. of; 2.2 mi SW. of Emerts Cove; 27 ft
"N 4 1929" 3186.925	W. of junction of Gatlinburg-Greenbrier-Emerts Cove rds.;
	at T.Z. McCarter's general store; in SW. corner of
	cultivated field; in concrete post; standard tablet stamped
	"TT STA NO 1 T 1928" 1647.512
	Reference mark; 50 ft S. of tablet; in root of 30-in. oak
and the second of the second o	tree; copper nail and washer 1640.50
	/Emerts Cove, 1.4 mi W. of school; 50 ft W. of small bridge;

on S. edge of rd.; on boulder; drill hole

25 LE CONTE N.CTENN. C.E. Rei Book B3133 1/27/64 nec 1928	ck jugaran	26 LE CONTE N.CTENN. C. E. Reic Book B3133 1/27/64 nec 1928	k V
LINE 13 (Cont'd.)	r Fault dé-d	LINE 13 (Cont'd.)	
U.E., Emerts Cove, 2.0 ml S. of; 550 ft N. of Greenbrier	ng a mengan dingger i neti	U.E., Webb Creek, 4.7 ml E. of mouth of; 75 ft E. of Teachers	
rd. fork; on SW. corner of concrete well curb at school;	and Starte	Home; in root of 30-in. walnut tree; copper nail and washer Center	1608.32
chiseled square () A Continue to the continue	1374.09	Pittman/, 5.3 mi E. and N. of; 2.7 mi SW. of W. of Sevier-	134
U.B., Emerts Cove, 1.0 mi S. of; on W. side of rd.; on top		Cocke County line; on Webb Creek Road; 38 ft S. of W. end	
of large boulder; drill hole	1315.18	of triangle of rd. fork S. which leads to Texas	
Center Pittman/,950 ft S. of; 28 ft E. and 29 ft N. of E. side of		settlement; in large outcrop of rock; standard tablet	1000
triangle at rd. fork W.; in front yard of Lester Hedrick's	A 1	stamped "TT STA NO 4 T 1928"	1721.980
farmhouse; 2 ft W. of fenceline; in top of concrete post;	0 100,00 130	Reference mark; 50 ft NB. of tablet; on boulder; chiseled	
standard tablet stamped "TT STA NO 2 T 1928"	1281.296	square	1718.48
Reference mark; 60 ft S. of tablet; on small boulder;	er to the Williams of the Control of	U.E., Costner's Store, 2.0 mi W. of; near top of gap between	
chiseled square	1272.82	Webb and Dunn Creeks; 20 ft NE. of rd. fork; on boulder;	
U.E., Webb Creek, 0.8 mi E. of mouth of; on N. edge of rd.;		chiseled square	1985.61
on point of ledge; chiseled circle	1302.95	U.E., Costner's Store, 0.9 mi W. of; 0.9 mi W. of county line;	
U.E., Webb Creek, 1.8 mi E. of mouth of; on S. edge of rd.;	the second of	30 ft NE. of rd. fork N. down Dunn Greek; on boulder;	
on top of boulder; chiseled square	1348.38	chiseled square	1942.81
Center Pittman/,2.5 mi E. of; on S. side of Webb Creek; 24 ft E.	esport places	Cosby Post Office, 3.5 mi W. and S. of; on Indian Camp	
and 11 ft N. of intersection of T-rd. S.; at edge of rd.;		Road; 1 ft S. and 27 ft E. of new addition to J.M.	
in top of large boulder; standard tablet stamped		William and Son General Store; 24 ft S. and 20 ft E. of	
"TT STA NO 3 T 1928"	1409.267	stake driven in ground at watershed in front of store	400 B. N. W.
Reference mark; 60 ft W. of tablet; on boulder; chiseled	No. 10 to 10	established as Sevier-Cocke County line; in concrete post;	
square	1406.53	standard tablet stamped "TT STA NO 5 T 1928"	1960.374
U.E., Webb Creek, 3.6 mi E. of mouth of; 50 ft W. of ford; on		Reference mark; 70 ft NE. of tablet; on small boulder;	
N. edge of rd.; on boulder; chiseled square	1506.89	chiseled square	1953.12

27 LE CONTE Book B3133 1/27/64 nec	N.CTENN.	C.B. Reick	28 LE CONTE Books B3130,B3140,B3511	N.CTENN.	F.B. Neary, J.J. Walker
LINE 13 (Cont'd.)		1928	1/27/64 nec LINE 14 (Cont'd.)		1928-1929
U.E., Cosby Post Office, 3.0	mi SE. of; in NE.	angle of rd.			
fork at residence of Oscar square	11 5 25 a 5	1860.32	U.E., Gatlinburg, 4.5 mi SW. W. of barn; 5 ft W. of tra boulder; chiseled square	11 to Mount Le Cor	nte; on large
U.E., Catons Grove, 2.9 ml W	. of; 20 ft SE. of	rd. fork near			52-500.
Greenbrier Fork of Cosby C	reek; on boulder;	chiseled square 1740.99	U.E., Gatlinburg, 5.7 mi Sw. 25 ft Nw. of trail; 15 ft 1	· -	•
FROM GATLINBURG ALONG LE CON (By F. B. Neary and J. J. Wa	TE CREEK SOUTHEAST lker; 1928-29; Boo	T TO SUMMIT OF MT. LE CONTE oks B3130,B3140,B3511)	U.E., Rainbow Falls; 460 ft	upstream from; on	4326.26 Nw. side of
"TT STA NO 23 TN 1928" (Desc	ribed in line 13)	1292.310	trail; on large boulder; cl	hiseled square	4438.64
Reference mark; chiseled squ	are (Described in	line 13) 1298.27	U.E., Gatlinburg, 6.7 mi Sw.	of; on trail lead	ling to top of
U.E., Gatlinburg, 1.0 mi S.	of; on S. side of	rd. leading to	Mount Le Conte by/ Mill (Creek; 50 ft E. of	Mill Creek;
Cherokee Orchard; 50 ft N.	of Mill Creek; 75	ft W. of house;	in last trail where trail	crosses; in root o	n S. side of
10 ft S. of centerline of r	d.; on boulder; o	hiseled square 1481.99	20-in. pine tree; copper no	ail and washer	5587.52
U.E., Gatlinburg, 2.1 mi SW.	of; 5 ft N. of tr	all to house;	U.E., Gatlinburg, 8.3 mi S.	of; on Mill Creek	Trail leading
50 ft SE. of barn; 15 ft E	. of rd.; on bould	er; chiseled	to top of Mount Le Conte;	In root on E. side	of 3 ft balsam
square	and yet by his country to be a	1836,55	tree; 100 ft N. of Le Conte	e Lodge; 100 ft NW	of "House That
U.E., Gatlinburg, 2.6 mi SW.	of; 60 ft SE. of	trail; on SW.	Jack Built", copper nail ar	nd washer	6341.642
side of rd. at bend; in ro	ot of 14-in. oak t	ree; copper	Sevierville, about 18.0 mi S	SE. of; 5.0 mi SE.	of village of
nail and washer	and Personal Section	2013.79	Gatlinburg; on highest poin	nt of westernmost	of three summits
Cherokee Orchard; 10 ft N. of	centerline of rd	.; 2 ft B. of	forming summit of Mount Le	Conte (locally kn	own as "Main Top");
SE, corner of large green l	parn; in concrete	post; standard	station near W. end of peal	and identical wi	th U.S. Coast
tablet stamped "TT STA NO 2	20 TN 1928"	2581.450	and Geodetic Survey vertice	al angle bench mar	k disk which is
Reference mark; 40 ft E. of t	tablet; on boulder	; chiseled	set in large mica schist ou	iterop; USC&GS sta	ndard vertical
square		2585.05	angle disk unstamped		6554.947

	mas 15 (cont d.)	
LINE 14 (Cont'd.)	Reference mark; 30 ft E. of tablet; on large gray back	
Reference mark; 14 ft NE. of disk; in root of 7-in. balsam	boulder; chiseled square 3139.7	12
stump; copper nail and washer 6551.01	U.E., Gatlinburg, 10.0 mi S. of; on Indian Gap Trail; 1.0	
U.E., Le Conte; on highest part of peak known as "Myrtle Top";	mi N. of falls; in center of creek; on large gray back	
15 ft E. of fork of trail and 2 ft N. of trail; on ledge;	boulder; chiseled square 3488.0) 5
chiseled square 6592.84	U.E., Indian Gap, 1.9 mi N. of top of; on Gatlinburg-Indian	
LINE 15.	Gap Trail; in center of creek at ford; on large rock;	
FROM TOWNSEND QUADRANGLE ALONG WEST PRONG LITTLE PIGEON RIVER EAST SOUTH AND EAST TO INDIAN GAP (By O. L. McLaughlin, 1928; Book B3112)	chiseled square 4091.3	33
Gatlinburg, 6.4 mi S. of; at residence of Mrs. R. R. Regan;	U.E., Indian Gap, 1.2 mi N. of top of, along trail leading	
100 ft N. of front entrance of; 70 ft W. of center of rd.	from Indian Gap to Gatlinburg; 5 ft W. of centerline of	
and 40 ft N. of SW. corner fence post around garden; in	trail; in root on E. side of 10-in. birch tree; copper	
limestone boulder; standard tablet stamped	nail and washer 4489.3	34
"TT STA NO 32 TN 1928" (Reported not found, 1956) 2239,537	Indian Gap, 10 ft S. of centerline of trail; 3 ft N. and 8	
Reference mark; 50 ft E. of tablet; on large boulder; chiseled	ft W. of State line stake at Indian Gap; in large limestone	
square 2239.56	boulder buried in ground; standard tablet stamped	
U.E., Gatlinburg, 8.3 mi S. of, along rd. leading to New	"TT STA NO 34 TN 1928" 5266.0	297
Found Gap; 0.3 mi S. of Indian Gap Hotel; at N. end of W.	e de esperante de la companya de la La companya de la co	
concrete abutment of new wooden bridge; chiseled square 2706.66		
and the control of th		
Indian Gap Hotel, 2.0 mi NE. of; 70 ft N. of center of state		
highway to New Found Gap; 100 ft N. and 70 ft E. of junction		
of Indian Gap Trail with state hwy.; in concrete post;		
standard tablet stamped "TT STA NO 33 TN 1928" 3141.232		
31	32	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec	LE CONTE N.CTENN. H. DOWNES Book B3330 1/28/64 nec	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929	LE CONTE N.CTENN. H. Downes	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16.	LE CONTE N.CTENN. H. Downes Book B3330 1/28/64 nec 1929	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND	E CONTE N.CTENN. H. Downes Book B3330 1/28/64 nec 1929 Line 16 (Cont'd.)	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330)	Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) 1292.310	LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square	
LE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1298.27	LE CONTE N.CTENN. H. Downes Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square 2885.67 U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on	
LIE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square 2885.67 U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of	
LIE CONTE N.CTENN. H. Downes Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh;	LIE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square 2885.67 U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled	5
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square 2885.67 U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled	5
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1926" (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N.	Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square 2885.67 U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square 1481.33 LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF EMERTS COVE ALONG ROADS TO GREENBRIER	5
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled	LE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of oreek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF REMENTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School; 1.0 mi SE. of; on W. side of rd. at	5 3
LE CONTE Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NONTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37	LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square 1481.33 LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF REMERTS COVE ALONG ROADS TO GREENERIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School; 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square	5 3
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENGE NORTHWEST DWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N.	LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF EMERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHMEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square 1469.77 U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of	5 3
LIE CONTE Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENGE NORTHWEST DWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner	LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square 1481.33 LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF REMERTS COVE ALONG ROADS TO GREENERIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School; 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square	5 3 7
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENGE NORTHWEST DWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shcoolhouse; in sandstone boulder; standard tablet	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF REARTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School; 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled	5 3 7
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THEMSE NORTHWEST DWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shcoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" 2058.389	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF FRENTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square 1676.84	5 3 7
LE CONTE Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THEMCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by R. Downes, 1929; Book B3330) "TT STA NO 23 TN 1926" (Described in line 13) Reference mark; chiseled square (Described in line 13) U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shcoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of	Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square 2885.67 U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square 1481.33 LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF EMERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square 1469.77 U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled	5 3 7
LIE CONTE Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THEMCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by R. Downes, 1929; Book B3330) "TT STA NO 23 TN 1926" (Described in line 13) Reference mark; chiseled square (Described in line 13) U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shcoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square 2051.21	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF EMERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHMEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square 1469.77 U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone	5 3 7
LE CONTE Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENGE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by R. Downes, 1929; Book B3330) "TT STA NO 23 TN 1926" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square Roaring Fork School, 0.9 mi SW. of; 110 ft W. of creek	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of oreck at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF FRERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School; 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.88	5 3 7
LIE CONTE Book B3330 1/27/64 nec 1929 LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THEMCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by R. Downes, 1929; Book B3330) "TT STA NO 23 TN 1926" (Described in line 13) Reference mark; chiseled square (Described in line 13) U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shcoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square 2051.21	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF FRENTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" U.E., Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte	5 3 7
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO NEAR "ROUND TOP" TRIANGULATION STATION THENCE NONTHMEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of oreck at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF FRERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School; 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.88	5 3 7 2 4
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) Townsend Quadrangle Southeast Up Roaring Fork to MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) Townsend Quadrangle (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on W. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" 2058.389 Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square 2051.21 Roaring Fork School, 0.9 mi SW. of; 110 ft W. of creek crossing; on N. side of forks in trail; 50 ft SE. of old	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF REMERTS COVE ALONG ROADS TO GREENDERIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" U.E., Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte rd.; on W. edge of rd.; in front of house; 75 ft SW. of small	5 3 4 34
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) Townsend Quadrangle Southeast Up Roaring Fork to MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) Townsend Quadrangle (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. Side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" 2058.389 Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square 2051.21 Roaring Fork School, 0.9 mi SW. of; 110 ft W. of creek crossing; on N. side of forks in trail; 50 ft SE. of old house; on ledge; chiseled square 1.5 mi W. of; 70 ft S. of SW. corner of private residence of Sherman Claybough; 30 ft S. and 40 ft E. of SE. corner of spring house; 40 ft N. and 10	IE CONTE Book B3330 1/28/64 nec 1929 LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHRAST OF EMERTS COVE ALONG ROADS TO GREENDRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square 1469.77 U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square 1571.52 Reference mark; 10 ft E. of tablet; on limestone rock; chiseled square Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" U.E., Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte rd.; on W. edge of rd.; in front of house; 75 ft SW. of small drain crossing; on rock; chiseled square	5 3 4 34
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (by H. Downes, 1929; Book B3330) "TT STA NO 23 TN 1928" (Described in line 13) Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square Roaring Fork School, 0.9 mi SW. of; 110 ft W. of creek crossing; on N. side of forks in trail; 50 ft SE. of old house; on ledge; chiseled square Round Top triangulation station, 1.5 mi W. of; 70 ft S. of SW. corner of private residence of Sherman Claybough; 30 ft S. and 40 ft E. of SE. corner of spring house; 40 ft N. and 10 ft W. of NW. corner of barn; in limestone boulder; standard	LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF EMERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square 1469.77 U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square 1676.84 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" U.E., Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte rd.; on W. edge of rd.; in front of house; 75 ft SW. of small drain crossing; on rock; chiseled square Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte rd.; 15 ft S. and 16 ft W. of private rd. fork E. of John Messer's house; 11 ft N. and 14 ft W. of John Messer's mail box; on W.	5 3 4 34
LINE 16. FROM TOWNSEND QUADRANGLE SOUTHEAST UP ROARING FORK TO MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) Townsend Quadrangle Southeast Up Roaring Fork to MEAR "ROUND TOP" TRIANGULATION STATION THENCE NORTHWEST DOWN BASKIN CREEK INTO TOWNSEND QUADRANGLE (By H. Downes, 1929; Book B3330) Townsend Quadrangle (Described in line 13) 1292.310 Reference mark; chiseled square (Described in line 13) 1298.27 U.E., Gatlinburg, 1.1 mi E. of; on Roaring Fork Road; 15 ft W. of W. corner of fence at residence of Louis Claybaugh; on top of boulder; chiseled square 1449.33 U.E., Gatlinburg, 2.2 mi E. of; on Roaring Fork Road; on N. Side of rd.; on E. side of creek; on boulder; chiseled square 1825.37 Roaring Fork Schoolhouse, 3.0 mi E. of Gatlinburg; 15 ft N. of centerline of rd.; 30 ft S. and 10 ft E. of SE. corner of shoolhouse; in sandstone boulder; standard tablet stamped "TT STA NO 22 TN 1928" 2058.389 Reference mark; 80 ft NW. of tablet; 30 ft W. of SW. corner of schoolhouse; on W. side of rd.; on rock; chiseled square 2051.21 Roaring Fork School, 0.9 mi SW. of; 110 ft W. of creek crossing; on N. side of forks in trail; 50 ft SE. of old house; on ledge; chiseled square 1.5 mi W. of; 70 ft S. of SW. corner of private residence of Sherman Claybough; 30 ft S. and 40 ft E. of SE. corner of spring house; 40 ft N. and 10	LINE 16 (Cont'd.) Reference mark; 18 ft from tablet; on S. end of rectangular rock; chiseled square U.E., Little Valley Church; on Baskin Creek; 85 ft N. of; on N. side of creek; on S. side of rd. E. and W.; on W. side of old T-rd. S.; on ledge outcrop; chiseled square 1980.16 U.E., Little Valley Church, 1.2 mi NW. of; on NW. side of creek at ford; 100 ft SE. of old barn; on rock; chiseled square LINE 17. FROM POINT 2.0 MILES SOUTHEAST OF EMERTS COVE ALONG ROADS TO GREENBRIER COVE THENCE SOUTHWEST 2.2 MILES (By H. Downes, 1929; Book B3330) U.E., Emerts Cove School, 1.0 mi SE. of; on W. side of rd. at top of hill; on ledge under bluff; chiseled square 1469.77 U.E., Emerts Cove School, 2.3 mi SE. of; 480 ft SE. of abandoned house; on E. edge of rd. at top of hill; on rock; chiseled square 1676.84 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" U.E., Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte rd.; on W. edge of rd.; in front of house; 75 ft SW. of small drain crossing; on rock; chiseled square Greenbrier, 1.2 mi SW. of; on Greenbrier-Mount Le Conte rd.; 15 ft S. and 16 ft W. of private rd. fork E. of John Messer's house; 11 ft N. and 14 ft W. of John Messer's mail box; on W.	5 3 4 34

F.B. Neary, J.J. Walker

1928-1929

LE CONTE Book B3130,B3140,B3511 1/27/64 nec

N.C.-TENN.

N.C.-TENN.

LE CONTE Book B3112 1/27/64 nec

tablet stamped "TT STA NO 2 D 1928"

LINE 15 (Cont'd.)

O. L. McLaughin

5266.097

2241.725

1928

N.C.-TENN. LE CONTE Book B3330 1/28/64 nec 1929 LINE 18. FROM POINT 1.5 MILES WEST OF "ROUND TOP" TRIANGULATION STATION EAST ALONG TRAIL TO POINT 2.2 MILES SOUTHWEST OF GREENBRIER COVE (By H. Downes, 1929; Book B3330) U.E., Gatlinburg, 5.5 mi B. of; on trail from Sherman Claybough's to Grassy Gap; on E. side of trail; 50 ft 3450.46 N. of trail (dim) forks; on rock; chiseled square U.E., Gatlinburg, 6.8 mi E. of; in Grassy Gap; at trail forks (one trail to Mt. Le Conte, other trail over Brushy Mountain to Porters Flat and Greenbrier); in root of beech 4717.98 tree; copper nail and washer Gatlinburg, 7.2 mi B. of; on highest point of Brushy Mountain: at N. edge of trail over mountain from Greenbrier, by way of Grassy Cap to Mt. Le Conte; on E. end of highest point; on S. side of highest point; in limestone rock; standard 4911.223 tablet stamped "1 D 1929" Reference mark; 155 ft W. of tablet; on N. side of trail; 4906.84 15 ft from trail; on ledge; chiseled square H.R., Greenbrier, 3.5 mi SW, and W. of: on trail from Greenbrier, over Brushy Mt. and thru Grassy Gap to Mt. Le

Conte; on N. side of trail; in root of 12-in. pine tree;

copper nail and washer

LE CONTE Book B3330 1/28/64 nec

N.C.-TENN. H. Downes 1929

LINE 19. FROM GREENBRIER ALONG TRAIL EAST 3.8 MILES (By H. Downes, 1929; Book B3330)

CHECKED SPUR LINE

U.E., Greenbrier, 1.2 mi E. of; on Greenbrier-Hillfield trail; in front of small white house; in sharp bend in trail; on grayback rock: chiseled square 1917.34 U.E., Greenbrier, 2.3 mi E. of; on S. side of Greenbrier-Hillfield trail; on N. side of Left Prong of E. Prong of Little Pigeon River; on grayback rock; chiseled square 2397.72 Greenbrier, 3.2 mi E. of: on trail leading up left fork of Pigeon River; 10 ft N. and 30 ft E. of intersection of trails; 90 ft NW. of stream crossing of first Ramsey Creek; on S. side of trail; in top of large limestone rock; standard tablet stamped "TT STA NO 5 D 1928" 2647.330 Hillfield; on Greenbrier-Hillfield trail; 14 ft S. and 50 ft E. of intersection of old trail leading SE. up right fork of three forks of Pigeon River; 4 ft W. of "+" sign on large rock with "USGS" chiseled on top; on S. side of trail: in top of limestone outcrop: standard tablet stamped 2882.327 "TT STA NO 6 D 1928" Reference mark; 25 ft W. of tablet; on S. side of trail on grayback rock; chiseled square 2641.95 Reference mark; 10 ft W. of tablet; on highest point of 2881.14 large flat rock: chiseled square

NGVD 29 Elevations

3561.81

35 LE CONTE	N.CTENN.	H. Downes	
Book B3330 1/28/64 nec	Mark to the first terms of the f	1929	
	TIME 50.		
FROM GREENBRIER COVE ALONG TH. Downes, 1929; Book B3330)		STA NO 7 D 1928 (Ву
CHE	CKED SPUR LINE		
U.E., Greenbrier, 1.1 mi SE.	of; on W. side o	f rd.; at private	1
rd.forks S. across creek;	on limestone rock	; chiseled	S413
square	en de la companya de		2071.65
Greenbrier, 2.2 mi SE. of; o	n trail leading u	p B. side of	
middle fork of Little Pige	on River; about 4	00 ft MR. of	ar et
forks of river; 30 ft SE.	of SW. point of 1	arge shelf rock;	1. 11.4
13 ft N. of center of cros	s on 18-in. hemlo	ck tree; on S.	* * * * * * * * * * * * * * * * * * *
side of trail; in large gr	anite rock outero	p; standard	
tablet stamped "TT STA NO	7 D 1928"	n en hat verties i van de h	2660.480
Reference mark; 2 ft W. of t	ablet; on graybac	k ledge;	15 7512
chiseled square			2660.71
± 3β	LINE 21.	. Arrio di editorio	
FROM ENGLISH MOUNTAIN QUADRA GREENBRIER COVE (By H. Downe Center.			UTH TO
U.E., Pittman/ 1.2 mi SE. of	; on W. side of C	opeland Creek;	
about in line with drain f	orks E.; 120 ft S	E. of crossing	
of Main Creek; 3 ft E. of	E. corner of barn	; on rock;	
chiseled square Center.			1349.90
U.E., Pittman/ 2.3 mi SE. of	; on S. side of C	opeland Creek;	
at rd. forks E.; in front	of residence of A	.P. Whaley;	
on top of ledge next to cr	eek; chiseled squ	are	1653.65

36 LE CONTE Book B3330 1/28/64 nec N.C.-TENN. H. Downes 1929 LINE 21 (Cont'd.) Pittman Center, 3.6 mi SE. of; on Copeland Creek; in front yard of farmhouse of Helen West; 7 ft W. and 10 ft W. of NE. corner of log house; in large blue slate rock outcrop; standard tablet stamped "TT STA NO 8 D 1928" 2117.165 Reference mark; 5 ft B. of tablet; 3 ft W. of NW. corner of porch of abandoned house; on ledge outcrop; chiseled 2117.60 square Center, U.E., Pittman/ 3.4 mi SE. and S. of; on top of ridge where abandoned Wagon Road from Copeland Creek to Greenbrier crosses trail to Pinnacle Mountain; on W. side of rd.; on S. side of trail; in root of large chestmut tree; copper 2211.89 LINE 22.

FROM ENGLISH MOUNTAIN QUADRANGLE ALONG SOAK ASH CREEK SOUTHEAST INTO LE CONTE QUADRANGLE (By H. Downes, 1929; Book B3330) CHECKED SPUR LINE

U.E., Pittman / 1.2 mi E. of; on N. side of Webb Creek; 55 ft E. of rd. fork SE. up Soak/Creek; on N. side of Webb Creek Road; in top of stump; copper nail and washer 1312.43 U.E., Pittman / 2.1 mi E. and SE. of; up Soak/Creek; on W. side of rd.; 135 ft E. of and directly in front of Evans Chapel;

in root on B. side of maple tree: copper nail and washer

37 LE CONTE Book B3330 1/28/6	N.CTENN.	H. Downes	
LINE 22 (Contid.)	in the second	1929	
Pittman / 3.0 mi SE	. of; along Soak Ash Creek	; 337 ft S. of	
trail fork; 86 f	t Nw. of stream fork in SE.	. end of C. C.	
···	e field along fenceline on h		
Ash Creek; in la	rge blue slate rock outcrop	p; standard	
tablet stamped "	TT STA NO 9 D 1928"		1966.093
Reference mark; 5	ft W. of tablet; on ledge;	chiseled	
square	10.5 10.4 4 10.3 4 10.3		1966.22
	LINE 23.	war and the second	
(By H. Downes, 192	DRANGLE ALONG LINDSEY CREEK 29; Book B3330)	NORTHWEST TO PITTM	IAN CENTER
U.E., Pittman / chi	iter; Iseled square (Described in Iter,		1424.04
U.E., Pittman / 1.2	2 ml SE. of; on Tunis Creek	; 30 ft N. of	
drain; 50 ft SW	. of house; on N. side of r	d.; on rock;	
chiseled square	The second section of the		1398.35
"TT STA NO 2 T 19	28" (Described in line 13)		1281.296
High states	LINE 24.		
ENGLISH MOUNTAIN	IN LE CONTE QUADRANGLE ALC QUADRANGLE (By H. Downes, l iter:	NG ROADS NORTHEAST 1929; Book B3330)	INTO
U.E. Pittman / ch	iseled square (Described in iter,	line 22)	1424.04
U.E., Pittman /2.	8 mi SE. and E. of; on rd.	from Soak Creek	
to Timothy Cree	k and Webb Creek; about 400) ft S. of, and	
directly in fro	nt of Fairview School; in r	root of oak tree;	
copper nail and	washer		1616.31
"TT STA NO 3 T 19	28" (Described in line 13)		1409.267

LE CONTE	N.CTENN.	H. Downes	
Book B3457 1/28/64 nec	LINE 27.	1929	
FROM POINT 2.2 MILES SOUTHWEST SOUTHEAST TO DRY SLUICE GAP(By	OF GREENBRIER COVE A	ALONG TRAIL ok B3457)	- 70
"TT STA NO 2 D 1928" (Describe	d in line 17)		2241.725
U.E., Greenbrier, 3.3 mi SE. o	f, along trail up Rig Gap:	ght Hand	
Prong of Little Pigeon River		. side of	
trail; on W. side of creek;	on large rock outcrop	p; chiseled	
square			2580.36
U.E., Greenbrier, 4.6 mi SE. o	of, along trail up Ri	ght Hand	
Prong of E. Prong of Little	Pigeon River to Dry	Sluice; on	
W. side of trail; on boulder	; chiseled square		3364.48
U.E., Greenbrier, 5.9 mi SE.	of, along trail to Dr	y Sluice Gap;	
at camp site; on ledge outcr	op; chiseled square		3916.83
Greenbrier, 9.3 ml S. of; on I	Porters Gap Trail; 20	ft S. and	
22 ft W. of intersection of	Porters Gap Branch a	nd Dry	er er
Sluice Branch; on E. side of	trail; on W. bank o	f stream;	
in top of limestone rock, at	oout 18 in. square; s	tandard	
tablet stamped "TT STA NO	В D 1928"		3967.232
"TT STA NO 4 D 1928" (Describe	ed in line 7)		5375.622
	LINE 28.		
FROM NEAR SOUTHEAST CORNER OF SOUTH TO SUMMIT OF MOUNT GUYO	ENGLISH MOUNTAIN QUA r (By H. Downes, 1929	DRANGLE ALONG ; Book B3330)	TRAIL
R. A. Schults Store, 2.6 mi W	. and S. of, along Gr	eenbrier	
Creek; 0.5 mi S. of farmhous	se of C. C. Ball; 10	ft W. and	
75 ft S. of intersection of	trail fork and 350 f	t NE. of	•

stream fork; on W. side of trail; in large gray granite

rock; standard tablet stamped "TT STA NO 12 D 1928"

3170.715

38 LE CONTE Book B3330 1/28/64 nec

chiseled square

N.C.-TENN.

H. Downes

2422.94

1929

LINE 25.

FROM ENGLISH MOUNTAIN QUADRANGLE SOUTH ALONG TEXAS CREEK INTO LE CONTE QUADRANGLE (By H. Downes, 1929; Book B3330)

CHECKED SPUR LINE

"TT STA NO 4 T 1928" (Described in line 13) 1721,980 U.E., Pittman/ 6.5 mi E., N., and S. of; on W. side of "Texas Settlement" rd.; 10 ft S. of drain crossing; on 2260.98 N. end of ledge; chiseled square McCarters Mill, 2.0 mi S. of; at S. end of "Texas Settlement"; on Texas Creek; in SE. corner of Henry McCarter's pasture fireld at foot of mountain; 1.0 mi N. of Buckeye Gap; 400 ft Sw. of stream forks; on E. side of trail; in large grayback rock; standard tablet stamped "TT STA NO 10 D 1928" 2759.048 Reference mark; 15 ft S. of tablet; on grayback ledge; chiseled square 2760.69 LINE 26. FROM ENGLISH MOUNTAIN QUADRANGLE SOUTH ALONG DUNN CREEK INTO LE CONTE QUADRANGLE (By H. Downes, 1929; Book B3330) CHECKED SPUR LINE 1960.374 "TT STA NO 5 T 1928" (Described in line 13) U.E., Cosby Post Office, 4.0 mi W. and S. of; at T-rd. S.; 1994.18 on N. edge of rd.; on boulder; chiseled square U.E., Cosby Post Office, 5.0 ml W. and S. of; on rd. to Valentine's Fern Camp; 40 ft N. of rd. forks; on boulder;

N.C.-TENN. H. Downes Book B3330 1/28/64 nec 1929 LINE 28 (Contid.) Reference mark; 3 ft W. of tablet; on extreme W. end of 3170.90 flat-topped boulder; chiseled square U.R., Cosby Post Office, 7.2 mi S. of; on top of ridge; at end of trail up Greenbrier Fork; near Tenn.-N.C. State line; about 75 ft N. of highest point of ridge; on S. side of spotted trail; in root on W. side of 18-in. spruce tree; 5940.84 copper nail and washer U.E., Cosby Post Office, 8.5 mi S. and W. of; at junction of Ramsey Trail and trail up right hand fork of Indian Camp Creek; on S. side of Ramsey Trail; in root of 8-in. spruce tree; copper nail and washer 6356.42 Reference mark; ten penny nail and copper washer 6617.76 (Described in line 9) 6621.039 "TT STA NO 14 D 1929" (Described in line 9)

41 LE CONTE N.CTENN. R. J. Neff	LE CONTE N.CTENN. R. J. Neff
Book AV 1305 a 1/29/64 nec 1963	Book AV 1305 a 1/29/64 nec 1963
LINE 29.	LINE 29 (Cont'd.)
FROM COSBY CAMPGROUND ALONG ROADS NORTH AND WEST TO PITTMAN CENTER (By R. J. Neff, 1963; Book AV 1305 a)	1 14 3.46 Cosby, 2.2 mi W. of post office, along
-C-th	State Highway 73; 25 ft SE. of, and 4 ft
	lower than centerline of hwy. at culvert;
1 4 0.52 U.E., Cosby, 0.7 mi SE. of post office, along	in E. end of S. concrete headwall; standard
State Highway 32; 36 ft Sw. of, and 2 ft higher	tablet stamped "33 RJN 1963 1883", painted
than centerline of hwy. at rd. W.; on abandoned	"1882.51" 1882.519
concrete base of gas pumps, 3 ft from N. end;	1 15 3.80 U.E., Cosby, 2.6 ml W. of post office, along
	State Highway 73; 48 ft E. of, and 15 ft higher
1 6 1.25 "M 122 1935" (USCAGS) 1514.755	than centerline of concrete bridge; on SE.
This Elev. 1514.755 USC&GS Blev. 1514.767	wingwall of bridge; chiseled square
Closure012	WL = 1817 ft 1831.416
1 9 1.25 "M 122 1935" (USCAGS) 1514.767	1 17 4.30 Reference mark; 190 ft NE. of tablet; on
1 9 1.71 U.E., Cosby, 0.5 mi W. of post office, along	E. end of concrete culvert headwall N. of
State Highway 73; 40 ft E. of, and 2 ft lower	hwy.; chiseled square 1941.317
than centerline of hwy. at drive E.; on Nw.	1 17 4.30 Cosby, 3.1 mi W. of post office, along
end of NE, concrete oulvert headwall; chiseled	State Highway 73; 56 ft S. of, and 8 ft higher
square 1567.040	than centerline of hwy. at junction of Y-rd.
1 11 2.31 U.E., Cosby, 1.1 mi W. of post office, along	NE.; in top of concrete post at SE. edge of
State Highway 73; 55 ft N. of, and 1 ft lower	evergreen bush; standard tablet stamped
than centerline of concrete bridge; on NW.	"5 T 1928 1959" 1958.984
wingwall of bridge; chiseled square	1 18 4.97 U.E., Cosby, 3.7 mi W. of post office, along
WL = 1658 ft 1670.063	State Highway 73; 20 ft S. of, and 2 ft lower
1 13 2.90 U.E., Cosby, 1.6 mi W. of post office, along	than centerline of rd. at culvert just W. of
State Highway 73; 36 ft S. of, and 1 ft higher	grocery store; on E. end of S. concrete headwall;
than centerline of hwy. opposite; 70 ft W. of	abit poled remark
curve sign; on rock; chiseled square 1859.068	NGVD 29 NL = 1946 ft
2079,1000	Elevations
43 LE CONTE N.CTENN. R. J. Neff	44 LE CONTE N.CTENN. R.J. Weff
43 LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963	14 LE CONTE N.CTENN. R. J. Weff
LE CONTE N.CTENN. R. J. NET Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.)	44 IE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Gont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on	14 LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.)
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert;	14 IE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E.
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge;
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73;	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438	LE CONTE N.CTENN. R. J. Weff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73;
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73;	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of,
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 ml W. of, along State Highway 73; 6.0 ml E. of Pittman Center; 22 ft N. of, and	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi N. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hmy. at drive N.; in W. end of S. wheelguard of
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi N. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hmy. at drive N.; in N. end of S. wheelguard of concrete bridge; standard tablet stamped
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1933.293	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; \$5 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; \$4.0 mi E. of Pittman Center; 125 ft E. of, and \$4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1933.293 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State	LE CONTE N.CTENN. R.J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hmy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1933.293 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction	LE CONTE N.CTENN. R.J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1882.463	LE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; \$5 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power, pole; on W. end of rock; chiseled
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway	LE CONTE N.CTENN. R. J. Neff Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hmy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power, pole; on W. end of rock; chiseled square 1549.708
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline	LE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; \$5 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power, pole; on W. end of rock; chiseled square 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of	LE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power, pole; on W. end of rock; chiseled square 1549.708 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State
Book AV 1305 a 1/29/64 nec LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1882.463 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square	LE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; \$5 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and \$4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power, pole; on W. end of rock; chiseled square 1549.708 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State Highway 73; 33 ft 8. of, and 3 ft lower
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1882.463 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square	LE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hmy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power pole; on W. end of rock; chiseled square 1549.708 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State Highway 73; 33 ft S. of, and 3 ft lower than centerline of hmy. opposite; at E. end
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 ml W. of, along State Highway 73; 6.0 ml E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 ml W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1882.463 1 25 6.62 U.E., Cosby, 5.4 ml W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square. 1783.556	LE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power; pole; on W. end of rock; chiseled square 1549.708 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State Highway 73; 33 ft S. of, and 3 ft lower than centerline of hwy. opposite; at E. end of out; on rock; chiseled square
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1933.293 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1882.463 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square. 1783.556 1 27 7.13 U.E., Cosby, 5.9 mi W. of, along State Highway 73; 30 ft S. of, and 6 ft lower than centerline	1E CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power, pole; on W. end of rock; chiseled square 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State Highway 73; 33 ft S. of, and 3 ft lower than centerline of hwy. opposite; at E. end of out; on rock; chiseled square
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square. 1 7.13 U.E., Cosby, 5.9 mi W. of, along State Highway 73; 30 ft S. of, and 6 ft lower than centerline of rd. at culvert; 90 ft W. of stonewall on	Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power; pole; on W. end of rock; chiseled square 1549.708 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State Highway 73; 33 ft S. of, and 3 ft lower than centerline of hwy. opposite; at E. end of out; on rock; chiseled square
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1929.438 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1933.293 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Haskey Cemetery; copper nail and washer 1882.463 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square. 1783.556 1 27 7.13 U.E., Cosby, 5.9 mi W. of, along State Highway 73; 30 ft S. of, and 6 ft lower than centerline of rd. at culvert; 90 ft W. of stonewall on S. side of hwy.; on W. end of S. concrete	IE CONTE Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; \$5 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square 1 29 7.73 Cosby, 6.5 ml N. of, along State Highway 73; \$4.0 ml E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in N. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1 30 8.22 U.E., Pittman Center, 1.0 ml SE. of, along graveled rd., thence 2.5 ml E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NN. of power[pole; on N. end of rock; chiseled square 1 31 8.86 U.E., Pittman Center, 1.0 ml SE. of, along graveled rd., thence 1.9 ml E. along State Highway 73; 33 ft S. of, and 3 ft lower than centerline of hwy. opposite; at E. end of out; on rock; chiseled square 1 33 9.34 U.E., Pittman Center, 0.8 ml SE. of, along graveled rd., thence 1.4 ml E. along State
Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 20 5.65 Reference mark; 32 ft E. of tablet; on middle of S. concrete headwall of culvert; chiseled square 1 21 5.65 Cosby, 4.4 mi W. of, along State Highway 73; 6.0 mi E. of Pittman Center; 22 ft N. of, and 2 ft lower than centerline of rd. opposite concrete stairway to Hand Weaving Shop; in second step from top; standard tablet stamped "34 RJN 1963 1933", painted "1933.3" 1 23 6.15 U.E., Cosby, 4.9 mi W. of, along State Highway 73; in centerline of hwy. at junction of rd. to Huskey Cemetery; copper nail and washer. 1 25 6.62 U.E., Cosby, 5.4 mi W. of, along State Highway 73; 28 ft S. of, and 1 ft lower than centerline of hwy. at culvert; on center of top of concrete headwall; chiseled square. 1 27 7.13 U.E., Cosby, 5.9 mi W. of, along State Highway 73; 30 ft S. of, and 6 ft lower than centerline of rd. at culvert; 90 ft W. of stonewall on S. side of hwy.; on W. end of S. concrete headwall; chiseled square. 1663.829	Book AV 1305 a 1/29/64 nec 1963 LINE 29 (Cont'd.) 1 28 7.73 Reference mark; 45 ft NE. of tablet; on E. end of N. wheelguard of concrete bridge; ohiseled square 1625.463 1 29 7.73 Cosby, 6.5 mi W. of, along State Highway 73; 4.0 mi E. of Pittman Center; 125 ft E. of, and 4 ft higher than centerline of hwy. at drive N.; in W. end of S. wheelguard of concrete bridge; standard tablet stamped "35 RJN 1963 1625", painted "1624.6" 1624.583 WL = 1619 ft 1 30 8.22 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 2.5 mi E. along State Highway 73; 50 ft N. of, and 6 ft lower than centerline of rd. opposite; 20 ft NW. of power; pole; on W. end of rock; chiseled square 1549.708 1 31 8.86 U.E., Pittman Center, 1.0 mi SE. of, along graveled rd., thence 1.9 mi E. along State Highway 73; 33 ft S. of, and 3 ft lower than centerline of hwy. opposite; at E. end of out; on rock; chiseled square

45 Book A	LE CO! V 1305	1/29/64 nec	. Neff		E CONTE N.C. 5 a 1/29/64 nec	-TENN. R. J. 196	
LINE 2	9. (Cont	'd.)	03		LINE		.
1 34	9.47	"TT STA NO 3 T 1928" (Described in line 13)	1409.478	FROM POINT	0.5 MILE EAST OF WEBB CREE	K CHURCH ALONG WEBB CRE	EK ROAD
		This Elev. 1409.478 Prev. Elev. 1409.267 Closure +.211		1 74 0.00	O 4 T 1928 (By R. J. Neff, O U.E., chiseled square	1963; Book AV 1305 a)	
1 35	9.47	The state of the s			(Described in line 29)	1783.556
- 33	3.41	Reference mark; 33 ft N. of tablet; on W.		1 74 0.2	"TT STA NO 4 T 1928"	(Described in line 13)	1722.113
		end of N. wheelguard of concrete bridge;			This Elev. 1722.113	and the state of the state of	
		chiseled square	1377.198		Prev. Elev. 1721.980 Closure +.133	-	
1 36	9.91	Cosby, 8.6 ml W. of post office, along State	•		LINE	31.	
		Highway 73; 1.6 mi E. of Pittman Center; 22		FROM PITTMAI	V CENTER ALONG ROADS SOUTH		MTIES
		ft E. of, and 1 ft higher than centerline of			F GATLINBURG (By R. J. Nef.		
		hwy. at rd. NE.; at W. end of concrete		1 44 0.00	"TT STA NO 2 T 1928"	(Described in line 13)	1281.29
		bridge; in S. wheelguard at W. end of		1 44 0.50	U.E., Pittman Center,	0.5 mi SW. of, along	
		bridge; standard tablet stamped			macadam rd.; in cente	cline of rd. at swinging	3
		"36 RJN 1963 1377 ET"	1377.039		bridge N.; copper nai	l and washer	
		WL = 1365 ft					1284.382
1 37	10.70	U.E., Pittman Center, 0.8 mi SE. of, along		1 45 1.04	U.E., Pittman Center,	1.1 mi Sw. of, along	
		graveled rd.; 43 ft W. of, and 1 ft higher			macadam rd.; in center	line of rd. at drive	
		than junction of State Highway 73; on NE.			NW. to white house; or	pper nail and washer	
		wingwall of concrete bridge; chiseled					1314.183
		square	1330.474	1 46 1.64	U.E., Pittman Center,	1.7 mi Sw. of. along	
1 39	11,47	U.E., Pittman Center, on bottom step of	-55-111			line of rd. at junction	1
		concrete walkway to Methodist Church:			of T-rd. NW.; copper :		
		chiseled square	1272.392			and noncey	1342.077
1 40	11.97	"TT STA NO 2 T 1928" (Described in line 13)	1281.421				1342.011
		This Elev. 1281.421 Prev. Elev. 1281.296	1201.421				
		Closure +.125					
47	T.R. CONT	PR N.C., PREMIU D. T. I.	V-66	нΩ			
Book AV		1/29/64 nec	Neff	48 LE Book AV 1305	CONTE N.CT a 1/29/64 nec		eff
Book AV	1304 a (Cont'd.	1/29/64 nec 1963	Neff	LE	a 1/29/64 nec	ENN. R. J. N 1963	eff
Book AV	1304 a (Cont'd.	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at	Neff	Book AV 1305	a 1/29/64 nec	1963	eff
Book AV	1304 a (Cont'd.	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam	Neff	Book AV 1305	a 1/29/64 nec	1963	eff
Book AV	1304 a (Cont'd.	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at		Book AV 1305	a 1/29/64 nec 'd.) U.E., Pittman Center, 3	1963 .6 mi W. of, along L. E. of Gatlinburg;	eff
Book AV LINE 31 1 47	1304 a (Cont'd.	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer	Neff 1365.897	Book AV 1305	u.E., Pittman Center, 3 State Highway 73; 4.7 m	1963 6 mi W. of, along L. E. of Gatlinburg; t drive NE. to	eff
Book AV LINE 31 1 47	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E.		Book AV 1305	u.E., Pittman Center, 3 State Highway 73; 4.7 m	1963 6 mi W. of, along L. E. of Gatlinburg; t drive NE. to	
Book AV LINE 31 1 47	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge;		Book AV 1305	u.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer	1963 .6 mi W. of, along L. E. of Gatlinburg; t drive NE. to Svans; copper nail	eff 1673.994
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square		LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of	1963 .6 mi W. of, along LE. of Gatlinburg; t drive NE. to Evans; copper nail ., along State Highway	
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and lev	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail ., along State Highway rel with hwy. at	
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; no	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail ., along State Highway rel with hwy. at ear top of hill;	
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; n in E. end of N. concrete	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; c headwall of culvert;	
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and let junction of drive W.; ne in E. end of N. concrete standard tablet stamped	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; c headwall of culvert;	1673.994
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; ne in E. end of N. concrete standard tablet stamped painted "1712.9"	1963 .6 mi W. of, along LE. of Gatlinburg; cdrive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713",	
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; ne in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mm	1963 .6 mi W. of, along LE. of Gatlinburg; cdrive NE. to Evans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713", .E. of, along State	1673.994
Book AV LINB 31 1 47	1304 a (Cont'd. 1.90 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of,	1963 .6 mi W. of, along L. E. of Gatlinburg; cdrive NE. to Svans; copper nail .7, along State Highway rel with hwy. at par top of hill; headwall of culvert; "38 RJN 1963 1713", .E. of, along State and 2 ft lower than	1673.994
Book AV LINE 31 1 47 1 48	1304 a (Cont'd. 1.90 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of concre	1963 .6 mi W. of, along L. E. of Gatlinburg; cdrive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 R.N 1963 1713", E. of, along State and 2 ft lower than ete culvert under	1673.994
Book AV LINE 31 1 47 1 48	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372"	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of,	1963 .6 mi W. of, along L. E. of Gatlinburg; cdrive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 R.N 1963 1713", E. of, along State and 2 ft lower than ete culvert under	1673.994 1712.912
Book AV LINE 31 1 47 1 48	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State	1365.897 1371.953	LE Book AV 1305 2 LINE 31 (Cont 1 54 3.56 1 55 3.81	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of concre trout fishing sign; chis	1963 .6 mi W. of, along L. E. of Gatlinburg; . drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at par top of hill; .8 headwall of culvert; .8 RJN 1963 1713", .8 E. of, along State and 2 ft lower than ete culvert under eled square	1673.994
Book AV LINE 31 1 47 1 48	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40	1365.897 1371.953	LENE 31 (Cont 1 54 3.56	U.E., Gatlinburg, 3.3 mid.) U.E., Gatlinburg, 3.3 mid. U.E., Gatlinburg, 3.3 mid.	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713", E. of, along State and 2 ft lower than ete culvert under eled square E. of, along State	1673.994 1712.912
Book AV LINE 31 1 47 1 48	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of	1365.897 1371.953	LE Book AV 1305 2 LINE 31 (Cont 1 54 3.56 1 55 3.81	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of concr trout fishing sign; chis U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of,	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713", E. of, along State and 2 ft lower than ete culvert under eled square E. of, along State and 4 ft lower than	1673.994 1712.912
Book AV LINE 31 1 47 1 48	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of hwy. at T-rd. N.; on S. end of concrete	1365.897 1371.953	LE Book AV 1305 2 LINE 31 (Cont 1 54 3.56 1 55 3.81	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chia U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; c headwall of culvert; "38 RJN 1963 1713", E. of, along State and 2 ft lower than ete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N.	1673.994 1712.912
Book AV LINE 31 1 47 1 48 1 49 ;	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of hwy. at T-rd. N.; on S. end of concrete culvert headwall at "Lots For Sale" sign;	1365.897 1371.953	LE Book AV 1305 2 LINE 31 (Cont 1 54 3.56 1 55 3.81	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; no in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chia U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve concrete headwall of cul	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713", E. of, along State and 2 ft lower than eete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N. vert; chiseled square	1673.994 1712.912
Book AV LINE 31 1 47 1 48 1 49 ;	1304 a (Cont'd. 1.90 2.11 2.11	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of hwy. at T-rd. N.; on S. end of concrete culvert headwall at "Lots For Sale" sign; chiseled square	1365.897 1371.953	LE Book AV 1305 1 LINE 31 (Cont 1 54 3.56 1 55 3.81 1 58 4.41 1 59 4.95	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; n in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chis U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve concrete headwall of oul	1963 .6 mi W. of, along LE. of Gatlinburg; c drive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713", B. of, along State and 2 ft lower than rete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N. vert; chiseled square 3 ft	1673.994 1712.912
Book AV LINE 31 1 47 1 48 1 49 ;	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of hwy. at T-rd. N.; on S. end of concrete culvert headwall at "Lots For Sale" sign; chiseled square U.E., Gatlinburg, 5.0 mi E. of, along State	1365.897 1371.953	LE Book AV 1305 2 LINE 31 (Cont 1 54 3.56 1 55 3.81	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; in in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chis U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve concrete headwall of cul- Gatlinburg, 2.6 mi E. of	1963 .6 mi W. of, along LE. of Gatlinburg; cdrive NE. to Evans; copper nail .7, along State Highway rel with hwy. at ear top of hill; headwall of culvert; "38 RJN 1963 1713", E. of, along State and 2 ft lower than rete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N. vert; chiseled square 3 ft , along State Highway	1673.994 1712.912 1543.688
Book AV LINE 31 1 47 1 48 1 49 ;	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of they. at T-rd. N.; on S. end of concrete culvert headwall at "Lots For Sale" sign; chiseled square U.E., Gatlinburg, 5.0 mi E. of, along State Highway 73; 3.3 mi W. of Pittman Center; in	1365.897 1371.953	LE Book AV 1305 1 LINE 31 (Cont 1 54 3.56 1 55 3.81 1 58 4.41 1 59 4.95	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and let junction of drive W.; in in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chis U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve concrete headwall of out WL = 149 Gatlinburg, 2.6 mi E. of 73; 24 ft N. of, and 1 f	1963 .6 mi W. of, along LE. of Gatlinburg; cdrive NE. to Evans; copper nail .7, along State Highway rel with hwy. at ear top of hill; r headwall of culvert; "38 RJN 1963 1713", .E. of, along State and 2 ft lower than rete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N. vert; chiseled square 3 ft , along State Highway t lower than center-	1673.994 1712.912 1543.688
Book AV LINE 31 1 47 1 48 1 49 ;	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of hwy. at T-rd. N.; on S. end of concrete culvert headwall at "Lots For Sale" sign; chiseled square U.E., Gatlinburg, 5.0 mi E. of, along State Highway 73; 3.3 mi W. of Pittman Center; in centerline of hwy. at drive NW. to Ovel Webb	1365.897 1371.953	LE Book AV 1305 1 LINE 31 (Cont 1 54 3.56 1 55 3.81 1 58 4.41 1 59 4.95	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. of 73; 25 ft W. of, and let junction of drive W.; in in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chis U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve concrete headwall of cul- Gatlinburg, 2.6 mi E. of	1963 .6 mi W. of, along LE. of Gatlinburg; cdrive NE. to Evans; copper nail .7, along State Highway rel with hwy. at ear top of hill; r headwall of culvert; "38 RJN 1963 1713", .E. of, along State and 2 ft lower than rete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N. vert; chiseled square 3 ft , along State Highway t lower than center-	1673.994 1712.912 1543.688
Book AV LINE 31 1 47 1 48 1 49 ;	1304 a (Cont'd. 1.90	1/29/64 nec 1963 U.E., Pittman Center, 1.9 mi Sw. of; at junction of State Highway 73 and macadam rd. NE.; copper nail and washer Reference mark; 35 ft N. of tablet; on E. end of N. wheelguard of concrete bridge; chiseled square Emerts Cove, 6.1 mi E. of Gatlinburg, along State Highway 73; 2.2 mi Sw. of Pittman Center 290 ft E. of, and 5 ft lower than junction of T-rd. S. to Greenbrier Campground; in E. end of S. concrete wheelguard of bridge over Little Pigeon River; standard tablet stamped "37 RJN 1963 1372" U.E., Gatlinburg, 5.6 mi E. of, along State Highway 73; 2.7 mi W. of Pittman Center; 40 ft W. of, and 1 ft higher than centerline of hwy. at T-rd. N.; on S. end of concrete culvert headwall at "Lots For Sale" sign; chiseled square U.E., Gatlinburg, 5.0 mi E. of, along State Highway 73; 3.3 mi W. of Pittman Center; in centerline of hwy. at drive NW. to Ovel Webb	1365.897 1371.953 1372.015	LE Book AV 1305 1 LINE 31 (Cont 1 54 3.56 1 55 3.81 1 58 4.41 1 59 4.95	U.E., Pittman Center, 3 State Highway 73; 4.7 m in centerline of hwy. a residence of Gordon C. 1 and washer Gatlinburg, 4.4 mi E. oi 73; 25 ft W. of, and let junction of drive W.; in in E. end of N. concrete standard tablet stamped painted "1712.9" U.E., Gatlinburg, 3.8 mi Highway 73; 28 ft N. of, hwy.; on W. end of conce trout fishing sign; chis U.E., Gatlinburg, 3.3 mi Highway 73; 25 ft N. of, hwy.; 68 ft E. of curve concrete headwall of out WL = 149 Gatlinburg, 2.6 mi E. of 73; 24 ft N. of, and 1 f	1963 .6 mi W. of, along LE. of Gatlinburg; cdrive NE. to Svans; copper nail .7, along State Highway rel with hwy. at ear top of hill; cheadwall of culvert; "38 RJN 1963 1713", B. of, along State and 2 ft lower than rete culvert under eled square E. of, along State and 4 ft lower than sign; on E. end of N. vert; chiseled square 3 ft , along State Highway t lower than center- gwall of bridge; reference mark	1673.994 1712.912 1543.688

	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	50
49 LE CONTE	N.CTENN. R. J. Neff	LE CONTE N.CTENN. R. J. Neff
Book AV 1305 a 1	/30/64 nec 1963	Book AB 1305 a 1/30/64 nec 1963
LINE 31 (Cont'd.)		LINE 31 (Cont'd.)
1 61 6.15 G	atlinburg, 2.1 mi E. of, along State	1 66 8.24 Gatlinburg; about 200 ft S. of junction of
	lighway 73; 60 ft Sw. of, and 12 ft lower	U.S. Highway 441 and State Highway 73; about
	than hwy, at junction of drive S. to motel;	60 ft NE. of junction of U.S. Highway 441 and
and the second second		drive E. to house; in bottom step at entrance
	on S. end of W. concrete headwall of culvert;	
8	standard tablet stamped "39 RJN 1963 1431",	to Settlement School Campus; standard tablet
p	painted "1431.1"	stamped "40 RJN 1963 1290", painted "1289.9" 1289.860
	441 ft 200 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 68 9.01 U.E., Gatlinburg, 0.8 ml S. of junction of
1 62 6.67 U	J.E., Gatlinburg, 1.6 mi E. of, along State	U.S. Highway 441 and State Highway 73; 50 ft
The second secon	Highway 73; 61 ft NW. of, and level with	Sw. of, and 1 ft higher than centerline of U.S.
to be a		Highway 441 at rd. E. to Gateway Motel; 1 ft
	mwy. opposite; on S. end of concrete base of	
	gasoline pumps at Texaco Service Station;	from N. end of base of gas pumps at Shell
•	chiseled square, 1401.191	Service Station; chiseled square,
1 63 7.12 0	U.E., Gatlinburg, 1.1 mi R. of, along State	1342.403
47	Highway 73; 54 ft NE. of, and 2 ft lower	1 69 9.66 U.E., Gatlinburg, 1.4 mi S. of junction of
	than centerline of hwy. at drive W. to	U.S. Highway 441 and State Highway 73, along
	house; on N. end of concrete culvert opposite	U.S. Highway 441; 19 ft W. of, and 2 ft higher
	takan dalam palamanan dalam kalangan pengangan bertapa kalangan dalam dalam dalam dalam dalam dalam dalam dalam	the first of the f
. 1	Dudley Creek Motel; chiseled square,	than centerline of hwy. opposite; on N. end of
	1331.477	W. stone guardrail; chiseled square 1371.195
	WL = 1323 ft	a seksi kan di dan ang di dan Biblian di deke di di dan di dan di deke di Biblian. Biblian
1 64 7.57	U.E., Gatlinburg, 0.6 mi E. of junction of	the second of th
40.44	U.S. Highway 441 and State Highway 73; 60 ft	the the control of the second
	NW. of, and 2 ft higher than centerline of	
		NGVD 29
	State Highway 73 opposite Sinclair Station;	Elevations
	on Sw. end of base of gas pumps; chiseled	rievations
	square, 1379.800	
	ONTE N.CTENN. R. J. Neff	52 LE CONTE N.CTENN. R. J. Neff
Book AB 1305 a 1,	ONTE N.CTENN. R. J. Neff /30/64 nec	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963
LE CO	/30/64 nec	LE CONTE N.CTRNN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.)
Book AB 1305 a 1, LINE 31 (Cont'd.)	/30/64 nec	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963
EBOOK AB 1305 a 1/ LINE 31 (Cont'd.) 1 71 10.61 Ga	/30/64 nec 1963	LE CONTE N.CTRNN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.)
EB CC Book AB 1305 a 1, LINE 31 (Cont*d.) 1 71 10.61 Ga	/30/64 nec 1963 atlinburg, 2.4 mi S. of junction of U.S.	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi Nw. of, along
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ge H	30/64 nec 1963 atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi Nw. of, along graveled rd.; 12 ft E. of, and 1 ft higher
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga Hi	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of	Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H2 m1	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to	Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along
E C Book AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 St E.	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near	LE CONTE N.CTRNN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher
LINE 31 (Cont'd.) 1 71 10.61 Ga H3 St Re	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi Nw. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi Nw. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail
EE CC Book AB 1305 a 1, LINE 31 (Cont*d.) 1 71 10.61 Gc Hi Si E.	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777
E CC Book AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 SI E Ra Ju 7:	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi Nw. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi Nw. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 St E. Re	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 SI E. Re Ja 7: 1	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.436	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi Nw. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi Nw. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail Nw.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi Nw. of, along
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H: m: St Re J; 7: 1	/30/64 nec 1963 atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.436 SOAGS Elev. 1462.458	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi Nw. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi Nw. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi Nw. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H: m: St Re J; 7: 1	/30/64 nec 1963 atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 M.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.436 SOAGS Elev. 1462.458 losure - 1462.458 losure	LE CONTE N.CTENN. R. J. Neff Book AV 1305 b 1/30/64 nec 1963 LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4
Eook AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Gs H: mt St E. Re Ju 77	30/64 nec 1963 atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&OS, 1934) his Elev. 1462.436 SO&OS Elev. 1462.458 losure 1022 LINE 32.	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of
Book AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 St E Re T T T T T T T T T T T T T T T T T T	/30/64 nec 1963 atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 M.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.436 SOAGS Elev. 1462.458 losure - 1462.458 losure	Dook AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon
E C C E C C E C C E C E C E C E C E C E	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&GS, 1934) his Elev. 1462.436 SC&GS Elev. 1462.458 losure 1.022 LINE 32. LES NORTHEAST OF GATLINBURG ALONG ROADS SOUTHEAST TO	Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock;
Book AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 St E Re Re J0 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&GS, 1934) his Elev. 1462.436 SC&GS Elev. 1462.458 losure 1.022 LINE 32. LES NORTHEAST OF GATLINBURG ALONG ROADS SOUTHEAST TO	Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884
Book AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 St E R6 R6 T US C T US C T T T T T T T T T T T T T T T T T T	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.436 SCAGS Elev. 1462.458 losure 1462.458 losure 1462.458 LES NORTHEAST OF GATLINBURG ALONG ROADS SOUTHEAST TO FORKS AT GREENBRIER COVE (By R. J. Neff, 1963; Book	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE, edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884
EOOK AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H3 SI E. Ra T US C: PROM POINT 6.1 MI POINT MEAR RIVER 1 AV 1305 b) 2 3 0.00 "5 2 3 0.57 U.	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&OS, 1934) his Elev. 1462.436 SO&OS Elev. 1462.458 losure	Book AV 1305 b 1/30/64 nec LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884
ER COLUMN AND AND AND AND AND AND AND AND AND AN	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.436 SOCAGS Elev. 1462.458 losure	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft W. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884 Prev. Elev. 1679.884 Prev. Elev. 1679.884
EOOK AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga Hi mi SI E. Ra Ju TT US C: PROM POINT 6.1 MI POINT NEAR RIVER 1 AV 1305 b) 2 3 0.00 "3 2 3 0.57 U. Gr	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&OS, 1934) his Elev. 1462.436 SC&OS Elev. 1462.458 losure LINE 32. LES NORTHEAST OF GATLINBURG ALONG ROADS SOUTHEAST TO FORKS AT GREENBERIER COVE (By R. J. Neff, 1963; Book 37 RJN 1963 1372" (Described in line 31) LE., Emerts Cove, 0.6 mi SE. of, along rd. to reembrier Cove; 9 ft W. of, and 3 ft higher han centerline of graveled rd.; on rock at	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NW. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884 Prev. Elev. 1679.802 Closure Process Proce
EOOK AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga Hi mi SI E. Ra Ju TT US C: PROM POINT 6.1 MI POINT NEAR RIVER 1 AV 1305 b) 2 3 0.00 "3 2 3 0.57 U. Gr	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USCAGS, 1934) his Elev. 1462.458 losure LINE 32. LES NORTHEAST OF GATLINBURG ALONG ROADS SOUTHEAST TO FORKS AT GREENBERIER COVE (By R. J. Neff, 1963; Book 37 RJN 1963 1372" (Described in line 31) 1372.015 .E., Emerts Cove, 0.6 mi SE. of, along rd. to reembrier Cove; 9 ft W. of, and 3 ft higher han centerline of graveled rd.; on rock at rain crossing; chiseled square,	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884 This Elev. 1679.884 Prev. Elev. 1679.802 Closure 1.05 MILES SOUTHOF GATLINBURG ALONG U.S. HIGHWAY 441 NORTHWEST TO FOINT ABOUT 2.9 MILES SOUTH OF GATLINBURG (By R. J. Neff,
EOOK AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga Hi mi SI E. Ra Ju Tr UU C. PROM POINT 6.1 MI POINT NEAR RIVER 1 AV 1305 b) 2 3 0.00 "3 Ga ti da da da da da da da da da d	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&GS, 1934) his Elev. 1462.436 losure 1462.458 losure 1462.458 losure 1462.458 losure 1462.458 and T GREENBERIER COVE (By R. J. Neff, 1963; Book 37 RJN 1963 1372" (Described in line 31) 1372.015 .E., Emerts Cove, 0.6 mi SE. of, along rd. to reenbrier Cove; 9 ft W. of, and 3 ft higher han centerline of graveled rd.; on rock at rain crossing; chiseled square,	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884 Prev. Elev. 1679.884 Prev. Elev. 1679.802 Closure +.002 LINE 33. FROM POINT ABOUT 10.5 MILES SOUTHWEST OF GATLINBURG ALONG U.S. HIGHWAY 441 NORTHMEST TO POINT ABOUT 2.9 MILES SOUTH OF GATLINBURG (By R. J. Neff, 1963; Book AB 1305 b)
EOOK AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H2 M1 SI E. Ra Ju Tr UU UU	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&GS, 1934) 1462.436 his Elev. 1462.436 SO&GS Elev. 1462.458 losure LINE 32. LES NORTHEAST OF GATLINBURG ALONG ROADS SOUTHRAST TO FORKS AT GREENBRIER COVE (By R. J. Neff, 1963; Book 37 RJN 1963 1372" (Described in line 31) 1372.015 .E., Emerts Cove, 0.6 mi SE. of, along rd. to reenbrier Cove; 9 ft W. of, and 3 ft higher han centerline of graveled rd.; on rock at rain crossing; chiseled square, 1401.127 .E., Emerts Cove, 1.0 mi SE. of, along rd.	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884 This Elev. 1679.884 Prev. Elev. 1679.802 Closure 1.05 MILES SOUTHOF GATLINBURG ALONG U.S. HIGHWAY 441 NORTHWEST TO FOINT ABOUT 2.9 MILES SOUTH OF GATLINBURG (By R. J. Neff,
EOOK AB 1305 a 1, LINE 31 (Cont'd.) 1 71 10.61 Ga H2 M1 SI E. Ra Ju Tr UU UU	atlinburg, 2.4 mi S. of junction of U.S. ighway 441 and State Highway 73 E.; 0.1 i N. of junction of U.S. Highway 441 and tate Highway 73 W.; 90 ft SE. of N. end of . stone bridge guardrail at entrance to anger Headquarters; in top of boulder near unction of abandoned State Highways 73 and 1; standard tablet stamped TT STA NO 1 TN 1928 1462" Tied by USC&GS, 1934) his Elev. 1462.436 losure 1462.458 losure 1462.458 losure 1462.458 losure 1462.458 and T GREENBERIER COVE (By R. J. Neff, 1963; Book 37 RJN 1963 1372" (Described in line 31) 1372.015 .E., Emerts Cove, 0.6 mi SE. of, along rd. to reenbrier Cove; 9 ft W. of, and 3 ft higher han centerline of graveled rd.; on rock at rain crossing; chiseled square,	LINE 32 (Cont'd.) 2 5 1.54 U.E., Greenbrier Cove, 1.6 mi NM. of, along graveled rd.; 12 ft E. of, and 1 ft higher than centerline of rd.; on rock 3 ft N. of 14-in. tree; chiseled square 1479.442 2 7 2.06 U.E., Greenbrier Cove, 1.1 mi NW. of, along graveled rd.; 28 ft N. of, and 1 ft higher than centerline of rd.; at NE. edge of trail NW.; chiseled square 1528.777 2 8 2.60 U.E., Greenbrier Cove, 0.5 mi NW. of, along graveled rd.; on rock 25 ft E. of, and level with rd.; chiseled square 1602.238 2 10 3.13 Greenbrier; 2.2 mi S. of Ranger Station; 0.4 mi S. of campgrounds; 14 ft S. and 33 ft W. of W. end of wooden bridge over W. fork of Pigeon River; on W. side of rd. in limestone rock; standard tablet stamped "TT STA NO 1 D 1928 1680" 1679.884 Prev. Elev. 1679.884 Prev. Elev. 1679.802 Closure +.002 LINE 33. FROM POINT ABOUT 10.5 MILES SOUTHWEST OF GATLINBURG ALONG U.S. HIGHWAY 441 NORTHMEST TO POINT ABOUT 2.9 MILES SOUTH OF GATLINBURG (By R. J. Neff, 1963; Book AB 1305 b)

1435.071

entrance of driveway to ranger station;

53 LE CO	NTE N.CTENN. R. J. Neff		54	TR	waren	N C WORR	R. J. Ne	off
	1/31/64 nec		Book AV	LE CON 1305 b	1/31/64 nec	N.CTENN.		
LINE 33 (Cont	<u>d.)</u>	•	LINE 33	(Cont'd	.)_		1963	
2 17 0.50	U.E., Gatlinburg, 9.6 mi S. of, along U.S.		2 27	2.75	U.E., Gatlinburg	g, 7.3 ml S. of,	along U.S.	
	Highway 441; 7.6 mi S. of junction of State				Highway 441; 5.3	mi S. of junction	on of State	
	Highway 73 W.; 50 ft W. of, and 3 ft higher				Highway 73 W.;	12 ft S. of, and	2 ft higher	
	than centerline of rd. opposite; on E. corner					of rd. opposite;		
	post of garbage can base; chiseled square 3	654.995				base; chiseled so		2917.895
2 19 1.06	U.E., Gatlinburg, 9.0 mi S. of, along U.S.		2 29	3.25	Reference mark;	42 ft W. of table	et; on W.	
	Highway 441; 7.0 mi S. of junction of State				end of boulder:	chiseled square		2790.501
	Mighway 73 W.; 195 ft W. of tunnel; 24 ft N.		2 30	3.25		mi S. of, along	J.S. Highway	
	of, and 5 ft higher than centerline of rd.		_ 5	3123		of junction of St		;
	opposite; on rock outcrop; chiseled square 3	497.665				i 4 ft higher tha		
2 22 1.58	Gatlinburg, 8.5 mi S. of, along U.S. Highway					; 17 ft E. of 28-		
	441; 6.5 mi S. of junction of State Highway					of 4 ft flat top		
	73 W.; 5 ft Sw. of large rock cut with spring					stamped "42 RJN		2787.769
	pouring down the face; 21 ft NE. of, and 1 ft		2 32	3.87		of junction of U		
	lower than centerline of rd. opposite; in center		- J=	J1		ighway 73, along		
	of cut rock culvert headwall; standard tablet					nted arrow on lar		
		300.390				e boulders SW. of		
2 25 2.23	U.E., Gatlinburg, 7.8 mi S. of, along U.S.					wer than centerli		•
	Highway 441; 5.8 mi S. of junction of State					ncrete cover part		
	Highway 73; 24 ft S. of, and 1 ft lower than				over; chiseled			2676.089
	centerline of rd.; on W. end of cut rock		o sk	4.37		of junction of U	S. Highway 441	- •
	•	078.836	2 34	4.31		ay 73 W., along H		
	January January State of State	010.030			E. of, and 3 ft	higher than cent of trash can bas	erline of rd.;	on
				. 3	square			2533.630
						• •		
Æ								
55 LE CO	NTE N.CTENN. R. J. Nef. b 1/31/64 nec	r	56	LEC	CONTE	N.CTENN.	R. J. Ne	eff
LINE 33 (Cont	1963				1/31/64 nec		1963	
2 36 4.85				(Cont'd				
2 30 4.05	U.B., 3.2 ml S. of junction of U.S. Highway		2 46	6.95		g, 3.1 mi S. of,		
	441 and State Highway 73, along Highway 441;				Highway 441; 1.	l mi S. of juncti	on of State	
	at N. end of a pull-off NE. of hwy.; 37 ft					33 ft W. of, and		
	NE. of, and 3 ft higher than rd. opposite; on					of rd. opposite;		
		2386.729			18-in. sycamore	tree; on N. end	of a cut	
2 38 5.35	Reference mark; 65 ft Nw. of tablet; on SE.	60-			rock culvert he	adwall; chiseled	square	1682.577
		2215.683	2 48	7.45	"F 53 1934" (USC	C&GS)		1562.664
2 39 5.35	Junction of U.S. Highway 441 and State Highway				This Elev. USC&GS Elev.	1562.664 1562.389		
	73, about 2.7 mi S. of, along Highway 441; 65				Closure	+.275		
	ft SE. of permanent trash can at pull-off area					LINE 34.		
	ME. of rd.; 61 ft ME. of, and level with rd.		FROM BR	YSON QUA	DRANGLE ALONG U.S 3; Book AV 1305 1	HIGHWAY 441 NO	RTH TO SMOKEMON	T (By
	opposite; in NW. end of large boulder; standard		2 50	0.00	F 57 1934 (USC&C	•		1992.056
	tablet stamped "43 RJN 1963 2216"	216.112	2 50	0.39	•	, 3.9 mi SE. of,	along U.S.	
2 42 5.93	U.E., Gatlinburg, 4.1 mi S. of, along U.S.					mi N. of Smoky	_	
	Highway 441; 2.1 mi S. of junction of State					oundary; in center		
	Highway 73; 20 ft W. of, and 1 ft higher than					led hwy. at juncti		
	centerline of rd. opposite; on S. end of cut				and the second of the second	copper nail and wa	And the second	2015.408
* * * * * * * * * * * * * * * * * * * *								
	rock culvert headwall; chiseled square	027.451	2 51	1.04	and the second section (i.e.			
2 44 6.46	rock culvert headwall; chiseled square U.E., Gatlinburg, 3.6 mi S. of, along U.S.	2027.451	2 51	1.04	U.E., Smokemont,	, 3.3 ml SE. of, a	along U.S.	
2 44 6.46		2027.451	2 51	1.04	U.E., Smokemont, Highway 441; 1.1		along U.S.	

1862.430

Highway 73; 28 ft W. of, and level with

centerline of rd. opposite; on S. end of cut rock headwall of culvert; chiseled square

crossover; copper nail and washer

57	LE CONT		ff * ·	· Br	58 ook 4	LE CON	TE 1/31/64 ne	N:CTENN	i.	R, J. Neff
	1305 b (Cont'd	1/31/64 nec 1963				4 (Cont				1963
2 52	1.57	U.E., Smokemont, 2.7 mi SE. of, along U.S.		2	57	3.68	U.E., Smoke	mont, 0.6 ml Sw	. of, along	v.s.
-)-		Highway 441; 13 ft E. of, and level with					Highway 441	about 55 ft S	E. of 28-in.	beech
		centerline of rd. opposite; on S. end of E.					tree which	stands 10 ft E.	of rd.; 40	ft NE.
		cut rock guardwall of bridge; chiseled				4.5 (4.5)	of, and 6 f	t lower than ce	nterline of	rd.
		square	2052.351	4.1			opposite; or	E. end of 20-	ft outcrop e	xtending
2 53	2.03	U.E., Smokemont, 2.3 mi SE. of, along U.S.					into edge of	Conaluftee R	lver; chisele	d square 2144.7
		Highway 441; 2.1 mi N. of park boundary;						WL = 2142	ft	
		18 ft W. of, and 1 ft lower than centerline		2	58	4.29	"D 57 1934"	(USC&GS)		2187.7
		of rd. at culvert; on SE. end of W. cut rock					This Elev. USC&GS Elev.	2187.776		
		headwall; chiseled square	2078.243				Closure	2187.758 +.018	Tanana	
2 54	2.61	Smokemont, 1.7 mi SE. of, along U.S. Highway		2	59	4.56	"N 15 1928"	(Described in	line 7)	2198.5
		441; 2.6 mi N. of park boundary; 27 ft E. of,		4.8			This Elev. Prev. Elev.	2198.573 2198.506		
		and 1 ft lower than centerline of rd. opposite;					Closure	+.067		
		10 ft S. of garbage can; in top of S. edge of						LINE 35.		
X		4 ft boulder; standard tablet stamped		PR	OM C	TALOOCHE	E QUADRANGLE	ALONG BLUE RID Y 441 AND BLUE	GE PARKWAY WI	EST TO POINT
		"44 RJN 1963 2092"	2091.965	Ne	ff,	1963; Boo	k AV 1305 c)	ANT AMT TAL TO	RIDGE PARKWI	AY (BY R. J.
2 55	2.61	Reference mark; 170 ft Nw. of tablet; on		3	40	8.36	Soco Gap; 8.	4 mi W. of; 5.	l mi E. of	
		southernmost of row of boulders; chiseled				200	junction of	U.S. Highway 4	1, along Blu	1e
		square	2095.832				Ridge Parkwa	y; 30 ft S. of	28-in. oak	
2 56	3.15	U.E., Smokemont, 1.2 mi SE. of, along U.S.					tree; 30 ft	N. of, and 3 f	t lower than	
		Highway 441; in centerline of rd. at junction				21 41	rd. opposite	; in W. end of	cut rock	
		of Tow String Road E.; copper nail and washer	2123.669				headwall; st	andard tablet	stamped	
							"48 RJN 1963	3785"		3785.0
				480 P. 200			which are	A		
								NGVD 29		
								Elevations		
59	LE CON	TE N.CTENN. R. J. N	eff		60	T.R. (CONTE	N.CTENN	. 4 41	R. J. Neff
		1/31/64 nec	a terr	В	ook A		1/31/64 ne	3		1963
LINE 3	5 (Cont'	d.)		L	INE 3	5 (Cont'				
3 41	8.36	Reference mark; 48 ft S. of tablet; on		3	50	10.48		ark; 540 ft S.		
		W. base of concrete gutter cover; chiseled					W. end of S	. cut rock head	wall of culv	
		square	3786.514				chiseled sq	uare		3094.

Book A	B 1305 c	1/31/64 nec	eff	Book AV 1305	c 1/31/64 nec	nn. 1963	•• •••
LINE 3	5 (Cont'd	<u>.)</u>		LINE 35 (Con	ut'd,)	- Nacional Control	
3 41	8.36	Reference mark; 48 ft S. of tablet; on		3 50 10.48	Reference mark; 540 ft S	. of tablet; on	
		W. base of concrete gutter cover; chiseled			W. end of S. cut rock he	adwall of culvert;	
	1 234	square	3786.514		chiseled square		3094.670
3 43	8.86	U.E., 4.6 mi E. of junction of U.S. Highway		3 52 11.0	U.B., 2.4 mi E. of Junct	ion of U.S. Highway	
		441, along Blue Ridge Parkway; 18 ft S. of,	2 - 29		441, along Blue Ridge Pa	rkway; 30 ft S. of,	
•		and level with rd.; on E. base of concrete			and 3 ft lower than cent	erline of rd. at	
		gutter cover; chiseled square	3620.245		SW. end of tunnel; on E.	base of concrete	
3 45	9.38	U.E., 4.1 mi E. of junction of U.S. Highway			gutter cover; chiseled	quare	2904.554
		441, along Blue Ridge Parkway; 90 ft W. of,		3 54 11.59	2 U.B., 1.9 mi B. of Junct	ion of U.S. Highway	
		and 12 ft lower than centerline of rd. at			441, along Blue Ridge Pa	rkway; 30 ft Sw. of,	
		culvert; on N. end of cut rock headwall;			and 3 ft lower than cent	erline of rd. at	
		chiseled square	3447.784	that the	culvert; on SE. end of	W. cut rock headwall;	
3 47	9.95	U.E., 3.5 ml E. of junction of U.S. Highway		,	chiseled square	ing tanggaran di Salah Sal Salah Salah Sa	2730.999
		441, along Blue Ridge Parkway; 54 ft W. of,		3 56 12.0	7 U.E., 1.4 mi E. of june	ion of U.S. Highway	
		and 12 ft lower than centerline of rd. at	3 4	~ 4/7	441, along Blue Ridge P	irkway; at Ballhoot	
		culvert; on S. end of W. cut rock headwall;			Scar Overlook; 21 ft W.	of, and 1 ft higher	
		chiseled square	3265.616		than centerline of rd.	it culvert; on S. end	
3 49	10.48	Soco Gap, 10.6 mi W. of; 3.0 mi E. of junction			of W. cut rock headwall	; chiseled square	2555.781
		of U.S. Highway 441, along Blue Ridge Parkway;		3 58 12.4	6 U.E., 1.0 ml E. of june	tion of U.S. Highway	
		near W. end of tunnel; 18 ft W. of, and 1 ft	\$7+1		441, along Blue Ridge P	and the second of the second o	
	100	higher than centerline of rd. at culvert; in			W. entrance to Raven Fo		
	Section 1	E. end of W. concrete gutter cover; standard	•		S. of, and 11 ft lower		
aga gar		tablet stamped "49 RJN 1963 3099"	3099.221		at culvert; on W. end o	f S. cut rock headwall;	
					chiseled square		2435.248

<u>I</u>	INE	35 0	LE CON 1305 c (Cont'd 13.91	1/31/64 nec 1963	2286.919	L			ONTE N.CTENN. R. J. Neff 1/31/64 nec 1963 U.E., Newfound Gap, 1.5 mi W. of, along macadam rd.; at Indian Gap; 57 ft NW. of, and 3 ft higher than centerline of rd. opposite E. end of grass traffic island; on	
		-		ine 34) This Elev. 2014.920	2014.920				top of W. corner post of garbage can base; chiseled square 52	72.011
3	. 6	Щ.	14.22	This slev. 2015,408 Closure488 "F 57 1934" (USC&GS) This Elev. 1991.542 USC&GS Elev. 1992.056 Closure514 LINE 36.	1991.542	2	64	2.73	Newfound Gap, 1.7 mi W. of, along rd. to Clingmans Dome; 0.2 mi SW. of Indian Gap; 24 ft SE. of, and 1 ft higher than centerline of rd.; 24 ft N. of garbage can; in top of 3-ft rock outcrop flush with ground;	
				MILE SOUTH OF NEWFOUND GAP NORTH TO NEWFOUND GAP INGMANS DOME (By RJ. Neff, 1963; Books AV 1305		2	65	2.73	standard tablet stamped "61 RJN 1963 5340" 533 Reference mark; 24 ft N. of tablet; on NW.	39.825
6		7	1.00	"x 56 1934" (USCAGS) "1935" (USCAGS)	4657.927 MEAN				corner post of garbage can base; chiseled square 53%	11.961
4		51	1.56	U.E., Newfound Gap, 0.6 mi W. of, along macadam rd.; 18 ft S. of, and 2 ft lower than centerline of rd.; on E. end of cut rock wall at S. edge of rd.; chiseled square	5100.700	2	67	3.19	U.E. Newfound Gap, 2.2 mi W. of, along macadam rd. to Clingmans Dome; 15 ft SE. of, and 1 ft higher than centerline of rd.; on	54.825
2	6	2	2.00	U.E., Newfound Gap, 1.0 mi W. of, along macadam rd. to Clingmans Dome; 33 ft S. of and 5 ft higher than centerline of rd. at cut N.; on NE. corner post of concrete base	200.100	. 2	69	3.56	U.E., Newfound Gap, 2.6 mi W. of, along rd. to Clingmans Dome; 25 ft NW. of, and 1 ft lower than centerline of rd.; on NE. end of cut rock headwall of culvert; chiseled square 556	7.302
				of garbage can; chiseled square	5197.622					

	ONTE N.CTENN. R. J. No. b,f 1/31/64 nec	eff	64 Books At		ONTE N.CTENN. R. J. p. f 2/3/64 nec	
LINE 36 (Cont	'd.)		LINE 3	(Cont	d.) 1965	3
2 70 4.01	U.E., Newfound Gap, 3.0 mi Sw. of, along		6 23	5.92	U.E., Clingmans Dome, 2.4 mi E. of parking	
	rd. to Clingmans Dome; 57 ft Sw. of 28-in.				area; 60 ft S. of, and 2 ft higher than	
	balsam tree; 45 ft NE. of 24-in. hardwood				centerline of rd. at pull-off S. of rd.; on	
	tree; 20 ft Nw. of, and 1 ft higher than				N. corner post of conrete garbage can base;	
	centerline of rd.; on 3-ft rock projecting				chiseled square	5722.79
	1-ft; chiseled square	5664.198	6 24	6.34	Clingmans Dome, 2.0 mi E. of parking area;	
2 72 4.50	Newfound Gap, 3.5 mi W. of, along rd. to				5.3 mi W. of Newfound Gap; 150 ft E. of	
	Clingmans Dome; 3.8 mi E. of parking lot				curve; 100 ft E. of garbage can; 45 ft S. of,	
	at Clingmans Dome; 36 ft E. of W. end of				and 2 ft higher than centerline of rd.;at E.	
	rock wall; 15 ft S. of, and 2 ft higher				edge of pull-off S. of rd.; in large black	
	than centerline of rd.; in top of cut				outcrop; standard tablet stamped	
	rock wall; standard tablet stamped				"63 rjn 1963 5800"	5799.696
•	"62 RJN 1963 5800"	5799.747	6 25	6.34	Reference mark; 100 ft W. of tablet; on NE.	
6 19 4.96	U.E., Clingmans Dome, 3.3 mi E. of parking				corner post of garbage can base; chiseled	
	area; 20 ft W. of, and 1 ft higher than				square	5806.988
	centerline of rd.; on ledge near bottom of larg	;e	6 27	6.84	U.E., Clingmans Dome, 1.5 mi B. of parking	
	black outcrop; chiseled square	5938.047			lot; 27 ft W. of garbage can; 33 ft N. of,	
6 21 5.43	U.E., Clingmans Dome, 2.9 mi E. of parking				and 2 ft higher than centerline of rd.; on	
	area; 20 ft N. of, and 3 ft higher than				W. end of N. cut rock headwall of culvert;	
	centerline of rd.; 42 ft Nw. of 28-in. balsam				chiseled square	5962.619
	tree S. of rd.; on rock outgrop; chiseled		6 29	7.38	U.E., Clingmans Dome, 0.9 mi E. of parking	
	square	5848.021			lot; 18 ft N. of, and level with centerline	
					of rd.; on W. end of N. out rock headwall of	
					culvert; chiseled square	6098.060

65 LE 0 Books AV 1305		66 LE CONTE N.CTENN. R. J. Neff Books AV 1305 b.f 2/3/64 nec
LINE 36 (Cont	1963	LINE 36 (Cont'd.)
	U.E., Clingmans Dome, 0.4 mi E. of parking	6 44 9.57 U.E., trail at gap; saddle is N. of trail and
6 31 7.88		higher 6222.318
	lot; 16 ft N. of, and 1 ft lower than	6 46 9.85 U.E., Picture Point, 220 A; trail at top 6215.493
	centerline of rd.; on W. end of N. cut rock	6 47 9.91 U.E., Clingmans Dome, 1.1 mi W. of, along
	headwall of culvert; chiseled square 6230.237	Appalachian Trail; 200 ft W. of trail at
6 33 8.29	Reference mark; 9 ft S. of tablet; on top	timberline S.; 40 ft E. of curve in trail;
	of 3-ft boulder; chiseled square 6311.246	그는 사람들이 아이들 아이들이 가장하다는 경우의 사람이 하면 생각이 가장하는 사람이 아니는 것이 없는 것이다.
6 33 8.29	Clingmans Dome, 0.5 mi S. of, along macadam	on N. end of rock outcrop in trail; chiseled
	walkway to parking lot; 7.3 mi W. of Newfound	square 6167.925
	Gap; near large point of rocks at R. edge of	wastan laga jaraya LINE 37.
	walkway to Dome; in top of boulder, 1-ft higher	FROM CATALOOCHEE QUADRANGLE ALONG APPALACHIAN TRAIL SOUTHEAST TO NEWFOUND GAP (By R. J. Neff, 1963; Books AV 1305 d,e,f)
	than walkway; standard tablet stamped	4 57 4.65 U.E., 0.2 ml W. of junction of Snake Den
	"64 RJN 1963 6311" 6310.873	Trail, along Appalachian Trail; 20 ft W. of,
6 37 8.82	U.E., Clingmans Dome; at NW. end of conrete	and 3 ft higher than trail at top; at S. edge
	bannister at base of ramp to Dome; 16 ft SE.	of trail; on rock outcrop; chiseled square 5917.752
1. 1	of, and 2 ft higher than circular entrance to	4 60 5.17 U.R., 0.7 mi W. of junction of Snake Den Trail,
	ramp; directly under steel hand bannister;	along Appalachian Trail; at cut on N. edge of
	on conrete slab top of circular bench;	trail; on rock ledge 1-ft higher than trail;
	chiseled square 6642.742	chiseled square 6067.121
6 39 9.15	U.E., trail forks; Appalachian Trail and	4 63 5.76 U.E., Low Gap, 5.8 mi W. of, along Appalachian
	horse trail SE. 6521.525	Trail; 780 ft E. of high point of trail on
6 40 9.24	U.E., Picture Point, 220 C 6574.568	Black Mountain; at gradual curve in trail; on
6 43 9.53	U.E., Clingmans Dome, 0.7 mi W. of, along	rock at S. edge of trail; chiseled square 6216.812
	Appalachian Trail; 200 ft E. of saddle; 31	Total at the suggestion of the
	ft W. of 6-in. balsam tree 12 ft N. of trail;	
ta, to a	on top of triangular point of second of 3	NGVD 29
	large rocks at N. edge of trail 6264.352	
		Elevations
		FICAGIOUS
		Liovations
67		
67 LE 0 Books AV 1305 d		68 LE CONTE N.CTENN. R. J. Neff
LE C	,e,f 2/3/64 nec	
Books AV 1305 d	.e,f 2/3/64 nec 1963	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d.e.f 2/3/64 nec
Books AV 1305 d	.e,f 2/3/64 nec 1963 U.E., centerline of Appalachian Trail at dim	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d.e.f 2/3/64 nec 1963
Books AV 1305 d	.e,f 2/3/64 nec 1.) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d.e.f 2/3/64 nec 1963
ER C Books AV 1305 d LINE 37 (Cont 4 65 6.26	p.e,f 2/3/64 nec 1963 1.) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along
ER C Books AV 1305 d LINE 37 (Cont 4 65 6.26	e,f 2/3/64 nec 1.963 U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point
ER C Books AV 1305 d LINE 37 (Cont 4 65 6.26	u.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 u.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of
ER C Books AV 1305 d LINE 37 (Cont 4 65 6.26	e,f 2/3/64 nec 1.963 U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft
LINE 37 (Cont. 4 65 6.26	Jef3 U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097
ER C Books AV 1305 d LINE 37 (Cont 4 65 6.26	Jef3 U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square G305.470 U.E., Tricorner Knob, 5.6 mi N. of, along	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point Where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along
LINE 37 (Cont. 4 65 6.26	Jef3 1.) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry
LINE 37 (Cont. 4 65 6.26	Jef3 U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square Gausse 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in.	68 LE CONTE N.CTENN. R. J. Neff Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; ohiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge
LINE 37 (Cont. 4 65 6.26	Jef3 U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi M. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft M. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681
EBOOKS AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80	Jef3 1.) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi M. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square Gausse Gausse Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along
LINE 37 (Cont. 4 65 6.26	Jefs 1.) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi M. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft M. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; ohiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in
EBOOKS AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80	Jefs 1.) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi W. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in root on S. side of birch tree, 3 ft N. of
EBOOKS AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80	Jefs 1.963 1.1) U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in root on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334
EBooks AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80 4 70 7.52	U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard tablet stamped "54 RJN 1963 5960" 5959.912	68 LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in roct on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334
EBOOKS AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80	U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft M. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard tablet stamped "54 RJN 1963 5960" 5959.912 Reference mark; 160 ft W. of tablet; 8 ft E.	1E CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in roct on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334 5 12 10.37 Reference mark; 13 ft N. of tablet; in center of Appalachian Trail; on rock outcrop; chiseled
EBooks AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80 4 70 7.52	U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard tablet stamped "54 RJN 1963 5960" 5959.912 Reference mark; 160 ft W. of tablet; 8 ft E. of trail forks; in root on W. side of pine	LE CONTE Book AV 1305 d,e,f 2/3/64 nec LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in roct on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334 5 12 10.37 Reference mark; 13 ft N. of tablet; in center of Appalachian Trail; on rock outcrop; chiseled square 6001.620
Books AV 1305 d LINE 37 (Cont* 4 65 6.26 4 67 6.80 4 70 7.52 4 73 8.14	U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard tablet stamped "54 RJN 1963 5960" 5959.912 Reference mark; 160 ft W. of tablet; 8 ft E. of trail forks; in root on W. side of pine tree; copper nail and washer 5962.367	LE CONTE Book AV 1305 d,e,f 2/3/64 nec LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; ohiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in root on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334 5 12 10.37 Reference mark; 13 ft N. of tablet; in center of Appalachian Trail; on rock outcrop; chiseled square 6001.620 5 13 10.37 Tricorner Knob, 2.2 mi W. of, along Appalachian Trail; 13 ft S. of trail at crest of hill; 8 ft
EBooks AV 1305 d LINE 37 (Cont' 4 65 6.26 4 67 6.80 4 70 7.52	U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard tablet stamped "54 RJN 1963 5960" 5959.912 Reference mark; 160 ft W. of tablet; 8 ft E. of trail forks; in root on W. side of pine tree; copper nail and washer 5962.367 U.E., Tricorner Knob, 0.5 mi W. of, along	LE CONTE Book AV 1305 d,e,f 2/3/64 nec 1963 LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; chiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in root on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334 5 12 10.37 Reference mark; 13 ft N. of tablet; in center of Appalachian Trail; on rock outcrop; chiseled square 6001.620 5 13 10.37 Tricorner Knob, 2.2 mi W. of, along Appalachian Trail; 13 ft S. of trail at creat of hill; 8 ft SE. of 6-in. pine tree bearing survey marker
Books AV 1305 d LINE 37 (Cont* 4 65 6.26 4 67 6.80 4 70 7.52 4 73 8.14	U.E., centerline of Appalachian Trail at dim trail to summit of Mount Guyot 6197.883 U.E., 0.5 mi W. of junction of Appalachian Trail and dim trail to Mount Guyot; 150 ft W. of spring; at S. edge of, and 3 ft higher than trail; on 4-ft grey boulder; chiseled square 6305.470 U.E., Tricorner Knob, 5.6 mi N. of, along Appalachian Trail; 220 ft NW. of point where trail leaves the divide; in root of 28-in. pine tree at S. edge of trail; copper nail and washer 6039.673 Tricorner Knob, 170 ft E. of junction of Appalachian Trail and Balsam Trail; in boulder at N. edge of Balsam Trail; standard tablet stamped "54 RJN 1963 5960" 5959.912 Reference mark; 160 ft W. of tablet; 8 ft E. of trail forks; in root on W. side of pine tree; copper nail and washer 5962.367	LE CONTE Book AV 1305 d,e,f 2/3/64 nec LINE 37 (Con't.d) 5 4 9.05 U.E., Tricorner Knob, 0.9 mi W. of, along Appalachian Trail; about 320 ft W. of point where trail tops the divide; near W. end of rock outcrop on divide; 4 ft N. of, and 2 ft higher than trail; ohiseled square 6202.097 5 7 9.55 U.E., Tricorner Knob, 1.4 mi W. of, along Appalachian Trail; 30 ft E. of wild cherry tree bearing a survey marker tag; at S. edge of trail on grey boulder; chiseled square 6017.681 5 10 10.06 U.E., Tricorner Knob, 2.0 mi W. of, along Appalachian Trail; 175 ft W. of saddle; in root on S. side of birch tree, 3 ft N. of trail; copper nail and washer 5859.334 5 12 10.37 Reference mark; 13 ft N. of tablet; in center of Appalachian Trail; on rock outcrop; chiseled square 6001.620 5 13 10.37 Tricorner Knob, 2.2 mi W. of, along Appalachian Trail; 13 ft S. of trail at crest of hill; 8 ft

birch tree with knarled root system above

ground; copper nail and washer 5957.365

69 LE C Book AV 1305 d	e,f 2/3/64 nec	err :		CONTE N.CTENN. R. J. d.e.f 2/3/64 nec	
LINE 37 (Con't	.d) 1963		LINE 37 (Cont	'd.)	
5 16 10.87	U.E., Tricorner Knob, 2.7 mi W. of, along Appalachian Trail; 30 ft SE. of pine tree		5 31 13.13	U.E., trail at trail S. to Pecks Corner;	sche ear
	at curve; on rock outcrop; chiseled square	5945.177	5 32 13.60	Picture Point 113 A substitute	5547.731
5 20 11.34	U.E., Tricorner Knob, 3.2 mi W. of, along	2942.111	5 32 13.00	U.E., about 0.5 mi W. of junction of trail	
J 20 11.54	Appalachian Trail; in root on W. side of			Sw. to Pecks Corner Shelter, along the	
				Appalachian Trail; at sharp curve in trail;	
	large balsam tree at E. edge of, and 3 ft	5602 660		3 ft N. of, and 2 ft higher than centerline	
5 24 11.82	higher than trail; copper nail and washer U.E., Eagle Rocks, 0.5 mi E. of, along	5601.669		of trail at curve; 2 ft W. of 28-in. balsam	
24 11.02	Appalachian Trail; 3.7 mi W. of Tricorner		5 05 11 04	tree; in root; copper nail and washer	5423.295
	Knob; in root on NW. side of 30-in. balsam		5 37 14.34	Newfound Gap, 8.8 mi NE. of, along the	
1.0	tree; on S. side of trail at curve; copper			Appalachian Trail; 2.1 mi W. of Eagle	
-	nail and washer	5698.888		Rocks; at crest of hill near W. end of	
5 26 12.27	Eagle Rocks, 4.1 mi W. of Tricorner Knob,	3090.000		large rock outcrop; 4 ft Sw. of, and 4 ft	*
J 20 12.21	along Appalachian Trail; 0.9 mi E. of			higher than trail opposite; in rock outcrop;	E1196 E90
	junction of Appalachian Trail and trail to		5 40 14.89	standard tablet stamped "57 RJN 1963 5487"	5486.580
	Pecks Corner Shelter; in largest of several		5 40 14.09	U.E., Newfound Gap, 8.2 mi NE. of, along	
1 200	rock outcrops at N. edge of trail; standard			the Appalachian Trail; 5 ft S. of 6-in. wild cherry tree bearing survey marker tag; 3 ft	
	tablet stamped "56 RJN 1963 5849"	5848.831		S. of, and 2 ft higher than centerline of	
5 29 12.87	U.E., 0.3 mi E. of junction of trail S. to	9040.031		trail at small top; on white quartz outcrop;	
, 1, 12,13,	Pecks Corner Shelter, along the Appalachian				5606 7h5
	Trail; in root on N. side of 2 ft birch		5 hz zh 06	chiseled square	5606.745
	tree at S. edge of, and 2 ft higher than		5 41 14.96	U.E., Picture Point, 1 76 A; saddle	5567.912
	trail; copper nail and washer	5644.394	5 47 15.91	U.E., Newfound Gap, 7.2 mi NE. of, along	
	orart, copper narr and washer	2044.394		the Appalachian Trail; 40 ft Sw. of, and 5	
		•		ft higher than saddle picked as PP. 1 112 C;	
•				at NW. edge of, and about 1 ft higher than	
			· · · · · · · · · · · · · · · · · · ·	trail; on rock outcrop; chiseled square	5530.591
71 LE CON Book AV 1305 d LINE 37 (Cont	,e,f 2/3/64 nec	eff		ONTE N.CTENN. R. J. P d,e,f 2/3/64 nec 1062	
Book AV 1305 d	,e,f 2/3/64 nec	err	LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. P d,e,f 2/3/64 nec 1062	
Book AV 1305 d	d.) 1963		Books AV 1305	ONTE N.CTENN. R. J. 1 d.e,f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 ml NE. of, along the	
Book AV 1305 d	d.) Newfound Gap, 6.8 ml NE. of, along the		LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d.e.f 2/3/64 nec 1963	
Book AV 1305 d	newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of		LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d.e.f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S.	
Book AV 1305 d	newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry	eff	LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d.e.f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice	
Book AV 1305 d	newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge		LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d.e.f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S.	
Book AV 1305 d	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock	eff 5530,618	LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d.e., f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in.	
Book AV 1305 d	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped		LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d,e,f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped	
ER COM Book AV 1305 d LINE 37 (Cont [*] 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532"		LEC Books AV 1305 LINE 37 (Cont' 5 63 18.36	ONTE N.CTENN. R. J. 1 d,e,f 2/3/64 nec 1963 Mewfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381"	
ER COM Book AV 1305 d LINE 37 (Cont [*] 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher		LE C Books AV 1305 LINE 37 (Cont	ONTE N.CTENN. R. J. 1 d,e,f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped	ieff
ER COM Book AV 1305 d LINE 37 (Cont [*] 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of		LEC Books AV 1305 LINE 37 (Cont' 5 63 18.36	ONTE N.CTENN. R. J. 1 d,e,f 2/3/64 nec 1963 Mewfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381"	7eff 5381.285
ER COM Book AV 1305 d LINE 37 (Cont [*] 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root;		LEC Books AV 1305 LINE 37 (Cont' 5 63 18.36	ONTE N.CTENN. R. J. 1 d.e., f. 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +.339	7eff 5381.285
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer		Eac C Books AV 1305 LINE 37 (Cont' 5 63 18.36	ONTE N.CTENN. R. J. 1 d.e., f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Frev. Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of	5381.285 5375.961
ER COM Book AV 1305 d LINE 37 (Cont [*] 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the	5530.618	Eac C Books AV 1305 LINE 37 (Cont' 5 63 18.36	ONTE N.CTENN. R. J. 1 d.e., f 2/3/64 nec 1963 Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion	7eff 5381.285
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft	5530.618	Each Line 37 (Cont's 5 63 18.36	ONTE N.CTENN. R. J. 1 d.e., f. 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the	5381.285 5375.961
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root	5530.618	Each Line 37 (Cont's 5 63 18.36	ONTE N.CTENN. R. J. 1 d.e., f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water	5381.285 5375.961
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper	5530.618 5237.548	Each Line 37 (Cont's 5 63 18.36	ONTE N.CTENN. R. J. 1 d,e,f 2/3/64 nec 1963 d.) Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam	5381.285 5375.961
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet atamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer	5530.618	Each Line 37 (Cont's 5 63 18.36	ONTE d,e,f 2/3/64 nec 1963 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SM. of,	5381.285 5375.961
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet atamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer U.E., Newfound Gap, 5.5 mi NE. of, along the	5530.618 5237.548	Each Line 37 (Cont's 5 63 18.36	ONTE d,e,f 2/3/64 nec 1963 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.962 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SM. of, and 2 ft higher than trail at drain crossing;	5381.285 5375.961
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer U.E., Newfound Gap, 5.5 mi NE. of, along the Appalachian Trail; 10 ft E. of, and 2 ft	5530.618 5237.548	Each Line 37 (Cont's 5 63 18.36	ONTE d,e,f 2/3/64 nec 1963 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +.339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SM. of,	5381.285 5375.961 5333.101
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer U.E., Newfound Gap, 5.5 mi NE. of, along the Appalachian Trail; 10 ft E. of, and 2 ft higher than centerline of trail at sharp	5530.618 5237.548	Each Line 37 (Cont's 5 63 18.36	ONTE d,e,f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +3339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SM. of, and 2 ft higher than trail at drain crossing; at SE. edge of trail on white quartz outcrop; chiseled square	5381.285 5375.961
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer U.E., Newfound Gap, 5.5 mi NE. of, along the Appalachian Trail; 10 ft E. of, and 2 ft higher than centerline of trail at sharp curve; 8 ft S. of 10-in. balsam tree bearing	5530.618 5237.548	Each Line 37 (Cont*) 5 63 18.36 5 66 18.74 5 68 19.19 5 72 19.83	ONTE d,e,f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +3339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SM. of, and 2 ft higher than trail at drain crossing; at SE. edge of trail on white quartz outcrop; chiseled square Newfound Gap, 2.9 mi NE. of, along the	5381.285 5375.961 5333.101
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer U.E., Newfound Gap, 5.5 mi NE. of, along the Appalachian Trail; 10 ft E. of, and 2 ft higher than centerline of trail at sharp	5530.618 5237.548	Each Line 37 (Cont*) 5 63 18.36 5 66 18.74 5 68 19.19 5 72 19.83	ONTE d,e,f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +3339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SM. of, and 2 ft higher than trail at drain crossing; at SE. edge of trail on white quartz outcrop; chiseled square	5381.285 5375.961 5333.101
Book AV 1305 d LINE 37 (Cont* 5 49 16.28	Newfound Gap, 6.8 mi NE. of, along the Appalachian Trail; about 200 ft SW. of top of hill; 9 ft SE. of 6-in. wild cherry tree bearing a metal witness tag; at S. edge of, and 3 ft higher than trail; in rock outcrop; standard tablet stamped "58 RJN 1963 5532" U.E., Newfound Gap, 6.4 mi NE. of, along the Appalachian Trail; 35 ft N. of, and 5 ft higher than gap and junction of Appalachian Trail and trail W. to False Gap Shelter; 5 ft W. of trail; 3 ft E. of 16-in. birch tree; in root; copper nail and washer U.E., Newfound Gap, 5.8 mi NE. of, along the Appalachian Trail; 180 ft S. of saddle; 3 ft E. of, and 1 ft higher than trail; in root of 28-in. balsam tree, 3 ft W. of trunk; copper nail and washer U.E., Newfound Gap, 5.5 mi NE. of, along the Appalachian Trail; 10 ft E. of, and 2 ft higher than centerline of trail at sharp curve; 8 ft S. of 10-in. balsam tree bearing metal witness tag; on rook outcrop; chiseled	5530.618 5237.548 5439.923	Each Line 37 (Cont*) 5 63 18.36 5 66 18.74 5 68 19.19 5 72 19.83	ONTE d,e,f 2/3/64 nec 1963 Newfound Gap, 4.7 mi NE. of, along the Appalachian Trail; 0.4 mi W. of Dry Sluice Gap; 90 ft W. of 28-in. balsam tree at S. edge of trail at curve; 14 ft NE. of 16-in. balsam tree bearing metal witness tag; 5 ft N. of, and 2 ft higher than trail; in shale outcrop; standard tablet stamped "59 RJN 1963 5381" "TT STA NO 4 D 1928" (Described in line 7) This Elev. 5375.961 Prev. Elev. 5375.622 Closure +3339 U.E., Appalachian Trail; at junction of westernmost trail to Charlies Bunion U.E., Newfound Gap, 3.3 mi NE. of, along the Appalachian Trail; 0.3 mi E. of Ice Water Spring Shelter; 11 ft E. of 6-in. balsam tree bearing metal witness tag; 6 ft SW. of, and 2 ft higher than trail at drain crossing; at SE. edge of trail on white quartz outcrop; chiseled square Newfound Gap, 2.9 mi NE. of, along the Appalachian Trail; about 0.1 mi W. of new	5381.285 5375.961 5333.101

tablet stamped "60 RJN 1963 5963"

73 LE CON Books AV 1305	TE N.CTENN. R d,e,f 2/3/64 nec	. J. Neff 1963	74
LINE 37 (Cont'	<u>d.)</u>	-5-5	1963 LINE 38.
5 76 20.40	U.E., at junction of Appalachian Trail as Le Conte Trail; on rock buried in trail	forks;	FROM JUNCTION OF U.S. HIGHWAY 441 AND BLUE RIDGE PARKWAY ALONG ROADS NORTHEAST INTO CATALOCCHEE QUADRANGLE (By R. J. Neff, 1963; Book AV 1305 h)
	chiseled square	6033.839	8 2 0.00 U.E., copper nail and washer (Also in
5 78 20.84	U.E., Newfound Gap, 2.2 mi E. of, along a Appalachian Trail; 0.4 mi W. of junction		line 35) 2014.920 8 2 0.53 U.E., Ravensford, 0.5 mi NE. of, along Big
	trail N. to Mt. Le Conte; on N. side of and 1 ft higher than centerline of trail		Cove Road; 1 ft higher than centerline of rd. at timberline NW.; 35 ft W. of rd. on
6 3 21.38	in root of 18-in. balsam tree; copper named washer U.E., Newfound Gap, 1.7 mi NE. of, along Appalachian Trail; at junction of Appala	5998.342	northernmost of four boulders; chiseled square 2023.935 8 3 0.97 U.E., Ravensford, l.O mi NE. of, along Big
6 9 22.37	Trail and Sweat Heifer Trail; in centerl trail forks on rock outcrop; chiseled squ U.E., Newfound Gap, 0.7 mi NE. of, along	ine of uare 5834.129	Cove Road; on N. end of E. conrete wheel- guard of bridge over Raven Fork; chiseled square 2042.587
	Appalachian Trail; 20 ft S. of sharp ben trail; on rock outcrop at E. edge of, an ft higher than trail; chiseled square		8 4 1.58 Reference mark; 140 ft S. of tablet; at crest of hill; 30 ft E. of centerline on large boulder; chiseled square 2088.204
6 13 23.08	"1935" (USC&GS) This Elev. 5044.978 USC&GS Elev. 5045.576 Closure598	5044.978	8 5 1.58 Ravensford, 1.5 mi NE. of, along Big Cove Road; 1.5 mi NE. of overpass at Blue Ridge Farkway; 32 ft E. of, and level with rd.;
			about 40 ft W. of creek; in N. end of 12- by 5-ft rock outcrop; standard tablet stamped "72 RJN 1963 2079" 2079.031

	LE CONT 1305 h	2/3/64 nec 1963	eff			LE CO 1305 h	2/3/64 nec 1963	
8 6	2.08	U.E., Ravensford, 2.1 mi NE. of, along		8	13	5.06	U.E., Ravensford, 5.1 mi NE. of, along	
		Big Cove Road; 17 ft N. of, and level with					Big Cove Road; 66 ft W. of 18-in. white	
		centerline of rd. at W. end of cut; on					pine; in centerline of rd. opposite pull-	
		rock outcrop opposite pull-off S. of rd.;					off on W. side of rd.; copper nail and	
		chiseled square	2150.681				washer 2262.07	29
8 8	2.81	U.E., Ravensford, 2.8 mi NE. of, along Big		8	14	5.59	U.E., Ravensford, 5.6 mi NE. of, along Big	
		Cove Road; on SE. corner of bottom step at					Cove Road; in centerline of rd. at drive N.	
		entrance to Sequoyah Church; chiseled					to white house; copper nail and washer 2286.0	5 7
		square	2176.762	8	15	6.12	Reference mark; 48 ft N. of tablet; on rock	
8 9	3.42	U.E., Ravensford, 3.4 mi NE. of, along Big					outcrop at N. side of rd.; chiseled square 2326.1	05
		Cove Road; in centerline of rd. atdrive W. to		8	16	6.12	Ravensford, 6.1 mi NE. of, along Big Cove	
		white house on bank; copper nail and washer	2197.490				Road; 0.2 ml S. of country store; 33 ft SE. of,	
8 10	4.07	Reference mark; 75 ft W. of tablet; on N. side					and 7 ft lower than rd.; in rock outcrop at NW.	
		of rd.; on rock outcrop; chiseled square	2228.192				edge of Raven Fork; standard tablet stamped	
8 11	4.07	Ravensford, 4.1 mi NE. of, along Big Cove					"74 RJN 1963 2314" 2314.2	22
		Road; 330 ft SE. of drive NE.; 25 ft NE. of,		8	17	6.65	U.E., Ravensford, 6.6 mi NE. of, along Big	
		and 3 ft higher than centerline of rd. at					Cove Road; 0.1 mi W. of curve; 17 ft N. of,	
		curve; in rock outcrop at cut; standard tablet					and level with rd.; on rock outcrop; chiseled	
	,	stamped "73 RJN 1963 2231"	2231.306				square 2351.3	66
8 12	4.60	U.E., Ravensford, 4.6 mi NE. of, along Big	,	8	18	7.16	U.E., Ravensford, 7.2 mi NW. of, along Big	
		Cove Road; in centerline of rd. at drive W.					Cove Road; in centerline of rd. at T-rd. E. to	
		to red house; copper nail and washer	2238.608				Indian Creek Camp ground; copper nail and	
							washer 2381.1	24

	77	LE CON	TE.		N.CTENN.	R. J. I	Neff
Boo	k AV	1305 h	2/3/64	nec		1963	
ш	Œ 38	(Cont'd	.)_			-3.0	
8	19	7.79	U.E., I	Ravensf	ord, 7.8 ml NE.	of, along Big	
			Cove Ro	ad; 33	ft NW. of, and	level with	
			center.	line of	rd. at driveway	to Big Cove	
			Mission	ı; on r	rock under Missio	n sign; chiseled	
			square				2416.963
8	20	8.17	Referen	nce mar	k; 30 ft W. of t	ablet; on NW.	
			wingwa	11 of 1	oridge; chiseled	square	2457.978
8	21	8.17	Ravens	ford, 8	3.2 ml NE. of, al	ong Big Cove	
			Road;	in NE.	wingwall of brid	ge at T-rd. S.;	
			standa	rd tab	let stamped "75 R	IJN 1963 2458"	2457.982
					WL = 2045 ft		
8	22	8.77	U.E.,	Ravensi	ford, 8.8 mi NE.	of, along Big	
	:		Cove R	oad; 4	20 ft N. of dwell	ing W. of rd.;	
			6 ft N	. of t	win sycamore tree	es at E. edge of	
			rd.; o	n rock	outcrop; chisele	ed square	2521.513