

THIRD-ORDER LEVELING  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

202  
36-076-32  
EDENTON QUADRANGLE  
202 NORTH CAROLINA  
N3600-W7630/15  
DIAGRAM NJ 18-10  
WOLFORD


Bertie, Chowan, and Perquimans Counties

Final adjustment of 1977

Edition of 6/8/77

PR: WSM/rmc

NGVD 29  
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360763

202 NORTH CAROLINA  
EDENTON QUADRANGLE

*202*

36-076-32  
N3600-W7630/15

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK</u>	<u>PAGE NO.</u>
14	3	P 231 1941	3
15	3	E 178 1963	4
16	3		
27	3		
51 MEA 1976 5	3		
54 MEA 1976 14	3		
55 MEA 1976 15	4		

NGVD 29  
Elevations

## ISOLATED BENCH MARK (By A. Pike, 1902; Book 9358)

feet

Edenton, 5.0 mi SE. of; 300 ft NW. of Pleasant Grove Church; at small storehouse; on iron post; standard cap stamped "14"

14.934 4.552

Edenton; at right of entrance to county courthouse; standard tablet stamped "16"

16.427

Yeopin sta.; 15 ft S. of center of rd.; in E. corner of N. J. Ball's yard; on iron post; standard cap stamped "15"

15.013 4.576

Rockyhock; 200 ft S. of crossroads; in front yard of H. B. Jones; on iron post; standard cap stamped "27"

28.415 8.661

LINE 1.

By Wayne S. Monk, 1955; Book AV 824

6 1 0.00 "P 231 1941" (MGS)

27.195

LINE 2.NGVD 29  
Elevations

By R. L. Meador, 1976; Book AV 1722

3 18 13.45 U.E., in centerline of bridge; nail and cap

6.06

3 19 14.42 U.E., in centerline of T-rd. W.; nail and cap

15.21

3 20 14.92 U.E., in centerline of T-rd. E.; nail and cap

9.77

3 21 16.01 Bethel, 4.0 mi SW. of, thence 1.1 mi SE. along County Road 1100; 2.3 mi NW. of Somer; 12 ft S. and 0.8 ft higher than centerline of E. end of bridge; in E. end of S. concrete wheelguard; standard tablet stamped "51 MEA 1976 5"

15.211 1.588

3 22 16.91 U. E., in centerline of rd. at woods rd. N.; nail and cap

10.91

3 23 17.36 U. E., in centerline of rd. at woods rd. N.; nail and cap

12.60

[Jogs into Hertford Quadrangle]

3 28 22.17 U.E., in centerline of T-rd. S.; nail and cap

13.85

\* 3 29 22.67 Edenton, 5.4 mi SE. of junction of State Highway 32 and U. S. Highway 17; along Highway 32; 54 ft S. and 120 ft W. of, and 0.1 ft higher than centerline of crossroads; 2 ft E. of pole; 0.5 ft W. of metal witness post; in concrete post flush with ground; standard tablet stamped "54 MEA 1976 14"

14.112 4.301

3 30 23.27 U.E., in centerline of Y-rd. junction; nail and cap

11.93

3 31 23.74 U.E., in centerline of T-rd. SE.; nail and cap

8.64

LINE 2 (Cont'd.)Feet

3 32 24.45	Edenton Municipal Airport, 1.9 mi E. of, along County Road 1114; at junction of County Roads 1113 and 1114; 36 ft N. and 24 ft W. of, and 0.9 ft lower than centerline of T-rd. S.; 1 ft N. of pole; 0.5 ft S. of metal witness post; in concrete post projecting 1 in.; standard tablet stamped "55 MEA 1976 15"	14.522 4.426
3 33 25.45	U.E., in centerline of T-rd. S.; nail and cap	13.62
3 34 26.36	"E 178 1963" (NGS)	13.566

NGVD 29  
Elevations