

LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

36-080-21
PIRE HALL QUADRANGLE
245 NORTH CAROLINA
N3615-W8000/15
DIAGRAM N3 17-11
WINSTON-SALEM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Forsyth, Guilford, Rockingham and Stokes Counties

Final adjustment of 1975

Edition of 7/11/75


PR: WSM/rmc

NGVD 29
Elevations

CRITZ
(18 VA.-270 N.C.)

PILOT MOUNTAIN
(246)

WENTWORTH
(244)



100' 03"

36°15'

KERNERSVILLE
(216)

USGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360802

WENTWORTH QUADRANGLE

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
823	3	111 MAX 1971 667	11
PTS 18 W 1924		112 MAX 1971 553	11
RESET 1938 611	16	113 MAX 1971 537	12
R 13 VA NC 1924 537	3	114 MAX 1971 652	12
R 14 VA NC 1924 768		115 MAX 1971 682	12
PTS 20 W 1924	3	116 MAX 1971 767	12
WV 43 1949 895	3	117 MAX 1971 814	13
WV 48 1949 853	3, 15	118 MAX 1971 838	13
WV 49 1949	4	119 MAX 1971 717	14
59 HLZ 1969	5	120 MAX 1971 810	14
60 HLZ 1969	5	121 MAX 1971 872	14
61 HLZ 1969	5, 5	122 MAX 1971 917	15
100 HLZ 1969	6	123 MAX 1971 878	15
101 HLZ 1969	6	124 MAX 1971 789	15
102 HLZ 1969	6		
103 HLZ 1969	6	<u>STATE</u>	
104 HLZ 1969	7		
105 HLZ 1969	7	NC 467	4
106 HLZ 1969	7	22 WC 1 1967	17
85 MAX 1971 720	17		
87 MAX 1971 574	20	<u>NCGS</u>	
88 MAX 1971 790	20		
100 MAX 1971 871	RECOVERED AS DESCRIBED 879	ERNEST 1969	17
101 MAX 1971 850	RECOVERED AS DESCRIBED 879	FELLOW 1969	18
102 MAX 1971 710	RECOVERED AS DESCRIBED 919	HESTER 1969	20
103 MAX 1971 638	PROBABLY LOST 1979	NEAL 1969	19
104 MAX 1971	RECOVERED AS DESCRIBED 9	PARKER 1969	16
105 MAX 1971 756	RECOVERED AS DESCRIBED 9, 11	RICE 1969	19
106 MAX 1971 724	RECOVERED AS DESCRIBED 10, 13	WALKER 1969	18
107 MAX 1971 565	RECOVERED AS DESCRIBED 10		
108 MAX 1971 718	RECOVERED AS DESCRIBED 10	<u>NGS</u>	
109 MAX 1971 696	RECOVERED AS DESCRIBED 10		
110 MAX 1971 734	RECOVERED AS DESCRIBED 11	N 169 1965	5
		R 169 1965	10
		S 170 1965	13

NGVD 29
Elevations

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
R 58 VA-NC 1924	3	86 HLZ 1969 6000 92	7
13 WSM 1950 825 MF 93	3,3	87 HLZ 1969	7
14 WSM 1950 795	3	88 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u>	8
42 DOP 1962 664 6000 92	4	89 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u>	8
43 DOP 1962 985	4	90 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u>	8
46 DOP 1962 1039	4	91 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u>	8
47 DOP 1962 1115	4	92 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 8,9	8
57 HLZ 1969	4	93 HLZ 1969	8
58 HLZ 1969	4	94 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 8 6000 92	8
62 HLZ 1969	4	95 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 8 6000 92	8
63 HLZ 1969	4	96 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 8	8
64 HLZ 1969	5	97 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 9 6000 92	9
65 HLZ 1969 6000 92	5	98 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 9	9
66 HLZ 1969 6000 92	5	99 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 9 6000 92	9
67 HLZ 1969 6000 92	5	107 HLZ 1969 RESET 1969	9
68 HLZ 1969 6000 92	5	108 HLZ 1969	9
70 HLZ 1969	6	109 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 9 6000 92	9
71 HLZ 1969	6	110 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 9	9
72 HLZ 1969	6	111 HLZ 1969 RECOVERED AS DESCRIBED <u>2/87</u> 9	9
73 HLZ 1969 DEST 92	6		
74 HLZ 1969	6	<u>NGS</u>	
75 HLZ 1969 6000 92	6	A 94 1935	4
76 HLZ 1969	6	C 94 1935	8
77 HLZ 1969	6	D 94 1935	7
78 HLZ 1969	6	H 94 1935	5
79 HLZ 1969	6	N 88 1935	3
80 HLZ 1969 DEST 92	7	P 88 1935	3
81 HLZ 1969 6000 92	7,7	X 90 1935	8
82 HLZ 1969	7	GERMANTON 1954	3
83 HLZ 1969 NOT FOUND <u>2/87</u>	7	WALNUT COVE 1954	5
84 HLZ 1969 NOT FOUND <u>2/87</u> <u>6000 92</u>	7	WALNUT COVE 1954 (Azi. mk.)	5
85 HLZ 1969 NOT FOUND <u>2/87</u>	7	WALNUT COVE NO 2 1954	5

NGVD 29
Elevations

ISOLATED BENCH MARKS (By C. E. Reick, 1924; Book B 1907)

Feet

Sandy Ridge, 1.0 mi SW. of post office; at service station; 140 ft S. of rd. fork; in concrete post; standard tablet stamped "R 58 VA-NC 1924"

1124.597

LINE 1.

By W. S. Monk, 1950; Book AV 222

Walkertown, 5.9 mi N. of depot; 25 ft E. of E. rail of N. & W. RR.; 85 ft E. of centerline of U. S. Highway 311; in line with centerline of T-rd. W. to Germanton; in concrete post; standard tablet stamped "13 WSM 1950 825"

824.782

Walkertown, 5.9 mi N. of depot, along U. S. Highway 311, thence 2.5 mi N.; 3.0 mi E. of Germanton; 0.2 mi E. of St. Mark's Church; 30 ft E. of centerline of rd.; in line with centerline of rd. W.; 70 ft N. of drive; in concrete post; standard tablet stamped "14 WSM 1950 795"

795.422

"N 88 1935" (NGS)

662.308

U.E., Germanton; 15 ft N. and 30 ft E. of RR. crossing; on concrete base of warning signal; chiseled square

678.60

LINE 2.

By W. S. Monk, 1950; Book AV 222

"13 WSM 1950 825" (Described in line 1)

824.782

U.E., Walkertown, 6.3 mi N. of, along U. S. Highway 311; 40 ft N. and 15 ft E. of crossing of N. & W. Ry. and Below Creek Road; on SW. corner of concrete base of block signal; chiseled square

820.10

LINE 3.

By W. S. Monk, 1950; Book AV 222

"P 88 1935" (NGS) (Reported destroyed, 1970)

731.127

NGVD 29
Elevations

LINE 4.

By D. O. Pruitt, 1962; Book AV 872

U.E., on top of W. side of N. concrete warning signal; chiseled square

733.44

U.E., Germanton; 15 ft N. and 30 ft E. of RR. crossing; on concrete base of warning signal; chiseled square

679.526

Germanton, 0.2 mi N. of, along State Highway 8; 15 ft W. of centerline of Highway 8; in drill hole in S. concrete abutment of southernmost one of two bridges; NGS standard azimuth mark disk stamped "GERMANTON 1954"

664.464 UNADJ
664.538 ?
see 42 DOP
next page

202.548 M
per Joe Scott
1/8/97

LINE 4 (Cont'd)

Feet

Germanton, 0.2 mi N. of, along State Highway 8; 16 ft E. of, and level with centerline of rd.; in top of NE. concrete bridge abutment; standard tablet stamped "42 DOP 1962 664"

664.476 vna
664.538
202.552

Germanton, 3.2 mi N. of, along State Highway 8; 94 ft N. and 50 ft W. of, and 4 ft higher than junction of T-rd. W.; in center of concrete gasoline pump platform; standard tablet stamped "43 DOP 1962 985"

984.852
984.952

[Jogs into Pilot Mountain quadrangle]

Germanton, 4.0 mi N. of, along State Highway 8, thence 1.9 mi W. along County Road 1974, thence 2.5 mi N. along County Road 1973; 80 ft S. and 76 ft E. of, and 7 ft higher than junction of T-rd. W.; 14 ft S. of 13 in. oak tree; in concrete post; standard tablet stamped "46 DOP 1962 1099"

1099.519

Germanton, 4.0 mi N. of, along State Highway 8, thence 1.9 mi W. along County Road 1974, thence 3.5 mi N. along County Road 1973, thence 1.1 mi N. along Flat Shoals Road; at Flat Shoals; 71 ft E. of E. entrance of residence of Elmore Redding; 38 ft N. of NE. corner of barn; 2 ft SE. of power pole; in concrete post; standard tablet stamped "47 DOP 1962 1115"

1115.157

LINE 5.

By D. O. Pruitt, 1962; Book AV 871

"A 94 1935" (RGS)

NGVD 29
Elevations

731.970

LINE 6.

By H. L. Zohn, 1969; Book AV 1541

3 66 1.33 Madison, 1.2 mi W. of junction of U. S. Highways 311 and 220, along Highway 311, thence 3.6 mi S. along County Road 1138, thence 0.4 mi SE. along County Road 1137; at Eden Methodist Church; in W. end of second step; standard tablet stamped "57 HLZ 1969"

762.483

3 68 2.23 Madison, 1.2 mi W. of junction of U. S. Highways 211 and 220, along Highway 311, thence 3.1 mi S. along County Road 1138; 150 ft SSE. of, and about 2 ft higher than junction of County Roads 1138 and 1128; 1 ft W. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "58 HLZ 1969"

726.992

3 77 6.95 Pine Hall, 3.5 mi NE. of junction of U. S. Highway 311 and State Highway 772, along U. S. Highway 311; at 43 ft bridge over Reed Creek; in NE. end of NW. guard-rail; standard tablet stamped "62 HLZ 1969"

576.467*

3 79 8.12 Pine Hall, 2.3 mi NE. of junction of U. S. Highway 311 and State Highway 772, along Highway 311; at Grace Baptist Church; in NW. corner of porch at main entrance; standard tablet stamped "63 HLZ 1969"

691.514

LINE 6 (Cont'd)

Feet

- 4 7 9.42 Pine Hall, 1.0 mi NE. of junction of U. S. Highway 311 and State Highway 772, along Highway 311; at 41 ft Ricker's bridge over small stream; in NW. wingwall; standard tablet stamped "64 HLZ 1969" 586.584
- 4 8 10.39 U.E., 4 1/2 ft W. of, and about 1 ft lower than junction of U. S. Highway 311 and State Highway 772; on L-shaped concrete culvert; chiseled square 648.74
- 4 9 10.58 Walnut Cove, 5.1 mi ENE. of junction of U. S. Highway 311 and State Highway 89, along Highway 311; 0.2 mi SW. of junction of Highway 311 and State Highway 772; at 57 ft bridge over Eurin Creek; in NW. wingwall; standard tablet stamped "65 HLZ 1969" 620.247
- 4 11 11.88 Walnut Cove, 3.8 mi ENE. of junction of U. S. Highway 311 and State Highway 89, along Highway 311; 80 ft NW. of, and about 2.5 ft higher than junction of Highway 311 and County Roads 1722 and 1911; 0.5 ft S. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "66 HLZ 1969" *TOP BROKEN OFF - DISK GONE* 724.249 91
- 4 13 12.98 Walnut Cove, 2.7 mi E. of junction of U. S. Highway 311 and State Highway 89, along Highway 311; at 320 ft bridge over Dan River; in NE. wingwall; standard tablet stamped "67 HLZ 1969" 620.167
- 4 17 14.12 Walnut Cove, 1.5 mi E. of junction of U. S. Highway 311 and State Highway 89, along Highway 311; at Sycamore Baptist Church; in W. end of first step; standard tablet stamped "68 HLZ 1969" *73.3 S. of E. US 311
41.5 S. of TP W/TAC
0.6 E. of W. edge of step* 679.791
- 4 20 16.08 Walnut Cove, 0.8 mi N. of post office, along U. S. Highway 311 to High Street, thence 0.05 mi right (E.) along High Street; 72 ft N. of centerline of High Street; 45 ft S. of center of municipal water tank; 4 ft W. of white witness post; in concrete post flush with ground; NGS standard triangulation station disk stamped "WALNUT COVE 1954" 731.449
- 4 22 16.11 Reference mark No. 2; 95 ft NW. of station; 42 ft NW. of NW. leg of municipal water tank; in concrete post flush with ground; NGS standard reference mark disk stamped "WALNUT COVE NO 2 1954" 732.213
- 4 23 16.24 Azimuth mark; 0.2 mi W. of station; 25 ft N. of center of concrete walk into Rising Star Baptist Church; 29 ft W. of center of paved street; 28 ft SE. of SE. corner of frame house; in concrete post flush with ground; NGS standard azimuth mark disk stamped "WALNUT COVE 1954" 717.805
- 4 24 16.64 "H 94 1935" (NGS) 689.405

LINE 7.

By H. L. Zohn, 1969; Book AV 1541

- 4 30 0.00 "U.E., chiseled square" (Described in line 6)

NGVD 29
Elevations

648.74

LINE 7 (Cont'd)Feet

4	32	1.01	Pine Hall, 0.4 mi N. of post office, along State Highway 772; at Pine Hall Methodist Church; in S. end of bottom step; standard tablet stamped "75 HLZ 1969"	654.477
4	36	2.20	Pine Hall, 0.8 mi S. of post office, along County Road 2023; 70 ft NW. of, and about 7 ft lower than junction of County Roads 1904 and 2023; 1 ft SE. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "74 HLZ 1969"	783.337
4	38	3.47	Pine Hall, 2.1 mi S. of post office, along County Roads 2023 and 1904; at Withers Chapel; in NE. end of second step; standard tablet stamped "73 HLZ 1969"	807.007
4	40	4.46	Pine Hall, 3.1 mi S. of post office, along County Roads 2023 and 1904; at Neal's Grocery Store; in concrete base of Gulf sign; standard tablet stamped "72 HLZ 1969"	801.757
3	43	5.45	Belows Creek, 0.4 mi NW. of post office, along State Highway 65, thence 2.2 mi N. along County Roads 1958 and 1904; at 65 ft wooden bridge over Little Belows Creek; in NW. wingwall; standard tablet stamped "71 HLZ 1969"	681.982
3	45	6.63	Belows Creek, 0.4 mi NW. of post office, along State Highway 65, thence 1.0 mi N. along County Roads 1958 and 1903; 88 ft NE. of, and about 1.5 ft higher than junction of County Roads 1904 and 1906; 1 ft W. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "70 HLZ 1969"	846.521

LINE 8.

By H. L. Zohn, 1969; Book AV 1541

4	55	0.00	"U.E., chiseled square" (Described in line 6)	648.74
4	56	1.45	Pine Hall, 2.9 mi NNW. of post office, along State Highway 772; 37 ft W. of, and about 0.5 ft higher than centerline of Highway 772 at drive E.; 1 ft E. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "76 HLZ 1969"	739.460
4	59	2.68	Pine Hall, 3.5 mi NNW. of post office, along State Highway 772, thence 0.6 mi N. along County Road 1683; at 24 ft wooden bridge over small stream; in NE. wingwall; standard tablet stamped "77 HLZ 1969"	662.429
4	63	4.34	Pine Hall, 3.5 mi NNW. of post office, along State Highway 772, thence 2.3 mi N. along County Road 1683; 145 ft SW. of, and about 9 ft higher than centerline of County Road 1683 at drive W.; in top of large boulder; standard tablet stamped "78 HLZ 1969"	869.122
4	65	5.54	Dodgetown, 1.4 mi SE. of junction of State Highway 772 and County Road 1695, along Highway 772, thence 1.2 mi E. along County Road 1686; 135 ft NW. of, and about 1 ft higher than centerline of County Road 1686 at drive S.; 1 ft S. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "79 HLZ 1969"	924.578

LINE 8 (Cont'd)

Feet

- 4 68 6.76 Dodgetown, 1.3 mi SE. of junction of State Highway 772 and County Road 1695, along Highway 772; at Oak Grove Baptist Church; in E. edge of S. walk at front of church; standard tablet stamped "80 HLZ 1969" 947.215
- 4 70 8.04 Dodgetown, at SE. corner of small cemetery; 37 ft W. of, and about level with centerline of hwy. opposite; 2 ft E. of witness sign; in concrete post flush with ground; standard tablet stamped "81 HLZ 1969" 987.854
- 4 72 9.61 Dodgetown, 1.6 mi SSW. of junction of State Highway 772 and County Road 1695, along Road 1695; 56 ft SW. of, and about 3 ft lower than centerline of Road 1695 at County Road 1690; 1.5 ft E. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "82 HLZ 1969" 886.614
- 4 75 11.07 Dodgetown, 3.2 mi SW. of junction of State Highway 772 and County Road 1695, along Road 1695; 37 ft NNW. of NW. corner of wooden bridge over Dan River; 65 ft W. of, and about level with centerline of Road 1695 at County Road 1698; 1 ft SE. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "83 HLZ 1969" 678.136
NOT FOUND WCB 3/87
- 4 78 12.46 Dodgetown, 4.6 mi SW. of junction of State Highway 772 and County Road 1695, along Road 1695; 35 ft NW. of, and about 5 ft higher than centerline of Road 1695 at drive ESE.; 0.3 ft S. of witness sign; in concrete post projecting 0.5 ft; standard tablet stamped "84 HLZ 1969" 841.776
NOT FOUND WCB 3/87
- 5 5 13.85 Danbury, 2.1 mi SSE. of courthouse, along State Highways 8 and 89, thence 0.8 mi E. along County Road 1706; 78 ft N. of, and about 2 ft higher than centerline of Road 1706 at County Road 1705; 1.5 ft S. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "85 HLZ 1969" 992.130
NOT FOUND 3/87 WCB
- 5 8 14.99 "D 94 1935" (HGS) 752.134
INTERSECTION HAS BEEN REWORKED

LINE 9.

By H. L. Zohn, 1969; Book AV 1541

- 5 15 0.00 "81 HLZ 1969" (Described in line 8) 987.854
- 5 16 1.44 Prestonville, 0.3 mi S. of junction of State Highways 772 and 704, along Highway 772; 42 ft SW. of, and about 1 ft higher than centerline of Highway 772 at dirt rd. W.; 1 ft E. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "86 HLZ 1969" 1087.39
- 5 19 2.84 Delta, at Methodist Church; in S. end of fourth step leading to main entrance; standard tablet stamped "87 HLZ 1969" 1108.074
- 5 22 4.01 Sandy Ridge, 0.8 mi SE. of post office, along State Highway 704; at Lee Telephone Company building; in E. end of concrete catch basin; standard tablet stamped "88 HLZ 1969" 1124.152
GOOD 3/87 WCB

NGVD 29
Elevations

LINE 9 (Cont'd)Feet

5 24 4.79 Sandy Ridge; at post office, in N. end of walk; standard tablet stamped "89 HLZ 1969" *GOOD 2/87 EWB* 1122.903

[Jogs into Critz quadrangle]

5 30 7.81 Sandy Ridge, 1.6 mi W. of post office, along State Highway 704, thence 1.5 mi SW. along County Road 1651; 49 ft N.E. of, and about level with centerline of Road 1651 at drive NW.; 0.2 ft S. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "90 HLZ 1969" *GOOD 3/87 WCB 0.6 FT. S. OF SER. POLE 1082.643 W/TAG*

5 34 9.49 Lawsonville, 0.2 mi SE. of post office, along State Highway 8, thence 3.3 mi E. along County Road 1651; at 70 ft bridge over small stream; in NW. end of NE. abutment; standard tablet stamped "91 HLZ 1969" *NOT FOUND 3/87 WCB* 838.955

5 37 10.76 Lawsonville, 0.2 mi SE. of post office, along State Highway 8, thence 2.0 mi E. along County Road 1651; at Snow Hill Methodist Church; 38 ft N. of NW. corner of church; in concrete retaining wall; standard tablet stamped "92 HLZ 1969" *GOOD 3/87 WCB* 1057.772

5 39 11.65 Lawsonville, 0.2 mi SE. of post office, along State Highway 8, thence 1.1 mi E. along County Road 1651; 31 ft E. of barn; 40 ft S. of, and about 6 ft higher than centerline of rd. opposite; 0.5 ft N. of witness sign; in concrete post projecting 0.5 ft; standard tablet stamped "93 HLZ 1969" 1119.680

5 42 12.86 "X 90 1935" (NGS) 1178.649

LINE 10.

NGVD 29
Elevations

By H. L. Zohn, 1969; Book AV 1541

5 50 0.00 "C 94 1935" (NGS) 824.677

5 50 0.34 U.E., on SW. corner of 335 ft concrete bridge over Dan River; chiseled square 714.64

5 52 1.19 Danbury, 0.3 mi S. of courthouse, along State Highways 8 and 89, thence 0.9 mi E. and NE. along County Road 1652; 53 ft SE. of, and about 3 ft higher than junction of dirt T-rd. S. and Road 1652; 0.2 ft N. of witness sign; in concrete post projecting 0.4 ft; standard tablet stamped "94 HLZ 1969" *GOOD 3/87 WCB 12.7' NW OF 30" OAK* 919.299

5 54 2.39 Danbury, 0.3 mi S. of courthouse, along State Highways 8 and 89, thence 2.1 mi E. and NE. along County Road 1652; 200 ft W. of junction of County Roads 1652 and 1670; 41 ft N. of, and about 4.5 ft higher than junction of drive NNW. and Road 1652; 0.2 ft S. of witness sign; in concrete post projecting 0.1 ft; standard tablet stamped "95 HLZ 1969" *GOOD 3/87 WCB 41.5' ENE OF PP W/TAG* 956.930

5 57 3.92 Danbury, 0.3 mi S. of courthouse, along State Highways 8 and 89, thence 2.2 mi E. and NE. along County Road 1652, thence 1.6 mi NW. along County Road 1670; 62 ft E. of, and about 0.5 ft higher than junction of County Roads 1670 and 1671; 0.2 ft NW. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "96 HLZ 1969" *GOOD 3/87 WCB 3.5' NE OF TEL. PED.* 1059.629

LINE 10 (Cont'd)

Feet

- 5 59 5.02 Lawsonville, 0.1 mi S. of elementary school, along State Highway 8, thence 2.0 mi E. along County Road 1651, thence 2.8 mi SE. and S. along County Road 1657; 47 ft SW. of, and about level with junction of County Roads 1670, 1657 and 1655; 3 ft NE. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "97 HLZ 1969" *Good 3/87 GWT 36.3' W E OF SR 1670 32.7' S E OF SR 1655* 1047.159
- 5 61 5.84 Lawsonville, 0.1 mi S. of elementary school, along State Highway 8, thence 2.0 mi E. along County Road 1651, thence 2.0 mi SE. and S. along County Road 1657; at 38 ft wooden bridge over Snow Creek; in SW. wingwall; standard tablet stamped "98 HLZ 1969" 809.833
- 5 64 7.06 Lawsonville, 0.1 mi S. of elementary school, along State Highway 8, thence 2.0 mi E. along County Road 1651, thence 0.8 mi SE. along County Road 1657; 73 ft SE. of, and about 4 ft higher than junction of County Roads 1657 and 1658; 0.2 ft N. of ~~witness~~ *Gone* sign; in concrete post projecting 0.3 ft; standard tablet stamped "99 HLZ 1969" *Good 3/87 WCB* 1062.314
- 5 66 7.97 "92 HLZ 1969" (Described in line 9) *67.0' NW OF PP* 1057.772

LINE 11.

By H. L. Zohn, 1969; Book AV 1541

- 6 15 9.66 Sandy Ridge, 0.8 mi SE. of post office, along State Highway 704, thence 3.5 mi E. along State Highway 770, thence 0.4 mi N. along County Road 1631, thence 0.4 mi E. along County Road 1632, thence 1.6 mi E. along County Road 1348; 53 ft N. of centerline of County Road 1342; 139 ft E. of centerline of County Road 1354; 2 ft E. of power pole; 1 ft S. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "107 HLZ 1969 RESET 1969" 920.851
- 6 17 11.04 Sandy Ridge, 0.8 mi SE. of post office, along State Highway 704, thence 3.5 mi E. along State Highway 770, thence 0.4 mi N. along County Road 1631, thence 0.4 mi E. along County Road 1632, thence 0.2 mi E. along County Road 1348; 58 ft NW. of, and about 0.5 ft higher than junction of County Road 1352 at T-rd. S.; 2 ft S. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "108 HLZ 1969" (Destroyed, 1969) 1039.781
- 6 19 12.08 Sandy Ridge, 0.8 mi SE. of post office, along State Highway 704, thence 3.5 mi E. along State Highway 770; 190 ft NW. of, and about 3 ft higher than junction of Highway 770 and County Road 1631; 0.2 ft E. of witness sign; in concrete post projecting 0.2 ft; standard tablet stamped "109 HLZ 1969" *Good 3/87 WCB 38 FT W E SR 1631 45.2' NNN TEL. PED.* 1053.981
- 6 21 13.12 Sandy Ridge, 0.8 mi SE. of post office, along State Highway 704, thence 2.4 mi E. along State Highway 770; 35 ft W. of, and about level with junction of Highway 770 and County Road 1639; in concrete post projecting 0.3 ft; standard tablet stamped "110 HLZ 1969" *Good 3/87 WCB 8.5' ENE OF PP W/TAG* 1069.276
- 6 23 14.28 Sandy Ridge, 0.8 mi SE. of post office, along State Highway 704, thence 1.2 mi E. along State Highway 770; 42 ft E. of, and about 0.5 ft higher than junction of Highway 770 and County Road 1641; 0.3 ft N. of witness sign; in concrete post projecting 0.3 ft; standard tablet stamped "111 HLZ 1969" *DESTROYED 3/87 WCB* 1099.092
- 6 25 15.56 "88 HLZ 1969" (Described in line 9) *TOP BROKEN OFF* 1124.152