

THIRD-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

36-077-43
WHITE PLAINS QUADRANGLE
9 VA.-260 N.C.
N3630-47745/15
DIAGRAM NJ 18-10
NORFOLK

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Brunswick and Greensville Counties, Va.;
Halifax, Northampton and Warren Counties, N.C.

Final adjustment of 1972

Edition of 8/29/78


PR: GWK/jyk

NGVD 29
Elevations

LAWRENCEVILLE
(41)

SOUTH HILL
(10 VA.-262 N.C.)

EMPORIA
(8 VA.-260 N.C.)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360774

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
NOT STAMPED (242.733)	3	TT 71 AAM 1961 RESET 1969	11
NOT STAMPED (300.438)	3	6 DOP 1961 288 (287.817)	11
NOT STAMPED (300.811)	3	6 DOP 1961 297 (297.409)	5
NOT STAMPED (366.227)	3	7 DOP 1961 185 (184.727)	5
NOT STAMPED (378.600)	3	7 DOP 1961 307 (307.267)	12
193	5	13 DOP 1961 176	6
262	3	14 DOP 1961 RESET 1970	6
295 1918	3	15 DOP 1961 328	6
299 1918 TT	10,12	16 DOP 1961 RESET 1971	6
301	6,10	17 DOP 1961 307	6
399 TT	8	18 DOP 1961 RESET 1978	6
412 1918	7	19 DOP 1961 255	7
PTS NO 12 1918	3	20 DOP 1961 291	7
PTS NO 13 1918	7,12	21 DOP 1961 18	7
PTS NO 15 1918 325	3	22 DOP 1961 264	7
PTS NO 19 1918 315	9	23 DOP 1961 366	8
PTS NO 24 1918	3	24 DOP 1961 161	8
88 SKS 1954 333	3	25 DOP 1961 303	9
99 SKS 1954 236	4	26 DOP 1961 219	9
100 SKS 1954 287	4	28 DOP 1961 300	9
101 SKS 1954 172	4	29 DOP 1961 289	10
102 SKS 1954 310	4,7,11,12	30 DOP 1961 RESET 1971	10
103 SKS 1954 RESET 1962 <small>NOT FOUND</small>	5	31 DOP 1961 342	10
104 SKS 1954 277 <small>NOT FOUND</small>	5	32 DOP 1961 250	10
TT 1 TWC 1954 371 <small>NOT FOUND</small>	7,12		
TT 16 AAM 1961 182	5,6	<u>NGS</u>	
TT 65 AAM 1961 308	9,10	LYNCH 1933	8
TT 66 AAM 1961 320	9	LYNCH NO 1 1933	8
TT 67 AAM 1961 374	6,8,10	LYNCH NO 2 1933	8
TT 68 AAM 1961 362	8	LYNCH NO 3 1933	8
TT 69 AAM 1961 288	11	VULTARE 1933 RESET 1969	11
TT 70 AAM 1961 238	11		

NGVD 29
 Elevations

Books B 108, B 140 and B 171

ISOLATED BENCH MARKS (By J. C. Fales, A. C. Schilling, C. R. French, 1918; Books B 108, B 140 and B 171)	<u>Feet</u>
Edgerton; 3.0 mi S. of rd. forks; at residence of Raven Jones; 15 ft W. of center of hwy. within Y-rd. forks; on iron post; standard cap stamped "295 1918"	295.127
Lawrenceville, 2.8 mi S. of; on E. side of rd. opposite post reading "3 mi to Main Street Garage"; on iron post; standard cap not stamped	242.733
Brunswick; 3.6 mi N. of post office; on N. side of rd. opposite cemetery; at residence of J. E. King; on iron post; standard cap not stamped	300.438
Brunswick; 80 ft E. of Ezells store; E. of crossroad; on iron post; standard cap stamped "PRIM TRAV STA NO 24 1918"	373.557
Vultare; 45 ft W. of intersection of crossroad; SW. of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 15 1918 325" (Reported destroyed)	325.981
White Plains, 3.2 mi S. of; at E. point of fork at junction of Gasburg-Ebony Road and Gasburg-White Plains Road; 300 ft W. of house of Mrs. R. S. Powell; on iron post; standard cap not stamped	378.600
Gasburg; in NE. corner of T-rd.; 300 ft N. of P. T. Hammock's store and post office; on iron post; standard cap not stamped	300.811
Henrico, 4.0 mi W. of; on N. side of rd. opposite church building known as Tillars Chapel; on iron post; standard cap stamped "262"	262.257
Henrico; 30 ft from SW. corner of store of C. B. Moore; on iron post; standard cap stamped "PRIM TRAV STA NO 12 1918"	253.542
Crichton; at store and post office of J. R. Temple; on iron post; standard cap not stamped	366.227
<u>LINE 1.</u>	
S. K. Sampson, 1954; Book AV 386	
U.E., Ebony; 71 ft NW. of centerline of junction of County Roads 626 and 650; in root on SE. side of 40-in. oak tree; copper nail and washer	320.31
Ebony, 0.6 mi NE. of, along County Road 626; 150 ft N. of junction of Y-rd. (County Roads 626 and 662); 48 ft W. of center of Road 626; 37 ft E. of centerline of Road 662; 44 ft N. of hwy. route signpost; in concrete post; standard tablet stamped "88 SKS 1954 333"	333.127
Reference mark; 125 ft NW. of junction of Y-rd. (County Roads 626 and 662); in root on W. side of 20-in. oak tree; copper nail and washer	335.39

4
WHITE PLAINS
Book AV 386

VA.-N.C.

NGVD 29
Elevations

36-077-43

S. K. Sampsell

1954

LINE 2.

Feet

S. K. Sampsell, 1954; Book AV 386

Church Crossroad, 4.3 mi NE. of, along dirt rd.; 3.4 mi SW. of Eatons Ferry; 94 ft NW. of drive NW. to frame house; 5 ft N. of power pole; in concrete post; standard tablet stamped "99 SKS 1954 236" (Reported not found, 1970) *1989-40 Ft. W. of Center Dirt Rd. 69 Ft. NNW of Driveway 59.7 Ft. NW of Telephone Pedestal* *Disk has been reattached to concrete w/ screw (talked to property owner)* *11.5 Ft. SW of Split Rail Corner Fence Post (No tag)* 236.100

Reference mark; 74 ft N. of tablet; in root on E. side of 10-in. oak tree; rail spike 231.90

[Jogs into Littleton quadrangle]

Eatons Ferry, 1.6 mi SW. of, along dirt rd.; 68 ft W. of T-rd. E. to Littleton; in cultivated field; 5 ft NE. of power pole; in concrete post; standard tablet stamped "100 SKS 1954 287" (Reported disturbed, 1972) *DESTROYED 3/88* 287.080

Reference mark; 210 ft NE. of tablet; 58 ft N. of centerline of drive NW. to red house; in root on E. side of 26-in. oak tree; ten penny nail *NOT FOUND 4/88 No RED HOUSE* 285.23

U.E., Eatons Ferry, 1.2 mi SW. of; 16 ft SE. of centerline of rd.; on top of SE. end of concrete drainpipe; chiseled square *NOT FOUND 4/88 ROAD HAS BEEN REROUTED.* 241.36

U.E., Eatons Ferry, 0.7 mi SW. of; 71 ft N. of centerline of field rd. SE.; in root on SE. side of 40-in. oak tree; copper nail and washer (Now covered by water - Lake Gaston) 170.91

U.E., Eatons Ferry; on S. side of river; on top of NE. corner of concrete anchor base for ferry cable; chiseled square (Now covered by water - Lake Gaston) 179.91

Eatons Ferry; on N. side of river; 38 ft NW. of center of draw gate at ferry; 3 ft SW. of wooden cable tower; in concrete post; standard tablet stamped "101 SKS 1954 172" (Now covered by water - Lake Gaston) 171.602

U.E., Elams, 1.2 mi S. of; 34 ft W. of centerline of woods rd. NW.; in root on E. side of 32-in. pine tree; copper nail and washer 247.72

*Elams; 200 ft N. of post office; 99 ft NW. of T-rd. SW.; 54 ft NW. of corner fencepost; 3 ft E. of power pole; in concrete post; standard tablet stamped "102 SKS 1954 310" 310.042

*---50 ft NNW of SR 1360, 73.8 ft S of SW corner of R. Jones carport, 4.7 ft NE of power- Reference mark; at entrance to post office and store; on top of NE. corner of bottom concrete step; chiseled square *STEPS GONE. DESTROYED 4/88 P.O. GONE* 311.10

U.E., Elams, 0.4 mi W. of; on S. side of rd.; at entrance to church; on top of NE. corner of bottom concrete step; chiseled square *RECOVERED AS DESCRIBED 4/88* 278.51

U.E., Elams, 0.8 mi W. of; at front entrance of white church on S. side of rd.; on top of NW. corner of bottom concrete step; chiseled square *RECOVERED AS DESCRIBED 4/88* 281.26

*---pole with reference tag, in concrete post projecting 6 inches; tablet stamped "102 SKS 1954 310"

WHITE PLAINS
Book AV 386

VA.-N.C.

36-077-43
S. K. Sampsell

NGVD 29
Elevations

1954

LINE 2 (Cont'd.)

	<u>Feet</u>
Elams; 1.9 mi SW. of post office, along dirt rd. to Ebony; 1.7 mi SE. of Virginia-North Carolina State line; 0.11 mi W. of wooden bridge crossing Songbird Creek; 142 ft S. of centerline of new rd. now being built to replace existing rd.; 51 ft S. of centerline of existing dirt rd.; 19 ft W. of centerline of twin barrel concrete culvert now being constructed; 4 ft W. of top of cut for new channel; in concrete post; standard tablet stamped "103 SKS 1954 RESET 1962"	204.885
U.E., Elams, 3.0 mi W. of; 53 ft S. of junction of Y-rd. SW.; in root on SW. side of 24-in. oak tree; rail spike	278.73
Elams; 3.6 mi NW. of post office; 2.4 mi S. of Ebony; at Virginia-North Carolina State line; 20 ft W. of centerline of rd.; 3 ft SW. of North Carolina State line signpost; in concrete post; standard tablet stamped "104 SKS 1954 277"	276.424
Reference mark; 35 ft E. of tablet; 15 ft E. of centerline of rd.; on top of E. end of concrete drainpipe; chiseled square	275.00
U.E., Ebony, 0.6 mi S. of; 29 ft SE. of centerline of field rd. E.; in root on NW. side of 8-in. pine tree; copper nail and washer	316.44
U.E., copper nail and washer (Described in line 1)	320.31

LINE 3.

D. O. Pruitt, 1961; Book AV 858

1 25 9.10	Lawrenceville, 0.4 mi W. of, along new U. S. Highway 58 to intersection of State Highway 46, thence 0.2 mi N. along Highway 46 to old U. S. Highway 58, thence 0.2 mi W. along Highway 58 to service station; 13 ft S. of gasoline pumps; 2 ft W. of steel light pole; in top of concrete wheelguard; standard tablet stamped "TT 16 AM 1961 182"	182.181
-----------	---	---------

LINE 4.

D. O. Pruitt, 1961; Book AV 858

1 37 2.03	Charlie Hope, 1.0 mi S. of, along County Road 644; 42 ft S. and 32 ft W. of junction of County Roads 644 and 656; 2 ft E. of guide wire pole; in concrete post; standard tablet stamped "6 DOP 1961 297"	297.409
1 40 3.96	Charlie Hope, 3.0 mi S. of, along County Road 644 to junction of U. S. Highway 58, thence 0.5 mi W. along Highway 58; in top of base of SW. end of guardrail; standard tablet stamped "7 DOP 1961 185"	184.727
1 43 6.83	Netta; 20 ft S. of So. RR.; 15 ft E. of second class rd. crossing RR.; 12 ft W. of telegraph pole; on iron post; standard cap stamped "193"	193.786

WHITE PLAINS
Book AV 858

VA.-M.C.

36-077-43
D. O. Pruitt

1961

LINE 5.

NGVD 29
Elevations

Feet

D. O. Pruitt, 1961; Book AV 858

2	23	0.00	"TT 16 AAM 1961 182" (Described in line 3)	182.181
2	24	2.11	Reference mark; 27 ft E. of tablet; on top of NE. end of concrete guardrail base of bridge; chiseled square	175.69
2	24	2.11	Lawrenceville, 2.5 mi S. of, along State Highway 46; in top of NW. end of concrete guardrail base of bridge over Meherrin River; standard tablet stamped "13 DOP 1961 176"	175.687
2	27	3.73	Lawrenceville, 4.1 mi S. of, along State Highway 46; 0.6 mi S. of intersection of Secondary State Road 715; 3.7 mi N. of intersection of Secondary State Road 611; about level with hwy.; 73 ft W. of hwy. centerline survey station 192+68; across hwy. from small store known as Bell's place; in concrete post projecting 0.2 ft above ground; (metal witness sign with sign erected at time of transferring mark); standard tablet stamped "14 DOP 1961 RESET 1970"	299.038
2	29	5.76	Brunswick, 1.6 mi N. of, along State Highway 46; in frontyard of Rock Church; in NE. corner of concrete platform of water pump; standard tablet stamped "15 DOP 1961 328"	327.512
2	31	7.40	Lawrenceville, 8.0 mi S. of; 0.1 mi NW. of South Brunswick School; 65 ft S. and 52 ft W. of T-rd. W. at offset crossroad (State Highway 46 and County Road 611); in NE. corner of bottom concrete step of white frame former store building; standard tablet stamped "TT 67 AAM 1961 374"	373.728
2	33	8.82	U.E., on top of SW. end of SW. wingwall of bridge; chiseled square	282.79
2	34	9.66	U.E., on top of SW. abutment of bridge; chiseled square	265.50
2	35	9.94	Brunswick, 2.5 mi S. of; 3.6 mi N. of Gasburg, along State Highway 46; 76 ft NE. of Rattlesnake Creek; 3 ft SE. of power pole No. GSI-4; 41 ft W. of rd. and 8 ft below elevation of rd.; in top of concrete post; standard tablet stamped "16 DOP 1961 RESET 1971"	273.177
2	37	11.46	Gasburg, 2.0 mi N. of, along County Road 665; 24 ft E. of, and level with centerline of rd.; 15 ft N. of 15-in. oak tree; 15 ft S. of 27-in. oak tree; in front of old two-story house; in concrete post; standard tablet stamped "17 DOP 1961 307"	307.081
2	40	13.55	Gasburg; 300 ft N. of store and post office of P. T. Hammock; in NE. corner of T-rd.; on iron post; standard cap stamped "301"	299.876
2	43	14.47	Gasburg, 2.0 mi SW. of, along State Highway 667; 24 ft NW. of center of rd.; 5 ft N. of 8 in. sycamore tree; 100 ft SW. of Lizzard Creek; 0.21 mi NE. of junction of Route 742 & 667; standard tablet stamped "18 DOP 1961 RESET 1978"	210.248

Book AV 858 *In the northwest Quad of SR 1360 & 1362 in yard of Roy Jones residence.

<u>LINE 5 (Cont'd.)</u>				<u>Feet</u>
		40 ft. W of centerline of 1362, 86.5 ft. N of center	1961	
		line of 1360, 59.2 ft E of SE corner of carport, and		
2	45	17.63	72.5 ft. NE of power pole with tag. Elms; at junction of rds.; 25 ft W. of rd. to White Plains; 14 ft S. of rd. to Robertson Ferry; on iron post; standard cap stamped * "PRIM TRAV STA NO 13 1918" (Recovery description above--1988)	310.558
2	45	17.63	"102 SKS 1954 310" (Described in line 2)	310.042

NGVD 29
Elevations

LINE 6.

D. O. Pruitt, 1961; Book AV 858

2	48	2.07	Lawrenceville, 3.0 mi S. of, along State Highway 46, thence 2.0 mi SW. along County Road 686; on summit; 17 ft W. and 23 ft S. of junction of field rd. S.; in NE. corner of pine grove; in concrete post; standard tablet stamped "19 DOP 1961 255"	254.552
2	52	5.00	Lawrenceville, 3.0 mi S. of, along State Highway 46, thence 5.0 mi SW. along County Road 686; 105 ft N. and 20 ft W. of intersection of County Roads 686 and 623; 2 ft W. of telephone pole; in concrete post; standard tablet stamped "20 DOP 1961 291"	291.064
2	53	5.69	U.E., on top of W. end of concrete drainpipe; chiseled square	284.88
2	54	6.67	U.E., on top of SW. end of W. headwall of bridge; chiseled square	175.85
2	55	7.61	Lawrenceville, 3.0 mi S. of, along State Highway 46, thence 5.0 mi SW. along County Road 686, thence 2.6 mi NW. along County Road 623; 320 ft SW. and 20 ft N. of junction of County Roads 623 and 644, along Road 644; 4 ft W. of guy wire pole; in concrete post; standard tablet stamped "21 DOP 1961 318"	318.350
2	59	9.85	Lawrenceville, 3.0 mi S. of, along State Highway 46, thence 5.0 mi SW. along County Road 686, thence 2.6 mi NW. along County Road 623, thence 1.2 mi S. along County Road 644, thence 1.2 mi W. along County Road 658; 0.2 mi W. along Road 658 from bridge over Genito Creek; 23 ft N. of, and 2 ft higher than centerline of rd.; 2 ft N. of telegraph pole; in concrete post; standard tablet stamped "22 DOP 1961 264" (Reported disturbed, 1972)	263.609
2	62	12.36	Brodnax, 4.4 mi S. and E. of, along County Road 659; 140 ft NW. of junction of Roads 658 and 659; 19 ft NE. of 48-in. black oak; 6 ft SE. of corner of small shed; 40.5 ft NE. of centerline of rd.; in top of SE. corner of concrete base for gasoline pump; standard tablet stamped "TT 1 TWC 1954 371"	370.756
2	64	14.01	U.E., on top of NE. concrete culvert headwall; chiseled square	404.67
2	65	14.73	Gholsonville, 4.5 mi W. of; standard cap stamped "412 1918"	412.170

1961

LINE 6 (Cont'd.)Feet

2	68	16.54	Reference mark No. 2; about 0.2 mi from disk; 128 ft E. of point where hwy. curves NW.; 20 ft N. of centerline of graveled rd.; 13 ft W. of concrete culvert; in concrete post; NGS standard reference mark disk stamped "LYNCH NO 2 1933"	400.140
2	69	16.78	Reference mark No. 3; 98 ft from disk; 18 ft N. of centerline of graveled rd.; directly opposite farm rd. leading to house of William Thrower; in concrete post; NGS standard reference mark disk stamped "LYNCH NO 3 1933"	414.468
2	69	16.79	Reference mark No. 1; 68 ft from disk; 17 ft S. of centerline of E.-W. rd.; 46 ft S. of large oak tree; in concrete post; NGS standard reference mark disk stamped "LYNCH NO 1 1933"	415.656
2	69	16.79	Brodnax, about 7.5 mi SE. of; 4.6 mi W. of Brunswick Post Office; 6.0 mi N. of Virginia-North Carolina State line; 0.11 mi NW. of Oak Grove Church; 300 ft NE. of house of William Thrower; 35 ft N. of centerline of graveled rd.; on land owned by C. T. Lynch; 15 ft N. of N. right-of-way fence; 44 ft W. of large lone oak tree; in concrete post; NGS standard triangulation station disk stamped "LYNCH 1933"	414.780
2	70	17.56	South Brunswick School, 3.8 mi W. of, along County Road 611; 2.4 mi W. of Gholsonville; 33 ft N. and 16 ft E. of T-rd. N.; 3 ft S. of 15-in. hickory tree; on iron post; standard cap stamped "399 TT"	399.573
2	71	18.29	U.E., on top of S. concrete culvert headwall; chiseled square	359.14
2	72	19.38	South Brunswick School 2.0 mi W. of; 25 ft N. and 103 ft E. of junction of T-rd. S. (County Roads 611 and 730); 2 ft S. of telephone pole No. 38; in concrete post; standard tablet stamped "TT 68 AAM 1961 362"	362.284
2	73	19.94	South Brunswick School, 1.4 mi W. of; at Gholsonville; 75 ft N. and 16 ft W. of junction of T-rd. N. (County Roads 611 and 623); at SE. corner of front porch of store of J. C. Clary; in NE. corner of bottom step; standard tablet stamped "23 DOP 1961 366"	366.091
2	74	20.74	U.E., on top of N. end of concrete drainpipe; chiseled square	344.28
2	75	21.31	"TT 67 AAM 1961 374" (Described in line 5)	373.728

LINE 7.

D. O. Pruitt, 1961; Book AV 858

3	3	1.67	Lawrenceville, 3.6 mi S. of, along State Highway 46, thence 1.4 mi E. along County Road 715, thence 0.3 mi S. along County Road 673; in top of SE. wingwall of bridge; standard tablet stamped "24 DOP 1961 161"	160.593
---	---	------	--	---------

LINE 7 (Cont'd.)

				<u>Feet</u>
3	5	3.05	Lawrenceville, 3.6 mi S. of, along State Highway 46, thence 1.4 mi E. along County Road 715, thence 1.8 mi S. along County Road 673 to junction of County Road 674; 20 ft W. of, and about level with centerline of rd.; 7 ft N. of large oak tree; in concrete post; standard tablet stamped "25 DOP 1961 303"	302.548
3	6	4.16	U.E., on top of N. end of concrete culvert drainpipe; chiseled square	254.89
3	8	5.58	Lawrenceville, 3.6 mi S. of, along State Highway 46, thence 1.4 mi E. along County Road 715, thence 1.8 mi S. along County Road 673, thence 2.7 mi E. along County Road 674 to junction of County Road 683; 23 ft W. of, and 1 ft higher than junction; in concrete post; standard tablet stamped "26 DOP 1961 219"	218.597
3	9	6.26	U.E., on top of N. end of concrete culvert drainpipe; chiseled square	235.30
3	10	6.74	U.E., on center of top of S. stone headwall at creek crossing; chiseled square	189.57
<u>[Jogs into Emporia quadrangle]</u>				
3	12	8.15	U.E., 3 ft lower than centerline of rd.; on top of SE. end of concrete culvert drainpipe; chiseled square	270.03
3	13	8.83	U.E., on top of SE. corner of E. stone headwall; chiseled square	265.08
3	14	9.63	Lawrenceville, 3.6 mi S. of, along State Highway 46, thence 1.4 mi E. along County Road 715, thence 1.8 mi S. along County Road 673, thence 2.7 mi NE. along County Road 674, thence 1.8 mi E. along County Road 683, thence 2.3 mi SW. along County Road 670; 3.4 mi NE. of Wyche, along Road 670 to junction of County Road 611; 41 ft S. and 33 ft E. of junction; on iron post; standard cap stamped "PRIM TRAV STA NO 19 1918 315"	315.319
3	15	10.40	U.E., on top of E. end of concrete culvert drainpipe; chiseled square	261.20
3	16	11.37	Wyche, 1.5 mi NE. of, along County Road 670 to junction of County Road 672; 16 ft E. of, and level with centerline of junction; in concrete post; standard tablet stamped "28 DOP 1961 300"	299.829
3	18	12.91	Triplet, 2.2 mi NW. of, along County Road 602 to junction of County Road 670 at Wyche; 57 ft S. and 30 ft W. of crossroad; 10 ft SW. of hwy. marker; in concrete post; standard tablet stamped "TT 65 AAM 1961 308"	308.207
3	21	15.44	South Brunswick School, 2.1 mi E. of, along County Road 611 to junction of County Road 602; 37 ft S. and 62 ft E. of junction; 10 ft W. of power pole No. 32; in concrete post; standard tablet stamped "TT 66 AAM 1961 320" (Destroyed, 1975)	319.590

10
WHITE PLAINS
Book AV 858

VA.-N.C.

36-077-43
D. O. Pruitt

1961

LINE 7 (Cont'd.)

Feet

3 24 17.63 "TT 67 AAM 1961 374" (Described in line 5) 373.728

LINE 8.

NGVD 29
Elevations

D. O. Pruitt, 1961; Book AV 858

3 25 0.00 "TT 65 AAM 1961 308" (Described in line 7) 308.207

3 27 2.07 Triplet; 25 ft S. and 25 ft W. of T-rd. W. at offset crossroad; 22 ft S. of County Road 602; 29 ft W. of County Road 672; on iron post; standard cap stamped "299 1918 TT" 298.777

3 28 2.95 U.E., on top of E. end of concrete drainpipe; chiseled square 258.78

3 31 4.58 Triplet, 2.3 mi S. of, along County Road 672, thence 0.3 mi W. along County Road 600; 3.3 mi E. of Valentines, along Road 600; 45 ft N. of, and 5 ft higher than centerline of Road 600; 44 ft W. of W. end of dam of small pond; in top of SW. corner of concrete base of well; standard tablet stamped "29 DOP 1961 289" 288.816

3 32 5.36 U.E., on top of S. end of concrete drainpipe; chiseled square 321.26

3 33 6.35 U.E., on top of SW. end of concrete drainpipe; chiseled square 328.98

3 34 7.12 U.E., on top of S. end of concrete drainpipe; chiseled square 315.18

3 35 7.85 Valentines, 211 ft SE. of secondary State Road 600 and level with the rd.; 1 ft N. of picket fence; in top of concrete post; standard tablet stamped "30 DOP 1961 RESET 1971" 329.977

3 37 9.65 Valentines, 1.8 mi S. of, along State Highway 46; at junction of County Road 626; 4.7 mi E. of Gasburg, along Road 626; at Atlantic Station and store of R. B. Cannon; in top of S. end of concrete gasoline pump platform; standard tablet stamped "31 DOP 1961 342" 342.128

3 38 10.74 U.E., on top of S. end of concrete drainpipe; chiseled square 290.27

3 39 11.62 U.E., on top of N. end of concrete drainpipe; chiseled square 236.91

3 40 12.39 Gasburg, 2.0 mi E. of, along County Road 626; at Texaco Station and store of Kelly Delbridge; in center of concrete gasoline pump platform; standard tablet stamped "32 DOP 1961 250" 250.537

3 43 14.34 "301" (Described in line 5) 299.876

Book AV 858

NGVD 29
Elevations

1961

LINE 9.Feet

D. O. Pruitt, 1961; Book AV 858

3	62	14.27	Roanoke Rapids, about 9.0 mi WNW. of; about 1.0 mi W. of crossroad at Vulture, along State Highway 46; on property of St. Lukes Episcopal Church; on S. side of rd.; 100 ft N. of NW. corner of church; 35 ft S. of S. bank of hwy.; in concrete post; NGS standard triangulation station disk stamped "VULTARE 1933 RESET 1969"	349.517
3	64	16.39	U.E., 3 ft E. of W. end of N. stone headwall; chiseled square	212.16
3	65	17.43	Gaston Elementary School, 2.0 mi W. of; at Henrico; 59 ft N. and 60 ft W. of junction of I-rd. N. (County Roads 1214 and 1217); in concrete post; standard tablet stamped "TT 71 AAM 1961 RESET 1969"	274.770
3	66	18.17	U.E., on top of SE. end of concrete drainpipe; chiseled square	268.29
3	67	19.12	U.E., on top of N. end of concrete drainpipe; chiseled square	234.87
3	68	20.07	Henrico, 2.7 mi W. of; 2.5 mi S., thence 2.1 mi E. of Gasburg; 24 ft NNE. of County Road 1362; 60 ft S. of NE. corner of store of H. D. Huff; 15 ft S. of 8-in. pine tree; in concrete post; standard tablet stamped "TT 70 AAM 1961 238"	238.337
3	70	21.62	U.E., on top of S. end of concrete drainpipe; chiseled square	263.07
3	71	22.15	Gasburg, 0.4 mi SW. of, along County Road 667, thence 2.1 mi S. along County Road 666 and County Road 1342; 4.8 mi W. of Henrico; 18 ft S. and 10 ft E. of junction of Y-rd. N. (County Roads 1342 and 1362); in concrete post; standard tablet stamped "TT 69 AAM 1961 288"	287.070
3	72	22.99	U.E., on top of S. end of concrete drainpipe; chiseled square	203.99
3	73	23.99	Elams, 1.3 mi SE. of, along County Road 1362; in curve of rd.; 18 ft W. of, and 1 ft higher than centerline of rd.; 4 ft S. of large oak tree; in concrete post; standard tablet stamped "6 DOP 1961 288"	287.817
3	75	25.25	"102 SKS 1954 310" (Described in line 2)	310.042

LINE 10.

D. O. Pruitt, 1961; Book AV 858

4	18	13.23	U.E., on top of S. end of concrete drainpipe; chiseled square	243.79
---	----	-------	---	--------

LINE 11.

D. O. Pruitt, 1961; Book AV 858

4	20	0.57	U.E., on top of SE. end of concrete drainpipe; chiseled square	304.75
---	----	------	--	--------

WHITE PLAINS

VA.-N.C.

D. O. Pruitt

Book AV 858

NGVD 29
Elevations

1961

LINE 11 (Cont'd.)Feet

4 21 1.37 Vulture, 1.4 mi NE. of; 1.3 mi SW. of North Carolina-Virginia State line; 31 ft W. and 14 ft N. of, and about 1 ft lower than junction of field rd. W.; in concrete post; standard tablet stamped "7 DOP 1961 307" 307.267

LINE 12.

D. O. Pruitt, 1961; Book AV 858

4 40 13.10 "299 1918 TT" (Described in line 8) 298.777

LINE 13.

M. K. Weber, 1972; Book AV 1630

2 15 1.50 "TT 1 TWC 1954 371" (Described in line 6) 370.756

LINE 14.

M. K. Weber, 1972; Book AV 1630

2 7 4.35 U.E., on S. end of W. headwall of bridge over Big Stone House Creek (inlet of Lake Gaston); chiseled square 207.56

2 8 4.39 U.E., on NE. end of E. headwall of bridge over main channel of Lake Gaston; chiseled square 213.97

2 11 6.74 U.E., on step of abandoned store; chiseled square 311.02

2 12 6.79 "PRIM TRAV STA NO 13 1918" (Described in line 5) 310.558

2 13 6.81 "102 SKS 1954 310" (Described in line 2) 310.042

LINE 15.

M. K. Weber, 1972; Book AV 1630

2 21 3.26 U.E., in centerline of crossroad at Vulture Community; nail and bottle cap 324.23