

THIRD-ORDER LEVELING  
SEA LEVEL DATUM OF 1929

267  
DANVILLE QUADRANGLE  
15 VA. - 267 N.C.  
N3630-W7915/15  
DIAGRAM NJ 17-12  
GREENSBORO N.C.-VA.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Pittsylvania County (Va.)  
Caswell County (N.C.)

Only the permanent marks  
are listed for lines  
run more than 25 years  
before edition date

Final adjustment of 1971

Edition of 12/1/71


PR: DSW/dt

CHATHAM  
(47)

NGVD 29  
Elevations

DRAPER  
(16 VA.-268 N.C.)

MILTON  
(14 VA.-266 N.C.)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360791

## INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
PTS NO 20 1920 VA 824	3	15 JAS 1963 690	11,14
PTS NO 21 1920 VA 834	3	16 JAS 1963 657	11
PTS NO 1 1921 McM NC	4	17 JAS 1963 560	12
PTS NO 2 1921 McM 654	4	18 JAS 1963 525	13
PTS NO 3 1921 McM 621	4	34 JAS 1963 826	13
PTS NO 4 1921 McM 572	18,19	35 JAS 1963 758	13
PTS NO 5 1921 McM	4	36 JAS 1963 713	14
PTS NO 6 1921 McM 387	17	11 JAS 1969 RESET	9
PTS NO 23 1921		1 MAX 1971 745	15,19
VA McM 660 R	4	2 MAX 1971 706	16
PTS 24 McM 858 R 1921		3 MAX 1971 601	16
RESET 1965	14,15	4 MAX 1971 628	16
PTS NO 28 1921		5 MAX 1971 607	16
VA McM 528 R	5	7 MAX 1971 540	17
PTS NO 29 1921		9 MAX 1971 504	17
VA McM 508 R	5	10 MAX 1971 469	17
PTS NO 30 1921		11 MAX 1971 533	17
VA McM 588 R	5	25 MAX 1971 404	18
PTS NO 31 1921			
VA McM 736 R	5	<u>N.C. HWY. COMM.</u>	
PTS NO 32 1921			
VA McM 645 R	4	23 W C 7 1968	18
PTS NO 34 1921 VA McM	3		
PTS NO 35 1921 RESET 1940	3	<u>NGS &amp; STATE SURVEY</u>	
PTS NO 36 1921 VA McM	3		
PTS NO 37 1921		N + C 538	18
VA McM 618 R	3		
PTS NO 38 1921		<u>NGS</u>	
VA McM 422 R	3		
PTS NO 39 1921		RV 218	15
VA McM 473 R	3	A 31 1932	9
PTS NO 40 1921		D 31 1932	8
VA McM 552 R	4	Z 30 1932	9
TT 1 WO 1935	6	L 53 1934	6
33 EOM 1950 710	5	M 53 1934	11
1 JAS 1963 708	6	R 98 RESET 1958	16,18
2 JAS 1963 775	6	ARP 1959	11
3 JAS 1963 546	7	B 364 1959	11
4 JAS 1963 712	7	KENTUCK 1932	6
5 JAS 1963 704	7	KENTUCK NO 2 1932	6
6 JAS 1963 RESET 1966	8,11	MOUNT CROSS 1932	14
7 JAS 1963 731	8	MOUNT CROSS NO 1 1932	14
8 JAS 1963 718	8	MOUNT CROSS NO 2 1932	15
9 JAS 1963 423	9	WILLIAMS 1932	12
10 JAS 1963 613	9	WILLIAMS NO 1 1932	12
12 JAS 1963 610	10	WILLIAMS NO 2 1932	12
13 JAS 1963 RESET 1965	10,15	PELHAM 2 1969	19
14 JAS 1963 566	10		

DANVILLE  
Books B 645 & B 1483

VA.-N.C.

C. E. Reick

1920-1923

ISOLATED BENCH MARKS (C. E. Reick, 1920-1923; Books  
B 645 and B 1483)

Feet

Rogers Store, 350 ft W. of, 60 ft NE. of junction of  
rd. N.; in concrete post; standard tablet stamped  
"PRIM TRAV STA NO 21 1920 VA 838"

838.009

Hardy; SE. of crossroads; 130 ft W. of Hopewell  
Church; in concrete post; standard tablet stamped  
"PRIM TRAV STA NO 20 1920 VA 824" (Reported not  
found, 1963)

824.038

Dry Fork, 3.8 mi SE. of, 6 ft NW. of SW. corner of  
Mount Pleasant Church; in concrete post; standard  
tablet stamped "PRIM TRAV STA NO 34 1921 VA McM"

786.097

Blair, 0.8 mi NE. of; 209 ft SE. of crossroads; on  
bank; in concrete post; standard tablet stamped  
"PRIM TRAV STA NO 35 1921 RESET 1940" (Reported  
not found, 1963)

747.018

Blair, 2.0 mi SE. of, 1.8 mi SW. of Union School;  
72 ft N. of junction of crossroads; in concrete  
post; standard tablet stamped  
"PRIM TRAV STA NO 36 1921 VA McM" (Reported not  
found, 1963)

716.428

Danville, 4.0 mi NE. of; 2.0 mi E. of New Design;  
150 ft NE. of residence of Mrs. P. E. Smith; on  
Danville-Halifax Road; 50 ft SW. of crossroads;  
in concrete post; standard tablet stamped  
"PRIM TRAV STA NO 37 1921 VA McM 618 R"

617.672

Danville, 2.4 mi NE. of; 150 ft S. of steel girder  
bridge over Fall Creek; 85 ft SE. of hwy. at W.  
edge of Southern Railway right-of-way; in concrete  
post; standard tablet stamped  
"PRIM TRAV STA NO 38 1921 VA McM 422 R"

421.910

Danville, in post office grounds; 7.0 mi SW. of SW.  
corner of building; 318 ft NE. of E. curb of drive-  
way; 20 ft N. of N. edge of front curb; in concrete  
post; standard tablet stamped  
"PRIM TRAV STA NO 39 1921 VA McM 473 R" (Recovered  
by NGS, 1935) (Reported destroyed, 1963)

472.414

NGVD 29  
Elevations

1920-1923

FeetISOLATED BENCH MARKS (Cont'd.)

- Danville, 0.6 mi S. of city limits; 300 ft E. of Danville Military Institute; 45 ft NE. of rd. fork; in concrete post; standard tablet stamped "PRIM TRAV STA NO 40 1921 VA McM 552 R" (Reported destroyed, 1935) 552.030
- Gatewood, N.C., 0.2 mi S. of, 25 ft SW. of junction of rd. NW. through woods with new soil rd.; 52 ft SE. of SW. corner of store building; 45 ft S. of SE. corner of building; in concrete post; standard tablet stamped "PRIM TRAV STA NO 3 1921 McM 621" (Reported not found, 1963) *Destroyed 1983* 620.843
- Pelham, 1.8 mi E. of; 20 ft SW. of center of rd. forks S.; 6 ft SW. of corner post of wire fence; on land owned by A. D. Starling; in concrete post; standard tablet stamped "PRIM TRAV STA NO 2 1921 McM 654" (Reported destroyed, 1963) 653.436
- Pelham, 1.3 mi W. of; 25 ft N. of grass triangle at rd. forks; on bank near edge of cornfield; in concrete post; standard tablet stamped "PRIM TRAV STA NO 1 1921 McM N-C" (Reported not found, 1963) 636.334
- Blanch, 2.2 mi W. of; 17 ft S. of E. end of bridge over Moon Creek; 3 ft S. of, and inside of wire fence; in concrete post; standard tablet stamped "PRIM TRAV STA NO 5 1921 McM" (Reported not found, 1963) 373.996
- Rogers Store, 2.6 mi SW. of; 0.4 mi S. of rd. forks; at top of hill; in center of grassy triangle at rd. forks; in concrete post; standard tablet stamped "PRIM TRAV STA NO 23 1921 VA McM 660 R" (Reported not found, 1963) 660.168
- Oak Grove Church, 1.5 mi SE. of; 3.4 mi S. of Terry School; 3.0 mi W. of Atlas; at SW. corner of rd. forks; 11 ft SE. of SE. corner of tobacco barn; in concrete post; standard tablet stamped "PRIM TRAV STA NO 32 1921 VA McM 645 R" 644.497

1920-1923

FeetISOLATED BENCH MARKS (Cont'd.)

Rock Springs Church, 2.4 mi NW. of; 520 ft E. of rd. S.; 65 ft S. of SW. corner post of porch of residence of J. T. Collie; in front yard; in concrete post; standard tablet stamped "PRIM TRAV STA NO 31 1921 VA McM 736 R" (Recovered, 1951) (Reported destroyed, 1962)	735.493
Rock Spring Church, 3.5 ft S. of SW. corner of; 50 ft E. of rd.; in concrete post; standard tablet stamped "PRIM TRAV STA NO 30 1921 VA McM 588 R"	587.661
Ringgold, 1.4 mi E. of; 220 ft NW. of railroad crossing; 2 ft E. of SE. corner of Mount Zion Baptist Church; in concrete post; standard tablet stamped "PRIM TRAV STA NO 29 1921 VA McM 508 R" (Tied by NGS, 1935)	507.906

LINE 1.

E. O. Miner, 1950; Book AV 204

Laurel Grove, 2.7 mi SW. of; 41 ft SE. of, and 1 ft lower than Y-intersection of Secondary State Roads 771 and 729; 20 ft E. of center of rd.; in concrete post; standard tablet stamped "33 EOM 1950 710"

NGVD 29  
Elevations

710.270

Reference mark; 112 ft N. of tablet; on SW. corner of concrete well curb; chiseled square

718.66

LINE 2.

E. O. Miner, 1950; Book AV 204

Ringgold, 3.0 mi SE. of; 60 ft N. of rd.; 4 ft E. of Sundry Level Baptist Church; in concrete post; standard tablet stamped "PRIM TRAV STA NO 28 1921 VA McM 528 R"

527.663

1963

FeetLINE 3.

J. E. Stoner, 1963; Book AV 942

1	1	0.00	"L 53 1934" (NGS)	560.209
1	4	2.32	Ringgold, 2.3 mi NW. of; junction of Secondary State Roads 726 and 732 SW.; 24 ft N. and 18 ft E. of, and level with centerline of rd.; 2 ft SW. of power pole no. 25; in concrete post projecting 0.2 ft above ground; 0.9 ft W. of metal witness post; standard tablet stamped "1 JAS 1963 708"	708.094

SPUR LINE

1	10	0.68	Danville, about 7.7 mi NE. of; 0.7 mi E. of Kentuck; about 120 ft SSE. of centerline of T-rd. S.; 15 ft E. of small pine with triangular blaze at E. edge of timberline; 34 ft SW. of center of N.-S. dirt rd.; in concrete post; NGS standard triangulation station disk stamped "KENTUCK 1932"	772.654
1	10	0.68	Reference Mark No. 2; 91 ft NE. of station; on W. edge of cultivated field across rd. from station; on E. bank of deep ditch; in concrete post projecting 0.5 ft; NGS standard reference mark disk stamped "KENTUCK NO 2 1932"	767.874

END OF SPUR LINE

1	14	5.64	Kentuck, 1.2 mi NW. of; in NW. corner of African Baptist Church; in second step; standard tablet stamped "TT 1 WO 1935"	751.217
1	18	7.70	Keeling, 2.7 mi SW. of, along State Highway 360; at Kentuck Presbyterian Church; 52 ft SE. of SE. corner of church; in top of E. end of concrete sidewalk; standard tablet stamped "2 JAS 1963 775"	774.640

1963

<u>LINE 3 (Cont'd.)</u>			<u>Feet</u>	
1	18	7.70	Reference mark; 3 ft S. and 33 ft W. of tablet; on top of S. end of sidewalk leading to entrance of Kentucky Presbyterian Church; chiseled square	774.91
1	21	8.99	Keeling, 1.4 mi SW. of, along State Highway 360; at bridge over Burch Creek; about 115 ft SE. of centerline of rd.; in top of N. end of E. headwall; at drain crossing; standard tablet stamped "3 JAS 1963 546"	546.251
1	21	8.99	Reference mark; 15 ft S. and 33 ft W. of tablet; on top of S. end of W. headwall; chiseled square	546.41
1	26	11.11	Keeling, 0.7 mi E. of post office, along State Highway 360 to junction of Secondary State Road 713 SE.; 23 ft S. and 29 ft E. of, and about 1 ft lower than centerline of hwy.; in NW. corner of pasture field; in concrete post projecting 0.2 ft; standard tablet stamped "4 JAS 1963 712"	711.658
1	26	11.11	Reference mark; 40 ft N. and 22 ft W. of tablet; on top of E. end of 14-in. steel drain pipe; painted circle	711.08
1	29	12.48	Keeling, 2.1 mi E. of post office, along State Highway 360 to junction of Secondary State Road 701 NE.; 65 ft N. and 30 ft W. of, and 3 ft higher than centerline of hwy.; at American service station and country store; in top of concrete base between two gas pumps; standard tablet stamped "5 JAS 1963 704"	703.354
1	29	12.48	Reference mark; 35 ft N. and 38 ft W. of tablet; in top of root on W. side of 36-in. oak tree; copper nail and washer	704.78

NGVD 29  
Elevations

1963

FeetLINE 4.

J. E. Stoner, 1963; Book AV 942

1	34	0.00	"D 31 1932" (NGS)	612.781
1	37	1.77	Blairs, 0.7 mi N. of post office, along U. S. Highway 29 to junction of Secondary State Road 719; 180 ft SE. along State Road 719; 17 ft NE. of centerline of rd.; 2 ft NW. of power pole #1 City of Danville, and 2.0 ft higher than centerline elevation of State Road 719; standard tablet stamped "6 JAS 1963 RESET 1966"	745.646
1	37	1.77	Reference mark; 77 ft S. and 18 ft W. of tablet; on top of S. end of SW. concrete headwall; chiseled square	736.11
1	41	4.00	Blairs, 1.1 mi N. of post office, along U. S. Highway 29, thence 1.8 mi E. along Secondary State Road 726 to junction of Secondary State Road 716 NE. at Malmaison Primitive Baptist Church; in top of NW. end of bottom step to SE. side entrance of church; standard tablet stamped "7 JAS 1963 731"	730.601
1	41	4.00	Reference mark; 54 ft N. and 5 ft E. of tablet; in top of root on NW. side of 36-in. oak tree; copper nail and washer	732.46
1	45	6.34	Keeling, 1.4 mi W. of post office, along Secondary State Road 716 to junction of Secondary State Road 397 N.; 23 ft S. and 90 ft E. of; and 3 ft higher than centerline of rd.; in W. corner of wooded area; 1.0 ft NW. of metal witness post; in concrete post projecting 0.2 ft; standard tablet stamped "8 JAS 1963 718"	717.836
1	45	6.34	Reference mark; 2 ft N. and 53 ft W. of tablet; in root on NW. side of 36-in. oak tree; copper nail and washer	717.83



1963

FeetLINE 5.

J. E. Stoner, 1963; Book AV 942

NGVD 29  
Elevations

2	1	0.00	"A 31 1932" (NGS)	427.319
2	1	0.17	"Z 30 1932" (NGS)	426.607
2	4	1.47	Danville, 0.9 mi N. of post office at junction of Union and Poplar Streets; at bridge crossing Dan River; at W. side of city limits; at dam supplying water for Danville Textile Mills; at NE. end of bridge; 2 ft higher than centerline of rd.; in top of E. wingwall of concrete post of bridge; standard tablet stamped "9 JAS 1963 423"	423.080
2	4	1.47	Reference mark; 22 ft N. and 42 ft W. of tablet; on top of NW. wingwall of bridge; chiseled square	421.02
2	10	3.40	Danville, 2.8 mi N. of post office at junction of U. S. Highway 29A and Beaver Mill Road W.; 26 ft S. and 30 ft W. of, and 2 ft lower than centerline of hwy.; in top of S. end of SW. headwall; standard tablet stamped "10 JAS 1963 613"	612.886
2	10	3.40	Reference mark; 89 ft N. and 8 ft E. of tablet; on top of S. end of NW. headwall; chiseled square	613.16
2	16	5.38	Danville, 4.7 mi NW. of post office at junction of Secondary State Roads 724 and 750; at parsonage of Mt. Olivet Methodist Church; about 160 ft N. of junction of State Roads 724 and 750; 68 ft W. of State Road 750; 9.5 ft E. of, and 2 ft S. of SE. corner of parsonage; in top of SE. end of first step in sidewalk to parsonage; standard tablet stamped "11 JAS 1969 RESET" (Replaces "11 JAS 1963 587")	582.213

1963

<u>LINE 5 (Cont'd.)</u>			<u>Feet</u>	
2	16	5.38	Reference mark; 45 ft N. and 81 ft W. of tablet; on top of W. corner of concrete sidewalk of entrance of Mt. Olivet Methodist Church; chiseled square	589.39
2	20	7.05	Danville, 6.4 mi NW. of; 1.7 mi NW. of Mt. Olivet Methodist Church; 1.7 mi SE. of junction of Secondary State Roads 750 and 883; at Mt. Cross, junction of Secondary State Roads 750 and 746 NE.; 51 ft N. and 39 ft W. of, and level with centerline of rd.; 2 ft SW. of power pole; 0.7 ft SW. of metal witness post; in concrete post projecting 0.2 ft; standard tablet stamped "12 JAS 1963 610"	609.713
2	20	7.05	Reference mark; 60 ft S. and 21 ft E. of tablet; in root on N. side of 40-in. oak tree; copper nail and washer	607.38
2	23	8.80	Danville, 8.1 mi NW. of; 2.4 mi SW. of Laniers Mills (junction of Secondary State Roads 863 and 866 NW.); at junction of Secondary State Roads 750 and 863 at Mt. Cross; 100 ft NE. of Road 750; 30 ft SE. of, and 3 ft lower than centerline of Road 863; 2 ft NW. of metal witness post; in concrete post; standard tablet stamped "13 JAS 1963 RESET 1965"	687.639
2	28	11.16	Laniers Mill; 2.4 mi NE. of Mt. Cross along State Secondary Road 863 from junction of Secondary State Roads 750 and 863; about 0.1 mi SW. along Road 863 from junction of Secondary State Roads 863 and 866 NW.; at bridge over Sandy Creek; 3 ft lower than centerline of bridge; in top of SE. end of NE. wingwall of bridge; standard tablet stamped "14 JAS 1963 566"	565.919
2	28	11.16	Reference mark; on top of SE. end of SW. wingwall; level with centerline of bridge over Sandy Creek; chiseled square	568.99

1963

FeetLINE 5 (Cont'd.)

2	34	13.76	Laniers Mill, 2.5 mi NE. of; 1.5 mi W. of Witt from junction of Secondary State Roads 719 and 745 NE.; at junction of State Highway 41 and Secondary State Road 719 W. at Mt. Hermon Baptist Church; in top of NW. corner of second step to NE. side entrance of church; standard tablet stamped "15 JAS 1963 690"	689.664
2	33	13.75	Reference mark; 86 ft N. and 30 ft W. of tablet; on top of N. corner of sidewalk; chiseled square	688.56
2	43	17.23	"6 JAS 1963 RESET 1966" (Described in line 4)	745.646

LINE 6.

J. E. Stoner, 1963; Book AV 942

3	4	0.00	"M 53 1934" (NGS)	NGVD 29 Elevations	548.162
3	6	1.95	"B 364 1959" (NGS)		576.918
3	7	2.30	"ARP 1959" (NGS)		562.633
3	9	3.90	Danville Municipal Airport, 1.9 mi SE. of; 1.2 mi N., along Secondary State Road 947 from Virginia-North Carolina State Line; at junction of Secondary State Roads 947 and 735 NE.; 10 ft S. and 97 ft E. of, and 2 ft lower than centerline of rd.; 3 ft SE. of power pole No. 49; 0.7 ft SW. of metal witness post; in concrete post projecting 0.2 ft; standard tablet stamped "16 JAS 1963 657"		656.555
3	9	3.90	Reference mark; 10 ft N.; 97 ft W. of tablet; junction of Secondary State Roads 947 and 735 NE.; copper nail and washer		657.85

1963

FeetLINE 6 (Cont'd.)

3	12	5.51	Danville, 5.0 mi SE. of; 6.5 mi W. of Milton; on property of J. B. Williams and on Virginia-North Carolina State line; about 0.1 mi W. of Williams residence where lane starts down through shallow cut; in fenceline and 26 ft SE. of southernmost of two large apple trees; in concrete post; NGS standard triangulation station disk stamped "WILLIAMS 1932"	589.947
3	12	5.51	Reference mark No. 1; about 0.2 mi NE. of station; 24 ft SW. of bunch of honeysuckle covering stone property monument; 1 ft W. of N.-S. fenceline; in concrete post; NGS standard reference mark disk stamped "WILLIAMS NO 1 1932"	592.320
3	12	5.51	Reference mark No. 2; 81 ft E. of station; 2 ft W. of fence post; 4 in. N. of E.-W. fence; in concrete post; NGS standard reference mark disk stamped "WILLIAMS NO 2 1932"	587.412
3	15	7.19	Danville, 5.1 mi SE. of Danville Municipal Airport; 5.9 mi NW. of Milton (N.C.) Post Office; at Pentecostal Holiness Church; at junction of Secondary State Roads 1527 and 1528 N.; 39 ft N. and 49 ft W. of, and 3 ft higher than centerline of rd.; 3 ft E. of power pole No. 105; 0.8 ft N. of metal witness post; in concrete post projecting 0.2 ft; standard tablet stamped "17 JAS 1963 560"	560.186
3	15	7.19	Reference mark; 113 ft S. and 7 ft W. of tablet; on top of NW. corner of sidewalk to entrance of Pentecostal Holiness Church; chiseled square	556.96

1963

FeetLINE 6 (Cont'd.)

3	19	10.00	Milton, 3.1 mi NW. of post office; junction of Secondary State Roads 1527 and 1529 E.; 189 ft E. and 46 ft S. of, and level with centerline of rd.; 3 ft W. of power pole No. 162; 0.8 ft W. of metal witness post; in concrete post projecting 0.2 ft; standard tablet stamped "18 JAS 1963 525"	525.366
---	----	-------	---	---------

LINE 7.

J. E. Stoner, 1963; Book AV 942

4	20	10.67	Hopewell, at junction of Secondary State Roads 718 and 834 SE.; 17 ft N. and 13 ft E. of, and 1 ft higher than centerline of rd.; 4 ft N. of power pole No. 54; 0.8 ft S. of metal witness post; in concrete post; standard tablet stamped "34 JAS 1963 826"	825.772
4	20	10.67	Reference mark; at junction of Secondary State Roads 718 and 834 SE.; copper nail and washer	826.12
4	24	13.26	Hopewell, 2.6 mi SE. of, from junction of Secondary State Roads 718 and 834 SE.; 0.7 mi NE. of junction of State Highway 41 and Secondary State Road 835 NE.; at junction of Secondary State Roads 835 and 834 NW.; 51 ft S. and 23 ft E. of, and 9 ft higher than centerline of rd.; 3 ft NE. of power pole No. 13; 0.8 ft NW. of metal witness post; in concrete post; standard tablet stamped "35 JAS 1963 758"	758.021
4	24	13.26	Reference mark; at junction of Secondary State Roads 835 and 834 NW.; copper nail and washer	748.86

1963

FeetLINE 7 (Cont'd.)

4	26	14.86	Hopewell, 4.2 mi S. of; 1.3 mi NW. of Mt. Herman Baptist Church, along State Highway 41; 0.2 mi NW. along State Highway 41 from junction of Highway 41 and Secondary State Road 863 SW.; at drain crossing; 21 ft S. and 15 ft W. of, and 2 ft lower than centerline of State Highway 41; in top of SE. end of SW. headwall; standard tablet stamped "36 JAS 1963 713"	713.002
4	26	14.86	Reference mark; in centerline of rd. at drain crossing; copper nail and washer	715.04
4	28	16.13	"15 JAS 1963 690" (Described in line 5)	689.664

LINE 8.

J. E. Stoner, 1963; Book AV 942

5	50	0.00	Mount Cross, 140 ft N. of store; 50 ft N. of house of Mr. Thomas E. Barbour; 20 ft SE. of drive to shed in corner of yard; under 36-in. oak tree; 8 ft S. of base of oak tree; in concrete post; standard tablet stamped "PTS 24 MCM 858 R 1921 RESET 1965"	856.738
5	51	0.82	Danville, 7.2 mi NW. of, at Mount Airy Primitive Baptist Church; 25 ft from NE. corner of church and 34 ft from SE. corner of church; in 3- by 3-ft rock projecting 2.0 ft above ground; NGS standard triangulation station disk stamped "MOUNT CROSS 1932"	925.079
5	51	0.53	Reference mark No. 1; 48 ft NE. of station; in 7- by 2-ft rock projecting 2.0 ft above ground; with longest axis toward station; NGS standard reference mark disk stamped "MOUNT CROSS NO 1 1932"	925.034

1963

LINE 8 (Cont'd.)Feet

5	51	0.25	Reference mark No. 2; 43 ft SSW. of station; 15 ft SE. of SE. corner of church; in 4- by 2-ft rock projecting 2.0 ft above ground; NGS standard reference mark disk stamped "MOUNT CROSS NO 2 1932"	923.333
5	52	1.07	"PRIM TRAV STA NO 24 McM 1921 RESET 1965" (Described previously)	856.738
5	55	2.92	"13 JAS 1963 RESET 1965" (Described in line 5)	687.639

LINE 9.

J. E. Stoner, 1963; Book AV 942

6	31	16.60	"13 JAS 1963 RESET 1965" (Described in line 5) (Also in line 8)	687.639
---	----	-------	---	---------

LINE 10.

Max K. Weber, 1971; Book AV 1598

1	3	0.00	"RV 218" (NGS)	702.834
1	3	0.86	U.E., Pelham, 1.2 mi N. of post office; 37.5 ft SW. of centerline of RR crossing; 17.3 ft S. of centerline of hwy.; on E. end of concrete headwall of culvert; chiseled square	745.85
1	4	1.60	Pelham Post Office, 0.5 mi NE. of; in front yard of Pelham School; 150.5 ft SW. of RR. crossing; 33 ft W. of centerline of rd.; 17 ft N. of power pole; standard tablet stamped "1 MAX 1971 745"	745.392

1971

<u>LINE 10 (Cont'd.)</u>				<u>Feet</u>
1	5	2.64	Pelham, 1.1 mi E. of Pelham School, along Secondary State Route 1360; 51 ft SE. of centerline of crossing of N.-S. drive; 11 ft E. of centerline of driveway; 6.5 ft N. of power pole; set in concrete post; standard tablet stamped "2 MAX 1971 706"	705.541
1	6	3.39	U.E., centerline of T-rd. S.; intersection of Secondary State Road 1360 and 1326; copper nail and washer	637.43
1	7	3.79	Pelham, 2.2 mi E. of Pelham School, along Secondary State Road 1360; 43 ft SE. of centerline of rd. at drive S. to brick house; 2.5 ft NE. of power pole; near center of grassy triangle formed by drive way; in top of concrete post; standard tablet stamped "3 MAX 1971 601"	600.701
1	8	4.73	Pelham, 3.1 mi E. of Pelham School, along Secondary State Road 1360 at Shady Grove Church; at W. corner of church building; set in S. end of bottom step; standard tablet stamped "4 MAX 1971 628"	627.495
1	9	5.98	Pelham, 4.3 mi NE. of Pelham School; 0.5 mi SW. of Gatewood; 50 ft SE. of centerline of hwy.; 6.5 ft NW. of North corner of Bell Telephone Building; in top of concrete post; standard tablet stamped "5 MAX 1971 607"	607.293
1	10	6.88	"R 98 RESET 1958" (NGS)	568.501



1971

FeetLINE 11.

Max K. Weber, 1971; Book AV 1598

1	14	2.71	Blanch, 1.0 mi E. of, at River Zion Church; 71.4 ft S. of SW. corner; 41 ft N. of centerline of hwy.; 2 ft SE. of power pole with lamp; 3 ft higher than hwy.; in top of concrete post projecting 0.4 ft; standard tablet stamped "7 MAX 1971 540"	539.604
1	19	3.82	Blanch, 84.4 ft W. of SW. corner of depot; 40.4 ft S. of S. rail of main track; in top of concrete post; standard tablet stamped "PRIM TRAV STA 6 McM 1921 387"	386.345
1	22	5.42	U.E., centerline of Y-rd.; intersection of Secondary State Roads 1523 and 1511; copper nail and washer	549.70
1	23	6.28	Blanch, 1.5 mi SW. of; thence 0.9 mi NW.; 60 ft ENE. of intersection of Secondary State Roads 1511 and 1512; 4 ft SE. of hwy. right-of-way sign, and 2 ft higher than rd. intersection; in top of concrete post projecting 0.3 ft; standard tablet stamped "9 MAX 1971 504"	504.315
1	25	7.07	U.E., centerline of bridge over E. Prong Moon Creek	389.96
1	25	7.40	Blanch, 1.5 mi SW. of, thence 2.0 mi NW. along Secondary State Road 1511; 0.4 mi W. of Bridge over East Prong Moon Creek; 35.5 ft SSE. of centerline of Secondary State Road 1511; 14.5 ft NNW. of centerline of Old Gravel Road; in top of concrete post projecting 0.2 ft; standard tablet stamped "10 MAX 1971 469"	468.746
1	27	8.27	Providence, 1.1 mi NE. of Providence Baptist Church, thence 0.15 mi SE. along Secondary State Road 1511 to Ebenezer Church; 5.7 ft NE. of E. corner of church; in SE. end of bottom step of church; standard tablet stamped "11 MAX 1971 533"	533.016

1971

FeetLINE 11 (Cont'd.)

- |   |    |       |  |         |
|---|----|-------|--|---------|
| 1 | 28 | 9.47  | Providence Church, 760 ft NE. of rd. fork on Dixie Highway; 4 ft E. of SE. corner of old church; in concrete post; standard tablet stamped "PRIM TRAV STA NO 4 McM-1921 572"   | 571.983 |
| 1 | 76 | 10.65 | Providence, 1.2 mi W. of Providence Baptist Church; about 300 ft W. of W. end of bridge over Hogans Creek; 31.4 ft SW. of centerline of rd.; 3.5 ft NNW. of fence corner; 2 ft NE. of power pole; in top of concrete post projecting 0.2 ft; standard tablet stamped "25 MAX 1971 404" | 404.407 |
| 1 | 78 | 11.63 | "R 98 RESET 1958" (NGS) (Also in line 10)  | 568.501 |

LINE 12.

Max K. Weber, 1971; Book AV 1598

- |   |    |       |  |         |
|---|----|-------|--|---------|
| 4 | 50 | 18.51 | Pelham, 1.2 mi N. of post office, thence 0.4 mi W. to overpass over Highway 29, thence 0.95 mi W. along Highway 700, 47.4 ft NE. of centerline of Highway 700; 34.6 ft SSE. of fence corner and 32.5 ft SW. of W. corner of old frame house; in top of very old concrete post flush with surface; small bronze tablet stamped "N + C 538"                | 584.077 |
| 4 | 52 | 19.53 | Pelham, 1.2 mi N. of post office, thence 0.4 mi W. along Secondary State Road 700; 86 ft SW. of centerline of overpass over Highway 29; 16 ft S. of centerline of Secondary State Road 700, and 1.3 ft W. of W. end of concrete guard rail of overpass; in top of concrete post; standard North Carolina Highway Commission disk stamped "23 W C 7 1968" | 728.492 |
| 4 | 53 | 19.94 | U.E., chiseled square (Described in 10)  | 745.85  |

DANVILLE  
Book AV 1598

VA.-N.C.

Max K. Weber

1971

FeetLINE 13.

Max K. Weber, 1971; Book AV 1598

1 60 0.00 "1 MAX 1971 745" (Described in line 10) 745.392

1 60 0.81 Pelham, 0.3 mi SW. of post office; 93.2 ft  
SW. of SW. corner of fire house; 47.8 ft S.  
of centerline of drive, and 44.9 ft E. of  
centerline of rd.; NGS standard triangulation  
station disk stamped "PELHAM 2 1969" 755.961

LINE 14.

Max K. Weber, 1971; Book AV 1598

1 63 1.08 "PRIM TRAV STA NO 4 McM 1921 572"  
(Described in line 11) 571.983