

PL. I UNDER LEVELING
SEA LEVEL DATUM OF 1929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

36-080-12
CRITZ QUADRANGLE
18 VA. 270000A
N3630-W8000/15
DIAGRAM NJ 17/11
WINSTON-SALEM


Henry and Patrick Counties, VA;
Stokes and Rockingham, Counties, N.C.

Only the permanent marks
are listed for lines
run more than 25 years
before edition date

Final adjustment of 1972

Edition of 4/18/75

PR: CRV/ma



NGS (USC&S) CONTROL DATA

A. Quadrangle 36001

*Tie to Isolated Bench Mark

INDEX PERMANENT MARKS

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
PTS 26 W 993 R 17	3	100 AFK 1964 1225	7
PTS NO 27 W 1924 VA R 18 964	3	101 AFK 1964 1608	7
PTS 29 W 1924 W 20 VA 1924 892	3	102 AFK 1964 1315	7
R 22 VA 1924 PTS 31 W 1924 1083	3	103 AFK 1964 1134	7
R 23 VA 1924 805	3	104 AFK 1964 964	8
R 36 VA 1924 1157	3	105 AFK 1964 1114	8
R 39 VA 1924 1194 PTS NO 1 T 1925	4,9	106 AFK 1964 1175	8
R 43 VA 1924 PTS NO 5 T 1925	7	107 AFK 1964 1033	9
R 44 VA 1924	3	108 AFK 1964 896	9
R 47 VA 1924 840	3	109 AFK 1964 1109	9
R 48 VA 1924 1047	3	112 AFK 1964 1041	9
R 49 VA 1924 1054	9,10	113 AFK 1964 1089	9
R 50 VA 1924 1110	3	114 AFK 1964 1063	10
R 51 VA ELEV. 1272	3	115 AFK 1964 860	10
R 52 VA 1924 1193	3	116 AFK 1964 1019	10
R 55 VA 1924 1205	5	117 AFK 1964 883	10
R 57 VA 1924	5	60 HBC 1967 1145	10
R 59 VA 1924 1043 RECOVERED AS DESCRIBED 2/87+93	4		
TT STA NO 1 T 1927	3	NGS	
ET 27 WCE 1963	11		
98 JAS 1963 1043	4,4	C 222 1938	6
108 JAS 1963 978 NOT FOUND 2/87	4	J 59 1935	5
128 JAS 1963 1029	4		
1 AFK 1964 1213 RECOVERED AS DESCRIBED 2/87+93	8,10		
2 AFK 1964 1143 RECOVERED AS DESCRIBED 2/87	8		
3 AFK 1964 1130 DESTROYED 2/87	18		
4 AFK 1964 1122 DESTROYED 2/87	18		
90 AFK 1964 1387	5		
91 AFK 1964 1273	5		
92 AFK 1964 1130	5		
93 AFK 1964 1387	5		
94 AFK 1964 1125	5		
95 AFK 1964 1183	5		
96 AFK 1964 1460	6		
97 AFK 1964 1388	6		
98 AFK 1964 1544	6		
99 AFK 1964 1419	6		

NGVD 29
Elevations

ISOLATED BENCH MARKS (By C. E. Reick, 1924; Book, B1604, B 1907 and S. L. Parker; 1927; Book B2721)		Foot
Anglins Bridge, 2.7 mi W. of; 30 ft N. and 30 ft E. of main rd. forks; 100 ft SW. of residence of Henry Clark; in concrete post; standard tablet stamped "PRIM TRAV STA 26 W 993 R 17"		992.767
Spencer, 5.5 mi S. of; about 900 ft E. of Mayo Church; 100 ft W. and 30 ft S. of store of E. O. Mize; on S. side of hwy.; 50 ft N. of house; in concrete post; standard tablet stamped PRIM TRAV STA NO 27 W 1924 VA R 18 964"		964.229
Spencer, 0.5 mi N. of; 75 ft S. of Antioch Church; 30 ft NW of rd. forks; in concrete post; standard tablet stamped "PRIM TRAV STA 29 W 1924 W 20 VA 1924 892"		892.299
Pannell Fork, 40 ft SW. of old rd. fork; S. side of hwy.; in concrete post; standard tablet stamped "R 22 VA 1924 1083 PRIM TRAV STA 31 W 1924 1083"		1082.872
Bassett, 3.4 mi SW. of; on N. side of hwy.; 100 ft NE. of bridge over Blackberry Creek; 700 ft SE. of home of Judson Koben; in concrete post; standard tablet stamped "R 23 VA 1924 805"		805.088
Five Forks, 3.2 mi SE. of; 80 ft S. of Minnies Chapel; on bank; in concrete post; standard tablet stamped "R 55 VA 1924 1205"		1205.282
Sandy Ridge, 6.7 mi W. of; S. side of old rd. at rd. fork SW.; in concrete post; standard tablet stamped "R 36 VA 1924 1157"		1156.595
Sandy Ridge, 2.8 mi W. of; 100 ft SW of Shelton Store; in concrete post; standard tablet stamped "R 57 VA 1924" (reported destroyed, 1926)		1122.650
Bowling Springs, 1.5 mi. S. of; 6.0 mi N. of Stuart; 50 ft N. of Foleys Store; in concrete post; standard tablet stamped "R 44 VA 1924"		1581.023
Spencer, 1.9 mi W. of; 0.2 mi W. of North Mayo River Bridge; 80 ft E. of rd. SE; on S. side of hwy. inside fence line; in concrete post; standard tablet stamped "R 47 VA 1924 840"		839.922
Spencer, 4.5 mi W. of; 30 ft N. of rd.; at lane to home of G. E. Purcell; in concrete post; standard tablet stamped "R 48 VA 1924 1047"		1046.813
Nettloridge, 0.5 mi W. of; 120 ft E. of gas station; in NW. angle of rd. fork N.; in concrete post; standard tablet stamped "R 50 VA 1924 1110"		1110.004
Stuart, 6.3 mi SE. of; 500 ft W. of residence of Posey Layman; on W. side of hwy.; at timber rd. W.; in concrete post; standard tablet stamped "R 51 VA 1924 VA ELEV 1272"		1271.755
Stuart, 2.5 mi E. of; 20 ft S. of railway crossing; 50 ft E. of milepost 73; in concrete post; standard tablet stamped "R 52 VA 1924 1193" (Tied by NGS)		1192.783
Five Forks, 5.7 mi SE. of; 36 ft W. and 64 ft S. of junction of rd. fork W. with State Highway 891; in concrete post; standard tablet stamped "TI STA NO 1 I 1927"		1153.112

LINE 1.

By R. H. Paine, 1956; Book AV 468

2	13	6.51	U.E., at Stone's Store; 65 ft E. of intersection of State Highways 57 687; on NE. end of concrete base of gasoline pumps; chiseled square	1171.49
2	16	8.05	U.E., at intersection of State Highways 687 and 677, at Adams grocery; on S. end of concrete tile culvert; chiseled square	1222.729

LINE 1 (Cont'd)

feet

2 17 8.85 Stone's Store, 2.3 mi SE. of; 110 ft NW. of New Sanville Post Office 30 ft SW. of State Highway 687; 22 ft SE. of State Highway 626; 3 ft N. of Texaco sign in concrete post projecting 3 in.; standard tablet stamped R 39 VA 1924 1194 PRIM TRAV STA NO 1 T 1925 1193.776

LINE 2.

By R. H. Paine, 1956 Book AV 468

NGVD 29
Elevations

2 24 0.97 U.E., chiseled square (Described in line 1) 1171.49

LINE 3.

By J. E. Stoner Book AV 942

11 11 5.16 Fieldale, 5.1 mi W. of junction of State Highway 57 and State Highway 609 W., along rd. 609; 5.9 mi N. of Spencer Post Office; about 0.1 mi S. of junction of State Highways 609 and 687 S.; 28 ft W. of centerline of Highway 687; 2 ft S. of power pole; 0.5 ft E. of metal witness post; in concrete post projecting 1 in. above ground; standard tablet stamped "98 JAS 1963 1045" 1044.866

LINE 4.

By J. E. Stoner, 1963; Book AV 942

14 2 0.00 "98 JAS 1963 1045" (Described in line 3) 1044.866

14 6 2.55 Bassett, 0.9 mi SE. of post office, along alternate State Highway 57, thence 3.2 mi SW. along State Highway 698, thence 0.3 mi SE. along State Highway 679; 1.6 mi N. of junction of State Highways 687 and 679 N. in Pannill Fork, along Highway 679; at junction of State Highways 679 and 843 NE.; 54 ft S. and 51 ft W. of, and about 1 ft higher than centerline of rd.; 3 ft E. of power pole NO. 6; 0.5 ft E. of metal witness post; in concrete post level with ground; standard tablet stamped "128 JAS 1963 1029" 1029.060

LINE 5.

By J. E. Stoner, 1963; Book AV 942

12 30 13.14 Sandy Ridge; 5.0 mi NE. of post office; about 0.2 mi SW. of junction of County Roads 1625 and 1630 N.; 2.6 mi W. of Anglins Bridge over Mayo River; 27 ft NW. of centerline of rd. 1625; 2-ft NW. of power pole NO. 169; 0.5 ft SE. of metal witness post; in concrete post projecting 1 in. above ground; standard tablet stamped "108 JAS 1963 978" NOT FOUND EWB 2/87 978.099

12 35 16.00 Sandy Ridge, 2.2 mi NE. of; 250 ft NE. of residence of H. L. Wilson; in rock ledge; standard tablet stamped "R 59 VA 1924 1043" GOOD EWB 2/87 1042.638
4' ABOVE ROAD

LINE 6. 29.0 SSE OF E OF RD
34.0 WSW OF 14" OAK W/TAG

By A. F. Kupiszewski, 1964; Book AV 1382

1 5 1.27 U.E., 9 ft SE. of, and 0.4 ft lower than centerline of State Highway 687; on NE. wingwall of small bridge; chiseled square 1199.41

LINE 6 (Cont'd)				Foot
1	7	1.81	Bassett, 5.3 mi (airline) SW. of; 5.0 mi SW. of Blackberry Creek, along State Highway 687; at crest on hill; 23 ft N. and 23 ft W. of, and 2.5 ft higher than centerline of rd. at junction of woods rd. N.; in concrete post; standard tablet stamped "90 AFK 1964 1387"	1386.688
1	8	1.81	Reference mark; 30 ft NE. of tablet; on top of boulder; chiseled square	1388.97
1	9	2.37	U.E., at drian crossing; 16 ft S. of, and 1.4 ft lower than centerline of rd.; on S. end of concrete pipe; chiseled square	1372.59
1	11	2.93	U.E., at private rd. NW.; 16 ft NW. and 19 ft SW. of, and 0.2 ft lower than centerline rd.; on SW. end of concrete pipe; chiseled square	1357.66
1	12	3.39	U.E., 21 ft NW. and 16 SW. of, and 1.3 ft lower than centerline of rd. at junction of drive N.; end of concrete pipe; chiseled square	1301.26
1	13	3.63	Reference mark; 34 ft W. of tablet; on E. end of concrete pipe; chiseled square	1274.53
1	13	3.63	Bassett, 7.0 mi SW. of; 1 ft E. of route sign; 20 ft S. and 12 ft W. of, and 0.3 ft lower than centerline State Hwy 627 at junction of State Hwy 687 in concrete post; standard tablet stamped "91 AFK 1964 1273"	1272.747
1	21	5.85	Bassett, 9.0 mi (airline) SW. of along State Hwy. 687; at bridge over Pulebridge Creek; 17 ft W. of, and 0.1 ft lower than centerline of rd.; in NW. end of bridge; standard tablet stamped "92 AFK 1964 1130"	1129.558
1	22	5.85	Reference mark; 0.9 ft SE. of tablet; on SE. end of headwall; chiseled square	1130.18
1	26	7.88	Bassett, 10.5 mi (airline) SW. of; 0.5 mi SE. of junction of State Hwy. 687, 693, along Highway 693; 14 ft SW. and 62 ft SE. of, and 2.0 ft lower than centerline of rd. 693 at junction of farm lane SW.; 2 ft NE. of fence; in concrete post; standard tablet stamped "93 AFK 1964 1387"	1387.073
1	32	10.02	Critz, 5.5 mi (airline) N. of along State Hwy. 693; 0.2 N. of bridge over Laurel Branch; 10 ft W. of centerline of woods rd.; 39 ft S. and 19 ft E. E. of, and 1.1 ft higher than centerline of rd. at junction of woods rd. SE.; in concrete post; standard tablet stamped "94 AFK 1964 1125"	1124.959
1	33	10.24	U.E., 15 ft NE. of, and 0.1 ft lower than centerline of rd.; on N. wingwall of bridge over Laurel Branch; chiseled square	1049.73
1	39	12.66	Critz, 2.9 mi N. of, along State Hwy. 626; 3 ft S. of power pole; 5 ft W. of fence; 75 ft S. and 24 ft E. of, and 1.7 ft higher than centerline of Road 626 at junction of Road 696; in concrete post; standard tablet stamped "95 AFK 1964 1183"	1182.433
1	42	14.15	U.E., at bridge over Mill Creek; 12 ft E. of and 0.1 ft higher than centerline of rd.; on NE. wingwall; chiseled square	1025.97
1	43	14.75	Reference mark; 200 ft NE. of tablet; on W. end of bottom step of post office; chiseled square	1147.17
1	44	14.75	"J 59 1935" (NGS)	1143.735

NGVD 29
Elevations

1964

LINE 7.Feet

By A. F. Kupiszewski, 1964; Book AV 1382

1	46	0.64	Bassett, 12.0 mi (airline) SW. of; 0.6 mi W. of junction of State Highways 687 and 693; 25 ft N. and 34 ft E. of, and 2.9 ft higher than centerline of rd. at junction of woods rd. N.; in concrete post; standard tablet stamped "96 AFK 1964 1460"	1459.752
1	50	2.04	Patrick Springs Post Office, 4.9 mi (airline) N. of; 2.4 mi (airline) SW. of junction of State Highways 693 and 687, along Highway 687; 17 ft S. and 15 ft W. of, and 1.7 ft higher than centerline of rd. at junction of farm rd. W. leading to Greenbriar Farm; 2 ft N. of fence; in concrete post; standard tablet stamped "97 AFK 1964 1388"	1387.922
1	54	3.55	U.E., 12 ft SW. and 25 ft SE. of, and 1.1 ft lower than centerline of rd. at junction of woods rd. SE.; on top of boulder between two pine trees; chiseled square	1621.77
1	55	4.00	Patrick Springs Post Office, 2.9 mi (airline) N. of; 4.3 mi SW. of junction of State Highways 687 and 693; 16 ft NE. and 14 ft SE. of, and 3.0 ft higher than centerline of Hwy. 687 at junction of field rd. SE.; 2 ft NW. of fence; in concrete post; standard tablet stamped "98 AFK 1964 1544"	1543.498
1	56	4.00	Reference mark; 7 ft SW. of tablet; on boulder; chiseled square	1543.46
1	57	4.51	U.E., at right-angle bend in rd.; 13 ft S. of, and level with centerline of rd.; on S. end of iron pipe; chiseled square	1509.96
1	59	5.11	U.E., 138 ft NE. of junction of State Highways 687 and 686; 18 ft NW. of, and 5.8 ft higher than centerline of Road 687; on corner of old foundation; chiseled square	1448.73
1	60	5.68	U.E., at drain crossing; 12 ft NE. of, and 0.1 ft lower than centerline of rd.; on center of concrete headwall; chiseled square	1387.12
1	61	6.40	Patrick Springs Post Office, 1.1 mi N. of; 22 ft NE. and 13 ft SE. of, and 1.2 ft higher than centerline of State Highway 689 at Junction of dirt rd. SW.; in concrete post; standard tablet stamped "99 AFK 1964 1419"	1419.088
1	63	7.82	"C 222 1938" (HGS)	1256.382

LINE 8.NGVD 29
Elevations

By A. F. Kupiszewski, 1964; Book AV 1382

1	64	0.50	U.E., at rock face; 42 ft NW. of, and 0.8 ft higher than centerline of rd.; on small ledge; chiseled square	1166.91
---	----	------	---	---------

LINE 8 Cont'd.Feet

1	65	1.06	U.E., at small bridge; 7 ft N. of, and 0.4 ft lower than centerline of rd.; on NW. wingwall; chiseled square	1200.03
1	66	1.41	Bassett, 9.2 mi (airline) SW. of; 1.4 mi W. of junction of State Highways 680 and 687; 35 ft W. of center of bridge over Polebridge Creek; 14 ft S. of, and 0.4 ft lower than centerline of rd.; in concrete post; standard tablet stamped "100 AFK 1964 1225"	1225.145
1	67	1.41	Reference mark; 25 ft E. of tablet; on SW. wingwall of bridge; chiseled square	1224.88
1	67	1.82	U.E., at second most westerly bridge over Polebridge Creek; 9 ft SE. of, and 0.1 ft lower than centerline of rd.; on SE. wingwall; chiseled square	1256.79
1	72	3.34	Bassett, 9.0 mi (airline) SW. of; 3.4 mi W. of junction of State Highways 680 and 687; at sharp bend near top of hill; 26 ft S. and 11 ft W. of, and 1.4 ft higher than centerline of rd. at junction of woods rd. S.; at junction; in concrete post; standard tablet stamped "101 AFK 1964 1608"	1608.045
1	74	3.81	U.E., 26 ft SW. of, and 3.6 ft lower than centerline of rd.; in NE. base of power pole; iron spike	1431.02
1	78	5.14	Bassett, 11.5 mi (airline) SW. of, along U.S. Highway 57; at bridge over Sycamore Creek; 29 ft N. of, and 0.1 ft higher than centerline of rd.; 1 ft S. of fence; 53 ft NE of NE. corner of bridge; 31 ft E. of 48-in. oak tree; in concrete post; standard tablet stamped "102 AFK 1964 1315"	1315.234
2	2	6.43	Elansville, 3.8 mi SW. of; on N. side of rd. at timber rd. N. to sawmill; in concrete post; standard tablet stamped "R 43 VA 1924 PRIM TRAV STA NO 5 I 1925" (Not found, 1965)	1559.886

LINE 9.NGVD 29
Elevations

By A. F. Kupiszewski, 1964; Book AV 1382

2	3	0.00	Reference mark; chiseled square (Described in line 6)	1147.17
2	6	1.77	U.E., 10 ft W. of, and 3.0 ft higher than centerline of rd.; on SW. wall of bridge; chiseled square	981.95
2	8	2.29	Critz, 2.3 mi S. of; 39 ft N. of centerline of rd. at junction; 30 ft W. of, and 1.0 ft higher than centerline of main rd. at junction of farm rd. NW.; in concrete post; standard tablet stamped "103 AFK 1964 1134"	1133.713
2	10	2.82	U.E., at junction of U.S. Highway 58; 22 ft NE. of, and 0.2 ft lower than centerline of hwy.; 1 ft NE. of stop sign; on concrete traffic island; chiseled square	1092.28
2	11	3.07	U.E., 24 ft SW. of, and 0.6 ft higher than centerline of U.S. Highway 58 at junction of State Hwy. 827 W.; 1 ft SW. of stop sign; on concrete traffic island; chiseled square	1084.36

NGVD 29
Elevations

LINE 9 (Cont'd)

Feet

2	13	4.11	Critz, 4.1 mi S. of along State Highway 653; at bridge over South Maye River; 20 ft N. of, and level with centerline of rd.; 30 ft NW. of NW. corner of bridge, 2 ft S. of fence; in concrete post; standard tablet stamped "104 AFK 1964 964"	963.922
2	14	4.11	Reference mark; 30 ft SE. of tablet; on NW. wingwall of bridge; chiseled square	963.85
2	16	5.81	U.E., at store and service station of W. J. Pendleton; 56 ft W. of centerline of rd.; 18 ft S. of main entrance; on center of base of concrete gas pump; chiseled square	1139.12
2	17	6.18	Critz, 6.3 mi SW. of, along State Hwy. 653; at residence of K. Clark; 1 ft E. of power pole; 100 ft NE. of NE. corner of house; 40 ft W. of, and 2.3 ft higher than centerline of rd.; in concrete post; standard tablet stamped "105 AFK 1964 1114"	1113.614
2	18	6.74	U.E., at bridge over Russell Creek; 13 ft SE. of, and 0.3 ft higher than centerline of rd.; on NE. wingwall; chiseled square	999.43
2	22	8.37	Critz, 8.5 mi SW. of, along State Hwy. 653; 22 ft NE. and 17 ft NW. of, and 0.2 ft lower than centerline of rd. at junction of orchard rd. NW.; 1 ft NE. of telephone pole; in concrete post; standard tablet stamped "106 AFK 1964 1175"	1175.516
2	24	9.56	Critz, 9.7 mi SW. of, along State Hwy. 653; at Virginia-North Carolina State line; 3 ft E. of Virginia Department of Highways post; 24 ft W. of and 1.8 ft higher than centerline of State Highway 8; in concrete post; standard tablet stamped "1 AFK 1964 1213" <i>GOOD EWB 2/87</i>	1212.749
2	27	10.94	Coleville, 1.1 mi E. of; at E. end of orchard; 2 ft W. of power pole; 43 ft S. of, and 0.2 ft lower than centerline of rd.; in concrete post; standard tablet stamped "2 AFK 1964 1143" <i>GOOD EWB 2/87 1.0 NNE METAL WITNESS 3.3 W POST W/TAG</i>	1143.371
2	28	10.94	Reference mark; 13 ft SE. of tablet; on top of rock; chiseled square	1145.00
2	31	13.05	Coleville, 3.1 mi SE. of; 2.0 mi NW. of Shelton Store; 2 ft NW. of route marker; 17 ft SW. of, and 0.6 ft lower than centerline of State Highway 704 at junction of County Road 1612; in concrete post; standard tablet stamped "3 AFK 1964 1130" <i>LEANING SLIGHTLY TO SE EWB 2/87</i>	1130.586
2	33	14.19	U.E., at Bullins Grocery; 25 ft NE. of main entrance; 52 ft SW. of, and 0.3 ft lower than centerline of rd.; on NW. end of gasoline pump base; chiseled square	1134.25
2	34	14.73	U.E., 20 ft SW. of, and 2.3 ft higher than centerline of rd.; on NW. corner of top step leading to residence; chiseled square	1119.47
2	35	15.10	Shelton Store, 0.1 mi SE. of; 41 ft NE. and 35 ft NW. of, and 2.9 ft higher than centerline of rd. at junction of Beasley School Road; 3 ft SE. of power pole ; in concrete post; standard tablet stamped "4 AFK 1964 1122" <i>LEANING SLIGHTLY, USE WITH CAUTION 5.0' S PP W/TAG EWB 2/87</i>	1122.456
2	36	15.10	Reference mark; 19 ft S. of tablet; on concrete pipe; chiseled square	1119.71

NGVD 29
ElevationsLINE 9 Cont'd.Foot

2	41	17.84	Netteridge, 4.0 mi S. of, along State Hwy. 699; at state line; 2.8 mi N. of Shelton Store; 1 ft N. of North Carolina State line; 19 ft W. of, and 1.2 ft higher than centerline of rd.; 2 ft NW. of sign post; in concrete post; standard tablet stamped "107 AFK 1964 1033"	1033.276
2	42	18.27	U.E., at fork; 37 ft N. of stream; 12 ft E. of, and 2.9 ft higher than centerline of rd.; on boulder; chiseled square	976.36
2	44	19.09	U.E., at rear entrance of Moorefield Grocery; 35 ft S. of, and 1.0 ft lower than centerline of rd.; on SE. corner of top step; chiseled square	1091.70
2	46	20.36	Netteridge, 1.5 mi S. of; at bridge over South Mayo River; 9 ft NE. of, and 0.8 ft lower than centerline of rd.; in NE. abutment; standard tablet stamped "108 AFK 1964 896"	896.408
2	46	20.36	Reference mark; 101 ft SSE. of tablet; on E. corner of abutment; chiseled square	896.38
2	48	21.61	U.E., 17 ft S. of, and 1.7 ft higher than centerline of State Hwy. 700 at junction of State Hwy. 831; 1 ft S. of stop sign; on concrete island; chiseled square	1115.66
2	49	21.80	Netteridge; at Netteridge Methodist Church; 5 ft NW. of SE. corner of building; set vertically in foundation; standard tablet stamped "109 AFK 1964 1109"	1109.411
2	53	23.65	U.E., 12 ft N. of, and 0.3 ft higher than centerline of rd.; on NW. corner of wheelguard; chiseled square	922.61
2	54	24.16	Spencer, 6.8 mi W. of, 90 ft E. of Trent Store; on N. side of hwy; in angle of road forks; in concrete post; standard tablet stamped "R 49 VA 1924 1054"	1054.212

LINE 10.

By A. F. Kupiszewski, 1964; Book AV 1382

2	72	0.00	"R 39 VA 1924 1194 PRIM TRAV STA NO 1 T 1925" (Described in line 1)	1193.776
2	72	0.96	Sanville, 0.9 mi S. of, along State Hwy. 626; at service station of Ralph Cassoll; 31 ft SE. of, and 0.1 ft higher than centerline of rd.; 0.5 ft S. of gasoline sign; 18 ft NW. of SW. corner of station; in S. end of gasoline pump base; standard tablet stamped "112 AFK 1964 1041"	1040.883
2	74	0.96	Reference mark; 35 ft N. of tablet; on concrete base of air pump; chiseled square	1041.24
2	77	3.04	Sanville, 3.0 mi S. of; 26 ft S. and 26 ft E. of, and 3.5 ft higher than centerline of rd. at junction of dirt rd. E.; 7 ft NE. of power pole; in concrete post; standard tablet stamped "113 AFK 1964 1089"	1089.039

LINE 10 (Cont'd)Feet

2	80	4.56	Sanville, 4.6 mi S. of; 95 ft S. and 19 ft SE. of, and 7.0 ft higher than centerline of rd. at junction of dirt rd. SE.; 3 ft NW. of power pole; in concrete post; standard tablet stamped "114 AFK 1964 1063"	1063.044
3	5	6.49	Sanville, 6.5 mi S. of; bridge over North Mayo River; 12 ft SE. of, and level with centerline of rd.; in SE. wingwall; standard tablet stamped "115 AFK 1964 860"	859.997
3	6	6.49	Reference mark; 49 ft W. of tablet; on NW. wingwall; chiseled square	860.20
3	7	7.18	U.E., at two-story white house; 17 ft N. and 10 ft W. of, and 0.6 ft higher than centerline of rd. at junction of drive N.; on W. end of concrete pipe chiseled square	982.92
3	9	7.96	Sanville, 8.0 mi S. of; at Stella Christian Church; 81 ft W. of entrance; 44 ft E. of, and 2.5 ft lower than centerline of rd.; in NW. corner of second step of concrete walk; standard tablet stamped "116 AFK 1964 1019"	1018.913
3	10	7.96	Reference mark; 79 ft E. of tablet; on bottom step at church entrance; chiseled square	1010.57
3	12	9.42	Sanville, 9.4 mi S. of; at bridge over Little Mill Creek; 10 ft E. of, and 1.6 ft lower than centerline of rd. at N. end of bridge; in NE. headwall; standard tablet stamped "117 AFK 1964 883"	882.745
3	13	9.42	Reference mark; 128 ft S. of tablet; on SE. headwall; chiseled square	882.70
3	14	9.94	Reference mark; on N. side of highway 100 ft W. of lane to residence of G. E. Puvcell; 17 ft N. of, and 1.6 ft lower than centerline of rd.; in concrete culvert; chiseled square	1044.16
3	15	10.39	U.E., 24 ft S. of, and 0.2 ft higher than centerline of U. S. Highway 58 at junction of State Hwy. 832; 0.5 ft S. of stop sign; on concrete traffic island; chiseled square	1060.76
3	18	12.10	"R 49 VA 1924 1054" (Described in line 9)	1054.212

LINE 11.NGVD 29
Elevations

By H. W. Clarkson, 1967; Book AV 1480

3	21	21.92	Francisco High School, 1.7 mi E. of, along State Highway 89, thence 6.2 mi NE. along State Highway 704; 58 ft SW. of, and about 3.0 ft higher than centerline rd. at junction of Campbell P. O. Road S.; in concrete post; standard tablet stamped "60 WBC 1967 1145"	1144.723
3	23	23.44	Critz, 9.7 mi SW. of along State Highway 653; at Virginia-North Carolina State line; 3 ft E. of Virginia Department of Highways post; 24 ft W. of, and 1.8 ft higher than centerline of State Highway 8; in concrete post; standard tablet stamped "1 AFK 1964 1213" (Also described in line 9)	1212.719

CRITZ. QUADRANGLE
Book AV 1542

18 VA.-270 N.C.

H. L. Zohn

36-080-12

1969

11

LINE 12.

Feet

By H. L. Zohn, 1969; Book AV 1542

2 27 6.30 Sandy Ridge, 1.6 mi W. of post office, along State Highway 70^{1/2}; 84 ft NW. of NW. corner of Oak Ridge Church; 84 ft S. of center of hwy.; ^{36.5}24 ft E. of N.-S. fence; in NE. corner of concrete well cover on N. side of small pumphouse; standard tablet stamped "ET 27 WCE 1963" GOOD GWT 2/87

1130.913

88.0 FT S OF & NE 704

21.0 " NNE OF PP W/TAG

NGVD 29
Elevations

17 VA. - 269 N. C. (SUPPLEMENT)
 MARTINSVILLE QUADRANGLE
 WITH OVEREDGE

N3630-W7945/15
 VA.-N.C.

MARTINSVILLE QUADRANGLE
 WITH OVEREDGE

N3630-W7945/15
 VA.-N.C.

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

THIRD-ORDER LEVELING

UNADJUSTED FIELD ELEVATIONS


SEA LEVEL DATUM OF 1929

Supplement to edition of 9/15/54

Edition of 9/24/63

Counties: Henry, Rockingham

PRELIMINARY



DRAPER
 (16 VA.-268 N.C.)

NGVD 29
 Elevations

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
947.462 1905	10,14,15	111 JAS 1963 869	27
R 3 VA 1923 994	11	112 JAS 1963 1015	33
R 21 1924 VA 1030	18	113 JAS 1963 809	34
R 59 VA 1924 1043	32	114 JAS 1963 838	35
ET 28 MAX 1963 1048	42	115 JAS 1963 765	36
ET 29 MAX 1963 831	23	116 JAS 1963 797	38
61 JAS 1963 727	3	117 JAS 1963 714	39
87 JAS 1963 582	3	118 JAS 1963 750	41
88 JAS 1963 776	4,40	119 JAS 1963 766	42
89 JAS 1963 892	5	124 JAS 1963 1003	43
90 JAS 1963 968	6	125 JAS 1963 844	44
91 JAS 1963 876	7,27	126 JAS 1963 976	45
92 JAS 1963 812	8,24	128 JAS 1963 1029	46
93 JAS 1963 700	9	129 JAS 1963 807	47
94 JAS 1963 690	12	130 JAS 1963 760	48
95 JAS 1963 1026	14,40		
96 JAS 1963 722	15	<u>STATE</u>	
97 JAS 1963 814	16		
98 JAS 1963 1045	18,45	27 JS 7 1962	38
99 JAS 1963 940	19	27 JS 6 1962	39
100 JAS 1963 824	20		
101 JAS 1963 1092	21,28	<u>USC&GS</u>	
102 JAS 1963 1101	21,28		
103 JAS 1963 894	23	CHESTNUT NO 1 1932	22
104 JAS 1963 1072	28	LEAK 1933	25,30
105 JAS 1963 1031	29	LEAK NO 1	30
106 JAS 1963 982	30	LEAK NO 2	30
107 JAS 1963 1003	43	C 60 1935	10
108 JAS 1963 978	32	S 59 1935	15,16
109 JAS 1963 1022	25,33	X 59 1935	13
110 JAS 1963 948	26		

3 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 j 9/19/63 ale 1963
LINE 1.

4 MARTINSVILLE VIRGINIA-N.C. J. E. Stoner
 Book AV 941 j 9/20/63 ale 1963
LINE 1 (Cont'd.)

FROM POINT ABOUT 3.0 MILES WEST OF CASCADE STATION ALONG ROADS WEST AND NORTHWEST TO MARTINSVILLE (By J. E. Stoner, 1963; Book AV 941 j)

10	1	0.00	Cascade Station, 2.8 mi W. of RR. crossing, along Secondary State Road 622; at Starlings Crossroads; at junction of Secondary State Roads 610 and 622; 48 ft N. of, and 3 ft higher than centerline of rd.; 3 ft ESE. of telephone pole No. 362; in concrete post projecting 1 in.; standard tablet stamped "61 JAS 1963 727", painted "EM 727.5"	727.470
10	1	0.86	U.E., on centerline of rd. at drive NW.; painted circle, painted "CL 615.5"	615.483
10	2	1.29	Reference mark; on centerline of rd. at bridge over Smith River; painted circle WL = 552 ft	583.593
10	2	1.29	Cascade Station, 4.0 mi W. of RR. crossing, along Secondary State Road 622; at Morgan Ford Bridge over Smith River; 2 ft lower than center of bridge; in top of S. wingwall of W. bridge seat; standard tablet stamped "87 JAS 1963 582", painted "BM 582.1"	582.060
10	3	2.12	U.E., on centerline of rd. at drive N.; painted circle, painted "CL 737.4"	737.394

10	4	3.15	Cascade Station, 5.9 mi W. of RR. crossing, along Secondary State Road 622; at junction of Secondary State Roads 522 and 632 S.; 10 ft N. and 140 ft E. of, and 2 ft higher than centerline of rd.; 3 ft E. of power pole; 0.4 ft S. of metal witness post; in concrete post; standard tablet stamped "88 JAS 1963 776", painted "EM 775.8"	775.755
10	4	3.15	Reference mark; in centerline of rd. at junction of Secondary State Roads 622 and 632 S.; copper nail and washer	773.388
10	5	3.55	U.E., in centerline of rd. at junction of Secondary State Road 622 and 632 NW.; copper nail and washer, painted "CL 731.4"	731.406
10	6	4.72	U.E., on centerline of rd. at drive SW.; painted circle, painted "CL 794.8"	794.757
10	7	5.67	U.E., on centerline of rd. at junction of Secondary State Roads 622 and 842 E.; painted circle, painted "CL 874.8"	874.758

5 MARTINSVILLE VIRGINIA-N.C. J. E. Stoner
 Book AV 941 j 9/20/63 ale 1963
 LINE 1 (Cont'd.)

10	8	5.92	Reference mark; in centerline of rd. at junction of Secondary State Roads 622 and 635 N.; copper nail and washer	885.984
10	9	5.92	Ridgeway, 3.2 mi E. of junction of U. S. Highway 220 and State Highway 87 SE., thence 1.4 mi E., along along Secondary State Road 622; at junction of Secondary State Roads 622 and 635 N.; 4 ft S. and 59 ft W. of, and 6 ft higher than centerline of rd.; 2 ft N. of power pole; 0.5 ft N. of metal witness post; in concrete post; standard tablet stamped "89 JAS 1963 892", painted "BM 891.6"	891.597
10	9	6.43	U.E., on centerline of rd. at drive SE.; painted circle, painted "CL 889.1"	889.098
10	10	7.10	U.E., in centerline of rd. at junction of State Highway 87 and Secondary State Road 622 E.; copper nail and washer, painted "CL 918.6"	918.621
10	11	7.75	U.E., in centerline of rd. at junction of State Highway 87 and Secondary State Road 776 NE.; copper nail and washer, painted "CL 924.0"	924.009
10	12	8.47	U.E., in centerline of rd. at junction of State Highway 87 and Secondary State Road 636 NE.; copper nail and washer	967.017

7 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 j 9/20/63 ale 1963
 LINE 1 (Cont'd.)

10	17	10.42	Reference mark; in centerline of rd. at junction of Secondary State Road 782 and 638 SE.; copper nail and washer	876.669
10	17	10.42	Ridgeway, 1.2 mi NE. of junction of U. S. Highway 220 and Secondary State Road 902 NE.; 1.0 mi S. of bridge over Marrowbone Creek, along Secondary State Road 782; at junction of Secondary State Roads 782 and 638 SE.; 21 ft S. and 44 ft W. of, and level with centerline of rd.; 2 ft SW. of telephone pole No. 15; 0.5 ft SE. of metal witness post; in concrete post; standard tablet stamped "91 JAS 1963 876", painted "BM 876.5"	876.471
10	19	11.44	U.E., on centerline of rd. at bridge over Marrowbone Creek; painted circle, painted "CL 686.5"	686.523
			WL = 671 ft	
10	20	12.11	U.E., in centerline of rd. at junction of Secondary State Roads 782 and 642 NE.; copper nail and washer, painted "CL 808.7"	808.722

6 MARTINSVILLE VIRGINIA-N.C. J. E. Stoner
 Book AV 941 j 9/20/63 ale 1963
 LINE 1 (Cont'd.)

10	12	8.55	Reference mark, in centerline of rd. at junction of State Highway 87 and Secondary State Road 640 NW.; copper nail and washer	965.775
10	12	8.55	Ridgeway, 1.7 mi E. of junction of U. S. Highway 220 and State Highway 87 SE.; at junction of Highway 87 and Secondary State Road 640 NW.; 6 ft N. and 74 ft W. of, and 2 ft higher than centerline of rd.; 3 ft W. of power pole; 0.5 ft E. of metal witness post; in concrete post; standard tablet stamped "90 JAS 1963 968", painted "BM 967.6"	967.590
10	13	9.26	U.E., centerline of rd. at junction of Secondary State Roads 640 and 638 NW., painted "CL 955.0"	954.981
10	15	9.84	U.E., centerline of rd. at junction of Secondary State Roads 639 and 638 SE., painted "CL 760.9"	760.914
10	16	10.07	U.E., centerline of rd. at junction of Secondary State Roads 639 and 638 NW.	731.004
10	16	10.40	U.E., on centerline of rd. at junction of Secondary State Road 638 and Norfolk and Western Railway crossing, painted circle, painted "CL 755.0"	755.019

8 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 j 9/20/63 ale 1963
 LINE 1 (Cont'd.)

10	21	12.73	Martinsville, 4.3 mi S. of junction of U. S. Highways 220 and 58 NE.; along Highway 220; at junction of Highway 220 and Secondary State Road 782 SE.; 77 ft S. and 24 ft E. of, and 3 ft lower than centerline of rd.; 2 ft N. of power pole No. 180; 0.5 ft W. of metal witness post; in concrete post; standard tablet stamped "92 JAS 1963 812", painted "BM 811.9"	811.944
10	21	12.73	Reference mark; in centerline of rd. at junction of U. S. Highway 220 and Secondary State Road 782 SE.; copper nail and washer	814.662
10	22	13.01	U.E., in centerline of rd. at junction of U. S. Highway 220 and Secondary State Road 915 SW.; copper nail and washer, painted "CL 811.1"	811.131
10	23	13.27	U.E., in centerline of rd. at junction of U. S. Highway 220 and Secondary State Road 641 SW.; copper nail and washer, painted "CL 794.8"	794.793
10	24	13.85	U.E., in centerline of rd. at junction of U. S. Highway 220 and Secondary State Road 724 E.; copper nail and washer, painted "CL 705.0"	704.973

9		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 J		9/20/63 ale		1963	
<u>LINE 1 (Cont'd.)</u>					
10	25	14.34	U.E., in centerline of rd. at junction of U. S. Highway 220 and Secondary State Road 685 SW.; copper nail and washer, painted "CL 670.9"	670.851	
10	26	14.89	U.E., in centerline of rd. at junction of U. S. Highway 220 southbound lane and Secondary State Road 825 SW.; copper nail and washer, painted "CL 681.5"	681.456	
10	27	15.55	Martinsville, 1.3 mi S. of junction of U. S. Highway 220 and U. S. Highway 58 NE., along Highway 220; at bridge over Smith River; in top of S. end of E. wingwall of northbound lane of bridge; standard tablet stamped "93 JAS 1963 700", painted "BM 700.4"	700.428	
10	27	15.55	Reference mark; on centerline of rd. at northbound lane of bridge over Smith River; painted circle, WL = 662 ft	699.873	
10	28	15.83	U.E., in centerline of rd. at junction of U. S. Highway 220 northbound lane and Secondary State Road 788 SE.; copper nail and washer	737.358	
10	29	16.42	U.E., in centerline of rd. at junction of U. S. Highway 220 northbound lane and Ivy Street SE.; copper nail and washer, painted "CL 889.9"	889.905	

11		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 J		9/20/63 ale		1963	
<u>LINE 2 (Cont'd.)</u>					
10	34	0.27	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 620 W.; copper nail and washer, painted "CL 1039.2"	1039.161	
10	35	0.64	U.E., on centerline of rd. at junction of Secondary State Roads 620 and 899 S.; painted circle, painted "CL 970.1"	970.143	
10	36	1.28	U.E., in centerline of rd. at junction of Secondary State Roads 620 and 644 SW.; copper nail and washer, painted "CL 1008.0"	1007.961	
10	37	1.87	Burnt Chimneys; 20 ft N. of warehouse to store of H. S. Slaydon; 60 ft W. of hwy.; in concrete post; standard tablet stamped "R 3 VA 1923 994" This Elev. 994.131 Prev. Elev. 994.019 Closure +.112	994.131	
10	38	2.21	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 620 SE.; copper nail and washer, painted "CL 966.0"	966.027	
10	39	2.45	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 648 NW.; copper nail and washer, painted "CL 947.7"	947.721	

10		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 J		9/20/63 ale		1963	
<u>LINE 1 (Cont'd.)</u>					
10	31	17.13	U.E., in centerline of rd. at junction of U. S. Highway 220 northbound lane and Bridge Street NE.; copper nail and washer, painted "CL 892.7"	892.689	
10	32	17.41	Martinsville; 350 ft W. of N. & W. Ry. station; 250 ft N. of center of track; at SW. corner of lot owned by Mrs. John W. Smith; 133 ft S. of center of walk leading to Smith residence (229 College Street); 26 ft E. of center of College Street; 6 ft NE. of fence corner; 6 ft above street; on iron post; standard cap stamped "947.462 1905" This Elev. 947.349 Prev. Elev. 947.360 Closure -.011	947.349	
<u>LINE 2.</u>					
FROM AXTON ALONG U S HIGHWAY 58 WEST TO MARTINSVILLE (By J. E. Stoner, 1963; Book AV 941 J)					
10	34	0.00	"c 60 1935" (USC&GS) This Elev. 1022.535 USC&GS Elev. 1022.537 Closure -.002	1022.535	

NGVD 29
Elevations

12		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 J		9/20/63 ale		1963	
<u>LINE 2 (Cont'd.)</u>					
10	41	3.18	U.E., in centerline of rd. at junction of U. S. Highway 58 and drive N.; copper nail and washer, painted "CL 804.4"	804.372	
10	43	4.29	U.E., in centerline of rd. at junction of U. S. Highway 58 eastbound lane and drive SW.; copper nail and washer, painted "CL 748.4"	748.401	
10	44	4.86	Martinsville, 5.5 mi E. of junction of U. S. Highway 58 and State Highway 57 W., along Highway 58; at bridge over Leatherwood Creek; in top of SE. end of NE. wingwall of eastbound lane of bridge; standard tablet stamped "94 JAS 1963 690", painted "BM 690.2"	690.198	
10	44	4.86	Reference mark; on centerline of rd. at eastbound lane of bridge over Leatherwood Creek; painted circle, WL = 663 ft	687.885	
10	45	5.51	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and Secondary State Road 931 NE.; copper nail and washer, painted "CL 759.8"	759.831	
10	46	5.93	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and rd. leading NNW. into wooded area; copper nail and washer, painted "CL 789.8"	789.759	

13 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 j 9/20/63 ale 1963

LINE 2 (Cont'd.)

10 47	6.61	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and Secondary State Road 777; copper nail and washer, painted "CL 875.3"	875.274
10 48	7.02	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and Secondary State Road 773 N.; copper nail and washer, painted "CL 868.7"	868.659
10 48	7.19	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and Secondary State Road 659 S.; copper nail and washer, painted "CL 876.2"	876.159
10 50	7.64	"X 59 1935" (USC&GS) (Bench mark loose in ground) This Elev. 896.541 USC&GS Elev. 896.389 Closure +.152	896.541
10 51	8.09	"CL 876.2" (Described above) This Elev. 876.153 Prev. Elev. 876.159 Closure -.006	876.153
10 52	8.31	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and Secondary State Road 659 NE.; copper nail and washer, painted "CL 839.0"	839.001

15 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 j 9/20/63 ale 1963

LINE 3.

FROM FIELDALE ALONG ROADS SOUTHEAST TO MARTINSVILLE (By J. E. Stoner, 1963; Book AV 941 j)

10 60	0.00	"S 59 1935" (USC&GS)	738.834
10 60	0.49	U.E., in centerline of rd. at powerline crossing; copper nail and washer, painted "CL 722.1"	722.109
10 62	1.65	Koehler, at Hill Memorial Baptist Church; in top of SE. end of bottom step to front entrance of church; standard tablet stamped "96 JAS 1963 722", painted "BM 722.0"	721.995
10 62	1.65	Reference mark; in centerline of rd. at junction of State Highway 57 and Secondary State Road 667 NE.; copper nail and washer	720.813
10 63	2.17	U.E., in centerline of rd. at junction of State Highway 57 and drive NE.; copper nail and washer, painted "CL 734.9"	734.937
10 65	2.85	U.E., centerline of rd. at junction of State Highway 57 and Pine Hall Road NW.; painted "CL 964.0"	964.023
10 66	3.31	U.E., in centerline of rd. at junction of U. S. Highway 220 and State Highway 57 SW.; copper nail and washer, painted "CL 965.1"	965.094
10 67	4.10	"947.462 1905" (Described in line 1) (Also in line 2) This Elev. 947.313 Prev. Elev. 947.360 Closure -.047	947.313

14 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 j 9/20/63 ale 1963

LINE 2 (Cont'd.)

10 53	8.80	U.E., in centerline of rd. at junction of U. S. Highway 58 westbound lane and drive N.; copper nail and washer, painted "CL 897.3"	897.276
10 55	9.71	Reference mark; in centerline of rd. at junction of U. S. Highway 58 westbound lane and State Highway 57 NE.; copper nail and washer	1041.408
10 55	9.71	Martinsville, 0.7 mi E. of junction of U. S. Highway 58 and State Highway 57 W., along Highway 58; about 0.1 mi SW. of junction of Highway 58 and State Highway 57 NE.; at bridge over Danville and Western Railroad; in top of NE. end of NW. wingwall; standard tablet stamped "95 JAS 1962 1026", painted "BM 1025.7"	1025.667
10 56	10.36	U.E., in centerline of rd. at junction of U. S. Highway 58 and State Highway 57 W. (Church Street and Starling Avenue S.); copper nail and washer, painted "CL 1037.1"	1037.094
10 58	11.15	"947.462 1905" (Described in line 1) This Elev. 947.427 Prev. Elev. 947.360 Closure +.067	947.427

16 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 k 9/20/63 ale 1963

LINE 4.

FROM FIELDALE ALONG ROADS WEST 5.1 MILES THENCE SOUTH TO SPENCER THENCE EAST TO POINT ABOUT 4.0 MILES SOUTH OF MARTINSVILLE (By J. E. Stoner, 1963; Book AV 941 k)

11 1	0.00	"S 59 1935" (USC&GS)	738.834
11 1	0.23	U.E., in centerline of rd. at junction of Secondary State Roads 609 and 701 NW.; copper nail and washer, painted "CL 746.0"	746.049
11 2	0.64	U.E., in centerline of rd. at junction of Secondary State Roads 609 and 684 SE.; copper nail and washer, painted "CL 739.8"	739.761
11 3	1.14	U.E., on centerline of rd. at junction of Secondary State Roads 609 and 846 SE.; painted circle, painted "CL 861.8"	861.831
11 4	1.42	U.E., on centerline of rd. at junction of Secondary State Roads 609 and 812 S.; painted circle, painted "CL 907.1"	907.056
11 5	2.31	Fieldale, 2.3 mi W. of junction of State Highway 57 and Secondary State Road 609 W., along Road 609; about 0.1 mi E. of bridge over small stream; at drive leading N.; 18 ft N. and 19 ft E. of, and about 2 ft higher than centerline of rd.; 3 ft N. of power pole; 0.5 ft S. of metal witness post; in concrete post projecting 1 in.; standard tablet stamped "97 JAS 1963 814", painted "BM 813.6"	813.573

17		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 k		9/20/63	ale	1963	
<u>LINE 4 (Cont'd.)</u>					
11	5	2.31	Reference mark; on centerline of rd. at bridge over small stream; painted circle, painted WL = 803 ft	808.518	
11	6	2.46	U.E., in centerline of rd. at junction of Secondary State Roads 609 and 683; copper nail and washer, painted "CL 824.2"	824.178	
11	7	2.87	U.E., on centerline of rd. at junction of Secondary State Roads 609 and 943 N.; painted circle, painted "CL 838.6"	838.563	
11	7	2.98	U.E., in centerline of rd. at junction of Secondary State Roads 609 and 761 N.; copper nail and washer, painted "CL 819.6"	819.594	
11	8	3.59	U.E., in centerline of rd. at drive SW.; copper nail and washer, painted "CL 911.9"	911.898	
11	9	4.26	U.E., on centerline of rd. at drive S.; painted circle, painted "CL 965.7"	965.673	
11	11	5.16	Reference mark; in centerline of rd. at junction of Secondary State Roads 609 and 687 S.; copper nail and washer	1049.544	

18		MARTINSVILLE	VIRGINIA	J. E. Stoner	
Book AV 941 k		9/23/63	ale	1963	
<u>LINE 4 (Cont'd.)</u>					
11	11	5.16	Fieldale, 5.1 mi W. of junction of State Highway 57 and Secondary State Road 609 W., along Road 609; 5.9 mi N. of Spencer Post Office; about 0.1 mi S. of junction of Secondary State Roads 609 and 687 S.; 28 ft W. of centerline of Road 687; 2 ft S. of power pole; 0.5 ft E. of metal witness post; in concrete post projecting 1 in. above ground; standard tablet stamped "98 JAS 1963 1045", painted "BM 1044.8"	1044.849	
11	12	5.79	U.E., in centerline of rd. at junction of Secondary State Road 687 and 627; copper nail and washer, painted "CL 1066.5"	1066.533	
11	13	6.30	U.E., on centerline of rd. at drive W. leading to Nelsons Nursery; painted circle, painted "CL 996.6"	996.621	
11	14	6.85	U.E., in centerline of rd. at junction of Secondary State Roads 687 and 695 S.; copper nail and washer, painted "CL 1049.7"	1049.691	
11	15	7.42	Spencer, 3.7 mi NE. of; 0.2 mi N. of store of F. S. Sheffield; 250 ft N. of Mount Olive Church; in concrete post; standard tablet stamped "R 21 1924 VA 1030"	1029.759	
			This Elev. 1029.759 Prev. Elev. 1029.774 Closure -0.015		

NGVD 29
Elevations

19		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 k		9/23/63	ale	1963	
<u>LINE 4 (Cont'd.)</u>					
11	16	7.64	U.E., on centerline of rd. at junction of Secondary State Roads 695 and 879 SW.; painted circle, painted "CL 1026.6"	1026.570	
11	17	8.39	U.E., on centerline of rd. at drive SE. leading to Henry County Beagle Club; painted circle, painted "CL 997.6"	997.551	
11	18	8.92	U.E., on centerline of rd. at drive W.; painted circle, painted "CL 966.7"	966.666	
11	19	9.64	Spencer, 1.4 mi N. of post office, along Secondary State Road 695; at drive leading W.; 23 ft E. of, and about 1 ft lower than centerline of rd.; 3 ft NE. of power pole No. 63; 0.5 ft W. of metal witness post; in concrete post projecting 5 in.; standard tablet stamped "99 JAS 1963 940", painted "BM 940.5"	940.461	
11	20	10.20	U.E., on centerline of rd. at bridge over Horse Pasture Creek; painted circle, painted "CL 826.6"	826.551	
11	21	10.51	U.E., on centerline of rd. at junction of Secondary State Roads 695 and 698 NW.; painted circle, painted "CL 889.8"	889.758	
11	22	11.05	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 695; copper nail and washer, painted "CL 882.5"	882.546	

20		MARTINSVILLE	VIRGINIA-N.C.	J. E. Stoner	
Book AV 941 k		9/23/63	ale	1963	
<u>LINE 4 (Cont'd.)</u>					
11	23	11.68	Spencer, 0.6 mi E. of post office, along U. S. Highway 58; at bridge over Horse Pasture Creek; in top of N. end of W. wingwall of bridge; standard tablet stamped "100 JAS 1963 824", painted "BM 824.0"	824.013	
11	23	11.68	Reference mark; on centerline of rd. at bridge over Horse Pasture Creek; painted circle	824.331	
11	24	11.85	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 759 NE.; copper nail and washer, painted "CL 857.0"	857.028	
11	26	12.93	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 759 N.; copper nail and washer, painted "CL 995.1"	995.055	
11	27	13.22	U.E., in centerline of rd. at junction of U. S. Highway 58 and Secondary State Road 692 N.; copper nail and washer, painted "CL 1024.7"	1024.692	

21 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 k 9/23/63 ale 1963
LINE 4 (Cont'd.)

11 28 13.92 Spencer, 2.6 mi E. of post office, along
U. S. Highway 58; about 0.1 mi W. of junction
of Highway 58 and Secondary State Road 692 S.;
57 ft S. of centerline of Highway 58; 2 ft S.
of power pole; 0.6 ft N. of metal witness
post; in concrete post projecting 1 in.;
standard tablet stamped "101 JAS 1963 1092",
painted "BM 1091.5" 1091.511

11 28 13.92 Reference mark; in centerline of rd. at
junction of U. S. Highway 58 and Secondary
State Road 692 S.; copper nail and washer 1085.202

11 29 14.33 U.E., in centerline of rd. at junction of
U. S. Highway 58 and Secondary State Road
687 NW.; copper nail and washer, painted
"CL 1100.5" 1100.484

11 30 14.59 U.E., in centerline of rd. at junction of
Secondary State Roads 687 and 793 S.;
copper nail and washer, painted "CL 1131.1" 1131.123

11 31 15.02 U.E., on centerline of rd. at woods rd. N.;
painted circle, painted "CL 1272.6" 1272.597

23 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 k 9/23/63 ale 1963
LINE 4 (Cont'd.)

11 38 17.70 U.E., on centerline of rd. at drive NE.;
painted circle, painted "CL 954.3" 954.324

11 39 18.28 Chestnut Knob, 1.3 mi SE. of junction of
Secondary State Roads 687 and 781 N., along
Road 687; at junction of Road 687 and
Secondary State Road 641 E.; 120 ft N. and
42 ft W. of, and 4 ft lower than centerline
of rd.; 2 ft N. of power pole; 0.5 ft E. of
metal witness post; in concrete post
projecting 2 in.; standard tablet stamped
"103 JAS 1963 894", painted "BM 894.2" 894.156

11 39 18.28 Reference mark; in centerline of rd. at
junction of Secondary State Roads 687 and 641
E.; copper nail and washer 897.960

11 41 19.08 U.E., in centerline of rd. at junction of
Secondary State Roads 641 and 896 SE.;
copper nail and washer, painted "CL 729.8" 729.804

11 42 19.44 U.E., in centerline of rd. at junction of
Secondary State Road 641 and Fisher Road E.;
copper nail and washer, painted "CL 729.4" 729.366

11 43 19.83 U.E., in centerline of rd. at junction of
Secondary State Roads 641 and 686 E.; copper
nail and washer, painted "CL 782.4" 782.400

22 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 k 9/23/63 ale 1963
LINE 4 (Cont'd.)

11 33 15.62 Spencer, 3.0 mi E. of post office, along
U. S. Highway 58, thence 1.3 mi E. of Horse
Pasture, along Secondary State Road 687; 1.4 mi
NW. of junction of Secondary State Roads 687
and 781 N. in Chestnut Knob, along Road 687;
about 100 ft NW. of woods rd. NE.; 23 ft N. of
and about 1 ft lower than centerline of Road
687; 2 ft NW. of power pole No. 25; 0.5 ft S.
of metal witness post; in concrete post
level with ground; standard tablet stamped
"102 JAS 1963 1101", painted "BM 1101.0" 1100.991

11 34 16.16 U.E., in centerline of rd. at drive SW.;
copper nail and washer, painted "CL 1065.1" 1065.105

11 36 16.95 Reference mark No. 1; in Chestnut Knob
settlement; about 0.8 mi NE. of triangulation
station; 18 ft S. of main rd.; 43 ft W. of
W. side of two-story house; 60 ft SW. of SW.
corner of church; 3 ft W. of lone locust
tree; in concrete post; US&GS standard
reference mark disk stamped
"CHESTNUT NO 1 1932", painted "BM 1151.0" 1150.980

11 36 16.98 Reference mark; in centerline of rd. at
junction of Secondary State Roads 687 and
781 N.; copper nail and washer 1150.551

24 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 k 9/23/63 ale 1963
LINE 4 (Cont'd.)

11 44 20.25 U.E., on centerline of rd. at bridge over
Little Marrowbone Creek; painted circle,
painted "CL 733.2" 733.203
WL = 727 ft

11 45 20.72 U.E., in centerline of rd. at junction of
Secondary State Roads 641 and 685 N.; copper
nail and washer, painted "CL 810.6" 810.606

11 46 21.30 Martinsville, 1.5 mi S. of, along U. S.
Highway 58 and 220 to their junction, thence
2.1 mi S. along U. S. Highway 220 to paved
rd. right, thence 0.9 mi right along main
rd. to brick house; 6.3 mi WSW. of Irisburg;
6.1 mi N. of State line; 24 ft S. of center-
line of rd.; 7 ft E. of telephone pole; 4 ft
W. of small evergreen tree; in concrete post
flush with ground; standard tablet stamped
"ET 29 MAX 1963 831", painted "BM 831.1" 831.078

11 47 22.26 "92 JAS 1963 812" (Described in line 1) 811.932
This Elev. 811.932
Prev. Elev. 811.944
Closure -.012

25	MARTINSVILLE	VA.-N.C.	J. E. Stoner	
	Book AV 941 k	9/23/63 ale	1963	
	<u>LINE 5.</u>			
FROM PRICE ALONG ROADS NORTHEAST TO POINT 1.5 MILES NORTHEAST OF RIDGEWAY (By J. E. Stoner, 1963; Book AV 941 k)				
11	49	0.00	Martinsville, 10.5 mi S. of; 10.0 mi WNW. of Leaksville; about 75 ft S. of Virginia-North Carolina State line; on property of Benny Leak; in front yard of house with brick pillars on front porch and letter "C" on front gable; about 2 ft N. of line of brick pillars of front porch; 34 ft E. of easternmost pillar; 48 ft S. of centerline of rd.; 6 ft E. of large cherry tree; in concrete post; USC&GS standard triangulation station disk stamped "LEAK 1933", painted "BM 1021.5"	1021.464
11	49	1.05	U.E., in centerline of rd. at North Carolina-Virginia State line; copper nail and washer, painted "CL 965.1"	965.100
11	50	1.43	Reference mark; on centerline of rd. at junction of County Roads 1378 and 1380 NW.; painted circle	1021.944
11	51	1.43	Price; at bridge over N. & W. Ry.; opposite Whites Chapel Baptist Church; in top of SW. end of SW. wingwall of bridge; standard tablet stamped "109 JAS 1963 1022", painted "BM 1022.1"	1022.079

27	MARTINSVILLE	VA.-N.C.	J. E. Stoner	
	Book AV 941 k	9/23/63 ale	1963	
	<u>LINE 5 (Cont'd.)</u>			
11	57	4.79	U.E., in centerline of rd. at junction of U. S. Highway 220 northbound lane and State Highway 87 E.; copper nail and washer, painted "CL 933.3"	933.327
11	58	5.83	RidgeWAY, at U. S. Highway 220 bridge over N. & W. Ry.; in top of E. end of SE. wingwall; standard tablet stamped "111 JAS 1963 869", painted "BM 868.6"	868.584
11	59	6.10	U.E., in centerline of rd. at junction of U. S. Highway 220 and State Highway 87 SE.; copper nail and washer, painted "CL 879.2"	879.228
11	60	6.56	U.E., in centerline of rd. at junction of Secondary State Roads 0902 and 815 SE.; copper nail and washer, painted "CL 901.8"	901.845
11	61	6.93	U.E., in centerline of rd. at junction of Secondary State Roads 0902 and 782 NE.; copper nail and washer, painted "CL 909.8"	909.822
11	62	7.31	"91 JAS 1963 876" (Described in line 1)	876.351
			This Elev. 876.351 Prev. Elev. 876.669 Closure -.120	

26	MARTINSVILLE	VA.-N.C.	J. E. Stoner	
	Book AV 941 k	9/23/63 ale	1963	
	<u>LINE 5 (Cont'd.)</u>			
11	52	1.61	U.E., on centerline of rd. at junction of U. S. Highway 220 and County Road 1378 SW.; painted circle, painted "CL 984.6"	984.609
11	53	2.41	U.E., in centerline of rd. at junction of U. S. Highway 220 northbound lane and drive S.; copper nail and washer, painted "CL 941.9"	941.880
11	54	3.19	U.E., in centerline of rd. at junction of U. S. Highway 220 northbound lane and drive SE.; copper nail and washer, painted "CL 908.2"	908.151
11	55	3.71	RidgeWAY, 2.3 mi SW. of RR. station, along U. S. Highway 220; 2.3 mi NE. of Whites Chapel Baptist Church in Price, along Highway 220; about 350 ft WSW. of junction of Highway 220 northbound lane and Secondary State Road 734 SE.; at rd. to cross the median between northbound lane and southbound lane of Highway 220; 31 ft NNW. of centerline of Highway 220 northbound lane; in top of S. end of W. headwall; standard tablet stamped "110 JAS 1963 948", painted "BM 948.4"	948.408
11	56	3.77	Reference mark; in centerline of rd. at junction of U. S. Highway 220 northbound lane and Secondary State Road 734 SE.; copper nail and washer	951.624

NGVD 29
Elevations

28	MARTINSVILLE	VA.-N.C.	J. E. Stoner	
	Book AV 941 l	9/23/63 ale	1963	
	<u>LINE 6.</u>			
FROM POINT 2.8 MILES EAST OF SPENCER ALONG ROADS SOUTH TO POINT ABOUT 1.5 MILES NORTHWEST OF PRICE THENCE WEST INTO CRITZ (By J. E. Stoner, 1963; Book AV 941 l)				
12	1	0.00	"101 JAS 1963 1092" (Described in line 4)	1091.511
12	1	0.41	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 694 SW.; copper nail and washer, painted "CL 1126.4"	1126.371
12	2	0.87	U.E., on centerline of rd. at bridge over Marrowbone Branch; painted circle, painted "CL 978.9"	978.852
			WL = 972 ft	
12	3	1.16	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 793 NE.; copper nail and washer, painted "CL 1037.6"	1037.646
12	4	1.97	U.E., on centerline of rd. at junction of Secondary State Roads 692 and 758 E.; painted circle, painted "CL 1057.7"	1057.689
12	5	2.24	Reference mark; in centerline of rd. at junction of Secondary State Roads 692 and 688 SW.; copper nail and washer	1067.706
12	6	2.27	Price, 4.9 mi NW. of Whites Chapel Baptist Church; about 150 ft S. of, and 4 ft higher than centerline of junction of Secondary State Roads 692 and 688 SW.; 2 ft W. of power pole No. 87; in concrete post level with ground; standard tablet stamped "104 JAS 1963 1072", painted "BM 1072.0"	1071.984

29 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 1 9/23/63 ale 1963

LINE 6 (Cont'd.)

12	7	2.83	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 688 E.; copper nail and washer, painted "CL 1088.5"	1088.481
12	8	3.66	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 629 SW.; copper nail and washer, painted "CL 1037.0"	1037.049
12	9	4.66	Price, 2.6 mi NW. of Whites Chapel Baptist Church; at junction of Secondary State Roads 692 and 690; 48 ft N. and 91 ft W. of, and 7 ft higher than centerline of rd.; 2 ft SE. of power pole; 2 ft W. of corner fencepost; 0.5 ft SW. of metal witness post; in concrete post level with ground; standard tablet stamped "105 JAS 1963 1031", painted "BM 1030.8"	1030.827
12	10	4.68	Reference mark; in centerline of rd. at junction of Secondary State Roads 692 and 690; copper nail and washer	1023.924
12	11	5.41	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 690 NE.; copper nail and washer, painted "CL 1012.3"	1012.254
12	12	6.25	U.E., in centerline of rd. at junction of Secondary State Roads 692 and 691 SW.; copper nail and washer, painted "CL 1008.2"	1008.156

31 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 1 9/23/63 ale 1963

LINE 6 (Cont'd.)

12	20	8.89	U.E., in centerline of rd. at junction of County Roads 1381 and 1360 W.; copper nail and washer, painted "CL 988.3"	988.341
12	21	9.27	U.E., in centerline of rd. at junction of County Roads 1360 and 1358 N.; copper nail and washer, painted "CL 926.5"	926.517
12	22	9.69	U.E., in centerline of rd. at junction of County Roads 1358 and 1385 SW.; copper nail and washer, painted "CL 899.5"	899.514
12	24	10.44	Reference mark; on centerline of rd. at Anglins Bridge over Mayo River; painted circle, WL = 693 ft	708.168
12	25	10.35	Anglins Bridge, in top of W. end of NW. wingwall of bridge; standard tablet stamped "107 JAS 1963 708", painted "BM 707.5"	707.517
12	27	11.29	U.E., on centerline of rd. at drive N.; painted circle, painted "CL 953.5"	953.502
12	28	12.10	U.E., in centerline of rd. at junction of T-rd. SE.; copper nail and washer, painted "CL 964.2"	964.203
12	29	12.95	U.E., in centerline of rd. at junction of County Roads 1625 and 1630 N.; copper nail and washer, painted "CL 990.6"	990.621

30 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 1 9/23/63 ale 1963

LINE 6 (Cont'd.)

12	13	6.59	"LEAK 1933" (Described in line 5)	1021.464
12	14	6.62	Reference mark No. 2; 116 ft ESE. of station; 1 ft E. of NE. corner of metal garage attached to tobacco shed; in concrete post; USC&GS standard reference mark disk stamped "LEAK NO 2 1932"	1016.538
12	15	6.66	Reference mark No. 3; 87 ft WSW. of station; 42 ft NNW. of NW. corner of house; 29 ft S. of centerline of main road; in concrete post; USC&GS standard reference mark disk stamped "LEAK NO 3 1932"	1020.390
12	16	7.27	U.E., on centerline of rd. at drive S.; painted circle, painted "CL 1007.4"	1007.439
12	17	7.76	U.E., in centerline of rd. at junction of County Roads 1381 and 1383 NW.; copper nail and washer, painted "CL 993.9"	993.891
12	18	8.42	Reference mark; in centerline of rd. at junction of County Roads 1381 and 1382 S.; copper nail and washer	984.228
12	19	8.44	Anglins Bridge, 2.0 mi E. of; 1.8 mi SW. of Virginia-North Carolina State boundary line; about 120 ft SW. of junction of County Roads 1381 and 1382 S.; 1 ft E. of power pole No. 94; 0.5 ft N. of metal witness post; in concrete post projecting 2 in. above ground; standard tablet stamped "106 JAS 1963 982", painted "BM 982.2"	982.179

32 MARTINSVILLE VA.-N.C. J. E. Stoner
Book AV 941 1 9/23/63 ale 1963

LINE 6 (Cont'd.)

12	30	13.14	Sandy Ridge; 5.0 mi NE. of post office; about 0.2 mi SW. of junction of County Roads 1625 and 1630 N.; 2.6 mi W. of Anglins Bridge over Mayo River; 27 ft NW. of centerline of Road 1625; 2 ft NW. of power pole No. 169; 0.5 ft SE. of metal witness post; in concrete post projecting 1 in. above ground; standard tablet stamped "108 JAS 1963 978", painted "BM 977.9"	977.853
12	31	13.23	U.E., in centerline of rd. at rd. NW.; copper nail and washer, painted "CL 988.4"	988.416
12	32	14.10	U.E., in centerline of rd. at junction of County Roads 1625 and 1628 S.; copper nail and washer, painted "CL 981.8"	981.762
12	33	14.61	U.E., in centerline of rd. at junction of County Roads 1625 and 1627 NE.; copper nail and washer, painted "CL 1012.9"	1012.854
12	34	15.70	U.E., in centerline of rd. at junction of County Roads 1625 and 1626; copper nail and washer, painted "CL 1029.6"	1029.636
12	35	16.00	Sandy Ridge, 2.2 mi NE. of; 250 ft NE. of residence of H. L. Wilson; in rock ledge; standard tablet stamped "R 59 VA 1924 1043"	1042.464

This Elev. 1042.464
Prev. Elev. 1042.638
Closure -1.174

33 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963

LINE 7.

FROM PRICE ALONG ROADS SOUTH 2.5 MILES THENCE EAST ABOUT 3.0 MILES THENCE GENERALLY NORTHEAST BY WAY OF PRATT SCHOOL TO POINT ABOUT 4.0 MILES NORTH OF SPRAY (By J. E. Stoner, 1963; Book AV 941 1)

12 37	0.00	"109 JAS 1963 1022" (Described in line 5)	1022.079
12 37	0.70	U.E., on centerline of rd. at junction of U. S. Highway 220 and County Road 1500 SE.; painted circle, painted "CL 988.1"	988.083
12 38	1.34	U.E., in centerline of rd. at junction of County Roads 1501 and 1500 N.; copper nail and washer, painted "CL 1013.9"	1013.868
12 39	1.74	U.E., in centerline of rd. at junction of U. S. Highway 220 and County Road 1501 NE.; copper nail and washer, painted "CL 1006.1"	1006.116
12 40	2.47	Reference mark; in centerline of rd. at junction of U. S. Highway 220 and County Road 1509 E.; copper nail and washer	1011.306
12 41	2.48	Price, 2.4 mi S. of Whites Chapel Baptist Church, along U. S. Highway 220; at junction of Highway 220 and County Road 1509 E.; 42 ft S. and 22 ft W. of, and 3 ft higher than centerline of rd.; 2 ft S. of power pole No. 506; 0.5 ft E. of metal witness post; in concrete post projecting 1 in. above ground; standard tablet stamped "112 JAS 1963 1015", painted "BM 1014.7"	1014.717

34 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963

LINE 7 (Cont'd.)

12 42	3.19	U.E., at junction of County Roads 1509 and 1510 S.; 65 ft S. and 31 ft W. of, and 2 ft lower than centerline of rd.; in root on NW. side of 15-in. oak tree; copper nail and washer, painted "UE 970.8"	970.800
12 43	3.95	U.E., centerline of rd. at drive S. at crest of small hill, painted "CL 903.3"	903.312
12 44	4.95	Price, 2.4 mi S. of Whites Chapel Baptist Church, along U. S. Highway 220, thence 2.4 mi E. along County Road 1509; about 0.4 mi NW. of small bridge over Buffalo Creek, along County Road 1509; at drive leading S.; 77 ft S. and 12 ft E. of, and about 2 ft lower than centerline of rd.; 0.5 ft N. of metal witness post; in concrete post level with ground; standard tablet stamped "113 JAS 1963 809", painted "BM 808.5"	808.533
12 45	5.30	U.E., in centerline of rd. at bridge over Buffalo Creek; copper nail and washer, painted "CL 692.2" WL = 685 ft	692.232
12 46	5.79	U.E., in centerline of rd. at junction of County Roads 1515 and 1511 W.; copper nail and washer, painted "CL 790.6"	790.602

NGVD 29 Elevations

35 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963

LINE 7 (Cont'd.)

12 47	6.47	U.E., in centerline of rd. at junction of County Roads 1535 and 1515 S.; spike, painted "CL 834.3"	834.318
12 48	6.72	U.E., on centerline of rd. at junction of County Roads 1535 and 1548 W.; painted circle, painted "CL 860.6"	860.568
12 49	7.00	Reference mark; in centerline of rd. at junction of County Roads 1535 and 1523 SE.; copper nail and washer	832.401
12 50	7.03	Leakville, 0.3 mi W. of post office, along Secondary State Road 770, thence 0.5 mi N. along County Road 1561, thence 5.3 mi NW. along County Road 1535; at Floyd Missionary Baptist Church; 78 ft NW. of NW. corner of church; 2 ft S. of power pole; in concrete post 1 in. below surface of ground; standard tablet stamped "114 JAS 1963 838", painted "BM 837.8"	837.837
12 51	7.36	U.E., on centerline of rd. at junction of County Roads 1535 and 1550 N.; painted circle, painted "CL 837.8"	837.753
12 52	8.12	U.E., in centerline of rd. at junction of County Roads 1535 and 1546 N.; copper nail and washer, painted "CL 789.4"	789.420

36 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963

LINE 7 (Cont'd.)

12 53	8.60	U.E., 2 ft N. and 47 ft E. of, and about 1 ft higher than centerline of rd.; at woods rd. E.; in root on W. side of 16-in. oak tree; copper nail and washer, painted "UE 763.5"	763.503
12 54	9.18	U.E., in centerline of rd. at bridge over Little Matrimony Creek; copper nail and washer, painted "CL 616.2" WL = 605 ft	616.179
12 55	9.66	U.E., centerline of rd. at junction of County Roads 1546 and 1547 S.; painted "CL 763.6"	763.623
12 56	9.96	Reference mark; 52 ft S. and 37 ft W. of tablet; in root on N. side of 36-in. oak tree; copper nail and washer	758.571
12 56	9.97	Spray, 2.8 mi NW. of Spray Grade School, along Secondary State Road 700, thence 0.5 mi NW. along State Highway 87, thence 2.5 mi W. along County Road 1501; about 250 ft E. of junction of County Roads 1501 and 1546 S.; 30 ft N. of centerline of Road 1501; 2 ft N. of power pole; 0.5 ft S. of metal witness post; in concrete post projecting 3 in. above ground; standard tablet stamped "115 JAS 1963 755", painted "BM 755.0"	755.007

37 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963
LINE 7 (Cont'd.)

12 58 10.33 U.E., centerline of rd. at bridge over Matrimony Creek; copper nail and washer, painted "CL 624.8" 624.843
 WL = 610 ft

12 59 10.70 U.E., 45 ft N. and 57 ft E. of, and about 3 ft higher than centerline of rd.; at junction of County Roads 1501 and 1552 S.; in root on N. side of 15-in. maple tree; copper nail and washer, painted "UE 714.6" 714.576

12 60 11.03 U.E., in centerline of rd. at junction of County Roads 1501 and 1553 S.; copper nail and washer, painted "CL 684.0" 684.006

12 61 11.24 U.E., in centerline of rd. at bridge over Poplar Branch Creek; copper nail and washer, painted "CL 618.0" 617.973

12 62 11.70 U.E., in centerline of rd. at junction of County Roads 1501 and 1563 W.; copper nail and washer, painted "CL 743.5" 743.523

12 63 12.10 U.E., on centerline of rd. at junction of County Roads 1501 and 1554 S.; painted circle, painted "CL 810.2" 810.201

39 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963
LINE 7 (Cont'd.)

12 68 13.21 Spray, 2.3 mi NW. of Spray Grade School, along Secondary State Road 700; at junction of Road 700 and County Road 1702 SE.; 40 ft S. of, and about 2 ft lower than centerline of rd.; in concrete post projecting about 2 in. above ground; SHC standard disk stamped "27 JS 6 1962", painted "BM 759.7" 759.735

12 69 13.92 U.E., in centerline of rd. at junction of State Highway 700 and County Road 1700 N.; copper nail and washer, painted "CL 763.1" 763.146

12 71 14.41 Spray, 1.9 mi NW. of Spray Grade School, along State Highway 700, thence 0.5 mi N. along County Road 1700; about 0.5 mi S. of bridge over Martin Creek; 25 ft NW. of centerline of Road 1700; 2 ft SE. of power pole; 0.5 ft SE. of metal witness post; in concrete post level with ground; standard tablet stamped "117 JAS 1963 714", painted "BM 714.0" 714.036

12 72 14.86 U.E., on centerline of rd. at bridge over Martin Creek; painted circle, painted "CL 574.3" 574.326
 WL = 565 ft

38 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963
LINE 7 (Cont'd.)

12 64 12.38 Spray, 2.8 mi NW. of Spray Grade School, along Secondary State Road 700, thence 0.5 mi NW. along State Highway 87; at junction of County Roads 1501 and 1557 S.; 25 ft S. and 36 ft W. of, and about 4 ft lower than centerline of rd.; 4 ft SE. of power pole; 0.4 ft NE. of metal witness post; in concrete post projecting 2 in. above ground; standard tablet stamped "116 JAS 1963 797", painted "BM 797.1" 797.061

12 65 12.39 Reference mark; 53 ft N. and 13 ft E. of, tablet; on top of NE. corner of catch basin; chiseled square 799.539

12 66 12.93 U.E., in centerline of rd. at junction of State Highway 87 and Secondary State Road 700 E.; copper nail and washer, painted "CL 779.6" 779.613

12 67 13.02 Spray, 2.8 mi NW. of Spray Grade School, along Secondary State Road 700; at junction of State Highway 87 and Road 700 E.; about 250 ft SE. of centerline of hwy.; in concrete post projecting 2 in. above ground; North Carolina State Highway Commission standard disk stamped "27 JS 7 1962", painted "BM 769.7" 769.710

40 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 1 9/24/63 ale 1963
LINE 7 (Cont'd.)

12 73 15.09 U.E., in centerline of rd. at junction of Secondary State Roads 632 and 637 NW.; copper nail and washer, painted "CL 560.6" 560.553

12 74 15.63 U.E., on centerline of rd. at drive W.; painted circle, painted "CL 699.7" 699.687

12 75 16.32 "88 JAS 1963 776" (Described in line 1) 775.548
 This Elev. 775.548
 Prev. Elev. 775.755
 Closure -207

LINE 8.
 FROM MARTINSVILLE ALONG ROADS NORTH INTO ROCKY MOUNT QUADRANGLE
 (By J. E. Stoner, 1963; Book AV 941 m)

13 1 0.00 "95 JAS 1963 1026" (Described in line 5) 1025.667

13 1 0.29 U.E., in centerline of rd. at junction of T-rd. N.; spike, painted "CL 1011.8" 1011.768

13 2 0.80 U.E., on centerline of rd. at junction of Northside Drive and Nyack Road S.; painted circle, painted "CL 879.2" 879.195

13 3 1.56 U.E., in centerline of rd. at junction of State Highway 108 (Liberty Street) and Clearview Drive E.; copper nail and washer, painted "CL 764.6" 764.556

13 4 2.08 U.E., in centerline of rd. at junction of State Highway 108 (Liberty Street), and Greyson Street E.; copper nail and washer, painted "CL 834.6" 834.582

41		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 m		9/24/63	ale	1963	
<u>LINE 8 (Cont'd.)</u>					
13	5	2.61	Reference mark; at bridge over Little Beaver Creek; on top of W. end of SW. wing-wall; chiseled square,	749.850	
WL = 737 ft					
13	6	2.61	Martinsville, 2.1 mi N. of post office, along State Highway 108; at bridge over Little Beaver Creek; in top of E. end of SE. wingwall of bridge; standard tablet stamped "118 JAS 1963 750", painted "BM 749.8"	749.820	
13	7	3.49	U.E., in centerline of rd. at junction of State Highway 108 and Secondary State Road 714 NE.; copper nail and washer, painted "CL 756.5"	756.501	
13	8	3.98	U.E., in centerline of rd. at junction of State Highway 108 and Secondary State Road 882 NW.; copper nail and washer, painted "CL 780.9"	780.882	
13	9	4.16	Reference mark; on top of S. end of E. wheel-guard of bridge over small stream crossing; chiseled square	765.567	
WL = 759 ft					

42		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 m		9/24/63	ale	1963	
<u>LINE 8 (Cont'd.)</u>					
13	10	4.18	Martinsville, 3.6 mi N. of post office, along State Highway 108; about 0.2 mi N. of junction of Highway 108 and Secondary State Road 882 NW.; at bridge over small stream; about 0.5 ft higher than centerline of rd.; in top of S. end of W. wheelguard; standard tablet stamped "119 JAS 1963 766", painted "BM 765.6"	765.594	
13	11	4.46	U.E., in centerline of rd. at junction of State Highway 108 and Secondary State Road 714 SE.; copper nail and washer, painted "CL 817.4"	817.425	
13	12	5.09	U.E., on centerline of rd. at bridge over Little Beaver Creek; on top of SE. end of SE. wingwall of bridge; chiseled square, painted "UE 859.1"	859.098	
WL = 849 ft					
13	14	5.87	Bassett, 6.5 mi E. of; 5.0 mi N. of junction of State Highways 57 and 108 in Martinsville, along Highway 108 to junction of Secondary State Road 897, thence 0.1 mi left uphill to church; 10 ft SE. of NE. corner of Providence Baptist Church; in bottom step of N. set of steps; standard tablet stamped "ET 28 MAX 1963 1048", painted "BM 1048.2"	1048.233	

NGVD 29
Elevations

43		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 m		9/24/63	ale	1963	
<u>LINE 9.</u>					
FROM ROCKY MOUNT QUADRANGLE ALONG ROADS SOUTHEAST AND EAST ACROSS NORTHEAST CORNER OF MARTINSVILLE QUADRANGLE INTO DRAPER QUADRANGLE (By J. E. Stoner, 1963; Book AV 941 m)					
13	47	4.18	Figsboro, 0.8 mi NE. of junction of Secondary State Roads 890 and 657 NW., along Road 890, thence 4.3 mi SE. along Road 657; 2.7 mi NW. of junction of State Highway 57 and Road 657 NW., along Road 657; about 200 ft SW. of old Mountain View Christian Church; 21 ft NW. of centerline of Secondary State Road 657; 2 ft NW. of power pole; 0.5 ft SE. of metal witness post; in concrete post level with ground; standard tablet stamped "124 JAS 1963 1003", painted "BM 1002.6"	1002.618	
13	48	4.75	U.E., in centerline of rd. at junction of Secondary State Roads 657 and 655 SW.; copper nail and washer, painted "CL 1015.7"	1015.740	
13	50	5.71	U.E., on centerline of rd. at drive SW.; painted circle, painted "CL 878.5"	878.544	
13	51	6.27	Reference mark; 12 ft N. and 26 ft E. of tablet; on top of N. end of E. headwall; chiseled square	842.733	

44		MARTINSVILLE	VA.-N.C.	J. E. Stoner	
Book AV 941 m		9/24/63	ale	1963	
<u>LINE 9 (Cont'd.)</u>					
13	52	6.27	Figsboro, 0.8 mi NE. of junction of Secondary State Roads 890 and 657 NW., along Road 890, thence 6.4 mi SE. along Road 657; 0.6 mi NW. of junction of State Highway 57 and Road 657 NW., along Road 657; at drain crossing; in top of S. end of W. headwall; standard tablet stamped "125 JAS 1963 844", painted "BM 844.0"	843.975	
13	53	6.88	U.E., at junction of State Highway 57 and Secondary State Road 657 NW.; 13 ft N. and 25 ft W. of, and about 2 ft higher than centerline of rd.; on top of SW. end of NW. concrete headwall; chiseled square, painted "UE 824.6"	824.571	
13	54	7.35	U.E., at bridge over Leatherwood Creek; on top of S. end of E. abutment of bridge; chiseled square, painted "UE 732.6"	732.606	
WL = 715 ft					
13	55	8.07	U.E., in centerline of rd. at junction of State Highway 57 and Secondary State Road 628 N.; copper nail and washer, painted "CL 874.9"	874.872	

45 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 m 9/24/63 ale 1963

- LINE 9 (Cont'd.)
- 13 56 8.39 U.E., in centerline of rd. at junction of State Highway 57 and Secondary State Road 751 SE.; copper nail and washer, painted "CL 908.9" 908.934
 - 13 57 9.20 Mountain Valley, 0.3 mi SW. of junction of State Highway 57 and Secondary State Road 651 NW., along Highway 57; 0.3 mi S. of Leatherwood, along Highway 57; at junction of Highway 57 and Secondary State Road 648 SE.; about 145 ft SSE. of centerline of hwy.; 2 ft NW. of power pole No. 193; 0.5 ft NE. of metal witness post; in concrete post level with ground; standard tablet stamped "126 JAS 1963 976", painted "EM 975.6" 975.627
 - 13 58 9.70 U.E., on centerline of rd. at drive NW.; painted circle, painted "CL 957.2" 957.249

- LINE 10.
- FROM POINT 5.1 MILES WEST OF FIELDALE ALONG ROADS NORTH ACROSS NORTHWEST CORNER OF MARTINSVILLE QUADRANGLE INTO ROCKY MOUNT QUADRANGLE (By J. E. Stoner, 1963; Book AV 941 n)
- 14 2 0.00 "98 JAS 1963 1045" (Described in line 4) 1044.849
 - 14 2 0.64 U.E., in centerline of rd. at junction of Secondary State Roads 687 and 761 E.; copper nail and washer, painted "CL 1078.7" 1078.695

46 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 n 9/24/63 ale 1963

- LINE 10 (Cont'd.)
- 14 3 0.97 U.E., in centerline of rd. at junction of Secondary State Roads 687 and 679 N.; copper nail and washer, painted "CL 1078.7" 1078.659
 - 14 4 1.71 U.E., at junction of Secondary State Roads 679 and 681 W.; 48 ft NE. of, and level with centerline of rd.; in root on SE. side of 12-in. pine tree; copper nail and washer, painted "UE 1126.7" 1126.743
 - 14 6 2.55 Bassett, 0.9 mi SE. of post office, along alternate State Highway 57, thence 3.2 mi SW. along Secondary State Road 698, thence 0.3 mi SE. along Secondary State Road 679; 1.6 mi N. of junction of Secondary State Roads 687 and 679 N. in Fannill Fork, along Road 679; at junction of Secondary State Roads 679 and 843 NE.; 54 ft S. and 51 ft W. of, and about 1 ft higher than centerline of rd.; 3 ft E. of power pole No. 6; 0.5 ft E. of metal witness post; in concrete post level with ground; standard tablet stamped "128 JAS 1963 1029", painted "BM 1029.0" 1029.045
 - 14 8 2.80 U.E., in centerline of rd. at junction of Secondary State Roads 698 and 679 SE.; copper nail and washer, painted "CL 865.8" 865.845

47 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 n 9/24/63 ale 1963

- LINE 10 (Cont'd.)
- 14 9 3.70 U.E., in centerline of rd. at bridge over Blackberry Creek; copper nail and washer, painted "CL 806.9" 806.937
 WL = 797 ft
 - 14 10 4.18 U.E., in centerline of rd. at drive N.; copper nail and washer, painted "CL 789.8" 789.804
 - 14 11 4.76 Bassett, 0.9 mi SE. of post office, along alternate State Highway 57, thence 1.3 mi SW. along Secondary State Road 698; at private drive NW.; 70 ft W. of, and about 6 ft higher than centerline of rd.; 2 ft SW. of telephone pole No. 41; 0.5 ft E. of metal witness post; in concrete post projecting 2 in. above ground; standard tablet stamped "129 JAS 1963 807", painted "BM 806.9" ~~806.931~~ 815.077
 - 14 12 5.12 U.E., in centerline of rd. at junction of Secondary State Roads 698 and 712 NW.; copper nail and washer, painted "CL 769.3" 769.284
 - 14 13 6.10 U.E., in centerline of rd. at junction of alternate State Highway 57 and Secondary State Road 698 SW.; copper nail and washer, painted "CL 752.5" 752.478
 - 14 14 6.99 Reference mark; 24 ft SE. of tablet; on top of NW. corner of bottom step to front entrance of N. & W. Ry. station at Bassett 759.783

48 MARTINSVILLE VA.-N.C. J. E. Stoner
 Book AV 941 n 9/24/63 ale 1963

- LINE 10 (Cont'd.)
- 14 15 6.99 Bassett, at N. & W. Ry. station; at front entrance to Ry. station; 6 ft NE. of NE. rail of sidetrack; about 0.5 ft higher than rail; in top of S. corner of semaphore; standard tablet stamped "130 JAS 1963 760", painted "EM 759.7" 759.702
 - 14 16 7.28 U.E., in centerline of rd. at junction of State Highway 57 and Secondary State Road 672 NE.; copper nail and washer, painted "CL 764.8" 764.784