

ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

34-079-44
ROCKINGHAM QUADRANGLE
N.C.-132 S.C.
N3445-W7945/15
DIAGRAM NI 17-6
FLORENCE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Anson and Richmond Counties, North
Carolina, Chesterfield and Marlboro
Counties, South Carolina


Final adjustment of 1970

Edition of 9/18/75

PR: WSM/dt

ELLERBE
(76)

NGVD 29
Elevations



WADESBORO
49 N.C.-133 S.C.

HAMLET
47 N.C.-131 S.C.

CHERAW
(116)

NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 340794

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
TT 15 H 1934 268	3,3,3	6 HLZ 1970	14
TT 16 H 1934 303	3	7 HLZ 1970	14
TT 28 H 1934	3	8 HLZ 1970	14
TT 29 H 1934 307	3,15	12 HLZ 1970	16
TT 30 H 1934	4	19 HLZ 1970	15
TT 39 H 1934	5	20 HLZ 1970	15
TT 48 H 1934	4	21 HLZ 1970 (R) 10/77	15
30 RLB 1949 344	5	22 HLZ 1970 (NF) 10/77	15
31 RLB 1949 322	5	23 HLZ 1970	16
TT 1 HF 1949 397	9	24 HLZ 1970	16
1 WSM 1954 276	6	NOT STAMPED (134.536)	8
2 WSM 1954 261	7,16	RM	8
3 WSM 1954 333	7		
4 WSM 1954 329	7	<u>USED</u>	
5 WSM 1954 361	9		
6 WSM 1954 162	9	1964	15
7 WSM 1954 437	9		
14 WSM 1954 395	10	<u>NGS</u>	
15 WSM 1954 306	10		
16 WSM 1954 225	10	CORDOVA NO 2 1933 (R) 9/77	6
17 WSM 1954 407	11	CORDOVA NO 3 1933	6
18 WSM 1954 342	11	PEE DEE NO 1 1933	8
19 WSM 1954 223	11	PERHEALTH 1933	4
40 WSM 1954 506	12	N 4	4
41 WSM 1954 184	13	A 10 1918 225.902	5
2 HLZ 1970	13	C 52 1933 478.136	12
3 HLZ 1970	14	E 52 1933 357.877	12
4 HLZ 1970	14	F 52 1933 236.893	8,10
5 HLZ 1970	14,16	H 52 1933 141.214	6
		K 52 1933 211.135	6

NOT FOUND 1/23/89
DESTROYED 1/23/89

NGVD 29
Elevations

3
ROCKINGHAM
Book B 6155

N.C.-S.C.

C. T. Duke

1934

FeetLINE 1.

C. T. Duke, 1934; Book B 6155

McClain Grove Church, 2.2 mi S. of; 3.3 mi NE. of Pleasant Grove Church; 40 ft SSW. of centerline of E.-W. county rd. (Pleasant Grove-Watson's Mill rd.); 27 ft N. of NW. corner of house; 36 ft NW. of NE. corner of house; in front yard; in concrete post; standard tablet stamped "TT 15 H 1934 268"

NGVD 29
Elevations

266.514

McClain Grove Church, 2.0 mi N. of; 2.0 mi S. of McFarlan; on North Carolina-South Carolina State line; 35 ft S. of centerline of rd.; 85 ft SE. of SE. corner of concrete block building foundation; 6 ft SW. of 10-in. red oak tree; 190 ft NW. of SW. corner of house; in concrete post; standard tablet stamped "TT 16 H 1934 303"

301.631

LINE 2.

"TT 15 H 1934 268" (Described in line 1)

266.514

LINE 3.

C. T. Duke, 1934; Book B 6156

"TT 15 H 1934 268" (Described in line 1) (Also in line 2)

266.514

Bethel Church, 1.4 mi SW. of; 15 ft N. of centerline of fourth-class rd. from Bethel Church to Pee Dee River; in front yard of abandoned farmhouse; 10 ft E. of four-trunk chinaberry tree; in concrete post; standard tablet stamped "TT 28 H 1934" (Reported not found, 1970)

263.860

U.E., Bethel Church, 630 ft E. of; 30 ft W. of centerline of U. S. Highway 1; at pipe culvert under side rd. W.; on W. end of N. headwall; chiseled square

259.56

Bethel Church, 1.4 mi NE. of; 800 ft N. of New Hope Church; 24 ft W. of centerline of U. S. Highway 1; at N.C.-S.C. State line; 2 ft N. of Jefferson Davis Memorial Highway monument; in concrete post; standard tablet stamped "TT 29 H 1934 307" (Reported disturbed. 1964)

Mapping Grade GPS Position

N = 117561.566 M. NAD 83/2001
E = 528212.111 M.

Leaning Slightly (16°) 12/21/64 306.251
ARB ARB

4

ROCKINGHAM
Book B 6156

N.C.-S.C.

C. T. Duke

1934

Feet

LINE 3 (Cont'd.)

Reference mark; 3 ft E. of tablet; on top of E. end
of monument; chiseled square 308.94

LINE 4.

NGVD 29
Elevations

C. T. Duke, 1934; Book B 6156

U.E., Bethel Church, 630 ft E. of; chiseled square
(Described in line 3) 259.56

U.E., Bethel Church, 0.2 mi S. of; 20 ft W. of
centerline of hwy.; on S. end of W. headwall
of culvert; chiseled square 227.49

Kollock, 3.0 mi N. of; 1.0 mi SE. of Bethel Church;
605 ft N. of bridge over White Creek; 40 ft S.
and 30 ft W. of center of Y-junction of U. S. High-
way 1 and third-class rd. SW.; 25 ft S. of 12-in.
pine tree; in concrete post; standard tablet
stamped "TT 30 H 1934" (Reported not found, 1970) 123.662

U.E., Kollock, 1.3 mi NW. of; on NE. corner of E.
headwall of hwy. culvert; chiseled square 125.90

LINE 5.

C. E. Watkins, 1934; Book B 6274

"N 4" (NGS) *USGS REPORT* NOT FOUND 1/23/89 265.820

Fulton, 1.0 mi NE. of; at underpass of Seaboard Air
Line Railroad under hwy.; 45 ft N. and 12 ft W.
of intersection of hwy. and RR.; 35 ft W. of center-
line of hwy.; in concrete post; standard tablet
stamped "TT 48 H 1934" 223.692

Hamlet, 7.0 mi SW. of; on N.C.-S.C. State line; 38
ft SE. of State Highway 240; 120 ft S. of brick
footing on W. side of old filling station; 13 ft S.
of easternmost post of State line sign; in concrete
post; NGS standard triangulation disk stamped
"PERHEALTH 1933" 290.536

5
ROCKINGHAM
Book B 6274

N.C.-S.C.

C. E. Watkins

1934

FeetLINE 6.

C. E. Watkins, 1934; Book B 6274

Aarons Temple, 1.7 mi SW. of; 45 ft S. of centerline
of E.-W. rd.; 45 ft N. and 10 ft W. of NE. corner
of residence of Lucy Quick; in concrete post;
standard tablet stamped "TT 39 H 1934"

235.225

LINE 7.NGVD 29
Elevations

R. L. Beitle, 1949; Book AV 82

Osborne, 4.3 mi N. of, along sand rds.; 19 ft N. of
centerline of E.-W. rd.; in small triangle formed
by rd. forks; in concrete post projecting 0.2 ft;
standard tablet stamped "30 RLB 1949 344"
(Reported not found, 1971)

343.944

Reference mark; 5 ft W. of tablet; in triangle
formed by rd. forks; in base on SW. side of 10-in.
red oak tree; rail spike

344.27

U.E., Osborne, 3.0 mi N. of, along sand rds.; 68
ft E. of centerline of rd.; 20 ft SE. of extended
centerline of T-rd. NW.; in base on NW. side of
12-in. pine tree; rail spike

254.70

Osborne, 2.0 mi N. of, along sand rds.; 23 ft N. and
23 ft W. of intersection of W. fork of offset
crossroads; in concrete post projecting 0.3 ft;
standard tablet stamped "31 RLB 1949 322"
(Reported not found, 1971)

321.769

Reference mark; 162 ft S. of tablet; 31 ft W. of
centerline of rd.; in base on E. side of 14-in.
walnut tree; rail spike

320.07

U.E., Osborne, 1.0 mi N. of, along sand rd.; 410 ft
N. of intersection of State Highway 77 and sand
rd. to Osborne; 42 ft W. of centerline of Highway
77; 26 ft E. of centerline of sand rd. N.; in
base on W. side of 10-in. pine tree; rail spike

316.95

"A 10 1918 225.902" (NGS) Z.V. FATE BUILDING TORN DOWN. 225.971
MARK DEST. 1/23/89 DESTROYED

ROCKINGHAM
Book AV 82

N.C.-S.C.

R. L. Beitle

1949

FeetLINE 8.

	NGVD 29 Elevations	
R. L. Beitle, 1949; Book AV 82		
"K 52 1933 211.135" (NGS)		211.200
U.E., Rockingham, 1.0 mi NW. of, along U. S. Highway 1; 540 ft E. of city limits; at Smith's Esso service station; on E. end of gasoline pump base; chiseled "U"		309.29

LINE 9.

W. S. Monk, 1954; Book AV 390		
"H 52 1933 141.214" (NGS)		141.273
U.E., Cordova Baptist Church; at entrance; 90 ft S. and 100 ft E. of, and level with crossroads; on N. parapet of concrete steps; chiseled cross		286.86
Cordova; at entrance to Cordova Methodist Church; 130 ft N. and 80 ft E. of, and 4.0 ft higher than crossroads; in center of S. concrete parapet; standard tablet stamped "1 WSM 1954 276"		275.965
Reference mark; 120 ft SW. of tablet; 30 ft NE. of crossroads; on concrete culvert; chiseled cross		270.96
U.E., Cordova, 2.3 mi SE. of; 60 ft S. and 15 ft W. of, and 2.0 ft lower than intersection of U. S. Highway 1 and Cordova Road; on S. end of concrete headwall of culvert; chiseled square		283.95
Rockingham, 4.1 mi S. of; 460 ft S. and 30 ft W. of, and 14 ft lower than junction of rd. W.; in concrete post; NGS standard reference disk stamped "CORDOVA NO 2 1933"		273.985
Rockingham, 3.7 mi S. of; 0.5 mi S. of crossroads; 30 ft W. of, and level with U. S. Highway 1; in concrete post projecting 0.5 ft; NGS standard reference disk stamped "CORDOVA NO 3 1933"		296.735

ROCKINGHAM
Book AV 390

N.C.-S.C.

W. S. Monk

1954

LINE 9 (Cont'd.)Feet

U.E., Rockingham, 4.9 mi S. of; 50 ft NE. of, and 3.0 ft lower than crossroads; on concrete pipe culvert; chiseled cross	264.08
Rockingham, 4.9 mi S. of, along U. S. Highway 1, thence 0.4 mi E.; 25 ft S. and 150 ft W. of, and level with crossroads; in concrete post; standard tablet stamped "2 WSM 1954 261"	261.073
Reference mark; 160 ft W. of tablet; 15 ft N. of rd.; on concrete pipe culvert; chiseled cross (Reported not found, 1964)	259.03
U.E., Rockingham, 4.9 mi S. of, along U. S. Highway 1, thence 1.1 mi SE.; 25 ft S. and 230 ft W. of, and 6.0 ft lower than intersection of macadam rd. and drives N. and S.; in face on N. side of 15-in. hickory tree; rail spike	273.88
Rockingham, 4.9 mi S. of, along U. S. Highway 1, thence 2.4 mi SE.; 5.0 mi SW. of Hamlet along Diggs Road; 285 ft N. and 30 ft E. of, and 4.0 ft higher than crossroads; 3 ft S. of 6-in. catawba tree; in concrete post; standard tablet stamped "3 WSM 1954 333" (Reported not found, 1971)	333.095
Reference mark; 520 ft S. of tablet; 250 ft S. and 30 ft E. of crossroads; in root on N. side of 8-in. oak tree; rail spike (Reported not found, 1964)	325.29
U.E., Hamlet, 4.0 mi SW. of; 30 ft N. and 180 ft W. of, and 1.0 ft lower than Y-rd. junction; in face on NE. side of 8-in. oak tree; rail spike	345.27
Hamlet, 3.4 mi SW. of, along Diggs Road; 30 ft N. and 280 ft W. of, and 4.0 ft lower than Y-rd. junction; 210 ft W. of concrete block building; 32 ft W. of centerline of driveway N.; in concrete post; standard tablet stamped "4 WSM 1954 329"	328.442

ROCKINGHAM
Book AV 390

N.C.-S.C.

W. S. Monk

1954

Feet

LINE 9 (Cont'd.)

Reference mark; 240 ft E. of tablet; on concrete foundation of former gas pump; chiseled cross
(Reported not found, 1971) 331.29

LINE 10.

W. S. Monk, 1954; Book AV 390

"F 52 1933 236.893" (NGS) ✓ NGVD 29
Elevations 236.942

U.E., 60 ft E., 25 ft S. of, and 2.0 ft lower than junction of T-rd. N.; in face on NE. side of 10-in. oak tree; rail spike 178.42

U.E., at NE. end of concrete bridge crossing Pee Dee River on U. S. Highway 74; on concrete guardrail; chiseled square 172.42

Pee Dee, 1.2 mi NE. of; 25 ft E. of E. bank of Pee Dee River; 50 ft S. of S. side of concrete bridge; in concrete post projecting 0.7 ft; standard gaging station tablet not stamped 134.535

Reference mark; 30 ft NW. of tablet; at end of steps to gaging station; in concrete retaining wall; standard gaging station tablet stamped "RM" 126.664 ←

U.E., Pee Dee, 2.2 mi NE. of; 15 ft W. of old U. S. Highway 74; 150 ft SW. of junction of drive W.; on N. end of concrete headwall of culvert; chiseled square 250.88

U.E., Pee Dee, 3.0 mi NE. of; at crest; 20 ft N. of old U. S. Highway 74; 130 ft W. of junction of field rd. W.; on N. end of concrete headwall of culvert; chiseled cross 395.75

Rockingham, 4.3 mi NW. of; 0.5 mi W. of crossing of transmission line; 30 ft E. of centerline of old U. S. Highway 74; in SW. corner of field; in concrete post; NGS standard reference disk stamped "PEE DEE NO 1 1933" 379.597

ROCKINGHAM
Book AV 390

N.C.-S.C.

W. S. Monk

NGVD 29
Elevations

1954

FeetLINE 10 (Cont'd.)

Rockingham, 3.4 mi NW. of, along old U. S. Highway 74; 0.4 mi E. of powerline crossing; 300 ft E. of residence of Tom Covington; 15 ft N. and 50 ft E. of, and 1.0 ft lower than junction of T-rd. N. and old Highway 74; in E. end of concrete headwall of culvert; standard tablet stamped "5 WSM 1954 361"	360.955
Reference mark; 30 ft S. of tablet; in center of concrete headwall of culvert; chiseled cross	359.54
U.E., at drain crossing; 15 ft SW. of rd.; on stone headwall of culvert; chiseled square	273.66
U.E., 150 ft N. and 30 ft W. of, and 11.0 ft lower than junction of rd. W.; in face on S. side of 26-in. elm tree; rail spike	245.42
Rockingham, 3.4 mi NW. of, along old U. S. Highway 74, thence 1.8 mi N. along old River Road; 640 ft S. of crossing of Cartledges Creek; 50 ft E. of, and 8.0 ft higher than centerline of rd.; under center of powerline tower; in concrete post; standard tablet stamped "6 WSM 1954 162"	162.110
Reference mark; at steel girder bridge crossing Cartledges Creek; on SE. concrete abutment of bridge seat; chiseled square	143.51
U.E., Rockingham, 3.4 mi NW. of, along old U. S. Highway 74, thence 3.0 mi N.; 35 ft W. of, and 8.0 ft lower than Y-rd. junction; in face on W. side of 9-in. gum tree; rail spike	243.90
Rockingham, 3.4 mi NW. of, along old U. S. Highway 74, thence 3.7 mi NW. along old River Road; at crossing of power transmission line; 70 ft E. of, and level with rd.; under tower 12; in concrete post; standard tablet stamped "7 WSM 1954 437"	436.746
<u>/Jogs into Ellerbe quadrangle/</u>	
U.E., Cartledges Creek Church, 3.6 mi E. of; 40 ft S. and 40 ft E. of, and 1.0 ft lower than junction of U. S. Highway 220 and rd. N.; on concrete base for sign; chiseled cross	422.35
Sandy Ridge School, 0.4 mi NE. of; 0.8 mi N. of Roberdell, thence 1.8 mi NW.; 220 ft W. of concrete block residence; 31 ft N. of centerline of rd.; 7 ft S. of hedge row; in concrete post; standard tablet stamped "RT 1 HF 1949 397"	397.379

ROCKINGHAM
Book AV 390

N.C.-S.C.

W. S. Monk

1954

FeetLINE 10 (Cont'd.)

Reference mark; 340 ft E. of tablet; 35 ft N. of centerline of rd.; in face on S. side of 6-in. oak tree; rail spike 402.21

LINE 11.NGVD 29
Elevations

W. S. Monk, 1954; Book AV 390

"F 52 1933 236.893" (NGS) (Also in line 10) 236.942

Pee Dee, 1.5 mi S. of; 40 ft S. and 280 ft E. of, and 3.0 ft higher than crossroads; 3 ft S. of telephone pole; in concrete post; standard tablet stamped "14 WSM 1954 395" 394.665

Reference mark; 9 ft SW. of tablet; in root on NE. side of 12-in. pine tree; rail spike 395.42

U.E., Pee Dee, 3.3 mi S. of; 30 ft N. and 90 ft E. of, and 1.0 ft lower than drive E.; 900 ft W. of two-story house; in root on SW. side of 12-in. oak tree; rail spike 304.82

Pee Dee, 1.5 mi S. of, thence 2.2 mi SE.; 4.4 mi NE. of Cairo; 0.2 mi SE. of two-story fram house; 28 ft NE. of, and level with centerline of rd.; 12 ft SW. of woods rd. W.; in concrete post; standard tablet stamped "15 WSM 1954 306" 306.073

Reference mark; 80 ft SW. of tablet; in root on N. side of 12-in. oak tree; rail spike 304.40

U.E., Cairo, 3.9 mi NE. of; 60 ft SE. of, and level with junction of drive S.; in root on W. side of 24-in. oak tree; rail spike 265.20

Cairo, 2.4 mi E. of; 0.6 mi S. of crossing of Little Creek; 30 ft NW. of rd.; 150 ft NE. of, and 11.0 ft higher than junction of drive SE.; in concrete post; standard tablet stamped "16 WSM 1954 225" 225.203

Reference mark; 9 ft S. of tablet; on rock outcrop; chiseled cross (Reported not found, 1964) 224.30

ROCKINGHAM
Book AV 390

N.C.-S.C.

W. S. Monk

1954

LINE 11 (Cont'd.)Feet

U.E., Cairo, 1.7 mi E. of; at concrete bridge crossing Jones Creek; on NE. abutment; chiseled cross Cairo, 35 ft N. and 145 ft W. of, and 3.0 ft higher than junction of rd. N.; in 3- by 5-ft concrete base for mill (abandoned); standard tablet stamped "17 WSM 1954 407" (<u>Reported destroyed, 1970</u>)	136.77 NGVD 29 Elevations 407.010
Reference mark; 0.2 mi E. of tablet; 15 ft S. of rd.; in root on N. side of 12-in. sumac tree; rail spike	399.79
U.E., Cairo; 25 ft N. and 90 ft E. of junction of old Sneedsboro Road; in front yard of residence; in root on S. side of 34-in. oak tree; copper nail and washer	415.09
U.E., Former Cairo Schoolhouse, 240 ft NE. of NE. corner; 25 ft N. of rd.; in root on S. side of 36-in. oak tree; rail spike	386.15
Cairo, 1.6 mi W. of; 2.8 mi E. of Morven; 65 ft NW. of NW. corner of Flatrock American Methodist Episcopal Church; 60 ft S. and 300 ft E. of Y-rd. junction; 2.5 ft W. of power pole; in concrete post; standard tablet stamped "18 WSM 1954 342"	342.301
Reference mark; 180 ft E. of tablet; 35 ft S. of rd.; in root on N. side of 7-in. oak tree; copper nail and washer (<u>Reported not found, 1964</u>)	342.06
U.E., Morven, 1.8 mi E. of; 80 ft N. and 30 ft E. of, and 1.0 ft lower than crossroads; in face on S. side of 12-in. gum tree; rail spike	332.84
U.E., 15 ft NE. and level with junction of drive NE.; in root on W. side of 50-in. pine tree; copper nail and washer	342.00
U.E., Morven, 1.8 mi E. of, thence 1.3 mi N.; 40 ft SE. of, and 4.0 ft higher than junction of field rd. E.; in root on W. side of 30-in. oak tree; copper nail and washer	298.84
Morven, 1.8 mi E. of, thence 1.7 mi N.; in SE. concrete abutment of concrete bridge crossing Jones Creek; standard tablet stamped "19 WSM 1954 223"	223.461

12

ROCKINGHAM
Book AV 390

N.C.--S.C.

W. S. Monk

1954

FeetLINE 11 (Cont'd.)

Reference mark; 50 ft NE. of tablet; 20 ft N. of rd.;
25 ft E. of NE. end of bridge; in root on SW. side
of 12-in. elm tree; rail spike 233.90

LINE 12.

W. S. Monk, 1954; Book AV 390

U.E., Morven; 55 ft SE. of, and 1.0 ft lower than
junction of U. S. Highway 52 and State Highway 85;
on concrete curb; chiseled cross 358.43

U.E., Morven, 1.8 mi E. of; rail spike (Described
in line 11) 332.84

LINE 13.

W. S. Monk, 1954; Book AV 390

"C 52 1933 478.136" (NGS) 478.168
NGVD 29
Elevations

LINE 14.

W. S. Monk, 1954; Book AV 390

"E 52 1933 357.877" (NGS) 357.919

U.E., RR. crossing; center of N. rail; chiseled cross 379.88

Lilesville, 3.0 mi E. of; at Forestville Methodist
Church; 20 ft N. and 120 ft E. of, and 2.5 ft
higher than crossroads; 3 ft W. of historical
marker; in concrete post; standard tablet stamped
"40 WSM 1954 506" 506.319

Reference mark; 190 ft S. of tablet; at W. entrance
of church; on center of concrete step; chiseled
cross 508.80

ROCKINGHAM N.C.-S.C.

W. S. Monk

Book AV 390

1954

FeetLINE 14 (Cont'd.)

- U.E., Forestville Methodist Church, 1.6 mi N. of; 380 ft N. of crossing of powerline; 90 ft S. of drain; 20 ft W. of, and level with centerline of rd.; in sumac root; copper nail and washer 456.47
- Forestville Methodist Church, 2.6 mi N. of; in NE. concrete abutment of wooden bridge crossing Smith Creek; standard tablet stamped "41 WSM 1954 184" 183.838
- Reference mark; 630 ft S. of tablet; 20 ft SE. of centerline of rd.; in face on S. side of twin 10-in. gum trees; rail spike 194.45
- U.E., 50 ft S., 20 ft W. and 2.0 ft lower than junction of T-rd. W.; in root on SW. side of 34-in. oak tree; copper nail and washer. 251.14

LINE 15.NGVD 29
Elevations

H. L. Zohn, Jr., 1970; Book AV 1558

- 9 67 0.57 U.E., Morven; at 300-ft hwy. bridge over RR.; on NW. end of bridge; chiseled square 357.62
- 9 69 1.44 Morven, 1.1 mi S. of post office, along U. S. Highway 52; 3 ft S. of witness sign; 2 ft N. of historical marker; 19 ft E. of, and 1.0 ft higher than centerline of hwy. opposite; in concrete post projecting 0.3 ft; standard tablet stamped "2 HLZ 1970" 336.423

ROCKINGHAM
Book AV 1558

N.C.-S.C.

H. L. Zohn, Jr.

1970

LINE 15 (Cont'd.)Feet

9	71	2.33	Morven, 2.1 mi S. of post office, along U. S. Highway 52; at 42-ft concrete culvert for Mill Creek; 18 ft E. of, and about 0.5 ft lower than centerline of hwy. opposite; in N. end of culvert; standard tablet stamped "3 HLZ 1970"	242.279
9	73	3.34	McFarlan, 0.8 mi N. of post office, along U. S. Highway 52; at 6-ft concrete culvert for small stream; at junction of Highway 52 and County Road 1812; 23 ft NE. of, and about 2.5 ft lower than centerline of hwy. opposite; in NW. end of culvert; standard tablet stamped "4 HLZ 1970"	253.382
9	75	4.41	McFarlan, 0.3 mi S. of post office, along U. S. Highway 52; 40 ft NNE. of junction of Highway 52 and County Road 61; in L-shaped concrete culvert; standard tablet stamped "5 HLZ 1970"	288.375
9	78	6.18	McFarlan, 2.1 mi S. of post office, along U. S. Highway 52; 30 ft SW. of, and about 0.5 ft lower than centerline of Highway 52 at drive W.; in 4-ft concrete culvert; standard tablet stamped "6 HLZ 1970"	256.011
9	79	7.03	McFarlan, 3.1 mi S. of post office, along U. S. Highway 52; at 150-ft bridge over Westfield Creek; in SW. corner of bridge; standard tablet stamped "7 HLZ 1970"	133.470
10	7	8.04	McFarlan, 4.0 mi S. of post office, along U. S. Highway 52; at crest of hill; 0.5 ft W. of witness sign; 60 ft E. of, and about 3.0 ft higher than centerline of Highway 52 at rd. ENE.; in concrete post projecting 0.2 ft; standard tablet stamped "8 HLZ 1970"	188.476

NGVD 29
Elevations

ROCKINGHAM
Book AV 1558

N.C.-S.C.

H. L. Zohn, Jr.

1970

FeetLINE 16.

H. L. Zohn, Jr., 1970; Book AV 1558

- 10 47 4.84 Wallace, 2.9 mi N. of post office, along U. S. Highway 1; at 100-ft bridge over Whites Creek; in S. end of W. guardrail base; U. S. Corps of Engineers disk stamped "1964" 113.912
- 10 49 5.88 Wallace, 3.9 mi N. of post office, along U. S. Highway 1; 2.5 ft SW. of witness sign; 65 ft SW. of, and about 0.5 ft lower than junction of Highway 1 and County Road 267; in concrete post flush with ground; standard tablet stamped "~~19 HLZ 1970~~" 244.486
- 10 51 7.01 Wallace, 5.0 mi N. of post office, along U. S. Highway 1; 0.5 ft E. of witness sign; 90 ft SW. of, and about 0.5 ft lower than centerline of Highway 1 and woods rd. W.; in concrete post flush with ground; standard tablet stamped "20 HLZ 1970" 277.268
- 10 53 8.20 "TT 29 H 1934 307" (Described in line 3) 306.251
- 10 56 9.78 Rockingham, 9.5 mi SW. of junction of U. S. Highways 1 and 74, along Highway 1; at Coward's Grocery Store (now abandoned); in center of gas pump base in front of store; standard tablet stamped "21 HLZ 1970" 334.105
(STORE GONE. MARK IS IN SW CORNER OF INT. 10/10/77)
- 10 59 11.05 Rockingham, 8.2 mi SW. of junction of U. S. Highways 1 and 74, along Highway 1; 0.5 ft SE. of witness sign; 112 ft W. of, and about level with junction of Highway 1 and County Road 1102; in concrete post projecting 0.2 ft; standard tablet stamped ""22 HLZ 1970"" 356.392
(WITNESS SIGN GONE. FIELD UNDER CULTIVATION 11/19/77)

ROCKINGHAM
Book AV 1558

N.C.--S.C.

H. L. Zohn, Jr.

1970

FeetLINE 16 (Cont'd.)

10	61	12.31	Rockingham, 7.5 mi SW. of junction of U. S. Highways 1 and 74, along Highway 1, thence 0.6 mi NE. along County Road 1971; 0.5 ft N. of witness sign; 76 ft SW. of, and about 0.5 ft lower than junction of County Roads 1971 and 1998; in concrete post projecting 0.3 ft; standard tablet stamped " <u>23 HLZ 1970</u> "	293.049
10	64	13.86	Rockingham, 4.1 mi SW. of junction of U. S. Highways 1 and 74, along Highway 1, thence 0.4 mi E. along county rd., thence 1.5 mi SW. along County Road 1971; 0.5 ft NW. of witness sign; 106 ft NE. of, and about 8.0 ft higher than junction of County Roads 1971 and 2001; in concrete post projecting 0.3 ft; standard tablet stamped "24 HLZ 1970"	180.004
10	66	15.37	"2 WSM 1954 261" (Described in line 9)	261.073

LINE 17.

H. L. Zohn, Jr., 1970; Book AV 1558

10	21	0.97	"5 HLZ 1970" (Described in line 15)	288.375
10	23	1.47	McFarlan, 0.3 mi S. of post office, along U. S. Highway 52, thence 1.5 mi SW. along County Road 61; 2 ft SE. of witness sign; 96 ft NE. of, and about 1.0 ft higher than centerline of County Road 61 and rd. S.; in concrete post projecting 0.2 ft; standard tablet stamped "12 HLZ 1970"	314.491