

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (TVA)</u>	<u>PAGE NO.</u>
TT 103 S 1934 1625	3,3,10	SN 410	5
TT 129 S 1934 1656	3	SN 411	6
TT 134 S 1934 1208	3,5	SN 416	10
1 W 1937 1611	3,10		
4 W 1937 2408	4		
16 WV 1950 1745	4		
17 WV 1950 1707	4		
18 WV 1950 1564	5		
19 WV 1950 1477	5		
20 WV 1950 1662	6		
21 WV 1950 RESET 1973	7,8		
22 WV 1950 1449	7		
23 WV 1950 RESET 1973	8		
23A WV 1950 1904	7,10		
24 WV 1950 1877	8		
25 WV 1950 2402	8		
27 WV 1950 1717	9,10		
28 WV 1950 1457	10		
29 WV 1950 1575	9		
		<u>NGS AND STATE SURVEY</u>	
		16 A 20	7
		16 A 21	7
		16 A 23	4
		16 A 26	6,8
		16 A 27	6
		<u>NGS</u>	
		R 51 1932 1909.619	5

NGVD 29
 Elevations

LINE 1.Foot

By M. Shackelford, 1934; Book B6191

Longcreek; 300 ft S. of post office; 60 ft S. of junction of T-rd. SW.; 35 ft W. of centerline of hwy.; in concrete post; standard tablet stamped "TT 103 S 1934 1625"

1625.242

Reference mark; 5 ft NE. of tablet; 30 ft W. of centerline of hwy.; in root on SE. side of 8 in. oak tree; wire nail

1624.50

LINE 2.

By M. Shackelford, 1934; Book B6191

"TT 103 S 1934 1625" (Described in line 1)

1625.242

Longcreek, 2.5 mi NW. of, thence 1.1 mi NE. along rd. to Mountain Rest; 1.4 mi SW. of Poplar Springs School; 30 ft SE. of centerline of Longcreek-Mountain Rest rd.; in concrete post; standard tablet stamped "TT 129 S 1934 1656"

1656.405

Reference mark; 560 ft NE. of tablet; 30 ft SE. of centerline of rd.; in root on SW. side of 12 in. poplar tree; wire nail

1653.11

LINE 3.

By M. Shackelford, 1934; Book B6191

Longcreek, 4.6 mi NW. of; 400 ft SE. of old bridge over Chattooga River; 150 ft E. of E. end of new bridge; 30 ft S. of centerline of hwy.; in concrete post; standard tablet stamped "TT 134 S 1934 1208"

1207.809

Reference mark; 90 ft NE. of tablet; 30 ft N. of centerline of hwy.; in top of pine stump near 6 in. pine tree; wire nail

1215.33

LINE 4.

By C. S. Wells, 1937; Book B7556

Earles Ford, 3.0 mi NW. of; 0.9 mi E. of junction of Pine Mountain-Clayton and Earles Fords rds.; in W. end of N. wingwall of bridge over Warwoman Creek; standard tablet stamped "I W 1937 1611"

1611.115

Reference mark; 43 ft SE. of tablet; on S. end of E. abutment of bridge over Warwoman Creek; chiseled square

1610.25

LINE 5.

By C. S. Wells, 1937; Book B7556

U.E., Sumpter Forest Camp, 0.9 mi SE. of; 75 ft S. of stream crossing; on W. side of rd.; on S. side of old woods rd.; on top of stone headwall over culvert; chiseled square

2439.54

LINE 5 (Cont'd)

Feet

- Sumpter Forest Camp site on Addie Branch, 0.2 mi NW. of; on N. side of rd. at 10 ft cut; in ledge outcrop; standard tablet stamped "4 W 1937 2408" 2408.272
- Reference mark; 60 ft S. of tablet; on W. side of rd.; 20 ft NE. of bank of small stream; in root of 30 in. oak tree; copper nail and washer 2392.93

LINE 6.

By W. Varley, 1950; Book AV 174

- U.E., Lakemont, 6.6 mi SW. of, along Lake Rabun rd., thence 0.6 mi SE.; 1 ft N. of spring well; 38 ft S. of, and level with rd.; 43 ft E. of store; on stone base of spring; chiseled square 1691.43

LINE 7.

By W. Varley, 1950; Book AV 174

- Lakemont, in front yard of, and 13 ft NE. of N. edge of stone pillar of Lakemont Tea Room; 10 ft W. of W. edge of hwy.; 3 ft from stone wall; 22 ft NW. of SE. corner of stone wall; 127 ft SW. of SW. corner of depot; in concrete post; NGS and State Survey standard disk stamped "16 A 23" (Reported destroyed, 1950) 1638.540
- U.E., Lakemont, 0.3 mi S. of; at intersection of U. S. Highway 23 and Lake Rabun rd.; 16 ft W. of, and 2 ft higher than centerline of Lake Rabun rd.; on center of base for gasoline pump; chiseled square 1631.26
- Lakemont, 2.0 mi SW. of, along Lake Rabun rd.; 23 ft E. of junction of drive to Lake Rabun Hotel; 7 ft NW. of northernmost pair of stone gateposts; 56 ft N. of powerline pole; 1 ft S. of fence; in concrete post; standard tablet stamped "16 W 1950 1745" 1744.088
- Reference mark; 16 ft SE. of tablet; on center of gate stop; chiseled square 1745.34
- U.E., Lakemont, 3.5 mi SW. along Lake Rabun Rd.; in front of two-story green frame house named Brooks; 11 ft S. of and level with centerline of rd.; on top of step leading down to lake; chiseled square 1710.14
- U.E., Lakemont, 5.2 mi SW. of; 13 ft SE. of, and 1 ft lower than junction of dim woods rd. NW.; 53 ft NE. of centerline of woods rd.; on NE. corner of stone headwall of culvert under paved rd.; chiseled square 1707.97
- Lakemont, 5.5 mi SW. of, along Lake Rabun rd.; at junction of drive S. to Rabun Beach Recreation Area; 31 ft S. of centerline of paved rd.; 16 ft W. of centerline of drive; 17 ft N. of westernmost gatepost; in concrete post; standard tablet stamped "17 W 1950 1707" 1706.711

LINE 7 (Cont'd)Feet

Reference mark; 38 ft NE. of tablet; on E. end of galvanized iron pipe under drive; chiseled square

1704.59

LINE 8.

By W. Varley, 1950; Book AV 174

"R 51 1932 1909.619" (NGS)

1909.619

Clayton, 2.6 mi SE. of courthouse, along U. S. Highway 76 and State Highway 2; 47 ft SE. of SE. pair of stone pillars of gate entrance to Kingwood Farms; 46 ft NE. of hwy.; 1 ft SW. of fence; in concrete post; standard tablet stamped "18 WV 1950 1564"

1563.703

Reference mark; 41 ft NW. of tablet; on top of S. end of SE. stone wall of gate entrance; chiseled square

1568.93

U.E., Clayton, 4.6 mi SE. of, along U. S. Highway 76; at junction of dirt rd. S.; 23 ft NE. of centerline of rd. S.; 3/4 ft SE. of, and 2 ft higher than centerline of rd. forks; on SE. end of galvanized iron pipe under rd. S.; chiseled square

1570.94

Clayton, 5.7 mi SE. of courthouse, along U. S. Highway 76; at bridge over small stream; 20 ft NE. of centerline of hwy.; in SE. end of NE. headwall of bridge; standard tablet stamped "19 WV 1950 1477"

1477.783

Reference mark; 45 ft SW. of tablet; on SE. end of SW. headwall of bridge; chiseled square

1477.22

U.E., Clayton, 6.3 mi SE. of; 6.6 mi NW. of Longcreek; 32 ft N. of junction of T-rd. E. at cemetery; 24 ft E. of, and 1 ft lower than centerline of hwy.; on S. end of E. headwall of culvert under hwy.; chiseled square

1610.36

"TT 134 S 1934 1208" (Described in line 3)

1207.809

Reference mark; 220 ft NW. of tablet; in NE. wingwall of bridge over Chattooga River; chiseled square

1200.42

LINE 9.

By W. Varley, 1950; Book AV 174

Clayton, 2.1 mi E. of, along Clayton-Pine Mountain rd.; 15 ft NE. of junction of Y-rd. to private home; 21 ft S. of centerline of rd.; 31 ft E. of garage; 75 ft NW. of concrete steps opposite apple orchard; on top of 3 ft bank; in concrete post; IVA standard disk stamped "SN 410"

2012.384

LINE 9 (Cont'd)

Feet

- Clayton, 3.0 mi E. of, along Clayton-Pine Mountain rd.; at intersection of Warwoman-Dall rd.; 40 ft S. of centerline of rd.; 4 ft E. of NE. corner of rail cattle gap; 2 ft N. of rail fence; 80 ft SW. of E. end of large rd. cut; 25 ft N. of centerline of branch; in concrete post; TVA station disk stamped "SN 411" 1882.903
- U.E., Clayton, 3.4 mi E. of, thence 0.8 mi S.; at junction of Rainy Mountain rd. and Rainy Mountain Trail; 11 ft N. of centerline of trail; 15 ft E. of centerline of rd.; on top of small boulder projecting 21 in. above ground; chiseled square 2165.34
- Clayton, 3.4 mi E. of, thence 2.0 mi S.; at intersection of Rainy Mountain rd. and 3 private rds.; 11 ft N. of private rd. E.; 22 ft E. of Rainy Mountain rd.; 3 ft W. of rail fence corner; in concrete post; standard tablet stamped "20 WV 1950 1662" 1661.884
- Reference mark; 47 ft SW. of tablet; on SW. rock headwall of plank bridge over stream; chiseled square 1658.68
- U.E., Chechero Church, 0.6 mi NW. along U. S. Highway 76 to I-rd. N., thence 0.7 mi N., at intersection of Y-rd. E.; 31 ft NE. of, and 2 ft lower than centerline of rd. forks; on N. end of N. headwall of culvert under rd. E.; chiseled square 1584.34
- U.E., Chechero Church, 0.6 mi NW. along U. S. Highway 76 to I-rd. N., thence 0.2 mi N., at intersection of rd. forks; on SW. wingwall of bridge across main rd.; chiseled square 1540.62
- U.E., chiseled square (Described in line 8) 1570.94

LINE 10.

By W. Varley, 1950; Book AV 174

- Clayton, 5.1 mi S. of station, along U. S. Highway 23 to dirt rd. E.; on E. side of Tallulah Falls Railway crossing; 307 ft S. of RR. culvert; on top of bank 935 ft S. of crossing; 30 ft from near rail of track; in concrete post; NGS and State Survey standard disk stamped "16 A 27" (Not found, 1950) 1910.419
- Clayton, 5.5 mi S. of station, along U. S. Highway 23 to dirt rd. E.; on E. side of RR.; 584 ft S. of centerline of crossing; 18 ft from near rail; 457 ft S. of trestle over small creek; on bank at edge of deep cut; in concrete post; NGS and State Survey standard disk stamped "16 A 26" (Not found, 1950) 1860.631
- U.E., Boggs Mountain Church, 0.2 mi SW. of, along rd., at junction of Y-rd. forks; 17 ft N. of centerline of rd. forks; on NW. end of concrete pipe under rd. NE.; chiseled square 2155.68
- U.E., Clayton, 5.5 mi S. of, along U. S. Highway 23, thence 2.7 mi E.; 2.7 mi E. of Bovard; near intersection of Boggs Mountain rd. and Buckmaster rd. NE.; 113 ft SE. of rd. forks; 23 ft S. of centerline of rd.; 11 ft S. of powerline pole; 89 ft W. of 10 in. blazed pine tree; on W. end of rock outcrop 4 ft below level of rd.; chiseled square 2096.10

LINE 10 (Cont'd)Feet

Lakemont, 6.0 mi NE. of, along Wolf Creek Road; at junction of Boggs Mountain Road; 25 ft E. of centerline of rd.; in S. end of E. parapet wall of culvert over Cutting Bone Creek; standard tablet stamped "21 WV 1950 RESEY 1973"	1578.064
U.E., Bovard, 4.6 mi E. of; 4.6 mi SE. of Clayton along U. S. Highway 76, thence 3.2 mi S. and W.; at junction of woods rd. W.; 100 ft NE. of centerline of rd.; 12 ft SE. of, and 3 ft lower than centerline of rd.; on SE. end of galvanized iron pipe under rd.; chiseled square	1512.22
U.E., Boggs Mountain Church, 0.2 mi SW., thence 3.4 mi E. along Boggs Mountain Rd.; at point where small stream enters Cutting Bone Creek; 15 ft S. of and 3 ft lower than centerline of rd.; 5 ft E. of W. end of S. headwall of culvert; chiseled square	1449.84
Clayton, 4.6 mi SE. of, along U. S. Highway 76, thence 1.0 mi S. along Boggs Mountain rd.; 19 ft NW. of NW. corner of bridge over Stekoa Creek; 16 ft W. of centerline of rd.; 8 ft S. of S. end of culvert under rd. to field; 4 ft N. of 5 in. elm tree; in concrete post; standard tablet stamped "22 WV 1950 1449"	1448.854
Reference mark; 85 ft SE. of tablet; in SW. end of W. rail of bridge over Stekoa Creek; copper nail and washer	1446.73
U.E., Clayton, 4.8 mi SE. of, along U. S. Highway 76, thence 0.6 mi S. along Boggs Mountain Rd.; 12 ft N. of and 2 ft lower than centerline of intersection of rd. E.; in center of small rock outcrop near bank; chiseled square	1588.42
U.E., chiseled square (Described in line 8) (Also in line 9)	1570.94

LINE 11.

By W. Varley, 1950; Book AV 174

Lakemont, 0.7 mi S. of; 3.3 mi N. of Tallulah Falls dam; 23 ft from centerline on W. side of hwy.; 50 ft W. of bank of Tallulah River; 215 ft N. of N. end post of hwy. guardrail; 15 ft NW. of large blazed pine tree; in concrete post; NGS and State Survey standard disk stamped "16 A 20"	1585.946
Lakemont, 0.4 mi S. of; 3.6 mi N. of Tallulah River dam; 23 ft from centerline of E. side of hwy. at sharp curve; 127 ft N. of near end of W. abutment of bridge over Tallulah River; 16 ft SW. of large blazed pine tree; in concrete post; NGS and State Survey standard disk stamped "16 A 21"	1586.260
Lakemont, 2.0 mi NE. of, along Wolf Creek Church rd.; at Tiger Court House; 19 ft N. of centerline of rd.; 45 ft NW. of junction of Y-rds.; 49 ft SE. of SE. corner of courthouse; 37 ft NW. of fence corner; in concrete post; standard tablet stamped "23A WV 1950 1904"	1903.764

LINE 11 (Cont'd)

	<u>feet</u>
Reference mark; 14 ft W. of tablet; on E. end of culvert under drive N.; chiseled square	1887.46
U. E., Lakemont, 3.2 mi NE. of; 34 ft S. of, and 3 ft lower than junction of T-rd. NW.; on center of SE. headwall of culvert; chiseled square	1746.77
Lakemont, 4.1 mi NE. of, along Wolf Creek Church Road; at new double culvert over Cliff Creek; 31 ft E. of centerline of rd.; in N. end of E. parapet wall of culvert; standard tablet stamped "23 WV 1950 RESET 1973"	1682.127
U.E., Lakemont, 4.6 mi NE. of; 21 ft NE. of, and 3 ft lower than junction of T-rd. NW.; on E. end of galvanized iron pipe under rd. NW.; chiseled square	1827.84
U.E., Lakemont, 5.2 mi NE. of; 3.8 mi E. of Bovard, thence 0.9 mi SE.; 30 ft E. of, and 1 ft higher than junction of rd. NE.; on center of NE. headwall of culvert under main rd.; chiseled square	1787.61
"21 WV 1950 RESET 1973" (Described in line 10)	1578.064

LINE 12.

By W. Varley, 1950 ; Book AV 174

"16 A 26" (NGS and State Survey) (Described in line 10)	1860.631
Tiger, 2.1 mi S. of, along U. S. Highway 23, thence 1.3 mi W. along rd. leading toward Rocky Grove Church; in NW. angle of Y-rds.; 13 ft NE. of centerline of rd.; 17 ft NW. of centerline of rd. N.; 5 ft NE. of 5 ft bank; in concrete post; standard tablet stamped "24 WV 1950 1877"	1877.167
Reference mark; 96 ft SE. of tablet; 12 ft SW. of centerline of rd.; in root on S. side of 20 in. oak tree; copper nail and washer	1875.25
U.E., Tiger, 2.1 mi S. of, along U. S. Highway 23, thence 2.1 mi W.; at stream crossing; 32 ft NW. of, and 2 ft higher than stream; 2 ft SW. of centerline of rd.; in rock outcrop across rd.; chiseled square	1933.88
U.E., Tiger Post Office, 4.6 mi W. of, along rd. leading to Rocky Grove Church; at junction of rd. forks; 33 ft W. of and 2 ft lower than centerline of most eastern rd. N.; 43 ft E. of centerline of rd. S.; 16 ft S. of centerline of rd. E.; 15 ft N. of rail fence; in embedded boulder flush with ground; chiseled square	2392.22
Tiger, 5.2 mi NW. and SW. of post office, along rd. leading to Rocky Grove Church; in SW. angle of junction of Y-rd. SE. to Boyard Crossroads; 19 ft S. of centerline of rd.; 17 ft W. of centerline of rd. SE.; 2 ft W. of telephone pole; 8 ft SE. of 14 in. oak tree; in concrete post; standard tablet stamped "25 WV 1950 2402"	2401.524

NGVD 29
ElevationsLINE 12 (Cont'd)Feet

- Reference mark; 32 ft E. of tablet; in root on W. side of 20 in. oak tree; copper nail and washer 2702.73
- U.E., Tiger, 5.7 mi NW. and SW. of; 11 ft NW. of, and level with centerline of rd.; on NW. headwall of culvert over small stream; chiseled square 2232.34

LINE 13.

By W. Varley, 1950; Book AV 174

- U.E., Lakemont, chiseled square (Described in line 11) 1827.84
- U.E., Lakemont, 4.7 mi NE. of, along rd. leading toward Wolf Creek Church, thence 1.0 mi S. along church rd.; at point where rd. divides at foot of hill; in centerline of rd. forks; in top of rock; chiseled square 1681.97
- Lakemont, 5.2 mi NE. of, along rd. leading toward Wolf Creek Church, thence 1.5 mi S. along church rd.; near point where stream flows over rd.; 56 ft NE. of centerline of rd. and stream crossing; 69 ft N. of centerline of rd. forks; 4 ft W. of centerline of old roadbed; 4 ft E. of rail fence; in large rock outcrop flush with ground; standard tablet stamped "29 W 1950 1575" 1575.288
- Reference mark; 29 ft S. of tablet; 4 ft E. of centerline of old roadbed; on top of boulder; chiseled square 1578.33
- U.E., Lakemont, 4.7 mi NE. of along rd. leading toward Wolf Creek Church and Hog Mtn., thence 0.6 mi S. along church rd.; on E. end of step of Wolf Creek Church; chiseled square 1645.95
- U.E., Lakemont, chiseled square (Described in line 11) 1787.61

LINE 14.

By W. Varley, 1950; Book AV 174

- U.E., Tallulah Falls RR. station, 0.3 mi NW. of, along U. S. Highway 23, thence 2.3 mi NE. along rd. leading to Tiger Courthouse; at junction of rd. and woods rd. E.; on top of small boulder; chiseled square 1743.52
- U.E., Tallulah Falls, 0.3 mi NW. of station, thence 4.2 mi NE.; at junction of woods rd. S.; on top of rock; chiseled square 1710.47
- Tallulah Falls, 0.3 mi NW. of station, along U. S. Highway 23, thence 3.5 mi NE.; 3.0 mi SE. of Tiger Court House; at junction of Camp Creek rd.; in center of triangle formed by rd. forks; in concrete post; standard tablet stamped "27 W 1950 1717" 1716.664

LINE 14 (Cont'd)Feet

- Reference mark; 29 ft E. of tablet; in root on SW. side of blackjack oak tree; copper nail and washer 1714.32
- U.E., Tallulah Falls, 0.3 mi NW. of station, thence 4.0 mi NE.; 2.0 mi NE. of Lakemont, thence 2.3 mi SE.; at curve in rd. where stream flows over rd.; 11 ft N. of centerline of stream; 10 ft W. of centerline of rd.; on boulder projecting 1 ft above centerline of rd.; chiseled square 1710.62
- U.E., Lakemont, 2.0 mi NE. of, along Wolf Creek Church Rd., thence 0.3 mi SE.; at junction of rd. and field rd. W.; 50 ft NW. of and 3 ft higher than rd. forks; on SW. end of concrete pipe under main rd.; chiseled square 1861.68
- "23A WV 1950 1904" (Described in line 11) 1903.784

LINE 15.

By W. Varley, 1950; Book AV 174

- "27 WV 1950 1717" (Described in line 14) 1716.664
- Camp Creek Church; 165 ft SW. of corner of church; 20 ft S. of centerline of rd.; 26 ft W. of centerline of drive to 1½-story house; in concrete post; standard tablet stamped "28 WV 1950 1457" 1457.276
- Reference mark; 37 ft NE. of tablet; in root of 22 in. oak tree; copper nail and washer 1456.34
- U.E., Camp Creek Church, 1.0 mi E. of; near saddle in NE.-SW. rd.; 23 ft SW. of, and level with junction of T-rd. NW.; on 6 ft quartz boulder projecting 2 in. above ground; chiseled square 1456.79

LINE 16.

By W. Varley, 1950; Book AV 174

- Pine Mountain, 6.3 mi SW. of, along Clayton-Pine Mountain rd.; 8.2 mi E. of Clayton; 30 ft S. of centerline of rd.; 100 ft N. of 1-story frame house; 50 ft NW. of line of mailboxes; 120 ft S. of 1-story frame house occupied by J. D. Beck; 2 ft NW. of wire fence; 50 ft NW. of pasture gate; in concrete post; TVA standard disk stamped "SN 416" (Not found, 1957) 1665.305
- "I W 1937 1611" (Described in line 4) 1611.115

LINE 17.

By W. Varley, 1950; Book AV 174

- "TT 103 S 1934 1625" (Described in line 1) (Also in line 2) 1625.242