

*55NC*

267 GA. - N.C.  
BURTON QUADRANGLE  
WITH OVEREDGE

34 083 4

N3445-W8330/15  
GEORGIA-NORTH CAROLINA

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

1927 N.A.D. - Prelim. Adj.

Transit Traverse by D. W. Pinkston, 1950

Plane Coordinates are based on Georgia Transverse  
Mercator System (West Zone)

NGVD 29  
Elevations


BIG STAMP GAP (N.C.) <u>83° 45'</u> <u>25° 00'</u>	WAYAH BALD (N.C.)	CULLASAJA (N.C.)
---	----------------------	---------------------

BLAIRSVILLE  
(GA.-N.C.)

PORTER SPRINGS  
(GA.)

CLARKESVILLE  
(GA.)

TOCCOA  
(GA.-S.C.)



BURTON QUADRANGLE  
WITH OVEREDGE

GEORGIA

INDEX OF PERMANENT MARKS

Transit Traverse by D. W. Pinkston, 1950

<u>MARK</u>	<u>PAGE NO.</u>	<u>LINE NO.</u>	<u>STA. NO.</u>
T T 3 DWP 1950	1	1	119A
T T 4 DWP 1950	1	1	142A
T T 5 DWP 1950	2	1	167
T T 6 DWP 1950	3	1	195
T T 7 DWP 1950	3	1	220
T T 8 DWP 1950	4	1	252
T T 9 DWP 1950	6	2	309
T T 10 DWP 1950	7	2	364
T T 11 DWP 1950	7	2	398
BURTON #7, 1934 (T.V.A.)	5	2	300
GLASSY, 1934 (U.S.F.S.)	5,7	1,2	268=402
W 123 1934 (U.S.C. & G.S.)	6A	2	339

NGVD 29  
Elevations

## GEORGIA

CLARKSVILLE QUADRANGLE

## LINE 1

Bks. AH 165 a (fld.)

AH 166 a (cmp.)

By D. W. Pinkston, 1950  
5/23/50 jms1927 N.A.D.  
Prelim. Adj.NGVD 29  
Elevations

119A. Clarkesville, 2.0 mi. E. of along U. S. Highway 23, thence 9.6 mi. N. along Low Gap Road, 3.1 mi. S. of Seed Dam, at top of mountain in Low Gap, 12 ft. S. and 15 ft. W. of intersection of Pollyanna Gap and Low Gap Road, set on top of bank about 6 ft. above rd. level, in concrete post; standard tablet stamped "T T 3 DWP 1950"

971      34 44 08.11    83 31 16.31

X = 693923

Y = 1723311

131+. Center line of rd. and

creek                          3004      34 44 31.33    83 30 53.81

X = 695781

Y = 1725671

136+. Center line of rd.

and small drain crossing    1652      34 44 41.58    83 30 38.41

X = 697059

Y = 1726716

137+. Center line of T-rd.

intersection                 497      34 44 44.30    83 30 33.51

X = 697472

Y = 1726993

142A. Clarkesville, 2.0 mi. E. of along U.S. Hwy. 23, thence 11.3 mi. N. along Low Gap Road, 1.6 mi. S. of Seed Dam, 5 ft. N. and 23 ft. E. of NE. corner of Flat Creek Baptist Church, 32 ft. S. of rd., 8 ft. S. and 1 ft. W. of cemetery fence corner, in concrete post; standard tablet stamped "T T 4 DWP 1950"

1719      34 44 46.34    83 30 13.08

X = 699177

Y = 1727211

144+. Center line of T-rd.

intersection to SE.            871      34 44 52.89    83 30 06.32

X = 699736

Y = 1727876

LINE 1 (Cont'd.)

(Cont'd. P. 2)

RABUN GAP QUADRANGLE1927 N.A.D.  
Prelim. Adj.NGVD 29  
Elevations

157+. Center line of rd.

and drive to NE.	(1622)	34 45 02.80	83 29 51.03
X = 701006		Y = 1729887	

157a. Center line of Y-rd.

intersection	911	34 45 09.88	83 29 57.77
X = 700439		Y = 1729599	

162a. Center line of T-rd.

intersection to S.	1382	34 45 21.02	83 29 48.19
X = 701230		Y = 1730730	

BURTON QUADRANGLE

165+. Center of temporary  
wooden bridge 400 ft. below

Seed Dam	(1048)	34 45 20.25	83 30 00.72
X = 700185		Y = 1730645	

167. Clarkesville, 2.0 mi. E. of along U.S. Highway 23, thence  
13.0 mi. N. along Low Gap Road to Seed Dam, about 250 ft. N.  
of Seed Dam, 67 ft. E. of small supply building, 50 ft. W.  
of Tallulah River, 34 ft. SE. of center line of rd. to power  
plant, 1 ft. S. and 2 ft. E. of power-line pole, in concrete  
post; standard tablet stamped "T T 5 DWP 1950"

164	34 45 20.47	83 30 02.67
X = 700023		Y = 1730666

182+. Center line of rd. in  
line with E. end of Camp

Nacoochee	3378	34 45 51.57	83 30 17.46
X = 698763		Y = 1733802	

LINE 1 (Cont'd.)

## BURTON QUADRANGLE

(Cont'd. P. 3)

1927 N.A.D.  
Prelim. Adj.

NGVD 29  
Elevations

194+. Center of small wooden

bridge over Seals Creek 3001 34 46 14.14 83 30 40.81

$$X = 696805 \quad Y = 1736071$$

195. Clarkesville, 2.0 mi. E. of along U.S. Hwy. 23, thence

13.0 mi. N. along Low Gap Road to Seed Dam, thence 1.8 mi. NW.

along Seed Lake, Burton Dam, 3.6 mi. SE. of along Seed Lake

Road, 84 ft. W. of wooden bridge over Seals Creek, 63 ft. SW.

of R.E.A. pole, 30 ft. S. and 11 ft. E. of SE. corner of

fishing camp with brick siding, 5 ft. S. and 3 ft. W. of

12-in. pine tree; in concrete post; standard tablet stamped

"T T 6 DWP 1950". 79 34 46 14.24 83 30 41.75

$$X = 696727 \quad Y = 1736081$$

196+. Center line of rd. and

private drive to Echo Point 662 34 46 08.05 83 30 44.34

$$X = 696515 \qquad Y = 1735454$$

214+. Center line of rd.

under power-line crossing 4499 34 46 50.43 83 31 00.77

$$X = 695117 \quad Y = 1739729$$

220. Clarkesville, 2.0 mi. E. of along U. S. Highway 23,

thence 13.0 mi. N. along Low Gap Road to Seed Dam, thence

3.6 mi. NW. along Seed Lake, Burton Dam, 1.8 mi. S. of along

Seed Lake Road, at Brooks Camp, about 225 ft. NE. of Brooks'.

residence, 120 ft. NW. of concrete bridge over Lecourts Creek

20 ft. W. of center line of rd., 3 ft. S. and 12 ft. W.

of fence corner, 7 ft. SW. of power-line pole, in concrete post;

"7 DWP 1950"

55 (a) 55

Y = 17/1960

LINE 1 (Cont'd.)BURTON QUADRANGLE

(Cont'd. P. 4)

1927 N.A.D.  
Prelim. Adj.

226+. Center line of rd.

NGVD 29  
Elevations

end drive to S. T. Capps

residence	2437	34 47 31.77	83 31 22.49
X = 693278		Y = 1743896	

228+. Center of concrete

bridge over Bridge Creek	774	34 47 36.67	83 31 29.62
X = 692680		Y = 1744388	

LINE 1 (Cont'd.) Bks. AH 165 b (fld.), AH 166 a (cmp.)  
By D. W. Pinkston, 1950

BURTON QUADRANGLE

235a. Center line of T-rd.

intersection at James

Store	1807	34 47 45.67	83 31 48.34
X = 691113		Y = 1745288	

246+. Center line of Y-rd.

to SE. (woods rd. across

rd. from house)	3186	34 48 13.18	83 32 06.95
X = 689543		Y = 1748059	

247+. Center line of rd. in

line with cut line to S.

141	34 48 15.35	83 32 11.55
X = 689158		Y = 1748276

252. Tiger, 8.0 mi. W. of along Glassy Mountain Road, 1.2 mi. W. of Bridge Creek School, 2.0 mi. NE. of Burton Dam, 1.0 mi. NW. of James Store, at Pal Gap, at rd. to Camp O. C. Key Camp, 30 ft. N. of O. C. Key Camp Road, and 15 ft. W. of rd., 4 ft. W. of sign, in concrete post; standard tablet stamped "T T 8 DWP 1950" 1052 34 48 25.05 83 32 16.12  
X = 688771 Y = 1749254

LINE 1 (Cont'd.)BURTON QUADRANGLE

(Cont'd. P. 5)

1927 N.A.D.  
Prelim. Adj.NGVD 29  
Elevations

255+. Center line of rd.

and rd. to W. 947 34 48 34.41 83 32 16.15

X = 688763

Y = 1750200

268. U.S.F.S. and U.S.G.S. triangulation sta., Glassy, 1934,  
on Glassy Mtn., about 6 mi. SW. of Clayton and N. of Tallulah  
Falls, to reach from Clayton drive S. on Hwy. 15 toward  
Gainsville, Ga., 3.4 mi. turn right on dirt rd. 2.3 mi. to  
junction with Hiwassee Road, turn right for 2.7 mi. turn right  
and follow rd. leading up Mtn., 3.1 mi. to F.S. lookout tower  
and cabin; U.S.F.S. marker in concrete post under center of  
L.O. tower 17160 34 50 42.44 83 30 01.01

X = 699945

Y = 1763216

LINE 2. Bks. AH 165 c (fld.), AH 166 a (cmp.)

By D. W. Pinkston, 1950

BURTON QUADRANGLE

300. U.S.G.S. triangulation station, Burton #7, situated about  
6 mi. W. of Clayton, Ga., and about 15 mi. SE. of Hiwassee,  
on top of Turkey Mountain. To reach from Clayton, follow State  
Highway 2 toward Hiwassee, for 8.8 mi. to rd. fork. Turn right  
on Tate City Road and go 0.9 mi. to a side rd., thence turn  
right and go about 0.25 mi. to home of M. G. Lunsford. Leave  
car here. Station is on top of Turkey Mountain, which is  
about 0.5 mi. NE. of said house, and is best reached by going  
to end of ridge and follow top. Station mark: Drill hole in  
boulder set at base of 13-in. blazed red oak, on highest part  
of ridge . . . . . 34 52 53.52 83 30 03.08

X = 699684

Y = 1776466

LINE 2. (Cont'd.)

( Cont'd. P. 6)

BURTON QUADRANGLE

1927 N.A.D.  
Prelim. Adj.

## NGVD 29 Elevations

309. Clayton, 8.2 mi. W. of along U. S. Highway 76, thence  
 1.4 mi. N. along Persimmon Road, 0.8 mi. S. of Persimmon  
 Schoolhouse, 5 ft. N. and 48 ft. E. of the center line of rd.  
 and private drive to E., 31 ft. N. of private drive, 7 ft.  
 NE. of 24-in, pine tree, in concrete post; standard tablet  
 stamped "T T 9 DWP 1950"      2886      34 53 01.90    83 30 36.39  
 $X = 696920$                            $Y = 1777295$

310+. Center line of rd. in  
 line with 300 ft. tangent of  
 private drive to W.      395      34 52 59.67    83 30 40.07  
 $X = 696598$                            $Y = 1777067$

316+. Center line of rd. and  
 T-rd. to E.      2944      34 52 32.07    83 30 51.32  
 $X = 695679$                            $Y = 1774271$

318a. Center line of rd. and  
 private drive to SE.      656      34 52 26.75    83 30 55.83  
 $X = 695307$                            $Y = 1773731$

328a. Center line of U. S.  
 Highway 76 and cut power  
 line to N.      2727      34 52 01.23    83 31 06.41  
 $X = 694443$                            $Y = 1771145$

328+. Center line of U. S.  
 Highway 76 in line with S.  
 edge of house      86      34 52 00.39    83 31 06.37  
 $X = 694446$                            $Y = 1771060$

LINE 2 (Cont'd.)BURTON QUADRANGLE

(Cont'd. P. 6A)

1927 N.A.D.  
Prelim. Adj.NGVD 29  
Elevations

337+. Centerline of U. S.

Highway 76 and rd. to SW. 2802 34 51 34.28 83 30 55.12

X = 695401

Y = 1768427

339. Clayton, about 7.4 mi W. along State Highway 2 from the main corner at, at Hill's Fishing Camp on Burton Lake, at the SE. corner of rd. intersection, about 30 ft S. of the hwy., about  $3\frac{1}{2}$  yards SE. of Hills Fishing Camp sign, and about 2.5 ft lower than the hwy., in concrete post; USC&GS standard disk stamped "W 123 1934" (Reported destroyed, 1957)

631 34 51 36.35 83 30 47.96

X = 695996

Y = 1768640

342+. Center of concrete

bridge over stream

(Timpson Creek)

794 34 51 28.78 83 30 45.40

X = 696215

Y = 1767876

344a. Centerline of rd. and

drive to Camp Bay

1194 34 51 19.07 83 30 53.55

X = 695542

Y = 1766890

351+. Centerline of rd. and

small bridge over stream

(about 400 ft S. of  
cabin)

2102 34 51 07.46 83 31 14.46

X = 693806

Y = 1765705

LINE 2. (Cont'd.)

NGVD 29  
Elevations

BURTON QUADRANGLE

(Cont'd. P. 7)

1927 N.A.D.  
Prelim. Adj.

364. Clayton, 7.4 mi. W. of along U. S. Highway 76, thence  
1.7 mi. S. along Timpson Lake, 1.6 mi. S. of Hills Camp,  
2.2 mi. N. of Lake Burton School, 50 ft. N. and 10 ft. E. of  
T-rd. intersection 4 ft. N. and 6 ft. E. of 24-in. oak tree,  
84 ft. E. of wooden bridge over stream, about 5 ft. higher  
than roadbed, in concrete post; standard tablet stamped  
"T T 10 DWP 1950"

3182 34 50 38.14 83 31 28.31

X = 692671

Y = 1762733

375a. Center line of rd.

and private drive to W. 3395 34 50 04.64 83 31 31.16

X = 692456

Y = 1759345

379a. Center line of rd. and

private rd. crossing 1381 34 49 51.02 83 31 29.89

X = 692570

Y = 1757969

398. Tiger, 8.0 mi. W. of along Bridge Creek Road, at Burton  
Schoolhouse, 14 ft. S. and 24 ft. E. of NW. corner of re-  
tainer wall around playground, 122 ft. W. of schoolhouse,  
95 ft. N. of rd., 2 ft. S. of retainer wall, in concrete  
post; standard tablet stamped "T T 11 DWP 1950"

4384 34 49 08.06 83 31 37.04

X = 692003

Y = 1753622

398+. Center line of T-rd.

intersection 392 34 49 04.36 83 31 35.63

X = 692123

Y = 1753249

402. U.S.G.S. triangulation

station, Glassy, 1934

(prev. desc. in line 1) 12669 34 50 42.44 83 30 01.01

X = 699945

Y = 1763216


55

**NGVD 29  
Elevations**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

THIRD-ORDER LEVELING  
Sea Level Datum of 1929

BURTON QUADRANGLE  
GA. 267 - N.C. 55  
N3448 WB330/15



Edition of 6/2/58

Elevations adjusted through the medium of the Southeastern Supplementary Adjustment of 1936

Only the standard tablets are listed for lines run more than 25 years before above edition date

**USC&GS Leveling Line**

A. Blairsville to Clayton (No.19), Second order

**USC&GS and State Survey Leveling Lines**

B. Jasper to Hiawassee (No.10 D)

C. Clayton to Hiawassee (No.11 D)

Feet

LINE 1.

FROM CLARKESVILLE QUADRANGLE ALONG ROADS GENERALLY NORTHEAST TO BURTON THENCE NORTHWEST AND WEST INTO BLAIRSVILLE QUADRANGLE (By W. S. D. Moore, 1900; Book 8195)

Soque, 0.3 mi N. of; on bank of Soque River; 70 ft above ford; in rock; standard tablet stamped "1585 ATLANTA"

1587.049

Burton, 2.0 mi S. of; 200 ft S. of ford of Wildcat Creek; on W. side of rd.; in rock; standard tablet stamped "1784 ATLANTA"

1785.302

Burton, 0.2 mi N. of; 400 ft S. of rd. fork S.; between rd. and river; in rock; standard tablet stamped "1795 ATLANTA"

1796.522

Dicks Creek Gap; 10.8 mi E. of Hiawassee; 100 ft W. of summit of gap; 50 ft S. of rd.; in rock; standard tablet stamped "2668 ATLANTA" (Tied by USC&GS, 1934)

2669.690

Visage, 1.0 mi E. of; at Hightower Creek; 50 ft W. of rd. crossing; in rock; standard tablet stamped "2007 ATLANTA"

2069.091

Hiawassee, 2.4 mi SE. of, along State Highway 2; at junction of State Highway 75; 110 ft N. of Hiawassee River bridge; 33 ft S. of, and 8 ft lower than hwy.; in rock ledge; standard tablet stamped "1914 ATLANTA" (Tied by USC&GS, 1934)

1915.301

LINE 2.

FROM CLARKESVILLE QUADRANGLE ALONG ROADS NORTHWEST TO POINT 2.5 MILES NORTHWEST OF SOQUE (Spur line by W. S. D. Moore, 1900; Book 8195)

Soque, 2.5 mi NW. of; 800 ft W. of Nacoochee-Clayton rd.; 70 ft W. of Spring Branch; on N. side of rd.; in rock; standard tablet stamped "1694 ATLANTA"

1695.449

LINE 3.

FROM POINT 2.4 MILES SOUTHEAST OF HIAWASSEE ALONG ROADS SOUTH TO POINT 2.0 MILES SOUTH OF MOUNTAIN SCENE (Spur line by W. S. D. Moore, 1900; Book 8195)

"1914 ATLANTA" (Described in line 1)

1915.301

Feet  
Mountain Scene, 2.0 mi S. of; 0.2 mi S. of Center Creek; on W. side of rd.; in rock; standard tablet stamped "2188 ATLANTA" (Reported destroyed, 1957)

2188.755

LINE 4.

FROM BLAIRSVILLE QUADRANGLE ALONG ROADS GENERALLY NORTHEAST INTO WAYAH BALD QUADRANGLE (By G. W. Moore, 1936; Book B7019)

Lower Bell Creek School, 1.6 mi NE. of; 30 ft E. of secondary rd. N.; 14 ft SE. of rd.; at top of hill; in root on NW. side of 12-in. oak tree; copper nail and washer

2071.60

Lower Bell Creek School, 1.9 mi NE. of; about 0.2 mi SW. of N.C.-Ga. State line; 30 ft N. of rd. NE.; on hillside 9 ft above rd.; in rock outcrop; standard tablet stamped "137 GWM 1936 1997"

1996.888

Reference mark; 77 ft E. of tablet; 11 ft N. of rd.; on 4-ft bank; in root on S. side of 14-in. oak tree; copper nail and washer

1994.97

LINE 5.

FROM POINT 6.4 MILES SOUTH OF HIAWASSEE ALONG ROADS GENERALLY EAST TO ADDIS GAP (Double run spur line by G. W. Moore, 1936; Book B7019)

Hiawassee, 2.4 mi SE. of, thence 4.0 mi S.; 4.8 mi W. of Addis Gap; 20 ft NW. of intersection of Mill Creek rd. and State Highway 75; 2 ft S. of fence corner; on top of boulder; chiseled square

2050.71

Addis Gap, 3.6 mi W. of; 50 ft S. of ford over Hickory Flat branch of Mill Creek; 30 ft SW. of rd.; at foot of hill; in rock outcrop; standard tablet stamped "143 GWM 1936 2132"

2132.266

Reference mark; 70 ft SE. of tablet; 30 ft S. of rd.; in field; on top of large flat boulder; chiseled square

2137.13

Addis Gap, 2.7 mi W. of; 0.2 mi E. of bridge over Mill Creek; 29 ft S. of rd.; at curve at foot of hill; on top of boulder; chiseled square

2223.22

Addis Gap, 1.7 mi W. of; about 510 ft E. of horseshoe bend; 12 ft N. of, and 2 ft higher than rd.; in top of boulder; standard tablet stamped "144 GWM 1936 2650"

2649.413

Reference mark; 74 ft SE. of tablet; 10 ft S. of, and 1 ft lower than rd.; on top of boulder; chiseled square

2650.09

Addis Gap, 0.3 mi W. of; 14 ft E. of rd.; at curve at S. edge of drain; on top of boulder; chiseled square

3138.77

Addis Gap; 210 ft NW. of saddle at top of hill; 25 ft SW. of, and 3 ft lower than rd.; in top of boulder; standard tablet stamped "145 GWM 1936 3304"

3303.538

Reference mark; 225 ft SE. of tablet; 35 ft S. of crossroads; 2 ft above saddle at top of Addis Gap; in root on W. side of 8-in. poplar tree; copper nail and washer

3335.19

LINE 6.

FROM POINT 2.4 MILES SOUTHEAST OF HIAWASSEE ALONG ROADS SOUTH TO UNICOI GAP (Spur line by G. W. Moore, 1936; Books B7019, B7204)

"1914 ATLANTA" (Described in line 1)

1915.301

Reference mark; 240 ft S. of tablet; 40 ft S. of Hiawassee River; 12 ft NE. of SE. corner of steel hwy. bridge; 14 ft E. of rd.; in root on NE. side of 16-in. oak tree; copper nail and washer

1911.42

Hiawassee, 2.4 mi SE. of, along U. S. Highway 76, thence 0.7 mi S. along State Highway 75; 90 ft S. of creek; 100 ft S. of store; 27 ft W. of rd.; in barnyard; in root on E. side of 28-in. black gum tree; copper nail and washer

1977.88

Hiawassee, 2.4 mi SE. of, along U. S. Highway 76, thence 1.6 mi S. along State Highway 75; in W. end of S. concrete abutment of steel hwy. bridge over Hiawassee River; standard tablet stamped "141 GWM 1936 1953"

1952.808

	<u>Feet</u>		<u>Feet</u>
Reference mark; 84 ft S. of tablet; on W. end of N. concrete abutment of bridge; chiseled square	1953.03		LINE 9.
Hiawassee, 2.4 mi SE. of, along U. S. Highway 76, thence 2.9 mi S. along State Highway 75; 16 ft E. of rd.; in root on NW. side of 36-in. oak tree; copper nail and washer	1979.52	FROM CLARKESVILLE QUADRANGLE ALONG ROADS NORTH TO POINT 3.8 MILES NORTH OF ROBERTSTOWN (By J. W. McLaughlin, 1950; Book AV 146 a)	
Hiawassee, 2.4 mi SE. of, thence 3 4 mi S.; 0.6 mi N. of Mill Creek crossroads; 25 ft E. of, and 4 ft higher than rd.; in rocky field opposite house; in top of large boulder; standard tablet stamped "142 GWM 1936 2002"	2002.217	Robertstown, 3.8 mi N. of; 18 ft W. of centerline of State Highway 75; 129 ft SW. of centerline of E. end of culvert under hwy.; 3 ft E. of fence line; in concrete post; USC&GS and State Survey standard disk stamped "10 D 77"	1753.420
Reference mark; 57 ft N. of tablet; 40 ft E. of, and 5 ft higher than rd.; in rocky pasture; on top of boulder; chiseled square	2004.91	LINE 10.	
Hiawassee, 2.4 mi SE. of, thence 4.0 mi S.; chiseled square (Described in line 5)	2050.71	FROM POINT 11.0 MILES WEST OF CLAYTON ALONG ROADS GENERALLY SOUTH INTO CLARKESVILLE QUADRANGLE (By J. W. McLaughlin, 1950; Book AV 146 a)	2306.121
Hiawassee, 2.4 mi SE. of, thence 4.9 mi S.; 0.2 mi N. of Mountain Scene School; at steel hwy. bridge over Hiawassee River; in E. end of N. concrete abutment; standard tablet stamped "146 GWM 1936 2031"	2030.721	"U 123 1934" (USC&GS)	
Reference mark; 75 ft NE. of tablet; 60 ft E. of rd.; in root on W. side of 30-in. oak tree; copper nail and washer	2160.85	Clayton, 11.0 mi W. of, along State Highway 2; 1.5 mi W. of Lake Burton bridge; 33 ft S. of, and 3 ft higher than hwy.; 51 ft W. of 20-in. oak tree; at top of first hill W. of lake; in concrete post; USC&GS and State Survey standard disk stamped "11 D 11"	2305.245
Mountain Scene School, 1.8 mi S. of; 5.5 mi E. of Jacks Gap; 12 ft SE. of rd. fork W.; 23 ft NE. of center of plank bridge over Center Creek; in root on W. side of 14-in. maple tree with mailboxes; copper nail and washer	2188.755	Clayton, 11.5 mi W. of, along U. S. Highway 76, thence 1.8 mi S. along State Highway 197; 4.5 mi N. of La Prade Camp; 40 ft S. of center of E. end of culvert under hwy.; 25 ft SE. of centerline of dim rd. E. in concrete post; standard tablet stamped "5 JWM 1950 1942"	2147.63
"2188 ATLANTA" (Described in line 3)	2262.571	La Prade Camp, 3.9 mi N. of; 40 ft SE. of junction of Y-rd. S.; in root on N. side of 10-in. tree; copper nail and washer	1942.379
Mountain Scene School, 2.6 mi S. of; 1.7 mi N. of Unicoi Gap; 160 ft S. of rd. fork SE. to Indian Grove Gap; 17 ft W. of, and 5 ft higher than rd.; in top of boulder; standard tablet stamped "147 GWM 1936 2263"	2256.56	La Prade Camp, 2.6 mi N. of, along State Highway 197; 15 ft NW. of junction of T-rd. S.; 3 ft higher than rd. bed; in concrete post; standard tablet stamped "6 JWM 1950 2015"	1892.53
Reference mark; 48 ft SE. of tablet; 11 ft E. of rd.; 140 ft S. of S. edge of ford of Hiawassee River; on top of boulder; chiseled square	2398.53	La Prade Camp, 1.8 mi N. of; on NE. abutment of bridge over Moccasin Creek; chiseled square	2014.976
Mountain Scene School, 3.2 mi S. of; 1.2 mi N. of Unicoi Gap; about 150 ft W. of creek; 20 ft N. of, and 3 ft higher than rd.; on top of boulder; chiseled square	2948.663	La Prade Camp, 0.5 mi N. of, along State Highway 197; 35 ft SE. of, and 3 ft higher than intersection of Wildcat Creek rd. and Highway 197; 14 ft SE. of hwy. signpost; in concrete post; standard tablet stamped "7 JWM 1950 1935" (Reported destroyed, 1957)	1882.46
Mountain Scene School, 4.3 mi S. of; 200 ft N. of summit of Unicoi Gap; 23 ft E. of, and 6 ft higher than rd.; at W. edge of trail; in top of large boulder with bronze Appalachian Trail plaque; standard tablet stamped "148 GWM 1936 2949"	2949.74	Reference mark; 65 ft N. of tablet; in root on W. side of 24-in. oak tree; copper nail and washer	1934.624
Reference mark; 48 ft E. of tablet; on N. side of Unicoi Pass; in root on N. side of 40-in. twin hickory trees; copper nail and washer	2160.85	La Prade Camp, 0.5 mi S. of; 20 ft E. of centerline of hwy.; in root on W. side of 12-in. oak tree; copper nail and washer	1937.18
	2216.047	La Prade Camp, 0.9 mi S. of, along State Highway 197; 35 ft S. of, and 3 ft higher than junction of Y-rd. E.; 25 ft SE. of center of SW. end of culvert under hwy.; in concrete post; standard tablet stamped "8 JWM 1950 2031" (Reported destroyed, 1957)	2040.74
	1985.438	Reference mark; 40 ft W. of tablet; in root on NE. side of 10-in. hickory tree; copper nail and washer	2031.128
	1985.61	La Prade Camp, 1.9 mi S. of; 25 ft SW. of centerline of hwy.; in root on E. side of 14-in. poplar tree; copper nail and washer	2035.30
	1949.44	La Prade Camp, 2.9 mi S. of, along State Highway 197; 2.2 mi N. of Wikle Store; 70 ft SE. of junction of T-rd. E.; 2 ft W. of telephone pole; in concrete post; standard tablet stamped "9 JWM 1950 1895"	2077.00
		Wikle Store; 58 ft NE. of junction of T-rd. E.; 1 ft S. of S. corner of Wikle's garage; in concrete post; standard tablet stamped "10 JWM 1950 1752"	1895.021
		Wikle Store, 1.2 mi SE. of; on N. abutment of concrete bridge over Soque River; chiseled square	1751.987
		LINE 11.	
		FROM POINT 7.4 MILES WEST OF CLAYTON ALONG ROADS GENERALLY SOUTHWEST AND SOUTHEAST INTO CLARKESVILLE QUADRANGLE (By J. W. McLaughlin, 1950; Book AV 146 a)	
		"W 123 1934" (USC&GS) (Reported not found, 1957)	1593.99
		Clayton, 7.4 mi W. of, thence 0.3 mi S.; on NW. end of concrete headwall of bridge; chiseled square	1879.97

		<u>Feet</u>
Clayton, 7.4 mi W. of, along U. S. Highway 76, thence 1.7 mi S. along Timpson Lake; 1.6 mi S. of Hills Camp; 2.2 mi N. of Lake Burton School; 50 ft N. and 10 ft E. of, and 5 ft higher than junction of T-rd.; 4 ft N. and 6 ft E. of 24-in. oak tree; 84 ft E. of wooden bridge over stream; in concrete post; standard tablet stamped "TT 10 DWP 1950"	2005.730	
Reference mark; 20 ft SW. of tablet; in root on NE. side of 12-in. oak tree; copper nail and washer	2003.28	
Lake Burton School, 0.4 mi N. of; 15 ft N. of centerline of rd.; in root on W. side of 14-in. oak tree; copper nail and washer	2084.06	
Lake Burton School; 8.0 mi W. of Tiger along Bridge Creek rd.; 95 ft N. of rd.; 122 ft W. of schoolhouse; 14 ft S. and 24 ft E. of NW. corner of retainer wall around playground; 2 ft S. of retainer wall; in concrete post; standard tablet stamped "TT 11 DWP 1950 1969"	1968.592	
Reference mark; 140 ft W. of tablet; 32 ft SW. of centerline of rd.; in root on SE. side of 16-in. walnut tree; copper nail and washer	1954.84	
Lake Burton School, 0.5 mi SW. of; 100 ft SW. of centerline of junction of Y-rd. W.; in root on E. side of 10-in. oak tree; copper nail and washer	1965.13	
Lake Burton School, 1.3 mi SW. of; 8.0 mi W. of Tiger along Glassy Mountain rd.; 1.2 mi W. of Bridge Creek School; 2.0 mi NE. of Burton Dam; at Pal Gap; 30 ft N. of O-C-Key Camp rd.; 4 ft W. of sign; in concrete post; standard tablet stamped "TT 8 DWP 1950"	2012.989	
Lake Burton School, 2.2 mi SW. and SE. of; 48 ft S. of junction of T-rd. NW.; in root on NW. side of 12-in. oak tree; copper nail and washer	1823.16	
Lake Burton School, 3.2 mi SW. and SE. of; 1.8 mi S. of Burton Dam along Seed Lake rd.; at Brooks Camp; about 225 ft NE. of residence of Brooks; 120 ft NW. of concrete bridge over La Counts Creek; 20 ft W. of centerline of rd.; 3 ft S. and 12 ft W. of fence corner; 7 ft SW. of power pole; in concrete post; standard tablet stamped "TT 7 DWP 1950"	1760.493	
Reference mark; 130 ft E. of tablet; on E. abutment of small concrete bridge over La Counts Creek; chiseled square	1758.72	
Burton Dam, 2.9 mi SE. of, along Seed Lake rd.; 15 ft E. of centerline of rd.; on E. end of concrete pipe culvert; chiseled square	1770.06	
Burton Dam, 3.6 mi SE. of, along Seed Lake rd.; 1.8 mi NW. of Seed Dam; 84 ft W. of wooden bridge over Seals Creek; 63 ft SW. of REA pole; 30 ft S. and 11 ft E. of SE. corner of fishing camp with brick siding; 5 ft S. and 3 ft W. of 12-in. pine tree; in concrete post; standard tablet stamped "TT 6 DWP 1950"	1765.708	
Reference mark; 50 ft N. of tablet; in root on E. side of 6-in. oak tree; copper nail and washer	1766.51	
Seed Lake Dam, 0.6 mi NW. of; 15 ft E. of center- line of rd.; on E. end of concrete pipe culvert; chiseled square	1787.82	
Seed Lake Dam; 28 ft SE. of tower house; 15 ft W. of lamp post; 3 ft W. of center of two iron grates; in top of dam; Georgia Power Company standard disk stamped "1765.03 10/27/27"	1765.068	
Seed Lake Dam; 250 ft N. of dam; 67 ft E. of small supply building; 50 ft W. of Tallulah River; 34 ft SE. of centerline of rd. to power plant; 1 ft S. and 2 ft E. of powerline pole; in concrete post; standard tablet stamped "TT 5 DWP 1950"	1701.962	
<u>LINE 12.</u>		
JOG FROM CLARKESVILLE QUADRANGLE (By J. W. McLaughlin, 1950; Book AV 146 a)	1632.667	
Sky Lake Dam, 3.5 mi N. of; 35 ft SE. of junction of T-rd. S.; 2 ft W. of fenceline; in concrete post; standard tablet stamped "22 JWM 1950 1633"	1627.015	
Reference mark; 46 ft SW. of tablet; 15 ft W. of centerline of rd.; in root on NE. side of 8-in. oak tree; copper nail and washer		
		<u>Feet</u>
Sky Lake Dam, 3.5 mi N. of, thence 0.6 mi NE.; 18 ft N. of centerline of rd.; in root on N. side of 12-in. oak tree; copper nail and washer	1691.40	
Sky Lake Dam, 3.5 mi N. of, thence 1.5 mi NE.; 20 ft E. of centerline of rd.; 2 ft N. of White-Habersham County line; in concrete post; standard tablet stamped "23 JWM 1950 1835"	1835.132	
Reference mark; 190 ft N. of tablet; 15 ft W. of centerline of rd.; in root on SE. side of 14-in. oak tree; copper nail and washer	1834.34	
Sky Lake Dam, 3.5 mi N. of, thence 2.7 mi NE.; 2.7 mi N. of Providence Church; on NE. headwall of bridge over Soque Creek; chiseled square	1688.85	
Providence Church, 1.8 mi N. of, along gravel rd.; 250 ft W. of junction of Y-rd. N.; 29 ft N. of centerline of rd.; 1 ft S. of telephone pole; in concrete post; standard tablet stamped "24 JWM 1950 1647"	1646.404	
Reference mark; 140 ft E. of tablet; 10 ft S. of centerline of rd.; on W. end of concrete head- wall of culvert; chiseled square	1647.11	
Providence Church, 1.2 mi N. of; 25 ft SW. of centerline of rd.; in root on E. side of 10-in. oak tree; copper nail and washer	1655.74	
<u>LINE 13.</u>		
FROM POINT 2.9 MILES SOUTH OF LA PRADE CAMP ALONG ROADS GENERALLY EAST TO POINT 2.2 MILES SOUTHWEST OF LAKE BURTON SCHOOL (By J. W. McLaughlin, 1950; Book AV 146 a)		
"9 JWM 1950 1895" (Described in line 10)	1895.021	
La Prade Camp, 2.9 mi S. of, thence 1.3 mi SE.; 12 ft N. of centerline of rd.; in center of stone masonry culvert; chiseled square	2136.32	
La Prade Camp, 2.9 mi S. of, thence 2.4 mi SE.; 2.7 mi generally S. of Lake Burton School; 0.2 mi SE. of Burton Dam; 97 ft W. of junction of T-rd. NW. to dam; 18 ft NW. of centerline of rd.; 1 ft NW. of telephone pole; in concrete post; standard tablet stamped "36 JWM 1950 1785"	1785.158	
Lake Burton School, 2.2 mi SW. and SE. of; copper nail and washer (Described in line 11)	1823.16	
<u>LINE 14.</u>		
FROM ADDIS GAP ALONG ROADS GENERALLY SOUTHEAST AND EAST TO POINT 0.5 MILE NORTH OF LA PRADE CAMP (By J. W. McLaughlin, 1950; Book AV 146 a)		
"145 GWM 1936 3304" (Described in line 5)	3303.538	
Addis Gap, 1.1 mi SE. of; 10 ft SW. of centerline of rd.; on W. end of rock outcrop; chiseled square	2952.71	
Addis Gap, 1.7 mi SE. of, along Wildcat Creek rd.; on top of small hill; 27 ft N. of centerline of rd.; 6 ft W. of 10-in. oak tree; in concrete post; standard tablet stamped "37 JWM 1950 2928"	2927.674	
Reference mark; 30 ft W. of tablet; in root on S. side of 12-in. oak tree; copper nail and washer	2928.60	
Addis Gap, 2.4 mi SE. of; 10 ft SW. of centerline of rd.; 2 ft SE. of SW. end of culvert; on top of rock outcrop; chiseled square	3047.92	
Addis Gap, 3.4 mi SE. of, along Wildcat Creek rd.; 68 ft N. of NW. end of culvert under rd.; 20 ft NW. of centerline of rd.; 5 ft SE. of 9-in. pine tree; in concrete post; standard tablet stamped "38 JWM 1950 2828"	2828.025	
Addis Gap, 5.1 mi SE. of; 25 ft NE. of centerline of rd.; in root on SE. side of 12-in. hickory tree; copper nail and washer	2575.53	
Addis Gap, 5.4 mi SE. of, along Wildcat Creek rd.; 22 ft N. of centerline of dim woods rd. SW.; 60 ft W. of NW. corner of wooden bridge over Wildcat Creek; 7 ft E. of 14-in. pine tree; in concrete post; standard tablet stamped "39 JWM 1950 2501"	2500.924	

	<u>Feet</u>	<u>Feet</u>
Addis Gap, 6.0 mi SE. of, thence 0.9 mi N.; 10 ft W. of, and 3 ft higher than rd.; on top of rock outcrop; chiseled square	2241.69	"22 JWM 1950 1633" (Described in line 12) 1632.667
FROM RABUN GAP QUADRANGLE ALONG ROADS GENERALLY SOUTHWEST TO LAKE BURTON SCHOOL (By W. Varley, 1950; Book AV 174 a)		<u>LINE 16.</u>
Addis Gap, 6.0 mi SE. of, thence 1.2 mi N. and E.; 0.5 mi N. of La Prade Camp, thence 1.5 mi NW.; 45 ft N. of NW. end of wooden bridge over Wildcat Creek; 22 ft W. of centerline of rd.; in concrete post; standard tablet stamped "40 JWM 1950 2149"	2148.763	Rocky Grove Church; 1.0 mi NE. of Lake Burton School; 17 ft N. of centerline of rd.; 17 ft E. of, and 2 ft higher than junction of drive to church; in root on W. side of 10-in. maple tree; copper nail and washer 2018.43
La Prade Camp, 0.5 mi N. of, thence 0.4 mi NW.; 20 ft NE. of centerline of rd.; in root on SW. side of 10-in. oak tree; copper nail and washer	1941.72	"TT 11 DWF 1950 1969" (Described in line 11) 1968.592
"7 JWM 1950 1935" (Described in line 10)	1934.624	<u>LINE 17.</u>
FROM POINT 2.6 MILES SOUTH OF MOUNTAIN SCENE SCHOOL ALONG ROADS GENERALLY SOUTHEAST EAST AND SOUTH TO POINT 3.5 MILES NORTH OF SKY LAKE DAM (By J. W. McLaughlin, 1950; Book AV 146 a)		FROM RABUN GAP QUADRANGLE ALONG ROADS WEST TO SEED LAKE DAM (By W. Varley, 1950; Book AV 174 a)
"147 GWM 1936 2263" (Described in line 6)	2262.571	"1765.03 10/27/27" (Described in line 11) 1765.068
Mountain Scene School, 2.6 mi S. of, thence 0.9 mi SE.; 10 ft N. of centerline of rd.; on top of rock outcrop; chiseled square	2760.54	Reference mark; 18 ft W. of tablet; on SE. end of galvanized iron pipe under rd.; chiseled square 1701.00
Mountain Scene School, 2.6 mi S. of, along State Highway 75, thence 2.4 mi SE. along Indian Grove Gap rd.; 25 ft W. of, and 7 ft higher than rd.; 25 ft N. of 12-in. oak tree; at junction of Appalachian Foot Trail and rd.; in concrete post; standard tablet stamped "41 JWM 1950 3034"	3033.911	
Mountain Scene School, 2.6 mi S. of, thence 2.8 mi SE.; 15 ft NE. of centerline of rd.; in root on S. side of 24-in. oak tree; copper nail and washer	3148.00	
Mountain Scene School, 2.6 mi S. of, along State Highway 75, thence 3.9 mi SE. along Indian Grove Gap rd.; 1.3 mi SE. of Tray Mountain picnic area; at Indian Grove Gap; in triangle formed by junction of Y-rd.; 9 ft SW. of 12-in. oak tree; in concrete post; standard tablet stamped "42 JWM 1950 3355"	3354.649	
Mountain Scene School, 2.6 mi S. of, thence 3.9 mi SE., thence 1.3 mi NE.; at N. entrance of Tray Mountain picnic area; 15 ft NW. of centerline of rd.; in root on NW. side of 24-in. oak tree; copper nail and washer	3552.30	
Mountain Scene School, 2.6 mi S. of, thence 3.9 mi SE., thence 1.8 mi NE.; 0.5 mi NE. of Tray Mountain picnic area; on top of Tray Mountain Gap; 22 ft SW. of centerline of rd.; 3 ft SE. of 12-in. oak tree; in concrete post; standard tablet stamped "43 JWM 1950 3841"	3840.859	
Reference mark; 80 ft E. of tablet; 12 ft NE. of rd.; in root on S. side of 18-in. oak tree; copper nail and washer	3839.83	
Mountain Scene School, 2.6 mi S. of, thence 3.9 mi SE., thence 1.8 mi NE.; thence 1.4 mi S.; 17 ft W. of centerline of rd.; in root on NE. side of 14-in. oak tree; copper nail and washer	3420.48	
Mountain Scene School, 2.6 mi S. of, thence 3.9 mi SE., thence 1.8 mi NE., thence 2.0 mi S.; 3.5 mi N. of Sky Lake Dam, thence 6.0 mi generally NW.; 2.5 mi SE. of Tray Mountain picnic area along Tray Mountain rd.; 27 ft SE. of centerline of rd.; 11 ft SW. of 10-in. oak tree; in concrete post; standard tablet stamped "44 JWM 1950 3250"	3250.076	
Reference mark; 140 ft NW. of tablet; 13 ft N. of centerline of rd.; in root on SW. side of 14-in. oak tree; copper nail and washer	3253.25	
Sky Lake Dam, 3.5 mi N. of, thence 5.0 mi generally NW.; 9 ft SE. of centerline of rd.; on top of N. corner of large boulder; chiseled square	2910.35	
Sky Lake Dam, 3.5 mi N. of, thence 4.0 mi generally NW.; 4.5 mi SE. of Tray Mountain picnic area along Tray Mountain rd.; 20 ft SE. of centerline of rd.; 9 ft SW. of 16-in. oak tree; in concrete post; standard tablet stamped "45 JWM 1950 2736"	2735.971	
Sky Lake Dam, 3.5 mi N. of, thence 0.5 mi SW., thence 2.1 mi NW.; 13 ft NE. of centerline of rd.; on S. corner of boulder; chiseled square	2065.54	
Sky Lake Dam, 3.5 mi N. of, thence 0.5 mi SW., thence 1.3 mi NW.; 6.7 mi SE. of Tray Mountain picnic area along Tray Mountain rd.; 0.5 mi NW. of Chimney Mountain rd.; 18 ft E. of centerline of rd.; 6 ft S. of 10-in. sycamore tree; in concrete post; standard tablet stamped "46 JWM 1950 1727"	1726.783	

## NGVD 29 Elevations