

VERTICAL DATUM OF 1929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

35-079-22
CLIFDALE QUADRANGLE
NORTH CAROLINA
N3500-47900/15
DIAGRAM NI 17-3
RALEIGH

73


Cumberland, Harnett, Hoke, and Moore Counties

Final adjustment of 1974

Edition of 3/24/75

PR: -WSM/rmc

NGVD 29
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 350792

910 825 4616

INDEX OF PERMANENT MARKS

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
261	4	PTS NO 9 MAC 1918 354	5
327	7	PTS NO 10 MAC 1918 360	5
382	7	PTS NO 11 MAC 1918 388	5
418	6	PTS NO 12 MAC 1918 378	5
427 RECOVERED AS DESCRIBED	5	PTS NO 14 MAC 1918 206	5
466	6	PTS NO 15 MAC 1918 184	6
486 NOT FOUND <u>89/05</u>	6	PTS NO 16 MAC 1918 178	5
495	3	PTS NO 17 MAC 1918 190	5
1918 214	3	PTS NO 23 MAC 1918 208	4
1918 228	3	PTS NO 24 MAC 1918 284	4
1918 292	3	PTS NO 25 MAC 1918 233	4
1918 297	3	PTS NO 26 MAC 1918 355	4
GADDYS	6	PTS NO 27 MAC 1918 368	5
PTS NO 47 B 1918 359	4	PTS NO 28 MAC 1918 336	4
PTS NO 48 B 1918 295	4	PTS NO 29 MAC 1918 439	3
PTS NO 49 B 1918 336	4	PTS NO 30 MAC 1918 406	4
PTS NO 50 B 1918 296 NOT FOUND <u>89/05</u>	6	PTS NO 31 MAC 1918 412	3
PTS NO 51 B 1918 251 NOT FOUND <u>89/05</u>	7	PTS NO 41 MAC 1918 466	3
PTS NO 52 B 1918 358	7	PTS NO 42 MAC 1918 426	3
PTS NO 54 B 1918 305	3	PTS NO 44 MAC 1918 338	7
PTS NO 55 B 1918 324	4	PTS NO 45 MAC 1918 294	3
PTS NO 58 B 1918 351 NOT FOUND <u>89/04</u>	6	PTS NO 46 MAC 1918 241	4
PTS NO 59 B 1918 289	6	PTS NO 65 MAC 1918 306	7
PTS NO 60 B 1918 290.5 NOT FOUND <u>89/04</u>	6	1 NDS 1946 NOT FOUND <u>89/05</u>	12
PTS NO 66 B 1918 310	7	2 NDS 1946 NOT FOUND <u>89/05</u>	12
PTS NO 68 B 1918 357	7	3 NDS 1946 NOT FOUND <u>89/05</u>	12
PTS NO 70 B 1918 229	7	4 NDS 1946 NOT FOUND <u>89/05</u>	12
TT 4 HEM 1946 270 NOT FOUND <u>89/05</u>	14	5 NDS 1946 DESTROYED <u>89/05</u> USGS RUM	13
TT 5 HEM 1946 347	13,13,13	7 NDS 1946	9
4 JRR 1946 284	10	8 NDS 1946	9
5 JRR 1946 353 PROBABLY LOST <u>89/04</u>	9,11	9 NDS 1946	9
6 JRR 1946 283	10	11 NDS 1946 RECOVERED AS DESCRIBED <u>3/85</u>	13
14 JRR 1946 244 NOT FOUND <u>89/04</u>	10	37 RLB 1946 279 DESTROYED <u>89/04</u>	7
15 JRR 1946 239 DESTROYED <u>89/04</u>	10	38 RLB 1946 391 NOT FOUND <u>89/04</u>	8
17 JRR 1946 317	11	39 RLB 1946 409 NOT FOUND <u>89/04</u>	8
18 JRR 1946 334 NOT FOUND <u>89/05</u>	11	43 RLB 1946 214	8
47 JRR 1946 141	11	44 RLB 1946 208 RECOVERED AS DESCRIBED <u>N/E 89/05</u>	11
49 JRR 1946 290	11	47 RLB 1946 141	11
PTS NO 400 M 1918 408	5	49 RLB 1946 290 PROBABLY LOST <u>89/04</u>	11
PTS NO 401 M 1918 265	5	TT 1 WAC 1946 293	12
PTS NO 403 M 1918 373	6	RESET 1952 (PTS NO 13 MAC 1918 271)	5
PTS NO 404 M 1918 298.9	6		
PTS NO 405 M 1918 268 NOT FOUND <u>89/04</u>	3	USED	
PTS NO 406 M 1918 223	6	194	10
PTS NO 407 M 1918 353	6	367	10
PTS NO 8 MAC 1918 322	5	3 TTA 132	10
		20 453 NOT FOUND <u>89/5</u>	0
		24 211 NOT FOUND <u>89/5</u>	9
		28 + 367	8

ISOLATED BENCH MARKS (By R. G. Clinite, H. P. Kilby, G. F. Brockman, R. T. Mafit,
E. K. Nelson, and C. H. Semper, 1918; Books B 308-312, B 321, B 322; B334-B 336)

Feet

- Clifdale, 0.8 mi E. of; 6.9 mi W. of Fayetteville; along S. side of rd.; 15 ft E. of rd.
forks; on iron post; standard cap stamped "1918 228" *475* 227.706
- Clifdale, 1.7 mi W. of, along N. side of rd.; 15 ft W. of junction of dlm rd. N.; on iron
post; standard cap stamped "1918 214" *474* 214.486
- Clifdale, 3.8 mi SW. of; 1.1 mi E. of Cumberland-Hoke County line; at crossroads; on N.
side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 405 M 1918 268" *503* *USGS RLM*
NOT FOUND *89/04* 268.083
- Clifdale, 6.4 mi SW. of, 7.0 mi E. of Campbells Crossroads; 4.0 mi S. of Longstreet Church;
310 ft S. of intersection of Chicken and Preachers rds.; on W. side of Preachers rd.; on
iron post; standard cap stamped "PRIM TRAV STA NO 45 MAC 1918 294" *528* *USGS RLM*
NOT FOUND *89/04* 294.274
- Campbells Crossroads, 3.9 mi E. of; 0.9 mi W. of crossing of Puppy Creek; 150 ft N. of
farmhouse; on S. side of rd.; on iron post; standard cap stamped "1918 292" (Reported
destroyed, 1948) *476* 292.186
- Campbells Crossroads, 3.1 mi E. of; 110 ft W. of McDuffie Creek; 50 ft W. of rd. forks; on
S. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 54 B 1918 305"
(Reported destroyed, 1948) *485* 305.318
- Campbells Crossroads, 2.6 mi E. of, 18.0 mi W. of Fayetteville; 7.0 mi NE. of Raeford; 600
ft SW. of intersection of Chicken and Mulatto rds.; 170 ft S. of Chicken rd.; on highest
part of hill locally known as Finalyson Mountain; in top of 18- by 18-in. concrete post
30 in. in ground; standard tablet designated "FINLAYSON" and stamped "495" *473* 495.208
- Campbells Crossroads, 1.1 mi E. of, 0.2 mi W. of crossing of Nicholson Creek; 150 ft W. of
house on Cameron plantation; on S. side of rd.; on iron post; standard cap stamped "1918 297"
(Reported destroyed, 1948) *477* 297.148
- Campbells Crossroads; about 7.0 mi N. of Raeford; 12 ft S. and 17 ft W. of intersection of
Chicken and Raeford-Vass rds.; on iron post; standard cap stamped
"PRIM TRAV STA NO 31 MAC 1918 412" (Reported destroyed, 1948) *523* 412.139
- McPherson Mountain, 0.4 mi NE. of summit; 8.5 mi (airline) SE. of Southern Pines; 1.7 mi NW.
of intersection of Raeford-Vass and Yadkin rds.; 240 ft SW. of rd.; 12 ft N. of blazed
oak tree; on iron post; standard cap stamped "PRIM TRAV STA NO 41 MAC 1918 466"
525 466.058
- McPherson Mountain, 1.8 mi SE. of, 2.0 mi NW. of Battlefield farm; 15 ft N. and 30 ft W. of
intersection of abandoned Morganton and Raeford-Vass rds.; on iron post; standard cap
stamped "PRIM TRAV STA NO 42 MAC 1918 426" (Probably disturbed prior to 1946)
526 425.384
- Reference mark; 125 ft NE. of tablet; 70 ft E. of centerline of rd.; in base on W. side of 12
in. pine tree; rail spike 425.37
- Battlefield farm, 0.9 mi NE. of, 0.4 mi S. of summit of Gaddys Mountain; 200 ft SW. of
dwelling; 10 ft W. of junction of rd. S.; on iron post; standard cap stamped
"PRIM TRAV STA NO 29 MAC 1918 439" (Reported not found, 1948) *521* 439.458

ISOLATED BENCH MARKS (Cont'd)Feet

Battlefield farm, 3.0 mi E. of, 1.2 mi S., thence 2.1 mi W. of Longstreet Church; 0.5 mi W. of crossing of Black Creek; 15 ft S. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 28 MAC 1918 336" <i>520</i>	336.330
Longstreet Church, 1.2 mi S. of, 1.3 mi NW. of crossing of Morganton rd. and Cumberland-Hoke County line; 25 ft S. and 10 ft W. of intersection of Morganton and Preachers rds.; on iron post; standard cap stamped "PRIM TRAV STA NO 26 MAC 1918 355" (Reported destroyed, 1948) <i>518</i>	351.021
Fayetteville, 8.0 mi W. of, along Morganton rd.; 0.5 mi W. of dwelling of Mr. McMillwine and on his property; 200 ft N. of Morganton rd. where rock descends toward creek; 65 ft NW. of unoccupied cabin; in top of 2- by 2-ft concrete post 4 ft in ground; standard tablet designated "WEST BASE" and stamped "261" (stamping obliterated, 1947) <i>469</i>	260.926
Fayetteville, 8.5 mi W. of, 350 ft W. of crossing of Stewarts Creek; 300 ft W. of junction of Bennetts Mill rd.; 5 ft N. of NW. corner of Red Hill Church; on iron post; standard cap stamped "PRIM TRAV STA NO 23 MAC 1918 208" (Reported not found, 1948) <i>515</i>	207.597
Fayetteville, 10.9 mi W. of, 1.0 mi W. of crossing of Bones Creek; 300 ft SW. of small frame house; 15 ft N. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 24 MAC 1918 284" <i>516</i>	283.965
Fayetteville, 13.0 mi W. of, 1.2 mi S. and 1.3 mi SE. of Longstreet Church; 220 ft W. of Cumberland-Hoke County line and crossing of Little Rockfish Creek; 10 ft N. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 25 MAC 1918 233" <i>517</i>	232.726
Clifdale, 6.4 mi W. of, thence 2.3 mi S.; 3.8 mi SE. of Rock Hill Church; 30 ft S. of junction of Old Plank and Preachers rds.; on iron post; standard cap stamped "PRIM TRAV STA NO 46 MAC 1918 241" (Reported destroyed, 1948) <i>529</i>	241.486
Rock Hill Church, 1.3 mi E. of, 10 ft N. and 50 ft E. of rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 47 B 1918 359" (Reported destroyed, 1948) <i>479</i>	358.970
Rock Hill Church, 0.8 mi W. of; 0.4 mi E. of crossing of Nicholsons Creek; on S. side of Old Plank rd.; 3 ft W. of blazed oak tree; on iron post; standard cap stamped "PRIM TRAV STA NO 48 B 1918 295" <i>480</i>	295.231
Rock Hill Church, 2.5 mi W. of; 4.6 mi N. of Raeford; 2.2 mi S. of Campbells Crossroads; 30 ft N. and 30 ft W. of intersection of Old Plank rd. and Raeford-Vass rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 49 B 1918 336" (Reported destroyed, 1942) <i>481</i>	336.479
Campbells Crossroads, 1.6 mi N. of; 1.5 mi SW. of Battlefield farm; 20 ft W. of junction of Raeford-Vass rd. and rd. NE. to Battlefield farm; on iron post; standard cap stamped "PRIM TRAV STA NO 30 MAC 1918 406" (Reported destroyed, 1948) <i>522</i>	406.291
Battlefield farm, 2.3 mi E. of, thence 1.0 mi S.; 600 ft N. of abandoned dwelling of Angus Ray; 25 ft N. of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 55 B 1918 324" (Reported destroyed, 1948) <i>486</i>	324.015

NGVD 29
ElevationsISOLATED BENCH MARKS (Cont'd)

Feet

- Fayetteville, 10.0 mi NW. of, 2.6 mi SE. of Longstreet School, along Yadkin rd.; 200 ft W. of milepost 10; 15 ft S. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 8 MAC 1918 322" *506* 322.452
- Fayetteville, about 9.5 mi NW. of, 1.2 mi SW. of Tank Hill; 0.3 mi NE. of Yadkin rd.; on summit of hill; in top of 18- by 18-in. concrete post 26 in. in ground; standard tablet designated "VAUGHN" and stamped "427" *472* ~~RECOVERED AS DESCRIBED~~ ~~3788~~ 426.124
- Tank Hill, 0.7 mi S. of, thence 0.9 mi W.; 15 ft NE. and 35 ft NW. of rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 400 M 1918 408" (Reported destroyed, 1948) *499* 407.961
- Tank Hill, 350 ft SE. of wooden water tank; 300 ft E. of reservoir; 25 ft W. of centerline of rd.; 6 ft S. of tree; on iron post; standard cap stamped "PRIM TRAV STA NO 27 MAC 1918 368" *519* 367.967
- Tank Hill, 1.6 mi NW. of, 1.5 mi S. of Monroe bridge over Little River; 150 ft SW. of crossroads; on SE. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 401 M 1918 265" (Reported destroyed, 1948) *500* 265.325
- Tank Hill, 4.0 mi N. of, 0.7 mi SW. of Manchester; 0.9 mi NE. of Monroe bridge; at sharp angle in Manchester rd.; 12 ft SW. of entrance to farm buildings; in fence corner; on iron post; standard cap stamped "PRIM TRAV STA NO 16 MAC 1918 178" (Reported not found, 1948) *513* 177.948
- Manchester, 0.5 mi SE. of Atlantic Coast Line Railroad Station; 60 ft SE. of centerline of rd. crossing at tool house; 20 ft NE. of track; on iron post; standard cap stamped "PRIM TRAV STA NO 17 MAC 1918 190" *514* 190.128
- Longstreet School, 0.8 mi SE. of; 15 ft N. of centerline of rd.; 15 ft W. of pine tree; on iron post; standard cap stamped "PRIM TRAV STA NO 9 MAC 1918 354" (Reported destroyed, 1947) *507* 353.467
- Longstreet School, 1.3 mi SW. of, 1.8 mi NE. of Longstreet Church; 1.1 mi NE. of Cumberland-Hoke County line; 18 ft N. of centerline of rd.; in edge of woods; 10 ft W. of oak tree; on iron post; standard cap stamped "PRIM TRAV STA NO 10 MAC 1918 360" (Reported not found, 1948) *508* 360.277
- Longstreet Church, 240 ft E. of, 20 ft NW. of Yadkin rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 11 MAC 1918 388" (Reported disturbed, 1948) *509* ~~USGS RLM~~ ~~PROBABLY LOST~~ *89/04* 388.119
- Longstreet Church, 1.7 mi N. of, 360 ft SW. of intersection of Carthage rd. and NE.-SW. rd.; on NW. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 12 MAC 1918 378" (Reported disturbed, 1948) *510* ~~USGS REPORT~~ ~~RIM~~ ~~NOT FOUND~~ *89/05* 377.813
- Fort Bragg Reservation; 31 ft S. of centerline of Manchester Road; 0.6 mi SE. of mouth of Jumping Run Creek; 500 ft W. of centerline of Latham Road; 103 ft S. of nail in 12 in. pine tree on N. side of rd.; 150 ft NE. of track in 14 in. pine tree; in concrete post flush with top of ground on downhill side; standard tablet stamped "RESET 1952" (Replaces "PTS NO 13 MAC 1918 271") (Reported destroyed, 1959) *548* 265.618
- Monroe Bridge, 4.1 mi SW. of, 0.6 mi NE. of crossing of Manchester rd. and Cumberland-Hoke County line; 530 ft SW. of crossing of Little Creek; 160 ft from frame house; 10 ft NW. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 14 MAC 1918 206" (Reported disturbed, 1948) *511* ~~USGS REPORT~~ ~~RIM~~ ~~NOT FOUND~~ *89/05* 206.163

ISOLATED BENCH MARKS (Cont'd)	NGVD 29 Elevations	feet
Monroe Bridge, 1.4 mi SW. of, 0.3 mi S. of mouth of Juniper Creek; 380 ft W. of creek crossing; 250 ft N. of two-story white house; on bank; 12 ft N. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV ST NO 15 MAC 1918 184" (Reported not found, 1948)	512	184.093
Monroe Bridge, 0.8 mi W. of, thence 1.2 mi SW.; 3.0 mi NE. of Longstreet School; on E. side of rd. at rd. forks SW.; on hill near house and store; on iron post; standard cap stamped "PRIM TRAV STA NO 406 M 1918 223"	504	223.201
Fayetteville, about 14.0 mi NW. of, along Yadkin rd.; 1.0 mi NW. of Longstreet School; 0.4 mi N. of Yadkin rd.; 75 ft SE. of gate; on summit of ridge; in field; in 18- by 18-in. concrete post 26 in. in ground; standard tablet designated "MONROE" and stamped "486"	USGS REPORT RLM NOT FOUND 89/05	485.570
Fayetteville, about 15.0 mi NW. of, 0.5 mi SW. of Longstreet Church; on knoll locally known as Polly Ray Mountain; in concrete post; standard tablet designated "POLLY RAY" and stamped "466"		465.606
Longstreet Church, 1.8 mi NW. of, 1.3 mi SE. of Willie Ray farm; on ridge between Jumping Run Creek and Deep Creek; at rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 407 M 1918 353" (Reported destroyed, 1948)	505	352.968
Longstreet Church, 3.1 mi NW. of, 3.4 mi SE. of Morrison bridge over Little River; 0.2 mi N. of Willie Ray farm; on Carthage rd.; 600 ft SE. of main crossroads; 30 ft NW. of rd. fork S.; on iron post; standard cap stamped "PRIM TRAV STA NO 50 B 1918 296" (Reported disturbed, 1959)	NOT FOUND 89/05 482	295.761
Longstreet Church, 1.7 mi W. of, 3.7 mi NE. of Battlefield farm; in NW. angle of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 403 M 1918 373" (Reported destroyed, 1948)	501	372.756
Southern Pines, 13.0 mi SE. of, 1.0 mi NE. of Battlefield farm; 0.4 mi N. of Morganton rd.; on wooded hill locally known as Gaddys Mountain; in top of 18- by 18-in. concrete post 30 in. in ground; standard tablet designated "GADOYS" (Reported destroyed, 1948)	478	534.774
Fayetteville, about 8.0 mi (airline) NW. of, 1.5 mi NE. of Red Hill Church; 1.0 mi S. of Yadkin rd.; at junction of rd. NW.; 5 ft E. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 59 B 1918 289" (Reported not found, 1948)	488	289.064
Red Hill Church, 0.7 mi W. of, thence 1.8 mi NW.; 2.6 mi SE. of Longstreet School; on ridge between Bones and Stewarts Creek; 230 ft NW. of house; on E. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 58 B 1918 351" (Reported not found, 1948)	USGS RLM NOT FOUND 89/04 487	350.654
Fayetteville, about 12.0 mi NW. of, along Yadkin rd.; 1.5 mi (airline) SE. of Longstreet School; 0.2 mi S. of Yadkin rd.; 400 ft NE. of rd. along NE. side of field; on summit of hill; in top of 18- by 18-in. concrete post 26 in. in ground; standard tablet designated "MAC" and stamped "418"		417.567
Longstreet School, 1.9 mi S. of, 1.1 mi N. of Morganton rd.; 0.6 mi NW. of Chapel Hill Church and School; 80 ft SE. of centerline of rd. at junction of T-rd. N.; on iron post; standard cap stamped "PRIM TRAV STA NO 60 B 1918 290.5" (Reported destroyed, 1947)	USGS RLM NOT FOUND 89/04 489	290.551
Longstreet School, 3.9 mi SE. of, 0.7 mi S. of Morganton rd.; 5 ft S. and 5 ft E. of centerline of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 404 M 1918 298.9" (Reported destroyed, 1947)	502	298.829

ISOLATED BENCH MARKS (Cont'd)

feet

- Longstreet Church, 2.6 mi SE. of, 1.3 mi SE. of Morganton rd.; 0.7 mi N. of Zion Wall Church; 10 ft W. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 44 MAC 1918 338" *527* **USGS RLM** NOT FOUND 89/04 337.925
- Battlefield farm, 3.5 mi NE. of, 1.6 mi SE., thence 1.0 mi SW. of Morrison Bridge over Little River; on ridge between Flat and Mill Creeks; 0.1 mi SW. of centerline of rd. at junction of Y-rd.; 6 ft W. of centerline of rd. about 25 ft above ground in drop zone-cleared area; on iron post; standard cap stamped "327" *470* 327.506
- Morrison Bridge, 0.6 mi S. of, 364 ft N. of junction of Manchester and Raeford-Vass rds.; on E. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 51 B 1918 251" (Reported disturbed, 1959) *483* N|F 3188 **NE 86/05** 251.030
- Morrison Bridge, 2.8 mi SW. of, along SE. side of Raeford-Vass rd.; 3.4 mi N. of intersection of Morganton rd.; in S. angle of junction of second-class rd. SE.; on iron post; standard cap stamped "PRIM TRAV STA NO 52 B 1918 358" (Reported destroyed, 1948) *484* 358.068
- Morrison Bridge, 4.4 mi SW. of, 0.2 mi E. of McCrimmon Church; 1.5 mi SE. of McCloud Cemetery; 6 ft S. and 12 ft E. of centerline of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 68 B 1918 357" (Reported destroyed, 1948) *494* 356.760
- Southern Pines, 10.0 mi NE. of; 0.7 mi E. of McCloud Cemetery; 60 ft N. of dim rd. W.; on W. side of N.-S. rd.; on wooded hill; on property of Mr. Gilliland; in top of 8- by 8-in. concrete post 26 in. in ground; standard tablet designated "GILLILAND" and stamped "382" *471* 382.211
- McCloud Cemetery, 1.7 mi E. of, 250 ft S. of James Creek; on NW. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 70 B 1918 229" *492* 229.512
- Montrose, 6.0 mi E. of, along Raeford-Vass rd.; 3.5 mi S. of Campbells Crossroads; 3.5 mi N. of Raeford; 10 ft W. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 66 B 1918 310" (Reported destroyed, 1948) *490* 309.951
- Raeford, about 4.5 mi (airline) NE. of, 3.0 mi E. of Raeford-Vass rd.; 1.5 mi SE. of Rock Hill Church; 2.5 mi SW. of junction of Raeford Highway and Old Plank rd.; 250 ft NE. of old house; on iron post; standard cap stamped "PRIM TRAV STA NO 65 MAC 1918 306" (Reported destroyed, 1948) *530* 306.217

LINE 1.

By R. L. Beitle, 1946; Book V 262

- Raeford, 3.2 mi N. of station, along Raeford-Vass rd.; 2.5 mi S. of junction of Raeford-Vass and Plank rds.; 33 ft W. of centerline of rd.; 62 ft SE. of SE. corner of white frame house; 3 ft W. of twin 10 in. wild cherry tree; in concrete post; standard tablet stamped "37 RLB 1946 279" *540* **USGS REPORT "MARK FOUND KNOCKED OVER"** DESTROYED 89/04 **RLM** 279.365
- Reference mark; 105 ft NW. of tablet; 98 ft W. of centerline of rd.; 9 ft N. of lane at NE. corner of house; in root on E. side of 30 in. lone oak tree; copper nail and washer 278.49

NGVD 29
Elevations

LINE 1 (Cont'd)

	Feet
Raeford, 4.4 mi N. of, along Raeford-Vass rd.; 1.3 mi S. of junction of Raeford-Vass and Plank rds.; 37 ft N. and 27 ft W. of junction of field rd. W.; in concrete post projecting 4 in. above ground; North Carolina Geodetic Survey standard disk stamped "N + C 424"	308.376
Reference mark; 66 ft E. of tablet; 40 ft E. of centerline of rd.; 1 ft S. of field rd. E.; in base on S. side of 18 in. pine tree; rail spike	308.73
Raeford, 6.8 mi N. of, along Raeford-Vass rd.; 1.0 mi S. of junction of Raeford-Vass and Chicken rds.; 63 ft E. of centerline of Raeford-Vass rd.; N. one of two cuts; 25 ft E. of E. edge of deep cut; 62 ft N. of telephone pole; 9 ft E. of centerline of dim rd. parallel to main rd.; in concrete post projecting 4 in.; standard tablet stamped "38 RLB. 1946 391"	391.104
Reference mark; 279 ft S. of tablet; 81 ft E. of centerline of Raeford-Vass rd.; at head of drain; between two knolls; 13 ft E. of centerline of dim rd. parallel to main rd.; 32 ft E. of telephone pole; in root on NW. side of 10 in. oak tree; copper nail and washer	384.66
Raeford, 9.2 mi N. of, along Raeford-Vass rd.; 2.0 mi S. of junction of Raeford-Vass and Longstreet rds.; 50 ft E. of centerline of Raeford-Vass rd.; 12 ft E. of telephone pole 2979; in concrete post; standard tablet stamped "39 RLB. 1946 409"	406.60
Reference mark; 125 ft W. of tablet; 73 ft W. of centerline of rd.; in base on E. side of 12 in. pine tree; rail spike	406.60
<u>LINE 2.</u>	
By R. L. Beitle, 1946; Book V 262	
Lobelia, 0.5 mi S. of, thence 0.9 mi SW., along dirt rd.; 475 ft W. of center of wooden bridge over Little River; 38 ft S. of centerline of rd. on curve; in concrete post; standard tablet stamped "43 RLB. 1946 214" (Reported destroyed, 1950)	214.039
Reference mark; 72 ft E. of tablet; 29 ft S. of centerline of rd.; near W. end of sand pit; in base on N. side of 10 in. pine tree; rail spike	215.20
Lobelia, 0.4 mi NW. of Little River community house, along dirt rd.; 32 ft SW. of centerline of rd.; 88 ft SE. of SE. corner of store; 54 ft E. of SE. corner of white frame house; in yard; in concrete post; North Carolina Geodetic Survey standard disk stamped "N Δ C 427"	290.42
See Woodlake Leads (Moore Co.)	290.40
Lobelia, 1.2 mi E. of, 2.2 mi N. of ranger State 3; on military reservation; 47 ft N. and 47 ft E. of centerline of crossroads; in concrete post projecting 4 in.; standard tablet stamped "44 RLB 1946 208"	207.276
Reference mark; 21 ft NW. of tablet; 40 ft E. of centerline of N.-S. rd.; in base on E. side of 20 in. water oak tree; rail spike	207.71
Ranger Station 3 (junction of Manchester and Raeford-Vass rds.), 2.3 mi SW. of, along Raeford-Vass rd.; 3.0 mi NE. of junction of Longstreet rd.; 192 ft SW. and 293 ft SE. of junction of woods rd. SE.; 44 ft W. of centerline of woods rd.; in concrete post projecting 5 in.; USCE standard disk stamped "28 + 367"	366.508

NGVD 29
Elevations

LINE 2 (Cont'd)

Feet

Ranger Station 3 (junction of Manchester and Raeford-Vass rd.); 3.1 mi SW. of; 2.2 mi NE. of junction of Longstreet rd.; along Raeford-Vass rd.; 83 ft SW. and 50 ft NW. of junction of woods rd. W.; 9 ft NW. of centerline of woods rd.; 50 ft NW. of centerline of main rd.; 5 ft W. of 12 in. pine tree; in concrete post projecting 5 in.; USCE standard disk stamped "24 211" (Reported disturbed,, 1948) *USGS RLM* NOT FOUND 89/05 410.585

Ranger Station 3, 3.9 mi SW. of, 1.3 mi NW. of junction of Longstreet rd., along Raeford-Vass rd.; 81 ft NE. and 31 ft NW. of junction of woods rd. NW.; in concrete post projecting 3 in.; North Carolina Geodetic Survey standard disk stamped "N Δ C 426" *USGS RLM* NOT FOUND 89/05 412.985

Ranger Station 3, 4.2 mi SW. of, 1.0 mi NW. of junction of Longstreet rd., along Raeford-Vass rd.; 24 ft E. of centerline of rd.; 52 ft N. and 24 ft E. of top of sharp hill S.; 47 ft SW. of telephone pole; in concrete post projecting 6 in.; USCE standard disk stamped "20 453" *USGS RLM* NOT FOUND 89/05 451.725

LINE 3.

By H. D. Smith, 1946; Book V 262

Intersection of Raeford-Vass and Longstreet rds.; 1.0 mi E. of, along Longstreet rd.; 45 ft E. of intersection of rd. to sunken target ranges 3 and 4; 50 ft N. of centerline of rd; in concrete post; standard tablet stamped "7 NDS 1946" *536* 424.990

Reference mark; 55 ft E. of tablet; in base on S. side of 28 in. pine tree; rail spike 424.49

Intersection of Raeford-Vass and Longstreet rds.; 4.9 mi SE. of, along Morganton rd.; 1.6 mi NW. of intersection of Morganton and Preachers rds.; in top of S. wingwall of culvert over Black Creek; standard tablet stamped "8 NDS 1946" *537* 258.326

Reference mark; 15 ft N. of tablet; on NE. corner of wingwall of culvert over Black Creek; chiseled square 258.37

U.E., intersection of Morganton and Preachers rds.; 0.5 mi NW. of, along Morganton rd.; on N. end of E. wingwall of culvert over Patterson Creek; chiseled square 292.61

Fort Bragg, 1.2 mi S. of intersection of Longstreet and Preachers rds.; along Preachers rd. to intersection of Preachers and Morganton rds.; 102 ft W. of centerline of Preachers rd.; 36 ft S. of centerline of Morganton rd.; 41 ft W. of telephone pole; in concrete post; standard tablet stamped "5 JRR 1946 353" *493* *USGS RLM* PROBABLY LOST 89/04 353.350

Reference mark; 122 ft W. of centerline of Preachers rd.; 39 ft S. of centerline of Morganton rd.; in root on E. side of 5 in. pine tree; copper nail and washer 353.50

U.E., intersection of Morganton and Preachers rds.; 1.0 mi S. of, along Preachers rd.; 1.8 mi N. of Chicken rd.; 50 ft E. of centerline of rd.; in base on W. side of telephone pole 2500; rail spike 326.55

Intersection of Morganton and Preachers rds.; 2.0 mi S. of, along Preachers rd.; 0.9 mi N. of Chicken rd.; about 45 ft W. of centerline of rd.; in N. boundary line of small cemetery; in concrete post; standard tablet stamped "9 NDS 1946" *538* 298.769

NGVD 29
ElevationsLINE 3 (Cont'd)

Feet

Reference mark; 25 ft SE. of tablet; in base on W. side of 8 in. pine tree; rail spike

297.97

LINE 4.

By J. R. Rigby, 1946; Book V 262

Rockfish, 2.3 mi W. of, thence 1.6 mi N.; along dirt rd.; 485 ft N. of house; 470 ft S. of another house; 38 ft N. and 23 ft W. of junction of rd. E.; 12 ft N. of cornfield; 6 ft S. of ditch; in concrete post; standard tablet stamped "14 JRR 1946 244" USGS RLM

NOT FOUND

ea/04 244.381

495

Reference mark; 470 ft N. of tablet; 53 ft S. of SW. corner of house; 27 ft E. of centerline of rd.; in root on E. side of 18 in. oak tree; copper nail and washer

251.20

Rockfish, 2.3 mi W. of, thence 3.4 mi N., along dirt rd.; 15.0 mi SW. of Fayetteville, along U. S. Highway 15 A; 1.3 mi S. of S. boundary of Fort Bragg Military Reservation; 36 ft N. and 22 ft W. of intersection of hwy. and Preachers rd.; in concrete post; standard tablet stamped "15 JRR 1946 239" USGS REPORT "TOP BROKEN OFF!"

DESTROYED

89/04 RLM
239.286

496

LINE 5.

By J. R. Rigby, 1946; Book V 262

Fort Bragg, at Pope Field; in parking lot, E. across Reilly rd. from main hanger; 55 ft E. of centerline of Reilly rd.; 215 ft N. of Pope Field Repair Shop; 4 ft N. of pine tree; in concrete post; USCE standard disk stamped "194" 549

193.412

Fort Bragg, along Reilly rd.; USCE standard disk designated "3 ITA 132"

228.612

Fort Bragg; at intersection of Reilly and Longstreet rds.; 106 ft W. of centerline of Reilly rd.; 42 ft N. of centerline of Longstreet rd.; 24 ft W. of W. rail of RR. track; 150 ft SE. of Post Field House; in concrete post; standard tablet stamped "4 JRR 1946 284"

284.579

Reference mark; 34 ft E. of centerline of Reilly rd.; 100 ft N. of centerline of Longstreet rd.; 25 ft SW. of SW. corner of building I 1 16; in root on N. side of 16 in. sycamore tree; rail spike

289.28

Fort Bragg; at intersection of Gruber and Longstreet rds.; 37 ft N. of centerline of Longstreet rd.; 37 ft W. of centerline of Gruber rd.; 61 ft SE. of SE. corner of Range Control Office; in concrete post; standard tablet stamped "6 JRR 1946 283" 494

283.116

Reference mark; 42 ft N. of centerline of Longstreet rd.; 32 ft E. of centerline of Gruber rd.; on top of culvert retaining wall; chiseled square

283.53

Fort Bragg, 0.2 mi S. of intersection of Gruber and Longstreet rds.; along Gruber rd.; at top of Hill 110; 120 ft N. of centerline of rd.; 300 ft S. of centerline of rd. at junction of I-rd. W.; in concrete post; USCE standard disk stamped "357" 550

367.300

<u>LINE 5 (Cont'd)</u>	NGVD 29 Elevations	feet
Fort Bragg, 3.2 mi E. of intersection of Longstreet and Preachers rds., along Longstreet rd.; 34 ft N. and 133 ft E. of intersection of Longstreet and Yadkin rds.; 75 ft N. of telephone pole; in concrete post; standard tablet stamped "17 JRR 1946 317" (Reported destroyed, 1959)		317.321
Reference mark; 149 ft W. of tablet; 73 ft N. of centerline of Longstreet rd.; 40 ft E. of centerline of rd. NW.; in root on SW. side of 18 in. red oak tree; copper nail and washer	497	317.62
Fort Bragg, 1.3 mi E. of intersection of Longstreet and Preachers rds.; 30 ft S. of centerline of Longstreet rd.; 24 ft W. of centerline of Street rd.; in concrete post; standard tablet stamped "18 JRR 1946 334"	USGS REPORT RLM NOT FOUND	334.438
Reference mark; 32 ft SW. of tablet; 15 ft W. of centerline of Street rd.; 53 ft S. of centerline of Longstreet rd.; in NE. side of telephone pole; rail spike	498	335.26
"15 JRR 1946 353" (Described in line 3)		353.350
Reference mark; 20 ft W. of tablet; 122 ft W. of centerline of Preachers rd.; 39 ft S. of centerline of Morganton rd.; in root on E. side of 5 in. pine tree; copper nail and washer		353.50

LINE 6.

By R. L. Beitle, 1946; Book V 262

Rockfish, 4.1 mi NE. of; 4.7 mi S. of Clifdale; 582 ft E. of center of wooden bridge over Little Rockfish Creek; 27 ft SE. of centerline of rd. at curve; in concrete post; standard tablet stamped "47 RLB 1946 141" (Reported not found, 1972)		140.802
Reference mark; 77 ft W. of tablet; 27 ft SE. of centerline of rd.; in root on NW. side of 10 in. pine tree; copper nail and washer	545	139.04

[Jogs into Fayetteville quadrangle]

Clifdale; 60 ft N. of station site; 32 ft N. of centerline of rd. at crossing of Aberdeen and Rockfish Railroad track; 33 ft NW. of NW. rail of main track; in concrete post projecting 1 in. above ground; North Carolina Geodetic Survey standard disk stamped "N Δ C 285" (Possibly disturbed) (NGS elevation not used) USGS - PROBABLY DESTROYED. LOTS OF CHANGES IN AREA. RLM	PROBABLY LOST	237.183
"10 74 1935" (NGS)	89/04	233.323
Clifdale, 2.7 mi N. of, along macadam rd.; 0.6 mi S. of junction of Chicken and Reilly rds.; 55 ft S. and 105 ft E. of centerline of crossroads; in concrete post; standard tablet stamped "49 RLB 1946 290"	USGS RLM	290.132
Reference mark; 22 ft NW. of tablet; 33 ft S. and 100 ft E. of centerline of crossroads, along dirt rd.; on top of 4- by 4-in. concrete hwy. right-of-way post; chiseled "U"	PROBABLY LOST	290.89

1946

LINE 7.Feet

By J. R. Rigby, 1946; Book V 262

- Overhills, on right-of-way of A. C. L. RR.; about 600 ft NW. of block signal at RR. station; 162 ft SE. of milepost 97; 114 ft N. of N. side of culvert at first rd. crossing N. of RR. station; on prolongation of tangent to right rail toward Fayetteville; 6 ft SW. of SW. rail; in concrete; NGS standard triangulation station disk stamped "OVERHILLS 1918" (Probably disturbed) **USGS REPORT RLM** NOT FOUND 89/05 197.032
- Overhills, 1.4 mi NE. of, 17 ft N. and 20 ft E. of junction of State Highway 87 and dirt rd.; 12 ft SE. of 10 in. pine tree; in concrete post projecting 6 in. above ground; standard tablet stamped "TT 1 WAC 1946 298"
547 298.988
- Reference mark; 40 ft NW. and 55 ft NE. of junction of hwy. and dirt rd.; in root on SW. side of 12 in. pine tree; copper nail and washer 299.40

LINE 8.

By R. L. Beitle, 1946; V 262

There are not permanent marks in this line in this quadrangle.

NGVD 29
ElevationsLINE 9.

By N. D. Smith, 1946; Book V 262

- NGS standard triangulation station disk stamped "OVERHILLS 1918" (Described in line 7) 197.032
- * Overhills, 1.5 mi SW. of, along rd. to Mount Pleasant Church; 0.7 mi NE. of Cumberland-Harnett County line; 18 ft SW. of centerline of crossroads; 30 ft SW. of centerline of rd.; in concrete post; standard tablet stamped "1 NDS 1946" **USGS REPORT RLM** NOT FOUND 89/05 299.451
531
- Overhills, 3.6 mi SW. of, along rd. to Mount Pleasant Church; 220 ft E. of 36 in. concrete pipe culvert; 30 ft S. of centerline of rd. at junction of woods rd. E.; in concrete post; standard tablet stamped "2 NDS 1946" **USGS REPORT RLM** NOT FOUND 89/05 189.576
532
- Reference mark; 25 ft NE. of tablet; in root on S. side of 8 in. pine tree; copper nail and washer 190.45
- Overhills, 6.5 mi SW. of, along rd. to Mount Pleasant Church; 130 ft W. of concrete culvert over Turkey Creek; 55 ft S. of centerline of rd.; in concrete post; standard tablet stamped "3 NDS 1946" **USGS REPORT RLM** NOT FOUND 89/05 231.759
533
- Reference mark; 20 ft NE. of tablet; in base on NE. side of 30 in. pine tree; rail spike 230.80
- Overhills, 7.0 mi SW. of, along rd., thence 1.2 mi N., along firebreak; 3.1 mi E. of Mount Pleasant Church; 6.6 mi SW. of Spout Springs; at intersection of rd. and N.-S. firebreak; 40 ft E. of firebreak; 30 ft S. of centerline of rd.; in concrete post; standard tablet stamped "4 NDS 1946" **USGS REPORT RLM** NOT FOUND 89/05 337.587
534

LINE 9 (Cont'd)

Feet

- Reference mark; 12 ft S. of tablet; in base on NW. side of 8 in. pine tree; rail spike 337.68
- Spout Springs, 3.9 mi SW. of, along rd. to Mount Pleasant Church; at junction of woods rd. E.; 250 ft SW. of corner of cleared field; 30 ft SW. of centerline of rd.; in concrete post; standard tablet stamped "5 NDS 1946" *535* USGS REPORT FLM DESTROYED 8/9/05 342.088
- Reference mark; 20 ft NE. of tablet; in base on NW. side of 8 in. pine tree; rail spike 342.53

LINE 10.

By N. D. Smith, 1946; Book V 262

There are no permanent marks in this line in this quadrangle.

LINE 11.

By N. D. Smith, 1946; Book V 262

- Lobelia, 1.2 mi E. of, thence 2.4 mi N.; ⁹¹ 100 ft SE. of SE. corner of Cypress Presbyterian Church; ~~90 ft N. and 50 ft W. of centerline of crossroads;~~ in concrete post; standard tablet stamped Flush "TT 5 HEM 1946 347" *524* 8.5m (28.0) NE & SR 1107 See Woodlake Levels 27.4m (74.0) W Ce. SR 1103 347.120
- Reference mark; 50 ft S. of tablet; in root on N. side of 12 in. hickory tree; copper nail and washer 346.44
- Mount Pleasant Church, 0.7 mi NE. of; ~~46 ft S. and 57 ft E. of centerline of rd. at junction of T-rd. SE.; 39 ft NW. of well in cultivated field;~~ in concrete post; standard tablet stamped "11 NDS 1946" *539* See Woodlake levels RECOVERED AS DESCRIBED 3/08 323.908
- Reference mark; 14 ft NE. of tablet; 42 ft S. and 45 ft E. of rd. junction; in base on NW. side of 12 in. oak tree; rail spike 324.03

LINE 12.

By W. S. Monk, 1955; Book AV 432

- 3 1 0.00 "TT 5 HEM 1946 347" (Described in line 11) *NGVD 29 Elevations* 347.120

LINE 13.

By W. S. Monk, 1955; Book AV 432

- 3 56 0.00 "TT 5 HEM 1946 347" (Described in line 11) (Also in line 12) 347.120
- 3 57 1.30 U.E., at drain on N. end of concrete pipe culvert; chiseled cross 278.22

LINE 13 (Cont'd)Feet

3	58	2.12	Cypress Presbyterian Church; 2.1 mi E. of; 120 ft N. and 60 ft W. and 7.0 ft above junction of rd. W.; 62 ft E. of Pole D 15 105; in concrete post; standard tablet stamped "TT 4 NEM 1946 270" <i>LISGS REPORT RLM MAY STILL EXIST. AREA HAS BEEN TIMBERED AND A LARGE PILE OF BRUSH LIES WHERE MARK SHOULD BE. MAY BE COVERED UP.</i> <i>NOT FOUND 89/05</i>	269.999
3	59	2.30	Reference mark; 900 ft N. of tablet; at drain; on S. end of stone and concrete headwall of culvert; chiseled cross	243.46
3	61	3.18	U.E., 230 ft S. and 30 ft E. of, and 1 ft lower than crossroads; on E. end of concrete pipe culvert; chiseled cross	389.32

NGVD 29
Elevations

73 NORTH CAROLINA
CLIFDALE QUADRANGLE

35-079-22
N3500-W7900/15

INDEX OF PERMANENT MARKS (Cont'd)

NORTH CAROLINA GEODETIC SURVEY

PAGE NO.

NGS

PAGE NO.

N + C 424 8
N△C 285 PROBABLY LOST 89/04 11
N△C 426 NOT FOUND 89/05 9
N△C 427 8

OVERHILLS 1918 NOT FOUND 89/05 12,12
Q 74 1935 NOT FOUND 89/04 11

NGVD 29
Elevations

THIS QUAD HAS BEEN UPDATED. ONLY LINES IN RED
WERE BROUGHT FORWARD

Cumberland, Harnett, Hoke, and Moore Counties

Edition of 2/14/68

Supersedes edition of 10/16/46

Only the permanent marks are listed for lines run
more than 25 years prior to above edition date.


USC&S Leveling Lines

- A. 350792 (No. 102), First-order
- B. 350792 (No. 104), Second-order

INDEX OF PERMANENT MARKS

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
1918 214	1	PTS NO 41 MAC 1918 466	2
1918 228	1	PTS NO 42 MAC 1918 426	2
261 (WEST BASE)	2	PTS NO 44 MAC 1918 338	3
1918 292	1	PTS NO 45 MAC 1918 294	1
1918 297	1	PTS NO 46 MAC 1918 241	2
327	3	PTS NO 65 MAC 1918 305	4
382	4	NOT STAMPED (534.774)	3
418	3	TT 5 HM 1945	7
427	2	4 JRR 1946 284	5
466	3	5 JRR 1946 353	5
486	3	6 JRR 1946 283	5
	1	14 JRR 1945 244	5
PTS NO 47 B 1918 359	2	15 JRR 1946 239	5
PTS NO 48 B 1918 295	2	17 JRR 1946 317	6
PTS NO 49 B 1918 336	2	18 JRR 1946 334	6
PTS NO 50 B 1918 296	3	1 NDS 1945	6
PTS NO 51 B 1918 251	3	2 NDS 1945	6
PTS NO 52 B 1918 358	3	3 NDS 1946	6
PTS NO 54 B 1918 305	3	4 NDS 1946	7
PTS NO 55 B 1918 324	3	5 NDS 1946	7
PTS NO 58 B 1918 351	3	7 NDS 1946	7
PTS NO 59 B 1918 289	3	8 NDS 1946	7
PTS NO 60 B 1918 290.5	3	9 NDS 1945	7
PTS NO 66 B 1918 310	3	11 NDS 1946	7
PTS NO 68 B 1918 357	3	37 RLB 1945 279	7
PTS NO 70 B 1918 229	3	38 RLB 1945 391	7
PTS NO 400 M 1918 408	3	39 RLB 1945 409	7
PTS NO 401 M 1918 265	3	43 RLB 1945 214	7
PTS NO 403 M 1918 373	3	44 RLB 1946 208	7
PTS NO 404 M 1918 298.9	3	47 RLB 1946 141	7
PTS NO 405 M 1918 268	3	49 RLB 1945 290	7
PTS NO 405 M 1918 223	3	TT 1 WAC 1946 298	6
PTS NO 407 M 1918 353	3		
PTS NO 8 MAC 1918 322	3		
PTS NO 9 MAC 1918 354	3		
PTS NO 10 MAC 1918 350	3		
PTS NO 11 MAC 1918 388	3		
PTS NO 12 MAC 1918 378	3		
RESET 1952	3		
PTS NO 14 MAC 1918 206	3		
PTS NO 15 MAC 1918 184	3		
PTS NO 16 MAC 1918 178	3		
PTS NO 17 MAC 1918 190	3		
PTS NO 23 MAC 1918 208	3		
PTS NO 24 MAC 1918 284	3		
PTS NO 25 MAC 1918 233	3		
PTS NO 26 MAC 1918 355	3		
PTS NO 27 MAC 1918 368	3		
PTS NO 28 MAC 1918 335	3		
PTS NO 29 MAC 1918 439	3		
PTS NO 30 MAC 1918 406	3		
PTS NO 31 MAC 1918 412	3		
		NORTH CAROLINA GEODETIC SURVEY	
		N + C 424	4
		N A C 285	4
		N A C 426	5
		N A C 427	4
		USCS	
		194	5
		357	5
		20 453	5
		24 211	4
		28 + 357	4
		3 TTA 132	5
		USC&S	
		Q 74 1935	6
		OVERHILLS 1918	6

NGVD 29
Elevations



LINE 1.

Feet

FROM FAYETTEVILLE QUADRANGLE AT POINT 1.0 MILE EAST OF
CLIFDALE WEST ALONG CHICKEN ROAD INTO SOUTHERN PINES
QUADRANGLE AT POINT 1.1 MILES WEST OF CAMPBELLS CROSSROADS
(By R. G. Clinite, 1918; Book B309)

Clifdale, 0.8 mi E. of; 6.9 mi W. of Fayetteville;
along S. side of rd.; 15 ft E. of rd. forks; on
iron post; standard cap stamped "1918 228"

350783
227.706

Clifdale, 1.7 mi W. of; along N. side of rd.;
15 ft W. of junction of dim rd. N.; on iron
post; standard cap stamped "1918 214"

350792
214.486

Clifdale, 3.8 mi SW. of; 1.1 mi E. of Cumberland-
Hoke County line; at crossroads; on N. side of
rd.; on iron post; standard cap stamped
"PRIM TRAV STA NO 405 M 1918 268"

350792
268.083

Description	Elev.
Clifdale, 6.4 mi SW. of; about 7.0 mi E. of Campbells Crossroads; 4.0 mi S. of Longstreet Church; 310 ft S. of intersection of Chicken and Preachers rds.; on W. side of Preachers rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 45 MAC 1918 29-"	294.274
Campbells Crossroads, 4.9 mi E. of; 0.9 mi W. of crossing of Puppy Creek; 150 ft N. of farmhouse; on S. side of rd.; on iron post; standard cap stamped "1918 292" (Reported destroyed, 1948)	292.186
Campbells Crossroads, 3.1 mi E. of; 110 ft W. of McDuffie Creek; 50 ft W. of rd. forks; on S. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 54 B 1918 305" (Reported destroyed, 1948)	305.318
Campbells Crossroads, 2.6 mi E. of; about 18.0 mi W. of Fayetteville; 7.0 mi NE. of Raeford; 600 ft SW. of intersection of Chicken and Mulatto rds.; 170 ft S. of Chicken rd.; on highest part of hill locally known as Finlayson Mountain; in top of 18- by 18-in. concrete post 30 in. in ground; standard tablet designated "FINLAYSON" and stamped "495"	495.208
Campbells Crossroads, 1.1 mi E. of; 0.2 mi W. of crossing of Nicholson Creek; 150 ft W. of house on Cameron plantation; on S. side of rd.; on iron post; standard cap stamped "1918 297" (Reported destroyed, 1948)	297.148

Campbells Crossroads; about 7.0 mi N. of Raeford; 12 ft S. and 17 ft W. of intersection of Chicken and Raeford-Vass rds.; on iron post; standard cap stamped "PRIM TRAV STA NO 31 MAC 1918 412" (Reported destroyed, 1948)

412.139

LINE 2.

FROM SOUTHERN PINES QUADRANGLE AT POINT ON YADKIN ROAD NEAR MCPHERSON MOUNTAIN SOUTHEAST TO BATTLEFIELD FARM THENCE EAST ALONG MORGANTON ROAD TO CROSSROADS 1.2 MILES SOUTH OF LONGSTREET CHURCH (By R. G. Clinite, 1918; Book B309)

McPherson Mountain, 0.4 mi NE. of summit; 8.5 mi (airline) SE. of Southern Pines; 1.7 mi NW. of intersection of Raeford-Vass and Yadkin rds.; 250 ft SW. of rd.; 12 ft N. of blazed oak tree; on iron post; standard cap stamped "PRIM TRAV STA NO 41 MAC 1918 466"

466.058

McPherson Mountain, 1.8 mi SE. of; 2.0 mi NW. of Battlefield farm; 15 ft N. and 30 ft W. of intersection of abandoned Morganton and Raeford-Vass rds.; on iron post; standard cap stamped "PRIM TRAV STA NO 42 MAC 1918 426" (Probably disturbed prior to 1946)

425.384

Reference mark; 125 ft NE. of tablet; 70 ft E. of centerline of rd.; in base on W. side of 12-in. pine tree; rail spike

425.37

Battlefield farm, 0.9 mi NE. of; 0.4 mi S. of summit of Gaddys Mountain; 200 ft SW. of dwelling; 10 ft W. of junction of rd. S.; on iron post; standard cap stamped "PRIM TRAV STA NO 29 MAC 1918 439" (Reported not found, 1948)

439.458

Battlefield farm, 3.0 mi E. of; 1.2 mi S., thence 2.1 mi W. of Longstreet Church; 0.5 mi W. of crossing of Black Creek; 15 ft S. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 28 MAC 1918 336"

336.330

Longstreet Church, 1.2 mi S. of; 1.3 mi NW. of crossing of Morganton rd. and Cumberland-Hoke County line; 25 ft S. and 10 ft W. of intersection of Morganton and Preachers rds.; on iron post; standard cap stamped "PRIM TRAV STA NO 26 MAC 1918 355" (Reported destroyed, 1948)

354.821

LINE 3.

FROM FAYETTEVILLE QUADRANGLE AT POINT ABOUT 7.0 MILES WEST OF FAYETTEVILLE WEST ALONG MORGANTON ROAD TO CROSSROADS 1.2 MILES SOUTH OF LONGSTREET CHURCH (By C. H. Semper, 1918; Book B302)

Fayetteville, about 8.0 mi W. of, along Morganton rd.; 0.5 mi W. of dwelling of Mr. McMilline and on his property; 200 ft N. of Morganton rd. where rock descends toward creek; 55 ft NW. of unoccupied cabin; in top of 2- by 2-ft. concrete post 4 ft in ground; standard tablet designated "WEST BASE" and stamped "251" (stamping obliterated, 1947)

260.926

Fayetteville, 8.5 mi W. of; 350 ft W. of crossing of Stewarts Creek; 300 ft W. of junction of Bennetts Mill rd.; 5 ft N. of NW. corner of Red Hill Church; on iron post; standard cap stamped "PRIM TRAV STA NO 23 MAC 1918 208" (Reported not found, 1948)

207.597

Fayetteville, 10.9 mi W. of; 1.0 mi W. of crossing of Bones Creek; 300 ft SW. of small frame house; 15 ft N. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 24 MAC 1918 284"

283.965

Fayetteville, 13.0 mi W. of; 1.2 mi S. and 1.3 mi SE. of Longstreet Church; 220 ft W. of Cumberland-Hoke County line and crossing of Little Rockfish Creek; 10 ft N. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 25 MAC 1918 233"

232.726

LINE 4.

FROM INTERSECTION OF CHICKEN AND PREACHERS ROADS 6.4 MILES WEST OF CLIFFDALE SOUTH ALONG PREACHERS ROAD WEST ALONG OLD PLANK ROAD AND NORTH ALONG RAEFORD-VASS ROAD TO YADKIN ROAD AT POINT 1.7 MILES NORTHWEST OF BATTLEFIELD FARM (By R. G. Clinite, 1918; Book B309)

Cliffdale, 6.4 mi W. of, thence 2.3 mi S.; 3.8 mi SE. of Rock Hill Church; 30 ft S. of junction of Old Plank and Preachers rds.; on iron post; standard cap stamped "PRIM TRAV STA NO 46 MAC 1918 241" (Reported destroyed, 1948)

241.486

Rock Hill Church, 1.3 mi E. of; 10 ft N. and 50 ft E. of rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 47 B 1918 359" (Reported destroyed, 1948)

358.970

Rock Hill Church, 0.8 mi W. of; 0.4 mi E. of crossing of Nicholsons Creek; on S. side of Old Plank rd.; 3 ft W. of blazed oak tree; on iron post; standard cap stamped "PRIM TRAV STA NO 48 B 1918 295"

295.231

Rock Hill Church, 2.5 mi W. of; 4.6 mi N. of Raeford; 2.2 mi S. of Campbells Crossroads; 30 ft N. and 30 ft W. of intersection of Old Plank rd. and Raeford-Vass rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 49 B 1918 336" (Reported destroyed, 1942)

336.479

Campbells Crossroads, 1.6 mi N. of; 1.5 mi SW. of Battlefield farm; 20 ft W. of junction of Raeford-Vass rd. and rd. NE. to Battlefield farm; on iron post; standard cap stamped "PRIM TRAV STA NO 30 MAC 1918 406" (Reported destroyed, 1948)

406.291

LINE 5.

FROM MORGANTON ROAD AT POINT 2.3 MILES EAST OF BATTLEFIELD FARM SOUTH ALONG ROAD TO CHICKEN ROAD AT POINT 2.5 MILES EAST OF CAMPBELLS CROSSROADS (By R. G. Clinite, 1918; Books B309-10)

Battlefield farm, 2.3 mi E. of, thence 1.0 mi S.; 600 ft N. of abandoned dwelling of Angus Ray; 25 ft N. of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 55 B 1918 324" (Reported destroyed, 1948)

324.015

LINE 6.

FROM FAYETTEVILLE QUADRANGLE AT POINT ABOUT 8.0 MILES NORTHWEST OF FAYETTEVILLE NORTHWEST ALONG YADKIN ROAD TO ROAD JUNCTION 2.6 MILES SOUTHEAST OF LONGSTREET SCHOOL (By H. P. Kilby, 1918; Book B321)

Fayetteville, 10.0 mi NW. of; 2.6 mi SE. of Longstreet School, along Yadkin rd.; 200 ft W. of milepost 10; 15 ft S. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 8 MAC 1918 322" (Reported disturbed, 1947)

322.452

LINE 7.

FROM YADKIN ROAD AT POINT 9.5 MILES NORTHWEST OF FAYETTEVILLE GENERALLY NORTH BY WAY OF TANK HILL TO MANCHESTER ROAD THENCE NORTHEAST TO MANCHESTER THENCE SOUTHEAST ALONG ATLANTIC COAST LINE RAILROAD INTO FAYETTEVILLE QUADRANGLE (By H. P. Kilby, 1918; Book B321)

Fayetteville, about 9.5 mi NW. of; 1.2 mi SW. of Tank Hill; 0.3 mi NE. of Yadkin rd.; on summit of hill; in top of 18- by 18-in. concrete post 25 in. in ground; standard tablet designated "VAUGHN" and stamped "427"

426.124

Tank Hill, 0.7 mi S. of, thence 0.9 mi W.; 15 ft NE. and 35 ft NW. of rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 400 M 1918 468" (Reported destroyed, 1948)

407.961

Tank Hill; 350 ft SE. of wooden water tank; 300 ft E. of reservoir; 25 ft W. of centerline of rd.; 6 ft S. of tree; on iron post; standard cap stamped "PRIM TRAV STA NO 27 MAC 1918 368"

367.967

Tank Hill, 1.6 mi NW. of; 1.5 mi S. of Monroe bridge over Little River; 150 ft SW. of crossroads; on SE. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 401 M 1918 265" (Reported destroyed, 1948)

255.325

Tank Hill, 4.0 mi N. of; 0.7 mi SW. of Manchester; 0.9 mi NE. of Monroe bridge; at sharp angle in Manchester rd.; 12 ft SW. of entrance to farm buildings; in fence corner; on iron post; standard cap stamped "PRIM TRAV STA NO 16 MAC 1918 178" (Reported not found, 1948)

177.948

Manchester, 0.5 mi SE. of Atlantic Coast Line Railroad Station; 60 ft SE. of centerline of rd. crossing at tool house; 20 ft NE. of track; on iron post; standard cap stamped "PRIM TRAV STA NO 17 MAC 1918 190"

190.128

LINE 8.

FROM ROAD JUNCTION 2.6 MILES SOUTHEAST OF LONGSTREET SCHOOL GENERALLY WEST ALONG YADKIN ROAD TO LONGSTREET CHURCH THENCE NORTH 3.4 MILES THENCE NORTHEAST ALONG MANCHESTER ROAD TO ROAD JUNCTION NEAR MONROE BRIDGE (By G. F. Brackman, 1918; Book B312)

Longstreet School, 0.8 mi SE. of; 15 ft N. of centerline of rd.; 15 ft W. of pine tree; on iron post; standard cap stamped "PRIM TRAV STA NO 9 MAC 1918 354" (Reported destroyed, 1947)

353.467

Longstreet School, 1.3 mi SW. of; 1.8 mi NE. of Longstreet Church; 1.1 mi NE. of Cumberland-Hoke County line; 18 ft N. of centerline of rd.; in edge of woods; 10 ft W. of oak tree; on iron post; standard cap stamped "PRIM TRAV STA NO 10 MAC 1918 360" (Reported not found, 1948)

360.277

Longstreet Church, 240 ft E. of; 20 ft NW. of Yadkin rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 11 MAC 1918 388" (Reported disturbed, 1948)

388.119

Longstreet Church, 1.7 mi N. of; 360 ft SW. of intersection of Carthage rd. and NE.-SW. rd.; on NW. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 12 MAC 1918 378"

377.813

Fort Bragg Reservation; 31 ft S. of centerline of Manchester Road; 0.6 mi SE. of mouth of Jumping Run Creek; 500 ft W. of centerline of Latham Road; 103 ft S. of nail in 12-in. pine tree on N. side of rd.; 150 ft NE. of tack in 14-in. pine tree; in concrete post flush with top of ground on downhill side; standard tablet stamped "RESET 1952" (Replaces PTS NO 13 MAC 1918 271") (Reported destroyed, 1959)

265.618

Monroe Bridge, 4.1 mi SW. of; 0.6 mi NE. of crossing of Manchester rd. and Cumberland-Hoke County line; 530 ft SW. of crossing of Little Creek; 150 ft from frame house; 10 ft NW. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 14 MAC 1918 206"

206.163

Monroe Bridge, 1.4 mi SW. of; 0.3 mi S. of mouth of Juniper Creek; 380 ft W. of creek crossing; 250 ft N. of two-story white house; on bank; 12 ft N. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 15 MAC 1918 184" (Reported not found, 1948)

184.093

LINE 9.

FROM CROSSROADS 0.8 MILE WEST OF MONROE BRIDGE SOUTHWEST ALONG ROAD TO LONGSTREET SCHOOL (By G. F. Brockman, 1918; Book B312)

Monroe Bridge, 0.8 mi W. of, thence 1.2 mi SW.; 3.0 mi NE. of Longstreet School; on E. side of rd. at rd. forks SW.; on hill near house and store; on iron post; standard cap stamped "PRIM TRAV STA NO 406 M 1918 223"

223.201

Fayetteville, about 14.0 mi NW. of, along Yadkin rd.; 1.0 mi NW. of Longstreet School; 0.4 mi N. of Yadkin rd.; 75 ft SE. of gate; on summit of ridge; in field; in 18- by 18-in. concrete post 26 in. in ground; standard tablet designated "MONROE" and stamped "486"

485.570

LINE 10.

FROM LONGSTREET CHURCH NORTHWEST ALONG ROAD TO WILLIE RAY FARM THENCE NORTHEAST ALONG MANCHESTER ROAD ABOUT 2.0 MILES (By G. F. Brockman, 1918; Book B312)

Fayetteville, about 15.0 mi NW. of; 0.5 mi SW. of Longstreet Church; on knoll locally known as Polly Ray Mountain; in top of 18- by 18-in. concrete post 30 in. in ground; standard tablet designated "POLLY RAY" and stamped "466"

465.606

Longstreet Church, 1.8 mi NW. of; 1.3 mi SE. of Willie Ray farm; on ridge between Jumping Run Creek and Deep Creek; at rd. forks; on iron post; standard cap stamped "PRIM TRAV STA NO 407 M 1918 353" (Reported destroyed, 1948)

352.968

Longstreet Church, 3.1 mi NW. of; 3.4 mi SE. of Morrison bridge over Little River; 0.2 mi N. of Willie Ray farm; on Carthage rd.; 600 ft SE. of main crossroads; 30 ft NW. of rd. fork S.; on iron post; standard cap stamped "PRIM TRAV STA NO 50 B 1918 295" (Reported disturbed, 1959)

295.761

LINE 11.

FROM ROAD JUNCTION 0.8 MILE WEST OF LONGSTREET CHURCH SOUTHWEST ALONG YADKIN ROAD TO JUNCTION OF MORGANTON ROAD 1.3 MILES NORTHEAST OF BATTLEFIELD FARM (By H. P. Kilby, 1918; Books B321 and B335)

Longstreet Church, 1.7 mi W. of; 3.7 mi NE. of Battlefield farm; in NW. angle of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 403 M 1918 373" (Reported destroyed, 1948)

372.756

Southern Pines, about 13.0 mi SE. of; 1.0 mi NE. of Battlefield farm; 0.4 mi N. of Morganton rd.; on wooded hill locally known as Gaddys Mountain; in top of 18- by 18-in. concrete post 30 in. in ground; standard tablet designated "GADDYS" (Reported destroyed, 1948)

534.774

LINE 12.

FROM POINT ON YADKIN ROAD ABOUT 9.0 MILES NORTHWEST OF FAYETTEVILLE SOUTH ALONG ROAD TO RED HILL CHURCH THENCE WEST ALONG MORGANTON ROAD 0.7 MILE THENCE NORTHWEST TO YADKIN ROAD AT POINT 1.6 MILES SOUTHEAST OF LONGSTREET SCHOOL (By R. T. Mafit, 1918; Book B312)

Fayetteville, about 8.0 mi (airline) NW. of; 1.5 mi NE. of Red Hill Church; 1.0 mi S. of Yadkin rd.; at junction of rd. NW.; 5 ft E. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 59 B 1918 289" (Reported not found, 1948)

289.064

Red Hill Church, 0.7 mi W. of, thence 1.8 mi NW.; 2.6 mi SE. of Longstreet School; on ridge between Bones and Stewarts Creeks; 230 ft NW. of house; on E. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 58 B 1918 351"

350.654

LINE 13.

FROM POINT ON YADKIN ROAD 0.8 MILE SOUTHEAST OF LONGSTREET SCHOOL SOUTH AND EAST ALONG ROAD OVER MAC RIDGE TO YADKIN ROAD AT POINT 2.1 MILES SOUTHEAST OF LONGSTREET SCHOOL (By H. P. Kilby, 1918; Books B321 and B322)

Fayetteville, about 12.0 mi NW. of, along Yadkin rd.; 1.5 mi (airline) SE. of Longstreet School; 0.2 mi S. of Yadkin rd.; 400 ft NE. of rd. along NE. side of field; on summit of hill; in top of 18- by 18-in. concrete post 29 in. in ground; standard tablet designated "MAC" and stamped "418"

417.567

LINE 14.

FROM LONGSTREET SCHOOL SOUTH ALONG ROAD TO CHICKEN ROAD AT POINT 3.2 MILES SOUTHWEST OF CLIFDALE (By E. K. Nelson, 1918; Book B311)

Longstreet School, 1.9 mi S. of; 1.1 mi N. of Morganton rd.; 0.6 mi NW. of Chapel Hill Church and School; 80 ft SE. of centerline of rd. at junction of T-rd. N.; on iron post; standard cap stamped "PRIM TRAV STA NO 60 B 1918 290.5"

290.551

Longstreet School, 3.9 mi SE. of; 0.7 mi S. of Morganton rd.; 5 ft S. and 5 ft E. of centerline of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 404 M 1918 298.9" (Reported disturbed, 1947)

298.829

LINE 15.

FROM LONGSTREET CHURCH SOUTHEAST ALONG PREACHERS ROAD TO CHICKEN ROAD (By E. K. Nelson, 1918; Book B311)

Longstreet Church, 2.6 mi SE. of; 1.3 mi SE. of Morganton rd.; 0.7 mi N. of Zion Wall Church; 10 ft W. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 44 MAC 1918 338"

337.925

LINE 16.

FROM ROAD JUNCTION 0.6 MILE NORTH OF BATTLEFIELD FARM NORTHEAST ALONG ROAD TO JUNCTION OF CARTHAGE ROAD, THENCE SOUTHEAST TO WILLIE RAY FARM (By C. H. Semper, 1918; Book B308)

Battlefield farm, 3.5 mi NE. of; 1.6 mi SE., thence 1.0 mi SW. of Morrison Bridge over Little River; on ridge between Flat and Mill Creeks; 0.1 mi SW. of centerline of rd. at junction of Y-rd.; 6 ft W. of centerline of rd. about 25 ft above ground in drop zone-cleared area; on iron post; standard cap stamped "327"

327.506

LINE 17.

FROM ROAD JUNCTION 1.6 MILES SOUTHEAST OF MORRISON BRIDGE NORTHWEST 1.0 MILE TO JUNCTION OF CARTHAGE AND RAEFORD-VASS ROADS THENCE SOUTHWEST TO INTERSECTION OF MORGANTON AND RAEFORD-VASS ROADS (By C. H. Semper, 1918; Book B308)

Morrison Bridge, 0.6 mi S. of; 364 ft N. of junction of Manchester and Raeford-Vass rds.; on E. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 51 B 1918 251" (Reported disturbed, 1959)

251.030

Morrison Bridge, 2.8 mi SW. of, along SE. side of Raeford-Vass rd.; 3.4 mi N. of intersection of Morganton rd.; in S. angle of junction of second-class rd. SE.; on iron post; standard cap stamped "PRIM TRAV STA NO 52 B 1918 358" (Reported destroyed, 1948)

358.068

LINE 18.

FROM ROAD JUNCTION 0.6 MILE SOUTH OF MORRISON BRIDGE SOUTHWEST ALONG ROAD TO CROSSROADS NEAR MCCORMICK CHURCH THENCE NORTHWEST INTO SOUTHERN PINES QUADRANGLE NEAR MCCLOUD CEMETERY (By R. G. Clinite, 1918; Book B334)

Morrison Bridge, 4.4 mi SW. of; 0.2 mi E. of McCormick Church; 1.5 mi SE. of McCloud Cemetery; 6 ft S. and 12 ft E. of centerline of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 68 B 1918 357" (Reported destroyed, 1948)

350.760

	<u>Feet</u>		<u>Feet</u>
<u>LINE 19.</u>			
FROM POINT NEAR MCCLLOUD CEMETERY GENERALLY EAST TO ROAD JUNCTION 0.6 MILE SOUTH AND 1.2 MILES WEST FROM MORRISON BRIDGE (By H. P. Kilby, 1918; Book B335)		U.E., Raeford, 7.8 mi N. of, along Raeford-Vass rd.; 3.4 mi S. of junction of Raeford-Vass and Longstreet rds.; 150 ft NE. and 78 ft SE. of junction of Raeford-Vass and Chicken rds.; 46 ft NE. of telephone pole; in root on W. side of 12-in. oak tree; copper nail and washer	414.98
Southern Pines, about 10.0 mi NE. of; 0.7 mi E. of McCloud Cemetery; 60 ft N. of dim rd. W.; on W. side of N.-S. rd.; on wooded hill; on property of Mr. Oilliland; in top of 8- by 8-in. concrete post 26 in. in ground; standard tablet designated "GILLILAND" and stamped "382"	382.211	Raeford, 9.2 mi N. of, along Raeford-Vass rd.; 2.0 mi S. of junction of Raeford-Vass and Longstreet rds.; 50 ft E. of centerline of Raeford-Vass rd.; 12 ft E. of telephone pole 2979; in concrete post; standard tablet stamped "39 RLB 1946 409"	408.613
McCloud Cemetery, 1.7 mi E. of; 250 ft S. of James Creek; 100 ft SW. of dwelling of Archie McNeal; on NW. side of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 70 B 1918 229" (Dwelling now gone)	229.512	Reference mark; 125 ft W. of tablet; 73 ft W. of centerline of rd.; in base on E. side of 12-in. pine tree; rail spike	406.50
<u>LINE 20.</u>			
FROM SOUTHERN PINES QUADRANGLE AT POINT 5.0 MILES EAST OF MONTROSE EAST AND NORTHEAST ALONG SOUTH BOUNDARY OF FORT BRAGG MILITARY RESERVATION TO JUNCTION OF RAEFORD HIGHWAY AND OLD PLANK ROAD (By R. G. Clinite and H. P. Kilby, 1918; Books B334 and B335)		U.E., Raeford, 10.4 mi N. of, along Raeford-Vass rd.; 0.8 mi S. of junction of Longstreet rd.; 69 ft W. of centerline of rd.; 22 ft N. of junction of woods rd. W.; in root on S. side of 10-in. pine tree; rail spike	415.16
Montrose, 6.0 mi E. of, along Raeford-Vass rd.; 3.5 mi S. of Campbells Crossroads; 3.5 mi N. of Raeford; 10 ft W. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 66 B 1918 310" (Reported destroyed, 1948)	309.951	U.E., Raeford, 11.2 mi N. of; 94 ft N. and 56 ft E. of junction of Raeford-Vass and Longstreet rds.; 70 ft E. of first telephone pole E. of pole 490; 45 ft N. of ditch; in base on W. side of 12-in. pine tree; rail spike	427.66
<u>LINE 22.</u>			
Raeford, about 4.5 mi (airline) NE. of; 3.0 mi E. of Raeford-Vass rd.; 1.5 mi SE. of Rock Hill Church; 2.5 mi SW. of junction of Raeford Highway and Old Plank rd.; 250 ft NE. of old house; on iron post; standard cap stamped "PRIM TRAV STA NO 65 MAC 1918 306" (Reported destroyed, 1948)	306.217	FROM SOUTHERN PINES QUADRANGLE ALONG DIRT ROAD EAST BY WAY OF LOBELIA TO RAEFORD-VASS ROAD THENCE SOUTH AND SOUTHWEST TO LONGSTREET ROAD (By R. L. Beitle, 1946; Book V 262 a)	
<u>LINE 21.</u>			
FROM RAEFORD QUADRANGLE NORTH ALONG RAEFORD-VASS ROAD TO LONGSTREET ROAD THENCE WEST ALONG LATTER ROAD INTO SOUTHERN PINES QUADRANGLE (By R. L. Beitle, 1946; Book V 262 a)		U.E., Lobelia, 0.5 mi S. of, thence 2.2 mi W.; 27 ft S. of centerline of rd.; at E. edge of large cultivated field; in root on N. side of 12-in. hickory tree; copper nail and washer	235.68
U.E., Raeford, 2.2 mi NW. of, along Raeford-Vass rd.; 3.5 mi S. of junction of Raeford-Vass and Plank rds.; on military reservation; 457 ft N. of wooden bridge over Rockfish Creek; 35 ft E. of centerline of rd.; in root on W. side of 30-in. lone oak tree; copper nail and washer	190.59	Lobelia, 0.5 mi S. of, thence 0.9 mi SW., along dirt rd.; 475 ft W. of center of wooden bridge over Little River; 38 ft S. of centerline of rd. on curve; in concrete post; standard tablet stamped "43 RLB 1946 214" (Reported destroyed, 1950)	214.039
Raeford, 3.2 mi N. of station, along Raeford-Vass rd.; 2.5 mi S. of junction of Raeford-Vass and Plank rds.; 33 ft W. of centerline of rd.; 62 ft SE. of SE. corner of white frame house; 3 ft W. of twin 10-in. wild cherry tree; in concrete post; standard tablet stamped "37 RLB 1946 279"	279.365	Reference mark; 72 ft E. of tablet; 29 ft S. of centerline of rd.; near W. end of sand pit; in base on N. side of 10-in. pine tree; rail spike	215.20
Reference mark; 105 ft NNW. of tablet; 98 ft W. of centerline of rd.; 9 ft N. of lane at NE. corner of house; in root on E. side of 30-in. lone oak tree; copper nail and washer	278.49	U.E., Lobelia, 0.5 mi S. of, along dirt rd.; 0.8 mi NE. of wooden bridge over Little River; 22 ft S. and 50 ft W. of centerline of rd. at junction of T-rd.; in root on N. side of southernmost of three 24-in. pine trees; copper nail and washer	260.56
Raeford, 4.4 mi N. of, along Raeford-Vass rd.; 1.3 mi S. of junction of Raeford-Vass and Plank rds.; 37 ft N. and 27 ft W. of junction of field rd. W.; in concrete post projecting 4 in. above ground; North Carolina Geodetic Survey standard disk stamped "N + C 424"	308.376	U.E., Lobelia; in SE. corner of offset T-rds.; in yard and NW. of Little River community house; in root on N. side of 14-in. red oak tree; copper nail and washer	273.82
Reference mark; 66 ft E. of tablet; 40 ft E. of centerline of rd.; 1 ft S. of field rd. E.; in base on S. side of 18-in. pine tree; rail spike	308.73	Lobelia, 0.4 mi NW. of Little River community house, along dirt rd.; 32 ft SW. of centerline of rd.; 63 ft SE. of SE. corner of store; 54 ft E. of SE. corner of white frame house; in yard; in concrete post; North Carolina Geodetic Survey standard disk stamped "N + C 427"	290.460
U.E., Raeford, 5.3 mi N. of, along Raeford-Vass rd.; 0.3 mi S. of junction of Raeford-Vass and Plank rds.; 59 ft W. of centerline of rd.; 32 ft S. of centerline of dim rd. W. at drain; 40 ft WSW. of W. end of corrugated iron pipe culvert at drain; in base on E. side of 10-in. red oak tree; rail spike	312.89	Lobelia, 1.2 mi E. of; 2.2 mi N. of ranger Station 3; on military reservation; 47 ft N. and 47 ft E. of centerline of crossroads; in concrete post projecting 4 in.; standard tablet stamped "44 RLB 1946 208"	207.275
U.E., Raeford, 5.7 mi N. of, along Raeford-Vass rd.; 2.2 mi S. of junction of Raeford-Vass and Chicken rds.; 55 ft S. and 203 ft W. of junction of Raeford-Vass and Plank rds.; in base on N. side of 14-in. pine tree; rail spike	330.91	Reference mark; 21 ft NW. of tablet; 40 ft E. of centerline of N.-S. rd.; in base on E. side of 20-in. water oak tree; rail spike	207.71
Raeford, 6.8 mi N. of, along Raeford-Vass rd.; 1.0 mi S. of junction of Raeford-Vass and Chicken rds.; 63 ft E. of centerline of Raeford-Vass rd.; N. one of two cuts; 25 ft E. of E. edge of deep cut; 62 ft N. of telephone pole; 9 ft E. of centerline of dim rd. parallel to main rd.; in concrete post projecting 4 in.; standard tablet stamped "38 RLB 1946 391"	391.104	U.E., Lobelia, 1.7 mi SE. of, along dirt rd.; 0.9 mi N. of junction of Raeford-Vass and Manchester rds.; 162 ft N. and 32 ft W. of centerline of rd. at junction of Y-rd.; in base on W. side of 12-in. oak tree; rail spike	200.78
Reference mark; 279 ft S. of tablet; 81 ft E. of centerline of Raeford-Vass rd.; at head of drain; between two knolls; 13 ft E. of centerline of dim rd. parallel to main rd.; 32 ft E. of telephone pole; in root on NW. side of 10-in. oak tree; copper nail and washer	384.66	U.E., Morrison Bridge, 1.8 mi SW. of; 1.1 mi SW. of Ranger Station 3 and junction of Manchester and Raeford-Vass rds.; 4.2 mi NE. of junction of Longstreet rd., along Raeford-Vass rd.; 24 ft NW. of centerline of rd.; on outside of curve; in base on NW. side of 6-in. oak tree; rail spike	310.72
		Ranger Station 3 (junction of Manchester and Raeford-Vass rds.), 2.3 mi SW. of, along Raeford-Vass rd.; 3.0 mi NE. of junction of Longstreet rd.; 192 ft SW. and 293 ft SE. of junction of woods rd. SE.; 44 ft W. of centerline of woods rd.; in concrete post projecting 5 in.; USCE standard disk stamped "28 + 367"	301.506
		Ranger Station 3 (junction of Manchester and Raeford-Vass rd.); 3.1 mi SW. of; 2.2 mi NE. of junction of Longstreet rd., along Raeford-Vass rd.; 63 ft S. and 50 ft NW. of junction of woods rd. W.; 9 ft NW. of centerline of woods rd.; 50 ft W. of centerline of main rd.; 5 ft W. of 12-in. pine tree; in concrete post projecting 5 in.; USCE standard disk stamped "24 211" (Reported disturbed, 1946)	410.563

	<u>Feet</u>		<u>Feet</u>
Ranger Station 3, 3.9 mi SW. of; 1.3 mi NW. of junction of Longstreet rd., along Raeford-Vass rd.; 81 ft NE. and 31 ft NW. of junction of woods rd. NW.; in concrete post projecting 3 in.; North Carolina Geodetic Survey standard disk stamped "N A C 426"	417.985		
Ranger Station 3, 4.2 mi SW. of; 1.0 mi NW. of junction of Longstreet rd., along Raeford-Vass rd.; 24 ft E. of centerline of rd.; 52 ft N. and 24 ft E. of top of sharp hill S.; 47 ft SW. of telephone pole; in concrete post projecting 6 in.; USCE standard disk stamped "20 453"	451.725		
<u>LINE 23.</u>			
FROM RAEFORD-VASS ROAD SOUTHEAST ALONG LONGSTREET AND MORGANTON ROADS TO PREACHERS ROAD THENCE SOUTH ALONG LATTER ROAD TO SUNKEN TARGET AREA 0.8 MILE NORTH OF PLANK ROAD (By N. D. Smith, 1946; Book V 262 b)			
Intersection of Raeford-Vass and Longstreet rds., 1.0 mi E. of, along Longstreet rd.; 45 ft E. of intersection of rd. to sunken target ranges 3 and 4; 50 ft N. of centerline of rd.; in concrete post; standard tablet stamped "7 NDS 1946"	424.990	Rockfish, 2.3 mi W. of, thence 1.6 mi N., along dirt rd.; 485 ft N. of house; 470 ft S. of another house; 38 ft N. and 23 ft W. of junction of rd. E.; 12 ft N. of cornfield; 6 ft S. of ditch; in concrete post; standard tablet stamped "14 JRR 1946 244"	244.381
Reference mark; 55 ft E. of tablet; in base on S. side of 28-in. pine tree; rail spike	424.49	Reference mark; 470 ft N. of tablet; 53 ft S. of SW. corner of house; 27 ft E. of centerline of rd.; in root on E. side of 18-in. oak tree; copper nail and washer	251.20
U.E., 2.2 mi SE. of intersection of Raeford-Vass and Longstreet rds.; 0.2 mi NW. of junction of Longstreet and mail route rds.; 55 ft NW. of junction of Longstreet and Gaddys Mountain rds.; 30 ft NE. of centerline of rd.; in SW. side of 30-in. pine tree; rail spike	421.27	U.E., Rockfish, 2.3 mi W. of, thence 2.4 mi N. of, along dirt rd.; 20 ft S. and 12 ft E. of centerline of crossroads; 83 ft NE. of NE. corner of house; in root on NE. side of 12-in. oak tree; copper nail and washer	256.67
U.E., intersection of Raeford-Vass and Longstreet rds., 3.8 mi SE. of, along Longstreet and Morganton rds.; on Morganton rd. in Artillery Target Area; 770 ft E. of junction of Coleman and Morganton rds.; about 39 ft E. of obsolete 240 mm. Howitzer base plate on S. side of rd.; 12 ft S. of centerline of rd.; in concrete post; marked "C P F A B"; 50 caliber cartridge case	388.30	Rockfish, 2.3 mi W. of, thence 3.4 mi N., along dirt rd.; about 15.0 mi SW. of Fayetteville, along U. S. Highway 15 A; 1.3 mi S. of S. boundary of Fort Bragg Military Reservation; 35 ft N. and 22 ft W. of intersection of hwy. and Preachers rd.; in concrete post; standard tablet stamped "15 JRR 1946 239"	239.286
Intersection of Raeford-Vass and Longstreet rds., 4.9 mi SE. of, along Morganton rd.; 1.5 mi NW. of intersection of Morganton and Preachers rds.; in top of S. wingwall of culvert over Black Creek; standard tablet stamped "8 NDS 1946"	258.326	U.E., Rockfish, 2.3 mi W. of, thence 4.6 mi N.; 1.2 mi N. of U. S. Highway 15 A, along Preachers rd.; 640 ft S. of Plank rd.; 15 ft W. of centerline of rd.; in root on SW. side of 15-in. persimmon tree; rail spike	272.62
Reference mark; 15 ft N. of tablet; on NE. corner of wingwall of culvert over Black Creek; chiseled and painted square	258.37	<u>LINE 25.</u>	
U.E., intersection of Morganton and Preachers rds., 0.5 mi NW. of, along Morganton rd.; on N. end of E. wingwall of culvert over Patterson Creek; chiseled square	292.61	FROM MANCHESTER STATION ALONG REILLY ROAD SOUTH TO LONGSTREET ROAD THENCE SOUTHWEST ALONG LATTER ROAD TO PREACHERS ROAD THENCE SOUTH ALONG LATTER ROAD TO MORGANTON ROAD (By J. R. Rigby, 1946; Book V 262 a)	
Fort Bragg, 1.2 mi S. of intersection of Longstreet and Preachers rds.; along Preachers rd. to intersection of Preachers and Morganton rds.; 102 ft W. of centerline of Preachers rd.; 36 ft S. of centerline of Morganton rd.; 41 ft W. of telephone pole; in concrete post; standard tablet stamped "5 JRR 1946 353"	353.350	U.E., Manchester, 118 ft S. of S. corner of RR. station; 49 ft SE. of centerline of rd.; 56 ft SW. of SW. rail; near gate to military reservation; in root on W. side of twin sycamore tree; copper nail and washer	174.94
Reference mark; 122 ft W. of centerline of Preachers rd.; 39 ft S. of centerline of Morganton rd.; in root on E. side of 5-in. pine tree; copper nail and washer	353.90	Fort Bragg; at Pope Field; in parking lot, E. across Reilly rd. from main hanger; 55 ft E. of centerline of Reilly rd.; 215 ft N. of Pope Field Repair Shop; 4 ft N. of pine tree; in concrete post; USCE standard disk stamped "194"	193.412
U.E., intersection of Morganton and Preachers rds., 1.0 mi S. of, along Preachers rd.; 1.8 mi N. of Chicken rd.; 50 ft E. of centerline of rd.; in base on W. side of telephone pole 2580; rail spike	326.55	Fort Bragg, along Reilly rd.; USCE standard disk designated "3 TTA 132"	228.612
Intersection of Morganton and Preachers rds., 2.0 mi S. of, along Preachers rd.; 0.9 mi N. of Chicken rd.; about 45 ft W. of centerline of rd.; in N. boundary line of small cemetery; in concrete post; standard tablet stamped "9 NDS 1946"	298.769	U.E., Fort Bragg; 0.5 mi S. of Ethridge; 45 ft NW. of centerline of Reilly rd.; 110 ft NW. of NW. corner of WAC barracks; 39 ft W. of NW. end of concrete culvert; in SE. side of 17-in. pine tree; copper nail and washer	243.72
Reference mark; 25 ft SE. of tablet; in base on W. side of 8-in. pine tree; rail spike	297.97	Fort Bragg; at intersection of Reilly and Longstreet rds.; 106 ft W. of centerline of Reilly rd.; 42 ft N. of centerline of Longstreet rd.; 24 ft W. of W. rail of RR. track; about 150 ft SE. of Post Field House; in concrete post; standard tablet stamped "4 JRR 1946 284"	284.579
U.E., intersection of Morganton and Preachers rds., 3.2 mi S. of, along Preachers rd.; 0.8 mi N. of Plank rd.; near S. edge of sunken target area; in base of white pole; rail spike	273.26	Reference mark; 34 ft E. of centerline of Reilly rd.; 100 ft N. of centerline of Longstreet rd.; 25 ft SW. of SW. corner of building T 1 16; in root on N. side of 16-in. sycamore tree; rail spike	289.28
<u>LINE 24.</u>			
FROM RAEFORD QUADRANGLE AT POINT ABOUT 3.0 MILES NORTHWEST OF ROCKFISH NORTH ALONG DIRT ROAD AND PREACHERS ROAD TO SUNKEN TARGET AREA 0.8 MILE NORTH OF PLANK ROAD (By J. R. Rigby, 1946; Book V 262 a)			
U.E., Rockfish, 2.3 mi W. of, thence 0.8 mi N., along dirt rd.; 300 ft SE. of frame house; 17 ft S. and 21 ft E. of junction of rd. W.; in root on W. side of 16-in. pine tree; copper nail and washer	241.73	U.E., Fort Bragg, 1.4 mi W. of intersection of Reilly and Longstreet rds., along Longstreet rd.; at easternmost paved rd. in division area; 122 ft S. of centerline of Longstreet rd.; 122 ft S. and 20 ft W. of intersection of Longstreet and paved rds.; 62 ft S. of telephone pole; about 3/5 ft N. of RR. track; in root on NE. side of 20-in. pine tree; copper nail and washer	231.32
		Fort Bragg; at intersection of Gruber and Longstreet rds.; 37 ft N. of centerline of Longstreet rd.; 37 ft W. of centerline of Gruber rd.; 61 ft SE. of SE. corner of Range Control Office; in concrete post; standard tablet stamped "6 JRR 1946 283"	283.116
		Reference mark; 42 ft N. of centerline of Longstreet rd.; 32 ft E. of centerline of Gruber rd.; on top of culvert retaining wall; chiseled square	283.53
		Fort Bragg, 0.2 mi S. of intersection of Gruber and Longstreet rds., along Gruber rd.; at top of Hill 110; 120 ft N. of centerline of rd.; 300 ft S. of centerline of rd. at junction of T-rd. W.; in concrete post; USCE standard disk stamped "367"	367.300

350783

350783

	Feet		Feet
U.E., Fort Bragg, 3.4 mi W. of intersection of Reilly and Longstreet rds.; 3.9 mi E. of centerline of Preachers rd.; 44 ft S. of centerline of Longstreet rd.; 268 ft E. of McRidge rd.; 56 ft E. of centerline of rd. at junction of T-rd. N.; in root on SE. side of 24-in. pine tree; copper nail and washer	353.92	Reference mark; 22 ft NW. of tablet; 33 ft S. and 100 ft E. of centerline of crossroads, along dirt rd.; on top of 4- by 4-in. concrete hwy. right-of-way post; chiseled U	290.69
Fort Bragg, 3.2 mi E. of intersection of Longstreet and Preachers rds.; along Longstreet rd.; 34 ft N. and 133 ft E. of intersection of Longstreet and Yarkin rds.; 75 ft N. of telephone pole; in concrete post; standard tablet stamped "17 JRR 1946 317" (Reported destroyed, 1959)	317.321	U.E., Clifdale, 3.7 mi NE. of; 0.6 mi S. of bridge over Big Branch; 47 ft S. and 47 ft W. of centerline of crossroads; in root on N. side of 20-in. pine tree; copper nail and washer	289.97
Reference mark; 149 ft W. of tablet; 73 ft N. of centerline of Longstreet rd.; 40 ft E. of centerline of rd. NW.; in root on SW. side of 18-in. red oak tree; copper nail and washer	317.62	<u>LINE 27.</u>	
U.E., Fort Bragg, 2.4 mi E. of intersection of Longstreet and Preachers rds.; about 0.2 mi W. of tank trail S.; 33 ft N. of centerline of Longstreet rd.; 17 ft W. of trail N.; in root on SW. side of 9-in. red oak tree; copper nail and washer	346.32	FROM OVERHILLS NORTHEAST ALONG DIRT ROAD 1.4 MILES THENCE SOUTHEAST ALONG STATE HIGHWAY 87 INTO FAYETTEVILLE QUADRANGLE (By J. R. Rigby, 1946; Book V 262 a)	
Fort Bragg, 1.3 mi E. of intersection of Longstreet and Preachers rds.; 30 ft S. of centerline of Longstreet rd.; 24 ft W. of centerline of Street rd.; in concrete post; standard tablet stamped "18 JRR 1946 334"	334.438	Overhills, on right-of-way of A.C.L. RR.; about 600 ft NW. of block signal at RR. station; 162 ft SE. of milepost 97; 114 ft N. of N. side of culvert at first rd. crossing N. of RR. station; on prolongation of tangent to right rail toward Fayetteville; 5 ft SW. of SW. rail; in concrete; USCGS standard triangulation station disk stamped "OVERHILLS 1918" (Probably disturbed)	197.032
Reference mark; 32 ft SW. of tablet; 15 ft W. of centerline of Street rd.; 53 ft S. of centerline of Longstreet rd.; in NE. side of telephone pole; rail spike	335.26	U.E., Overhills, 0.7 mi E. of; 38 ft N. and 14 ft W. of junction of dirt rd. and rd. W.; 90 ft SE. of SE. corner of frame house; in root on NE. side of 16-in. pine tree; copper nail and washer	246.41
U.E., Fort Bragg; at intersection of Longstreet and Preachers rds.; in triangle at intersection; 59 ft S. of centerline of Longstreet rd.; 27 ft E. of one fork of Preachers rd.; 23 ft from other; in concrete post; nail (USCE b.m.)	366.56	Overhills, 1.4 mi NE. of; 17 ft N. and 20 ft E. of junction of State Highway 87 and dirt rd.; 12 ft SE. of 10-in. pine tree; in concrete post projecting 6 in. above ground; standard tablet stamped "TT 1 WAC 1946 298"	298.988
"5 JRR 1946 353" (Described in line 23)	353.350	Reference mark; 40 ft NW. and 55 ft NE. of junction of hwy. and dirt rd.; in root on SW. side of 12-in. pine tree; copper nail and washer	299.40
Reference mark; 20 ft W. of tablet; 122 ft W. of centerline of Preachers rd.; 39 ft S. of centerline of Morganton rd.; in root on E. side of 5-in. pine tree; copper nail and washer	353.50	U.E., Overhills, 1.4 mi NE. of, along dirt rd., thence 1.0 mi SE., along State Highway 87; 2.3 mi NW. of Manchester; 36 ft S. and 36 ft E. of junction of hwy. and rd. E.; 170 ft N. of junction of rd. W.; in root on SW. side of 6-in. red oak tree; copper nail and washer	295.48
<u>LINE 26.</u>		<u>LINE 28.</u>	
FROM RAEFORD QUADRANGLE AT POINT ABOUT 3.0 MILES NORTHEAST OF ROCKFISH ALONG ROADS ALTERNATELY NORTHEAST AND NORTH BY WAY OF CLIFDALE INTO FAYETTEVILLE QUADRANGLE (By R. L. Beitle, 1946; Book V 262 a)		FROM POINT NEAR NORTHWEST CORNER OF FAYETTEVILLE QUADRANGLE SOUTHWEST ALONG ROAD TO JUNCTION OF STATE HIGHWAY 87 AT POINT 3.2 MILES NORTHWEST OF MANCHESTER (Leveled twice by R. L. Beitle, 1946; V 262 a)	
U.E., Rockfish, 3.1 mi NE. of; 0.9 mi SW. of bridge over Little Rockfish Creek; 20 ft N. and 119 ft W. of rd. forks; in root on SE. side of 36-in. oak tree; copper nail and washer	207.76	U.E., Overhills, 2.4 mi NE. of; 3.2 mi NW., thence 1.1 mi NE. of Manchester; 19 ft W. of centerline of rd.; 15 ft N. of field rd. W.; 39 ft W. of telephone pole; in root on E. side of 10-in. pine tree; rail spike	292.74
Rockfish, 4.1 mi NE. of; 4.7 mi S. of Clifdale; 582 ft E. of center of wooden bridge over Little Rockfish Creek; 27 ft SE. of centerline of rd. at curve; in concrete post; standard tablet stamped "47 RB 1946 141"	140.802	<u>LINE 29.</u>	
Reference mark; 77 ft W. of tablet; 27 ft SE. of centerline of rd.; in root on NW. side of 10-in. pine tree; copper nail and washer	139.04	FROM OVERHILLS ALONG ROAD SOUTHWEST TO POINT 2.5 MILES SOUTHEAST OF MOUNT PLEASANT CHURCH THENCE NORTHEAST INTO SANFORD QUADRANGLE (By N. D. Smith, 1946; Book V 262 b)	
U.E., Clifdale, 3.9 mi S. of; 0.9 mi NE. of bridge over Little Rockfish Creek; 35 ft NW. of centerline of rd.; 21 ft SW. of SW. corner of frame house; in root on SW. side of 18-in. lone pine tree; copper nail and washer	198.12	USCGS standard triangulation station disk stamped "OVERHILLS 1918" (Described in line 27)	197.032
<u>Joins into Fayetteville quadrangle</u>		U.E., Overhills, 75 ft E. of crossing of A.C.L. RR. and rd. N. of freight depot; 12 ft N. of centerline of rd.; in root on W. side of 30-in. pine tree; copper nail and washer	201.36
U.E., Clifdale, 1.3 mi SE. of, along dirt rd.; 85 ft N. and 25 ft E. of junction of woods rd. E. at curve; on W. side; about 6 in. above ground; in base of 6-in. triple-trunked gum tree; copper nail and washer	226.72	Overhills, 1.5 mi SW. of, along rd. to Mount Pleasant Church; 0.7 mi NE. of Cumberland-Harnett County line; 18 ft SW. of centerline of crossroads; 30 ft SW. of centerline of rd.; in concrete post; standard tablet stamped "1 NDS 1945"	299.451
Clifdale; 60 ft N. of station site; 32 ft N. of centerline of rd. at crossing of Aberdeen and Rockfish Railroad track; 33 ft NW. of NW. rail of main track; in concrete post projecting 1 in. above ground; North Carolina Geodetic Survey standard disk stamped "N a C 285" (Possibly disturbed) (USCGS elevation not used)	237.183	U.E., Overhills, 2.2 mi SW. of; at Cumberland-Harnett County line; 10 ft N. of centerline of rd.; at intersection of rd. and firebreak; in base on S. side of 12-in. pine tree; rail spike	295.51
USCGS standard disk stamped "Q 74-1935"	233.323	Overhills, 3.6 mi SW. of, along rd. to Mount Pleasant Church; 220 ft E. of 36-in. concrete pipe culvert; 30 ft S. of centerline of rd. at junction of woods rd. E.; in concrete post; standard tablet stamped "2 NDS 1946"	189.576
U.E., Clifdale, 1.5 mi N. of, along macadam rd.; 67 ft S. and 51 ft E. of intersection of macadam rd. and Morganton rd.; 5 ft N. of power pole; in concrete post; copper nail and washer	250.85	Reference mark; 25 ft NE. of tablet; in root on S. side of 8-in. pine tree; copper nail and washer	190.45
Clifdale, 2.7 mi N. of, along macadam rd.; 0.6 mi S. of junction of Chicken and Reilly rds.; 55 ft S. and 105 ft E. of centerline of crossroads; in concrete post; standard tablet stamped "49 RLB 1946 290"	290.132	U.E., Overhills, 4.9 mi SW. of; 63 ft E. of crossing of rd. and powerline; 18 ft N. of centerline of rd.; in base on S. side of 9-in. hickory tree; rail spike	193.13
		Overhills, 6.5 mi SW. of, along rd. to Mount Pleasant Church; 130 ft W. of concrete culvert over Turkey Creek; 55 ft S. of centerline of rd.; in concrete post; standard tablet stamped "3 NDS 1946"	231.759
		Reference mark; 20 ft NE. of tablet; in base on NE. side of 30-in. pine tree; rail spike	230.80

	<u>Feet</u>
U.E., Overhills, 7.0 mi SW. of; 2.5 mi SE. of Mount Pleasant Church; at intersection of N.-S. firebreak; 35 ft N. of centerline of rd.; 20 ft E. of firebreak; in base on N. side of 10-in. pine tree; rail spike	260.93
Overhills, 7.0 mi SW. of, along rd., thence 1.2 mi N., along firebreak; 3.1 mi E. of Mount Pleasant Church; 6.6 mi SW. of Spout Springs; at intersection of rd. and N.-S. firebreak; 40 ft E. of firebreak; 30 ft S. of centerline of rd.; in concrete post; standard tablet stamped "4 NDS 1946"	337.587
Reference mark; 12 ft S. of tablet; in base on NW. side of 8-in. pine tree; rail spike	337.68
U.E., Spout Springs, 5.2 mi SW. of, along rd. to Mount Pleasant Church; on W. side of ridge; 35 ft SW. of junction of woods rd. S.; 30 ft NW. of centerline of rd.; in base on NW. side of 10-in. pine tree; rail spike	332.11
Spout Springs, 3.9 mi SW. of, along rd. to Mount Pleasant Church; at junction of woods rd. E.; 250 ft SW. of corner of cleared field; 30 ft SW. of centerline of rd.; in concrete post; standard tablet stamped "5 NDS 1946"	342.088
Reference mark; 20 ft NE. of tablet; in base on NW. side of 8-in. pine tree; rail spike	342.53
U.E., Spout Springs, 2.9 mi SW. of; 100 ft N. of junction of woods rd. SE.; 27 ft E. of centerline of rd.; 7 ft NW. of drain; in base on W. side of 10-in. red oak tree; rail spike	347.88
<u>LINE 30.</u>	
FROM SANFORD QUADRANGLE SOUTHEAST ALONG STATE HIGHWAY 87 TO INTERSECTION OF ROAD SOUTHWEST TO OVERHILLS (By N. D. Smith, 1946; Book 7 282 b)	
U.E., Spout Springs, 2.0 mi SE. of, along State Highway 87; 1.4 mi NE., thence 1.5 mi NW. of Overhills, along hwy.; at top of hill; 90 ft NW. of cross road; 50 ft NE. of centerline of hwy.; 10 ft SE. of walk to dwelling of J. F. Lofton; in base on SW. side of 8-in. red oak tree; rail spike	329.58
<u>LINE 31.</u>	
FROM SANFORD QUADRANGLE ALONG ROADS SOUTHEAST AND SOUTH TO POINT EAST OF LOBELIA THENCE EAST TO POINT 3.1 MILES EAST OF MOUNT PLEASANT CHURCH (Leveled twice by N. D. Smith, 1946; Book V 282 b)	
Lobelia, 1.2 mi E. of, thence 2.4 mi N.; 100 ft SE. of SE. corner of Cypress Presbyterian Church; 90 ft N. and 50 ft W. of centerline of crossroads; in concrete post; standard tablet stamped "TT 5 HM 1946"	347.120
Reference mark; 50 ft S. of tablet; in root on N. side of 12-in. hickory tree; copper nail and washer	346.44
U.E., Lobelia, 1.2 mi E. of, thence 2.4 mi N.; 1.2 mi S. of Cypress Presbyterian Church; 50 ft W. of centerline of rd. at residence of L. C. Hennings; on S. side of driveway; 45 ft S. of SE. corner of house; in root on NE. side of 18-in. black oak tree; copper nail and washer	331.55
U.E., Lobelia, 2.4 mi SE. of; at Mount Pleasant Church; 94 ft NW. and 46 ft NE. of centerline of crossroads; in root on NW. side of 14-in. pine tree; copper nail and washer	273.36
Mount Pleasant Church, 0.7 mi NE. of; 45 ft S. and 57 ft E. of centerline of rd. at junction of T-rd. SE.; 39 ft NW. of well in cultivated field; in concrete post; standard tablet stamped "11 NDS 1945"	323.908
Reference mark; 14 ft NE. of tablet; 42 ft S. and 45 ft E. of rd. junction; in base on NW. side of 12-in. oak tree; rail spike	324.03
U.E., Mount Pleasant Church, 0.7 mi NE. of, thence 1.4 mi SE.; 7.6 mi SW. of Spout Springs; 17 ft N. and 76 ft E. of center of wooden bridge over Buffalo Creek; in base on S. side of 18-in. gum tree; rail spike	216.77

NGVD 29
 Elevations