

QUAD. CULLAJA

STATE NORTH CAROLINA

R.P. WILLINGHAM
1936

By

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER THIRD

AD Approx. 1929 General

No. 26908

RECOPY

12-13-50 HBG

NORTH CAROLINA
CULLAJA QUADRANGLE
(Latitude 35°00'35"15', Longitude 83°15'-83°30')
MACON AND JACKSON COUNTIESNGVD 29
Elevations

-1-

Third-Order Leveling:

FROM FRANKLIN SOUTHWEST AND WEST ALONG HIGHWAY 64 AND ANDREWE ROAD INTO
WAYAH BALD QUADRANGLE (By R. P. Willingham in 1936)

- Franklin, on opposite side of street from new post office, in concrete post in edge of sidewalk; standard U.S.C. & G.S. disk stamped "E 47 1932 2112.293" 2,113.293
- Franklin, about midway between court house and jail in small park 20 ft. N. of monument, in concrete post; standard USCGS disk stamped "F 47 1932 22113.096" 2,113.096
- Franklin, 0.44 mi. W. of court house, on Highway 64, 30 ft. N. of crossroads intersection, on NW. corner of N. end of concrete highway culvert; chiseled square, painted "U S 2037.4 B.M." 2,037.4
- Franklin, 1.0 mi. SW. of, on Highway 64, 35 ft. NW. of rd. fork, 35 ft. W. of center line of highway, in root on S. side of 30-in. oak tree; copper nail and washer 2,070.85
- Franklin, 1.4 mi. SW. of, on Highway 64, 60 ft. NE. of rd. E. to cemetery, 40 ft. E. of center line of Highway in root on SW. side of 24-in. white oak tree; copper nail and washer 2,152.24
- Franklin, 1.9 mi. SW. of, on Highway 64, 200 ft. W. of rd. fork 20 ft. S. of rd. (dirt) 120 ft. NW. of center line of Highway in root on N. side of 15-in. walnut tree; copper nail and washer, painted "U S 2145.9 B.M." 2,146.05
- Franklin, 2.6 mi. SW. of, on Highway 64, 60 ft. E. of private rd. fork, 30 ft. N. of center line of highway, 150 ft. SW. of SW. corner of residence, at S. edge of private rd., in conc. post; std. tablet stamped K 1 1935" 2,086.902
- Reference mark, 120 ft. N. of tablet, in root on S. side of apple tree; copper nail and washer 2,094.87
- Franklin, 2.9 mi. SW. of, on Highway 64, 35 ft. E. and 15 ft. N. of T-rd. S., on NE. corner of N. head wall of concrete culvert; chiseled square 2,077.65

QUAD. CULLAGAJA STATE NORTH CAROLINA By R.P. WILLINGHAM, 1936 ALTITUDE ABOVE MEAN SEA LEVEL (Feet)

ORDER THIRD ADJ. APPROX 1929 General
 Bk. B6908 - B6909
 RECOPY
 12-13-50 JRG
 MACON AND JACKSON COUNTIES
 -2-

NGVD 29 Elevations

- Franklin, 4.3 mi. SW. of, on Highway 64, about 20 ft. above level of highway, 200 ft. N. of residence, at E. edge of private drive, in root on N. side of 20-in. oak tree; copper nail and washer painted "U.S." 2,151.12
- Franklin, 4.9 mi. SW. of, on Highway 64, 40 ft. N. of center line of highway, 20 ft. E. of NE. corner of garage, 80 ft. W. of SW. corner of house, in root on W. side of 40-in. white pine tree; copper nail and washer, painted "U S 2134.2 B.M." 2,134.43
- Franklin, 5.3 mi. SW. of, on Highway 64, 120 ft. NE. of junction of Andrews Road, in S. end of E. head wall of concrete culvert; over Mill Creek; std. tablet stamped "NW 1 1936" 2,100.195
- Reference mark, 120 ft. N. of tablet, on W. side of rd., in root on S. side of 24-in. oak tree; copper nail and washer 2,106.67
- Franklin, 5.3 mi. SW. of, thence 0.9 mi. W. from, 20 ft. S. of center line of rd., in root on N. side of 12-in. locust tree; copper nail and washer, painted "U S 2137.2 B.M." 2,137.44 -
- Franklin, 5.3 mi. SW. thence 2.0 mi. E. from, 40 ft. NW. of small drain crossing, 35 ft. N. of rd., in root on SE. side of 12-in. beech tree; copper nail and washer, painted "U S 2222.6 B.M." 2,222.82 -
- FROM FRANKLIN IN NORTHWEST AND WEST ALONG ROADS INTO WAYNE BALD QUADRANGLE (By R. P. Willingham in 1936)
- Franklin, .95 mi. NW. of courthouse, on State Highway 286, 150 ft. SW. of rd. fork W. of prison camp, 50 ft. W. of center line of Highway, in root on E. side of 16-in. oak tree; copper nail and washer, painted "U S 2150.0 B.M." 2,150.07
- Franklin, 1.5 mi. NW. of court house, on State Highway 286, 60 ft. NE of E. end of concrete culvert, 130 ft. NE. of private T-rd. E. at W. edge of small drain, in root on NW. side of 14-in. wild cherry tree; copper nail and washer, painted "U S 2046.2 B.M." 2,046.21
- Franklin, 2.0 mi. NW. of courthouse, on State Highway 286, 300 ft. SE. of T-rd. forks, about 150 ft. E. of residence, 40 ft. E. of center line of highway, 15 ft. above level of rd., in root on W. side of 14-in. twin oak tree; copper nail and washer, painted "U S 2120.0 B.M." 2,120.14
- Franklin, 2.59 mi. NW. of courthouse, on State Highway 286, 220 ft. N. of private rd. fork, 40 ft. E. of center line of rd. on bank in root on W. side of 18-in. oak tree; copper nail and washer, painted "U S 2121.2 B.M." 2,121.31

QUAD. **CULLASAJA** STATE **NORTH CAROLINA** By **R.P. WILLIAMS** ALTITUDE ABOVE
1936 MEAN SEA LEVEL
 ORDER **THIRD** ADJ. **APPROX. 1929 General** (Feet)
Mrs. B6909

MACON AND JACKSON COUNTIESNGVD 29
Elevations

-3-

- Franklin, 3.1 mi. NW. of courthouse, on Highway 286, 480 ft. W. of intersection of T-rd. 35 ft. SW. of SW. corner of residence of J. D. Roland, 35 ft. N. of center line of gravel rd., in conc. post; standard tablet stamped "K 23 1934" painted "U S 2072.2 P. B. M." 2,072.260
- Reference mark, 80 ft. SW. of tablet, on E. side of rd., in root on W. side of 16-in. oak tree; copper nail and washer, painted "U S 2067.4 P. B. M." 2,067.56
- Franklin, 3.0 mi. NW. thence 0.7 mi. W. from, 190 ft. NE. of gap, 100 ft. NW. of private rd. fork N., 25 ft. N. of center line of rd., in root on E. side of 20-in. oak tree; copper nail and washer, painted "U S 2184.0 B.M." 2,184.07
- Franklin, 3.0 mi. NW. thence 1.8 mi. W. from, at Moody Farm, 40 ft. N. of triangle at rd. fork, 6 in. S. of bottom step at entrance to lawn, in concrete base; chiseled square, painted "U S 2031.1 B.M." 2,031.09
- Moody Farm, 0.6 mi. W. of, in front yard of W. R. Fouts, 80 ft. N. of center line of rd., 15 ft. S. of front entrance to house, in root on SE. side of 15-in. maple tree; copper nail and washer, painted "U S 2044.7 B.M." 2,044.71
- Moody Farm, 1.3 mi. W. of, 1 ft. W. of W. edge of front yard of Mr. Fout, 18 ft. SW. of SW. corner of front porch, 80 ft. N. of center line of rd., in concrete post; std. tablet stamped "K 24 1934" painted "U S 2073.3 P.B.M." 2,073.372
- Reference mark, 230 ft. SE. of tablet, 50 ft. E. of rd., in root on E. side of 16-in. walnut tree; copper nail and washer, painted "U S 2063.0 R B M" 2,063.96
- Moody Farm, 1.8 mi. W. of, 180 ft. E. of rd., fork at crest of ridge, on bank at S. edge of old rd., about 150 ft. N. of house, in root on N. side of 14-in. oak tree; copper nail and washer, painted "U S 2192.6 B.M." 2,193.69
- Moody Farm, 2.9 mi. W. of, 110 ft. E. of rd. fork, at Yonce's store, 90 ft. E. of drain crossing, 25 ft. N. of center line of rd., in sandstone outcrop; std. tablet stamped "K 25 1934" painted "U S 2060.0 P.B.M." 2,060.905
- Reference mark, 50 ft. NW. of tablet at edge of drain, in root on E. side of 16-in. maple tree; copper nail and washer, painted "U S 2058.1 R.B.M." 2,059.16

QUAD. **CULLARAJA** STATE **NORTH CAROLINA** By **R.P. WILLINGHAM** ALTITUDE ABOVE
 1936 MEAN SEA LEVEL
 ORDER **THIRD** ADJ. **APPROX. 1989 General** (Feet)

Sk. B6909
RECOPY
12-13-50 BRG

MACON AND JACKSON COUNTIES

NGVD 29
 Elevations

+

Yonce's store, 1.0 mi. SW. of, 180 ft. N. of S. end of loop in rd.
 50 ft. W. of center of line of rd., 90 ft. NW. of NW. corner of
 barn, in root on SE. side of 18-in. walnut tree; copper nail and
 washer, painted "U S 2145.9 B.M." **2,146.92**

Yonce's store, 1.8 mi. SW. of, 5.5 mi. E. of Burnington Gap, 70
 ft. S. of residence, 40 ft. NW. of center line of rd., in root
 on E. side of 14-in. poplar tree; copper nail and washer, painted
 "U S 2171.6 B.M." **2,172.71**

**FROM JUNCTION OF HIGHWAY 64 AND ADDRESS ROAD SOUTHWEST ALONG HIGHWAY 64
 INTO MAYAH HERR BALD QUADRANGLE (By R. P. Willingham, 1936)**

Franklin, 5.6 mi. SW. of, 130 ft. SW. of rd. fork, on crest of
 ridge, 130 ft. NW. of church, 45 ft. S. of center line of
 Highway 64, in root on E. side of 18-in. maple tree; copper nail
 and washer, painted "U S 2143.2 B.M." **2,143.20**
 NOT FOUND 9/15/70

Franklin, 6.2 mi. SW. of, on Highway 64, on NE. corner of S. head
 wall of concrete highway bridge over Cartoogechaye Creek;
 chiseled square, painted "U. S. 2107.1 B.M." **2,107.33**
 RECOVERED 9/15/70

Franklin, 6.9 mi. SW. of, on Highway 64, at crest of ridge, 100
 ft. NW. of T-rd. intersection, 180 ft. W. of Mt. Zion Methodist
 Church, 30 ft. N. of center line of highway, in root on SE. side
 of 12-in. maple tree; copper nail and washer, painted "U S.
 2271.6 B.M." **2,171.96**

Franklin, 7.5 mi. SW. of, on Highway 64, 40 ft. NE. of private T-rd.
 intersection, 30 ft. N. of center line of rd., 3 ft. W. of cistern
 shed, in SW. root of 24-in. ash tree; copper nail and washer **2,244.30**

Franklin 8.3 mi. SW. of, on Highway 64, 125 ft. SW. of intersection
 of T-rd. S. 40 ft. S. of SW. corner of church, 80 ft. S. of highway,
 in root on N. side of 30-in. ash tree; copper nail and washer,
 painted "U S 2182.6 B.M." **2,183.38**

Franklin, 9.5 mi. SW. of, on Highway 64, on E. guard rail of concrete
 highway bridge, 5 ft. from N. end of, 300 ft. SE. of rd. fork;
 std. tablet stamped "R. W. 3 1936" **2,235.842**

Reference mark, 390 ft. NW. of tablet, in NE. angle of rd. fork,
 top of boulder; chiseled square **2,234.94**

QUAD. CULLARAJA

STATE NORTH CAROLINA

By R.P. WILLIAMS,
1936ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER THIRD

ADJ. APPROX. 1929 General

No. 26909

RECOPY

12-13-50 RRC

MASON AND JACKSON COUNTIES

-3-

Reference mark, 0.33 mi. E. of tablet, on E. end of S. guard
rail of concrete highway bridge; chiseled square

2,258.64

Franklin, 10.5 mi. SW. of, on Highway 64, at edge of woods,
160 ft. E. of curve, 40 ft. W. of center line of rd., in
root on E. side of 8-in. oak tree; copper nail and washer,
painted "U S 2310.6 B.M."

2,311.07

Franklin, 11.3 mi. SW. of, on Highway 64, 60 ft. E. of cut,
50 ft. S. of center line of rd., in root on NW side of 30-in.
chestnut tree; copper nail and washer, painted "U S 2322.7 B.M."

2,523.38

NGVD 29
Elevations