

QUAD. FOWLER BEND 15' STATE NORTH CAROLINA By G.W. Moore, 1936 ALTITUDE ABOVE MEAN SEA LEVEL (Feet)

ORDER SECOND ADJ. 1929 General Ek. B7003 Recopy 12/12/50 CMR

NORTH CAROLINA FOWLER BEND 15' QUADRANGLE (Latitude 35°00'-35°15'; Longitude 84°00'-84°15')

NGVD 29 Elevations

FROM MURPHY, SOUTHEAST ALONG HIGHWAY (By G.W. Moore in 1936)

Murphy, 0.75 mi. above, about 250 ft. NW. of U.S.E.D. b.m. C-1, about 70 ft. N. of highway, on fence line extending N. to river, left bank, in top of concrete post; T.V.A. tablet stamped "H R-5" 1,530.954

FROM MURPHY EAST ALONG HIGHWAY 64 INTO BIG STAMP KNOB QUADRANGLE (By G.W. Moore in 1936)

Murphy, about 200 ft. W. of Louisville and Nashville R.R. station at, 15 ft. N. of center line of N.C. Highway 10, 3.5 ft. above level of highway, in top of and 6 ft. from N. end of parapet on E. wing wall of Highway bridge over Hiwassee River; U.S.C. & G.S. standard tablet stamped "X 53 1933" painted "1538.051" (U.S.C. & G.S.) 1,537.999

Murphy, at, 40 ft. SE. of center line of N.C. Highway 10, at point where it leaves Murphy Square towards S., by light post, on concrete curb; chiseled square, painted "U.S.B.M. 1,599.6" 1,599.50

Murphy, Square, 0.82 mi. E. of, 52 ft. SW. of center line of State Highway 64, at Murphy Filter, on SE. corner of concrete filter tank; chiseled triangle, painted "TVA W W F #, painted "U.S.B.M. 1539.2" 1,539.16

Murphy, 1.51 mi. E. of, 0.7 mi. E. of Murphy Filter, about 0.15 mi. W. of foot of hill, on N. head wall of concrete culvert; chiseled square, painted "U.S.B.M. 1,542.6" 1,542.53

Murphy, 2.3 mi. E. of square at, 50 ft. SE. of secondary rd. fork N., 8.6 ft. below rd. level on U.S. Highway 64, on W. end of S. head wall of large concrete culvert over Will Scott Creek; standard tablet stamped G W M 78 1936 1551", painted "U.S.P.B.M. 1,550.6" 1,550.485

Reference mark, 290 ft. W. of tablet, on W. end of N. head wall of small concrete culvert; chiseled square 1,558.86

FROM BIG STAMP KNOB QUADRANGLE WEST ALONG ROAD TO MARTINS CREEK SCHOOL (By G.W. Moore in 1936)

Martin's Creek School, 1.7 mi. E. of, 40 ft. N. of rd., on hill side, 6 ft. above rd. level, in root on SW. side of 18-in. pine tree; copper nail and washer, painted "U.S.B.M. 1692.0" 1,691.92

QUAD. FOWLER BEND 15' STATE NORTH CAROLINA BY G.W. Moore, 1936 ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER SECOND ADJ. 1929 General
Bk. B7003
Recopy 12/12/50 CMR -2-

Martin's Creek School, 0.9 mi. E. of, 80 ft. SE. of rd.
fork SW., at top of ridge, 50 ft. SW. of T-rd. S.,
25 ft. S. of rd., on 2-ft. bank, in root on N. side
of 8-in. pine tree; copper nail and washer, apinted
"U.S.B.M. 1770.8" 1,769.95

FROM HAW KNOB QUADRANGLE NEAR TIPTONS GAP SOUTHWEST
ALONG TRAIL AND ROAD TO MOUTH OF BEAVERDAM CREEK (BY
C.E. Reich, 1931; Bk. B4830) NGVD 29
Elevations

Third-order leveling:

Tiptons Gap, 0.5 mi. W. of Tipton Knob, 50 ft. E. of
trail fork, on boulder; square cut, painted "B.M.
3416" 3,416.14

Tiptons Gap, 0.6 mi. E. of, in small gap, at trail
crossing, S. side of trail, on ledge; square cut,
painted "B.M. 3370.4" 3,370.22

Unaka, 6 mi. NE. of, at forks of Beaverdam Creek, 230
ft. NE. of cabin, 10 ft. W. of Wagar rd., in ledge;
bronze tablet stamped "R-26-1931" 1,912.453

Reference mark: 450 ft. SW. of tablet, on boulder; square
cut 1,920.48

Unaka, 5 mi. NE. of, 30 ft. N. of ford through Beaverdam
Creek, on ledge; square cut, painted "B.M. 1838.7" 1,838.58

Unaka, 36 mi. NE. of, 200 ft. E. of school, S. edge of rd.
at rd. fork N., in root of 24-in. oak tree; copper nail
painted "B.M. 1800" 1,799.53

Beaverdam Creek bridge; floor of 1,733.0

Unaka, 1.5 mi. NE. of, S. side of rd. at right angle turn,
60 ft. N. of spring, on ledge; square cut, painted
"B.M. 1798" 1,797.55

Unaka, 60 ft. S. of church, 40 ft. E. of rd., in ledge;
bronze tablet stamped "R-27-1931" 1,673.035

Reference mark: 8 ft. N. of tablet, on ledge; square cut 1,672.17

Unaka, 1.2 mi. SW. of, 10 ft. S. of rd., on ledge; square
cut, painted "B.M. 1744.1" 1,744.17

QUAD. FOWLER BEND 15' STATE NORTH CAROLINA BY C.E. Reick, 1931	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
ORDER THIRD ADJ. 1929 General Adjustment Bk. B4830 Recopy 12/12/50 CMR -3-	NGVD 29 Elevations
Unaka, 1.8 mi. SW. of, 140 ft. E. of rd. fork NW., E. side of rd., on point of boulder; square cut, painted "B.M. 1669"	1,668.84
Unaka, 3 mi. SW. of, 0.3 mi. N of Hiwassee River, in triangle of rd. fork NW. to Violet, on boulder; square cut, painted "B.M. 1333"	1,332.91
Unaka, 3 mi. SW. of, Beaverdam Creek bridge, on SE. abutment; square cut, painted "B.M. 1321" (established by U.S.C.E.)	1,320.86
FROM GEORGIA-NORTH CAROLINA BOUNDARY NORTH ALONG HIGHWAYS TO MURPHY (By C.A. Turner, 1933; Bk. B4478)	
North Carolina-Georgia state line, on N. side of rd., at SE. cor. of state line monument; chiseled square painted "B.M. 1701.3 (In Ellijay Quad.)	1,702.63
N.C.-GA. state line, 0.4 mi. NE. of, Bellview-Lance Mill rd. crossing route 19, near top of hill; crossroads, crossing hwy. painted "1784" (In Ellijay Quad.)	1,785.4
Davidsonville, rd. fork NW., junction with route 19, painted "1670" (In Ellijay Quad.)	1,671.3
Ivylog, Ga., 3.4 mi. N. of, 9.6 mi. SW. of Murphy, on route 19, 400 ft. N. of rd. fork N. (which is 0.4 mi. E. of Davidsonville), 150 ft. N. of creek and 35 ft. E. of dirt rd., on property of C.Z. Price, at point of small ridge, on rock outcrop; standard tablet stamped "T 1 1933"	1,684.131
Reference mark, 9.6 ft. N. of tablet, on rock; chiseled square	1,684.26
Davidsonville, 0.7 mi. NE. of, Moccasin Cr. rd. SE. junction with route 19, post painted "1708"	1,709.4
Davidsonville, 1.1 mi. NE. of, at small creek crossing route 19, on E. head wall of concrete culvert; chiseled square, painted "1761.3"	1,762.67
Top of hill, telephone pole painted "1901"	1,902.9
Martins Creek Consolidated School, 2 mi. SW. of, on route 19, in center of E. head wall of conc. culvert over small stream from NW.; chiseled square, painted "1842.6"	1,844.62
Martins Creek School, 1.5 mi. SW. of, Hughes rd. S. junction with route 19, signpost painted "1783"	1,784.2

QUAD. FOWLER BEND 15'	STATE NORTH CAROLINA	By C.A. Turner, 1933	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
ORDER THIRD Bk. B4478 Recopy 12/12/50 CNR	ADJ.	1989 General -4-	NGVD 29 Elevations
Martins Creek School, 0.9 mi. W. of, on route 19, on S. end of E. head wall of conc. culvert; chiseled square, painted "1719.0"			1,720.42
Martins Creek School, 0.5 mi. W. of, Stalcup rd. SW., junction with route 19, signpost painted "1682"			1,682.9
✓ Martins Creek School, 89.8 ft. SE. of, on route 19, in N. cor. of conc. filter plant of school, in top of conc. roof; standard tablet stamped "T 2 1933", painted "1670.05"			1,671.460
Reference mark, 23.8 ft. SE. of tablet, in top of NE. cor. of filter plant conc. roof; chiseled square			1,671.44
Martins Creek School, 400 ft. N. of rd. fork N. to Brasstown, post painted "1665"			1,666.4
Ranger rd. NW., junction with route 19, post painted "1652"			1,653.6
✓ Martins Creek, center of bridge floor over, painted "1642"			1,643.0
R.T. Stiles farmhouse, at stone culvert over small drain from E. at, center of rd., W. end of culvert painted "1649"			1,650.4
Martins Creek School, 1.4 mi. NE. of, on route 19, at store, E. end of N. head wall of conc. culvert; chiseled square, painted "1629.8"			1,631.22
Concrete culvert over stream from E., center of rd., W. head wall painted "1618"			1,619.6
✓ Martins Creek Consolidated School, 2.5 mi. N. of, 3.5 mi. SW. of Murphy, on route 19, 93 ft. N. and 50 ft. W. of junction of rd. fork W. (known as "Martins Creek Rd."), 30 ft. E. of creek, in rock outcrop; standard tablet stamped "T 3 1933", rock painted "1604.01"			1,605.430
Reference mark, 350 ft. N. of tablet, on E. head wall of conc. culvert; chiseled square			1,603.22
Route 19 at top of hill, center of, tree on N. side of bank painted "1661"			1,662.6

QUAD. FOWLER BEND 15'	STATE NORTH CAROLINA	By C.A. Turner, 1933	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
ORDER THIRD Bk. B4478 Recopy 12/12/50 CMR	ADJ. 1929 General		NGVD 29 Elevations
-5-			
Murphy, 2.9 mi. S. of, on route 19, at entrance to Midway Lake, center of W. base of conc. bridge over small stream; chiseled square, guard rail painted "1598.6"			1,600.02
Martins Creek, center of bridge floor, guard rail painted "1570"			1,571.2
Top of hill, opposite oak tree painted "1678"; center of rd.			1,679.7
Murphy, 1.5 mi. S. of, on route 19 at horseshoe bend in rd., on conc. culvert over stream from SW., at S. end of E. head wall; chiseled square, painted "1597.8"			1,599.23
Murphy, 0.8 mi. above (left bank), where conc. hwy. turns out of valley, near NE. cor. of house of E.J. Killian; iron pipe in conc. (U.S.R.D. b.m. C 1, their elev. = 1535.632)			1,536.961
FROM MURPHY NORTH AND NORTHWEST ALONG HIGHWAYS TO POINT 3.6 MILES NORTHEAST OF UNAKA			
Murphy, 1.1 mi. N. of, on Murphy-Grandview rd., 0.2 mi. S. of Grandview-Unaka rd. forks, on E. side of rd. at drain, in rock; chiseled square, painted "1520.0"			1,521.57
Murphy, 1.3 mi. N. of, Grandview-Unaka rd. forks, rock painted "1515"			1,516.5
Murphy, 1.9 mi. N. of, on Grandview rd., 15 ft. W. and 30 ft. N. of Hembre Branch crossing main rd., at rd. fork NE., in rock; chiseled square, painted "1696.4"			1,697.92
Marr Gap, at, 2.1 mi. N. of Murphy, center of highest point of rd., fence post opposite painted "1755"			1,756.6
Marr Gap, 0.5 mi. N. of, at Bates Creek rd. E., junction with Grandview rd. above sawmill, gatepost painted "1700"			1,701.9
Stream crossing, rd., fence post painted "1770"			1,771.6
Murphy, 3.4 mi. NW. of, 4.3 mi. S. of Grandview P.O., 400 ft. NE. of Bates Creek crossing rd., 360 ft. SW. of Geo. Lavengood's farmhouse, 230 ft. E. of rd., 180 ft. S. of Bates Creek, near base of hill, in pasture, set in rock outcrop; standard tablet stamped "T 4 1933", rock painted "1785.66"			1,787.222

QUAD. FOWLER BEND 15 STATE NORTH CAROLINA BY C.A. TURNER, 1933	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
ORDER THIRD Bk. B4478 Recopy 12/12/50 CMA	ADJ. 1929 General -6-
NGVD 29 Elevations	
Reference mark, 11 ft. NE. of tablet, in rock; chiseled square	1,788.12
Blackwell Gap, 410 ft. S. of, on W. side of rd., on point of rock; chiseled square, painted "1926.5"	1,928.11
Blackwell Gap, 0.7 mi. N. of, on Grandview rd., on downstream side of conc. bridge over Owl Creek, center of conc. guard wall; chiseled square, painted "1784.1"	1,785.67
Grandview, 1.8 mi. S. of P.O., 5.9 mi. N. of Murphy, on Murphy-Grandview rd., on N. side of Owl Creek, 48 ft. NE. of small drain, 33 ft. NW. of rd., in top of rock outcrop; standard tablet stamped "T 5 1933", rock painted "1827.43"	1,829.034
Reference mark, 38.5 ft. SW. of tablet, in rock; chiseled square	1,827.34
Hanging Dog Church, 0.3 mi. S. of; rd. fork E., pine tree opposite painted "1859"	1,860.4
Hanging Dog Church, rd. entrance to, painted on rock "1912"	1,913.5
Grandview P.O., 0.9 mi. S. of, at horseshoe bend in rd., 26 ft. NE. of small stream crossing rd., on point of rock; chiseled square, painted "1850.9"	1,852.54
Grandview P.O., 0.6 mi. S. of, rd. fork S., pine tree painted "1799"	1,500.9
Grandview P.O., 880 ft. S. of, rd. fork E., center line of main rd., rock (2 ft. high) on W. (opposite) side of rd. painted "1752"	1,753.52
Grandview, 0.2 mi. N. of P.O., right bank, downstream side, of conc. bridge over Hanging Dog Creek, in top of conc. guard rail; chiseled square, painted "1765.8"	1,767.40
Grandview, 0.6 mi. N. of P.O., 2.3 mi. SE. of Beaverdam Gap, 500 ft. S. of Davis Creek rd. fork, on property of John Levingood (Levengood?) and 450 ft. E. of his farmhouse, 100 ft. W. of rd., in top of large rock outcrop; standard tablet stamped "T 6 1933", rock painted "1813.54"	1,815.132

QUAD. FOWLER BEND 15' STATE NORTH CAROLINA BY C.A. Turner, 1938 ALTITUDE ABOVE
(N.C.-TENN.) MEAN SEA LEVEL
ORDER THIRD ADJ. 1929 General (Feet)
Bk. B4478 NGVD 29
Recopy 12/12/50 CMR -7- Elevations

Reference mark, 75 ft. E. of tablet, in NW. root of pine
stump; copper nail and washer 1,823.08

Beaverdam Gap, 2.2 mi. SE. of, Davis Creek rd. fork NE.,
gatepost painted "1836" 1,838.1

Beaverdam Gap, 1.7 mi. SE. of, floor of wooden bridge,
painted "1914" 1,915.3

Beaverdam Gap, 1.2 mi. SE. of, 1.8 mi. NW. of Grandview,
on E. side of rd., in top of large rock outcrop; chiseled
square, painted "2015.1" 2,016.74

Beaverdam, 0.8 mi. SE. of, on E. side of rd. at saddle
at abandoned rd. E. to valley, in root of stump; copper
nail and washer, tree painted "2133.6" 2,135.27

Beaverdam Gap, 23 ft. N. of center of apex of rd., in
rock; chiseled square, tree painted "2301.9" 2,303.55

Beaverdam Gap, 0.1 mi. NW. of, rd. fork W., center line
of main rd., tree opposite painted "2255" 2,256.8

Beaverdam Gap, 0.5 mi. NW. of, bridge over stream from
NE., floor, painted "2091.3" 2,092.96

Beaverdam Gap, 0.8 mi. NW. of, 1.4 mi. SE. of Mount School,
on Beaverdam Gap rd., at foot path SW., in center of
abandoned rd., 50 ft. SW. of main rd., in top of boulder;
standard tablet stamped "T 7 1933", rock painted "1988.32" 1,989.981

Reference mark, 17.7 ft. NW. of tablet, in rock; chiseled
square 1,989.51

Beaverdam Gap, 1.7 mi. NW. of, at farmhouse of L.D. Garrett,
20 ft. E. of rd. at gate to barn yard, in root of persimmon
tree; copper nail and washer, tree painted "1825.5" 1,827.24

FROM NEAR SOUTHEAST CORNER OF FARMER QUADRANGLE ALONG
HIGHWAYS NORTHEAST AND NORTH TO SUIT, THENCE NORTHWEST
INTO FARMER QUADRANGLE

Mount Maria Church, 0.9 mi. NE. of, on N. SW side of main rd.
at private rd. W., in W. root of 15-in. pine tree; copper
nail and washer, painted "B.M. 1858.7" Altitude on appx.
1929 g.a. = 1,859.04 ft. 1,859.04

QUAD. FOWLER BEND 15'	STATE NORTH CAROLINA	By C.A. TURNER,	1933	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
ORDER THIRD Bk. B4478 Receipt 12/12/50 CMA	ADJ. 1929 General			NGVD 29 Elevations
			-8-	
Mount Maria Church, 1.1 mi. NE of, at rd. fork E., in root of 8-in. oak tree; copper nail and washer, painted "1870.5"				1,870.83
Hopewell Church, 0.7 mi. SW. of, top of hill, 1,850 ft. S. of route 28, at woods rd. E., 35 ft. E. of rd., in W. root of oak tree; copper nail and washer, painted "1965.9"				1,966.09
Hopewell, 0.4 mi. SW. of, junction of Arp rd. SE. with route 28, signpost painted "1937"				1,937.1
Hopewell Church, 300 ft. W. of, rd. fork NE., pine tree painted "1908"				1,908.2
Hopewell Church, 0.3 mi. E. of, on route 28, downstream side of bridge over Persimmon Creek; center bolthead of sill, bridge sill painted "B.M. 1814.8"				1,815.07
Hopewell Church, 1.1 mi. E. of, 3,700 ft. SW. of Taylors Ferry rd., on route 28, on property of D.W. Jenkins (Jenkins Bros.), 18 ft. N. of center of rd., about 450 ft. W. of Jenkins farmhouse, in rock outcrop; standard tablet stamped "T 10 1933", rock painted "P.B.N. 1774.62"				1,774.86
Reference mark, 128 ft. S. 60° W. of tablet, in rock boulder; chiseled square				1,779.01
Hopewell Church, 1.8 mi. E. of, at junction of Taylors Ferry rd. N. with route 28, S. end of large triangle, rock opposite painted "1733"				1,732.8
Sunny Point School, 400 ft. S. of, 2 mi. NE. of Hopewell Church, on N. side of rd., 5 ft. E. of small stream, on rock; chiseled square, painted "B.M. 1737.9"				1,738.15
Sunny Point School, 0.5 mi. N. of, 150 ft. S. of rd. fork, stream crossing rd. from W., persimmon tree painted "1675"				1,674.8
Sunny Point School, 0.7 mi. N. of, rd. fork E., in W. root of oak tree; copper nail and washer, tree painted "1738"				1,737.86
Sunny Point School, 0.8 mi. N. of, on Taylors Ferry rd., 200 ft. S. of farmhouse of Jerry Jones at sharp bend in rd., on flint rock boulder; chiseled square, painted "B.M. 1752.3"				1,752.5

QUAD. FOWLER BEND 15' STATE NORTH CAROLINA, BY C.A. Turner,
1933
ORDER THIRD ADJ. 1929 General
Bk. B4478
Recopy 12/12/50 CMR -9-

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

NGVD 29
Elevations

Sunny Point School, 1 mi. N. of, old crossroads, oak tree painted "1814"	1,814.6
Sunny Point School, 1.4 mi. N. of, on Taylors Ferry rd., on W side of rd., 45 ft. N. of creek crossing, at old rd. NW., in W. root of 20-in. oak tree in fence line; copper nail and washer, tree painted "B.M. 1740.4"	1,740.60
Sunny Point School, 2.1 mi. N. of, 2.7 mi. S. of Suit, on Taylors Ferry rd., 65 ft. SW. of Freed Brown's cabin, 80 ft. S. of rd., in large rock outcrop; standard tablet stamped "T 11 1933", rock painted "P.B.M. 1665.56"	1,665.805
Reference mark, 18.6 ft. W. of tablet, in rock; chiseled square	1,666.30
Suit, 2.4 mi. S. of, rd. fork SW., in NE. cor. of forks, in root of 20-in. oak tree; copper nail and washer, tree painted "1643"	1,643.02
Suit, 2.1 mi. S. of, top of hill, E. side of rd., in W. root of 18-in. oak tree; copper nail and washer, tree painted "1759"	1,758.89
Suit, 1.9 mi. S. of, on Taylors Ferry rd., 200 ft. NE. of J. Montgomery's farmhouse, 36 ft. E. and 7 ft. S. from stream crossing, on S. bank of stream, in SW. root of 20-in. hickory tree; copper nail and washer, tree painted "B.M. 1611.0"	1,611.26
Suit, 1.1 mi. S. of, on Taylors Ferry rd., on W. side of rd. directly opposite two-story white house, in E. root of 36-in. oak tree; copper nail and washer, tree painted "B.M. 1597.4"	1,597.66
Suit, 630 ft. E. of, at junction of Taylors Ferry rd. with route 294, in rd. fork, on property of W.F. Styles, in large flat rock outcrop; standard tablet stamped "T 12 1933," telephone pole painted "P.B.M. 1793.25"	1,793.506
Reference mark, 205 ft. N. of tablet, on E. side of route 294, in large rock outcrop; square cut	1,799.01
Suit, 0.7 mi. NW. of, rd. fork NE. to Vests, signpost painted "1662"	1,663.09
Suit, 0.9 mi. NW. of, on route 294, left bridge seat (upstream side) of wooden bridge over Bearpaw Creek, in rock; chiseled square, bridge floor painted "B.M. 1666.6"	1,666.88

THIRD
ADJ. 1929 General
Recopy 12/12/50 CMR
-10-

- Suit, 1.6 mi. NW. of, 450 ft. N. of junction of Oak Park rd. with route 294, 25 ft. NE. of plank bridge, on N. side of rd., on rock boulder; chiseled square, rock painted "B.M. 1719.3" 1,719.56
- Suit, 2.6 mi. NW. of, 4.7 mi. SE. of Patrick, on Taylors Ferry rd., on W. side of rd., 130 ft. NW. of E.E. Thompson's farmhouse, 50 ft. W. of center line of rd., in top of large boulder; standard tablet stamped "T 13 1933", painted on rock "P.B.M. 1672.36" 1,672.621
- Reference mark, 55.5 ft. S. 20° W. of tablet, on rock boulder; chiseled square 1,675.68
- Patrick, 3.5 mi. SE. of, on Taylors Ferry rd., 22 ft. S. and 15 ft. S. from rd. fork W. to Oak Park, in SE. angle of rd. fork, on rock outcrop; chiseled square, painted "B.M. 1573.1" 1,573.34
- Suit, 4.5 mi. NW. of, top of hill, painted on fence near gate "1782" 1,782.6
- FROM BIG STAMP KNOB QUADRANGLE SOUTHWEST ALONG ROAD TO GRANDVIEW (By G.W. Moore in 1936; Bk. B7005)
- Grandview post office, 4.4 mi. NE. of, 2.35 mi. SW. of Lucy Gap, 0.75 mi. NE. of Hanging Dog Church, 43 ft. N. of rd. fork N., 28 ft. NW. of ford over creek, at group of boulders between T-rd. N. and creek, top of boulder; standard tablet stamped "G.W.M. 111 1936 2039," painted "U.S.F.B.M. 2039.0" 2,039.202
- Reference mark, 41 ft. SE of tablet, 22 ft. E. of rd. fork N, on W. bank of creek, top of E. end of large boulder; chiseled square 2,036.49
- Grandview post office, 3.65 mi. NE. of, 111 ft. NE. of SE. cor. of Hanging Dog church, 38 ft. SE. of rd., in rest on N. side of 36-in. oak tree; copper nail and washer, painted "U.S.B.M. 1956.0" 1,956.17
- Grandview post office, 2.95 mi. NE. of, 0.7 mi. SE of Hanging Dog Church, 130 ft. SW. of house, 11 ft. SE. of rd., at curve, in base of NW. side of 20-in. oak tree; R.R. spike, painted white, painted "U.S.B.M. 1910.4" 1,910.55

1 15' STATE NORTH CAROLINA B.G.W. Moore, 1936 ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER THIRD
Blk. B7003
Recopy 12/12/50 CMR
ADJ. 1929 General
-11-

- Grandview post office, 2.0 mi. NE. of, 1.65 mi. SW. of
Hanging Dog Church, 73 ft. S. of log barn, on top
of hill, 60 ft. SE. of rd., in pasture, top of large
boulder; standard tablet stamped "G W M 112 1936 1856,"
painted "U.S.F.B.M. 1856.0" 1,856.248
- Reference mark, 130 ft. SW. of tablet, 185 ft. E. of drain,
37 ft. S. of rd., in pasture, top of boulder; chiseled
square 1,847.71
- Grandview post office, 1.38 mi. NE. of, 2.25 mi. SW. of
Hanging Dog Church, at horseshoe bend, 70 ft. SW. of
private rd. fork, 110 ft. W. of drain, 20 ft. S. and
4 ft. below rd., in root on NE. side of 21-in. maple
tree; copper nail and washer, painted "U.S.B.M. 1841.8" 1,842.00
- Grandview post office, 0.85 mi. NE. of, 0.65 mi. NE. of
Murphy-Unaka Highway, 65 ft. SE. of wood bridge over
Hanging Dog Creek, 40 ft. E. of rd., 7 ft. S. of
private rd., top of boulder; chiseled square, painted
"U.S.B.M. 1786.5" elevation bridge floor 1784.235 1,786.72