

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 400

JC FK

DR CODE: R REC CODE: M LAT: 35 55 55.62 (N) LON: 082 00 53.93 (W)

STATE/COUNTY: NC / AVERY APP: GPS: PID:

DESIGNATION: 13 EG 1 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: C / NCSHC YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/03/27 CHIEF: MDS *CONDITION: G

TYPE: MAG CODE: 5 CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: 13 EG 1 1967

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: US 19E for 0.1 mi NE (bearing)
from THE MITCHELL (AVERY) COUNTY LINE, THENCE SE FOR ABOUT
90 FT, TO THE ENTRANCE TO MT ZION METHODIST CHURCH, ALONG
THENCE SW FOR 0.05 MI ALONG THE CHURCH DRIVE

ON SE SIDE OF RD BETWEEN 19E AND MT ZION METHODIST CHURCH

Mark is about 30 ft lower than, higher than, or is level with 19E
and projects inches, is recessed inches, or is flush with the ground.

Located

22.0 ft WNW of the centerline of DRIVE LEADING TO MT ZION METHODIST CHURCH

38.0 ft NW of THE ENTRANCE OF MT. ZION METHODIST CHURCH

15.6 ft N of A GUY WIRE ANCHOR

13.9 ft SW of USGS MONUMENT TT 51 FI 1947

1.9 ft ESE of A PP W / TRANSFORMER

48.3 ft SSW of A PP W / STREET LAMP

(✓) tag

(✓) tag

3 PIC N

MP

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9100

JC FK

DR CODE: R REC CODE: M LAT: 35 58 02 (N) LON: 0 82 00 ¹⁵ ~~14~~ (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 13 EG 3 TR CODE: C PACK TIME: 0 :00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/04/25 CHIEF: MDB *CONDITION: 0

TYPE: _____ MAG CODE: _____ CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____

_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. DESCRIPTION NO LONGER ADEQUATE TO LOCATE STATION.

Mark is about _____ ft: **lower** than, **higher** than, or is **level** with _____
and **projects** _____ inches, is **recessed** _____ inches, or is **flush** with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9101

JC FK

DR CODE: R REC CODE: M LAT: 35 58 45 (N) LON: 0 82 00 57 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: # 13 EG 4 TR CODE: C PACK TIME: 0:00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/04/25 CHIEF: MDB *CONDITION: O

TYPE: _____ MAG CODE: _____ CODE/SETTING: /

AGENCY INSCRIPTION: NC SHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____

_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND - DESCRIPTION NO LONGER ADEQUATE TO LOCATE STATION.
BELIEVED LOST TO ROAD CONSTRUCTION +

Mark is about _____ ft. lower than, higher than, or is level with _____
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

mb

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9102

JC FK

DR CODE: R REC CODE: M LAT: 35 58 54 (N) LON: 082 01 02 (W)

STATE/COUNTY: NC / AVERY APP: GPS: PID:

DESIGNATION: 13 EG 5 TR CODE: C PACK TIME: 0 :00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017 / 04 / 25 CHIEF: MDR *CONDITION: 0

TYPE: MAG CODE: CODE/SETTING: 091

AGENCY INSCRIPTION: NCSHC STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

MARK FOUND LEANING SEVERELY E. BEEN HIT MULTIPLE TIMES. DISK BROKEN
OFF MONUMENT. DISK FOUND DESTROYED

Mark is about ft. lower than, higher than, or is level with
and projects inches, is recessed inches, or is flush with the ground.

Located
 ft of the centerline of
 ft of
 ft of
 ft of
 ft of () tag
 ft of () tag

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9103

JC EK

DR CODE: R REC CODE: M LAT: 36 05 17 (N) LON: 0 81 49 36 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 4 EG 1 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/04/12 CHIEF: MDB *CONDITION: O

TYPE: MAG CODE: CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of

 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

MARK FOUND LAYING DN SIDE STICKING OUT OF THE BANK AND BROKEN OFF AT 2' LONG.

Mark is about ft **lower** than, **higher** than, or is **level** with

and **projects** inches, is **recessed** inches, or is **flush** with the ground.

Located

 ft of the centerline of

 ft of

 ft of

 ft of

 ft of () tag

 ft of () tag

mf

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 401 *JC* FK

DR CODE: R REC CODE: M LAT: 36 05 13.19 (N) LON: 081 49 25.26 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 4 EG 2 TR CODE: C PACK TIME: 0 :00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/04/12 CHIEF: MDB *CONDITION: G

TYPE: MAG CODE: CODE/SETTING: 0- /

AGENCY INSCRIPTION: NCSHC STAMPING: 4 EG 2 1966

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: US 221 - BLOWING ROCK HWY for 3.2 mi NE (bearing)
from THE INT WITH NC 105 (IN LINVILLE) TO THE BRD OVERPASS
RAD WITH REFERENCES ADDED LEANING SLIGHTLY WEST
BRIDGE, CONTINUE NE CURVING SOUTH FOR 0.55 MI ALONG
US 221
0.1 MI SOUTH SR 1514 IN W SHOULDER BETWEEN SR 1514 + US 221

Mark is about ft lower than, higher than, or is level with US 221
and projects inches, is recessed 1 inches, or is flush with the ground.

Located
15.5 ft W of the centerline of US 221 BLOWING ROCK HWY
 ft of
34.0 ft WNW of A ROCK HEADWALL
29.5 ft NNE of W END A 24" CORRUGATED METAL PIPE
19.4 ft SE of A 10" LOCUST (⊙ tag
 ft of (✓ tag

3 PIC - WEST

mp

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 402 *JC* EK

DR CODE: R REC CODE: M LAT: 36 05 10.81 (N) LON: 081 48 40.98 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 4 EG 3 TR CODE: C PACK TIME: 0 : 02

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/04/12 CHIEF: MDB *CONDITION: G

TYPE: MAG CODE: 5 CODE/SETTING: 07/

AGENCY INSCRIPTION: NCSHC STAMPING: 4 EG 3 1966

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: US 221 - BLOWING ROCK ^{HWY} for 3.2 mi NE (bearing)
from RAID ^{WITH} ~~NEW REFERENCES ADDED~~ THE INT WITH NC 105 (IN
LINVILLE) TO THE BLP OVERPASS BRIDGE CONTINUE EAST FOR
1.65 MI ALONG US 221, IN THE SOUTH SHOULDER.

Mark is about 2 ft lower than, higher than, or is level with US 221
and projects 6 inches, is recessed inches, or is flush with the ground.

Located
33.0 ft SSE of the centerline of US 221
 ft of
 ft of

39.0 ft SW of A 20" WILD CHERRY (V) tag

9.0 ft NE of AN 4" PINE (V) tag

8.9 ft W of A 10" POST OAK (V) tag

#3 PIC - SOUTH

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 403

JC FK

DR CODE: R REC CODE: M LAT: 36 05 18.87 (N) LON: 0 81 48 40.64 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 4EG4 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/04/17 CHIEF: MDB *CONDITION: G

TYPE: _____ MAG CODE: S CODE/SETTING: 67 /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi of _____
_____ Mi of _____

In _____

At the _____

(Proceed) Along: US 221 - BLOWING ROCK HWY for 3.2 mi NE (bearing)
from THE INT WITH NC 105 (IN LINVILLE) TO THE BRP OVERPASS BRIDGE
RAD. WITH NEW REFERENCES ADDED THREE EAST FOR 1.8 MI ALONG
US 221, IN THE WEST SHOULDER.

Mark is about 4 ft lower than, higher than, or is level with US 221 / NC 105
and projects 6 inches, is recessed _____ inches, or is flush with the ground.

Located

24.5 ft WNW of the centerline of US 221 / NC 105
_____ ft of _____
_____ ft of _____

29.6 ft NE of A 28" OAK (✓) tag

22.4 ft ESE of A 26" OAK A 20" OAK (✓) tag

6.2 ft S of A 20" OAK A 4" WHITE OAK (✓) tag

#3 PIC - WEST

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9104

JC FK

DR CODE: R REC CODE: M LAT: 36 05 32 (N) LON: 0 81 47 03 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 4 EG 5 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017 / 04 / 17 CHIEF: MDB *CONDITION: O

TYPE: _____ MAG CODE: _____ CODE/SETTING: 09 /

AGENCY INSCRIPTION: NC SHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____

_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK FOUND DESTROYED. FOUND DISK SOUTH EAST OF STATION ON STEEP
EMBANKMENT.

Mark is about _____ ft. lower than, higher than, or is level with _____

and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9105

JC FK

DR CODE: R REC CODE: M LAT: 36 05 41 (N) LON: 0 81 46 57 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 4 EG 6 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017 / 04 / 17 CHIEF: MDB *CONDITION: O

TYPE: _____ MAG CODE: _____ CODE/SETTING: 09 /

AGENCY INSCRIPTION: _____ STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK FOUND LOOSE & BROKEN, MONUMENT DESTROYED.

Mark is about _____ ft: lower than, higher than, or is level with _____

and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

mb

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for "other"; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for "other"; and 3). Explain.

SSN: SD0

JC FK

DR CODE: R REC CODE: F LAT: 36 01 25.16 (N) LON: 082 01 22.52 (W)

STATE/COUNTY: NC / AVERY APP: GPS: N PID: _____

DESIGNATION: 2840 ASH TR CODE: C PACK TIME: 0:00

CODE/SET BY: A / USGS YEAR: 1901 CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 17/04/20 CHIEF: MBD *CONDITION: P

TYPE: _____ MAG CODE: _____ CODE/SETTING: 661

AGENCY INSCRIPTION: USGS STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In A DRILL HOLE WITH COUNTER SINK WAS FOUND IN

At the THE TOP OF THE ROCK LEDGE. A STEEL SPIKE WAS FOUND DRIVEN INTO THE STEM HOLE. A NEW DESCRIPTION FOLLOWS.

(Proceed) Along: US 19E for 3.75 mi N (bearing)

from THE INTERSECTION WITH NC 194 (IN INKALLS) TO A LARGE BOX CULVERT FOR HENSON CREEK.

IN A ROCK LEDGE OVERLOOKING THE MOUTH OF HENSON CREEK AND IN THE SW QUADRANT OF THE CONFLUENCE WITH THE NORTH TDE RIVER.

Mark is about 3 ft lower than, higher than, or is level with US 19 E
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

152.0 ft E of the centerline of US 19 E
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____

28.7 ft N of A 12-INCH RED OAK (✓) tag

3.0 ft E of A 14-INCH TWIN MAPLE (✓) tag

LOOKING N mb

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9106

JC FK

DR CODE: R REC CODE: M LAT: 35 58 42 (N) LON: 0 82 00 59 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 1 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/04/25 CHIEF: MDB *CONDITION: 0

TYPE: _____ MAG CODE: _____ CODE/SETTING: /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____

_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

FOUND STATION LEANING AND TOP OF MONUMENT HAS BEEN BEEN BROKEN OFF. DISK
DISK IS GONE AND ONLY PART OF STEM HOLE REMAINS.

Mark is about _____ ft. lower than, higher than, or is level with _____
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

mf

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9107

JC FK

DR CODE: R REC CODE: M LAT: 35 58 ⁵⁸ ₄₃ (N) LON: 082 01 02 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 2 TR CODE: C PACK TIME: 0 : 05

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/04/25 CHIEF: MDB *CONDITION: O

TYPE: _____ MAG CODE: _____ CODE/SETTING: /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____

_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK FOUND BROKEN + DISK IS GONE. BELIEVED DESTROYED BY LOGGING
OPERATION. LEANING SOUTH

Mark is about _____ ft. lower than, higher than, or is level with _____

and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

mb

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9108 *JC* FK

DR CODE: R REC CODE: M LAT: 36 01 44 (N) LON: 082 00 27 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 44 EG 3 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017 / 05 / 09 CHIEF: MD6 *CONDITION: 0

TYPE: DE MAG CODE: CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of

 Mi of

In

At the

(Proceed) Along: for mi (bearing)

from

MARK NOT FOUND. PULLED REFERENCES & PROBED AREA WITHOUT SUCCESS

Mark is about ft **lower** than, **higher** than, or is **level** with

and **projects** inches, is **recessed** inches, or is **flush** with the ground.

Located

 ft of the centerline of

 ft of

 ft of

 ft of

 ft of () tag

 ft of () tag

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9109

JC FK

DR CODE: R REC CODE: M LAT: 36 01 54 (N) LON: 082 00 29 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 4 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/05/09 CHIEF: MDG *CONDITION: O

TYPE: DE MAG CODE: N CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCGS STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. DESCRIPTION NO LONGER ADEQUATE TO LOCATE STATION.

Mark is about _____ ft **lower** than, **higher** than, or is **level** with _____

and **projects** _____ inches, is **recessed** _____ inches, or is **flush** with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

MD

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9110

JC FK

DR CODE: R REC CODE: M LAT: 36 02 48.14 (N) LON: 082 00 34.32 (W)

STATE/COUNTY: NC / AVERY APP: GPS: PID:

DESIGNATION: 44 EG 5 TR CODE: C PACK TIME: 6 :00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/05 / 11 CHIEF: MOB * CONDITION: O

TYPE: DE MAG CODE: CODE/SETTING: 09 /

AGENCY INSCRIPTION: NC SHC STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

MARK FOUND WITH THE TOP 4 INCHES BROKEN OFF MONUMENT. LEANING TO SW
DISK IS GONE

Mark is about ft **lower** than, **higher** than, or is **level** with
and **projects** inches, is **recessed** inches, or is **flush** with the ground.

Located

 ft of the centerline of
 ft of
 ft of
 ft of
 ft of () tag
 ft of () tag

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9111

JC EK

DR CODE: R REC CODE: M LAT: 36 03 30 (N) LON: 082 01 14 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 44 EG 7 TR CODE: C PACK TIME: 0:00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/05/11 CHIEF: MDR *CONDITION: 0

TYPE: DE MAG CODE: CODE/SETTING: /

AGENCY INSCRIPTION: NCSHC STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

MARK NOT FOUND. A ROAD HAS CHANGED. ~~THE~~ MARK DESCRIPTION NO LONGER
ADEQUATE TO LOCATE STATION

Mark is about ft lower than, higher than, or is level with
and projects inches, is recessed inches, or is flush with the ground.

Located

 ft of the centerline of

 ft of

 ft of

 ft of

 ft of () tag

 ft of () tag

MD

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9112

JC FK

DR CODE: R REC CODE: F LAT: 36 04 576 (N) LON: 0 81 59 467 (W)

STATE/COUNTY: NC / AVERY APP: GPS: - PID: -

DESIGNATION: 44 EG 11 TR CODE: C PACK TIME: 0 :00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C/NCGS DATE: 17/05/30 CHIEF: MOB *CONDITION: 0

TYPE: DD MAG CODE: R CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCJMC STAMPING: 44 EG 11 1974

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

THE STATION WAS NOT FOUND. THE HOUSE IS NO LONGER STANDING AND
NO EVIDENCE REMAINS. SEARCHED WITH RTN AND A METAL DETECTOR.
THE ORIGINAL NCJMC DESCRIPTION FOLLOWS.

Mark is about ft lower than, higher than, or is level with
and projects inches, is recessed inches, or is flush with the ground.

Located

 ft of the centerline of
 ft of
 ft of
 ft of
 ft of () tag
 ft of () tag

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9113

JC FK

DR CODE: R REC CODE: M LAT: 36 05 11 (N) LON: 081 59 46 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 12 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/05/30 CHIEF: MDB * CONDITION: GO

TYPE: DD MAG CODE: R CODE/SETTING: 09/

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

THE STATION WAS NOT FOUND. SEARCHED WITH RTN + METAL LOCATOR WITHOUT SUCCESS. MAY BE LOST TO GRADING.

Mark is about _____ ft lower than, higher than, or is level with _____
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____ () tag
_____ ft _____ of _____ () tag

mb

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9114

JC FK

DR CODE: R REC CODE: M LAT: 36 06 02 (N) LON: 0 31 59 12 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 13 TR CODE: C PACK TIME: 5 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/05/08 CHIEF: MDB *CONDITION: O

TYPE: DE MAG CODE: _____ CODE/SETTING: 09/

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____

_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. BELIEVED LOST TO PARKING LOT CONSTRUCTION.

Mark is about _____ ft **lower** than, **higher** than, or is **level** with _____
and **projects** _____ inches, is **recessed** _____ inches, or is **flush** with the ground.

Located

_____ ft _____ of the centerline of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____

_____ ft _____ of _____ () tag

_____ ft _____ of _____ () tag

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9115

JC FK

DR CODE: R REC CODE: M LAT: 36 06 03 (N) LON: 081 59 23 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 14 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/05/09 CHIEF: MDB *CONDITION: O

TYPE: DE MAG CODE: _____ CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. DESCRIPTION NO LONGER ADEQUATE TO LOCATE STATION.

Mark is about _____ ft **lower** than, **higher** than, or is **level** with _____
and **projects** _____ inches, is **recessed** _____ inches, or is **flush** with the ground.

Located

_____ ft _____ of the centerline of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____ () tag
_____ ft _____ of _____ () tag

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for "other"; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for "other"; and 3). Explain.

SSN: 9116 *JC* FK
DR CODE: R REC CODE: M LAT: 36 07 01.74 (N) LON: 081 58 ⁵⁶ 55.29 (W)
STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____
DESIGNATION: 44 EG 15 TR CODE: C PACK TIME: 0 : 00
CODE/SET BY: / YEAR: _____ CHIEF: _____
CODE/RECOVERY: C / NCGS DATE: 2017/05/15 CHIEF: MDB *CONDITION: 0
TYPE: DE MAG CODE: N CODE/SETTING: 09 /
AGENCY INSCRIPTION: NCSHC STAMPING: _____
RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:
About _____ Mi _____ of _____
_____ Mi _____ of _____
In _____
At the _____
(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. DESCRIPTION NO LONGER ADEQUATE TO LOCATE STATION.

Mark is about _____ ft lower than, higher than, or is level with _____
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located
_____ ft _____ of the centerline of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____ () tag
_____ ft _____ of _____ () tag

mp

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9117

JC FK

DR CODE: R REC CODE: N LAT: 36 07 27.94 (N) LON: 0 81 58 ³³ 32-84 (W)

STATE/COUNTY: / APP: GPS: PID:

DESIGNATION: 44 EG 17 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017 / 06 / 05 CHIEF: NOB * CONDITION: 0

TYPE: OH MAG CODE: CODE/SETTING: /

AGENCY INSCRIPTION: STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

THE STATION WAS NOT FOUND. RTN SEARCH PLACED MARK IN PULL OFF AREA. PROBES AREA WITHOUT SUCCESS. BELIEVED LOST TO DRIVEWAY CONSTRUCTION

Mark is about ft lower than, higher than, or is level with
and projects inches, is recessed inches, or is flush with the ground.

Located
 ft of the centerline of
 ft of
 ft of
 ft of
 ft of () tag
 ft of () tag

ms

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 404

JC EK

DR CODE: R REC CODE: M LAT: 36 07 40.17 (N) LON: 081 58 33.15 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 44 EG 18 TR CODE: C PACK TIME: 0:00

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C/NCGS DATE: 2017/05/15 CHIEF: MDB *CONDITION: G

TYPE: DE MAG CODE: T CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: 44 EG 18 1974

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of

 Mi of

In

At the

(Proceed) Along: US 19E for 1.85 mi S (bearing)

from THE INT WITH NC 194 (NEAR CRANBERRY), IN A FIELD

~~R.A.D. WITH REFERENCES ADDED WEST NEAR THE POWER LINES.~~

Mark is about 25 ft lower than, higher than, or is level with US 19E

and projects inches, is recessed inches, or is flush with the ground.

Located

156.0 ft W of the centerline of US 19E

 ft of

 ft of

23.0 ft S of A GUY WIRE ANCHOR

188 ft NNW of A PP (✓) tag

10.5 ft SW of A PP WITH TRANSFORMER (✓) tag

#3 PIC NORTH

mb

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9118

JC EK

DR CODE: R REC CODE: M LAT: 35 59 43 (N) LON: 0 82 01 08. (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44EG 22 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017 / 05 / 09 CHIEF: MDB *CONDITION: O

TYPE: _____ MAG CODE: _____ CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. BRIDGE HAS BEEN REPLACED. LOST TO ROAD IMPROVEMENTS.

Mark is about _____ ft lower than, higher than, or is level with _____
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

_____ ft _____ of the centerline of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____ () tag
_____ ft _____ of _____ () tag

MB

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 9119

JC FK

DR CODE: R REC CODE: M LAT: 36 00 07 (N) LON: 082 01 18 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 44 EG 23 TR CODE: C PACK TIME: 0 : 00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/05/09 CHIEF: MDB *CONDITION: O

TYPE: _____ MAG CODE: _____ CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

MARK NOT FOUND. BELIEVED LOST TO LAND DEVELOPMENT.

Mark is about _____ ft **lower** than, **higher** than, or is **level** with _____
and **projects** _____ inches, is **recessed** _____ inches, or is **flush** with the ground.

Located

_____ ft _____ of the centerline of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____
_____ ft _____ of _____ () tag
_____ ft _____ of _____ () tag

MD

NCGS: STATION DESCRIPTION

FORM_NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: _____

JC FK

DR CODE: R REC CODE: M LAT: 36 00 00.73 (N) LON: 081 53 22.97 (W)

STATE/COUNTY: NC / AVERY APP: _____ GPS: _____ PID: _____

DESIGNATION: 45 JS 9 TR CODE: C PACK TIME: 0:00

CODE/SET BY: / YEAR: _____ CHIEF: _____

CODE/RECOVERY: C / NCGS DATE: 2017/06/19 CHIEF: MDB *CONDITION: P

TYPE: DH MAG CODE: T CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING: _____

RECOVERY NOTE: _____ TOPO MAP: _____

STATION IS LOCATED:

About _____ Mi _____ of _____
_____ Mi _____ of _____

In _____

At the _____

(Proceed) Along: _____ for _____ mi _____ (bearing)
from _____

~~R.A.D. WITH UPD~~

R.A.D. WITH UPDATES. DISK + STEM MIST ARE GONE. CONCRETE IN POOR CONDITION.

NEW REFERENCES ADDED.

Mark is about 4 ft lower than, higher than, or is level with NC HWY 181
and projects _____ inches, is recessed _____ inches, or is flush with the ground.

Located

36.5 ft WNW of the centerline of NC HWY 181
_____ ft _____ of _____

_____ ft _____ of _____

81.4 ft N of A SOUTHERN BELL UNDERGROUND CABLE POST

22.7 ft E of A 24" WHITE PINE (✓) tag

71.0 ft JSW of A 10" TULIP POPLAR () tag

3 PIC WEST

NCGS: STATION DESCRIPTION

FORM NCGS_Station_Description_FINAL.doc (Rev. 05/03/2001)

* DESTROYED marks: 1). Record "O" as the condition code for 'other'; 2). Record "MARK HAS BEEN DESTROYED"; and 3). Record evidence of destruction (i.e. EDM search).

NOT FOUND marks: 1). Record the LAT and LON; 2). Record "O" as the condition code for 'other'; and 3). Explain.

SSN: 0121

JC FK

DR CODE: R REC CODE: M LAT: 36 00 45.37 (N) LON: 081 53 43.44 (W)

STATE/COUNTY: NC / AVERY APP: GPS PID:

DESIGNATION: 45 JS 10 TR CODE: C PACK TIME: 0 : 05

CODE/SET BY: / YEAR: CHIEF:

CODE/RECOVERY: C / NCGS DATE: 2017/06/19 CHIEF: MDB *CONDITION: O

TYPE: DH MAG CODE: 3 CODE/SETTING: 09 /

AGENCY INSCRIPTION: NCSHC STAMPING:

RECOVERY NOTE: TOPO MAP:

STATION IS LOCATED:

About Mi of
 Mi of

In

At the

(Proceed) Along: for mi (bearing)
from

THE STATION WAS NOT FOUND. BELIEVED LOST TO POWER LINE RIGHT OF WAY. RTN
SEARCH PLACED STATION IN OPEN AREA. PROBED AREA WITH * CHECKED WITH METAL LOCATOR
WITHOUT SUCCESS.

Mark is about ft lower than, higher than, or is level with
and projects inches, is recessed inches, or is flush with the ground.

Located

 ft of the centerline of
 ft of
 ft of
 ft of
 ft of () tag
 ft of () tag